




















## 6. Conducted Spurious Emission







### 6.1. Test Plots
















## 7. Frequency Stability

### 7.1. Test Results

#### 7.1.1. Frequency Error Vs Voltage

SCS	Bandwidth	Channel	RB Config	Modulation	Temperature	Voltage	Deviation Result		Verdict
							(Hz)	(ppm)	
30KHz	40MHz	MCH	Outer_Full	DFT-QPSK	NT	LV	-10.10	-0.003892	Pass
30KHz	40MHz	MCH	Outer_Full	DFT-QPSK	NT	NV	-0.90	-0.000347	Pass
30KHz	40MHz	MCH	Outer_Full	DFT-QPSK	NT	HV	-9.50	-0.003661	Pass

#### 7.1.2. Frequency Error Vs Temperature

SCS	Bandwidth	Channel	RB Config	Modulation	Temperature	Voltage	Deviation Result		Verdict
							(Hz)	(ppm)	
30KHz	40MHz	MCH	Outer_Full	DFT-QPSK	-30°C	NV	-1.70	-0.000655	Pass
30KHz	40MHz	MCH	Outer_Full	DFT-QPSK	-20°C	NV	-16.30	-0.006281	Pass
30KHz	40MHz	MCH	Outer_Full	DFT-QPSK	-10°C	NV	-23.50	-0.009056	Pass
30KHz	40MHz	MCH	Outer_Full	DFT-QPSK	0°C	NV	6.30	0.002428	Pass
30KHz	40MHz	MCH	Outer_Full	DFT-QPSK	10°C	NV	-7.00	-0.002697	Pass
30KHz	40MHz	MCH	Outer_Full	DFT-QPSK	20°C	NV	-5.10	-0.001965	Pass
30KHz	40MHz	MCH	Outer_Full	DFT-QPSK	30°C	NV	-9.40	-0.003622	Pass
30KHz	40MHz	MCH	Outer_Full	DFT-QPSK	40°C	NV	-2.30	-0.000886	Pass
30KHz	40MHz	MCH	Outer_Full	DFT-QPSK	50°C	NV	-4.20	-0.001618	Pass

The End