









n2A / 15kHz / 15MHz







7. Frequency Stability

7.1. Test Results

7.1.1. Frequency Error Vs Voltage

SCS	Bandwidth	Channel	RB Config	Modulation	Temperature	Voltage	Deviation Result		Verdict
							(Hz)	(ppm)	
15KHz	20MHz	MCH	Outer_Full	DFT-QPSK	NT	LV	-3.60	-0.001915	Pass
15KHz	20MHz	MCH	Outer_Full	DFT-QPSK	NT	NV	-8.60	-0.004574	Pass
15KHz	20MHz	MCH	Outer_Full	DFT-QPSK	NT	HV	-8.00	-0.004255	Pass

7.1.2. Frequency Error Vs Temperature

SCS	Bandwidth	Channel	RB Config	Modulation	Temperature	Voltage	Deviation Result		Verdict
							(Hz)	(ppm)	
15KHz	20MHz	MCH	Outer_Full	DFT-QPSK	-30°C	NV	-5.50	-0.002926	Pass
15KHz	20MHz	MCH	Outer_Full	DFT-QPSK	-20°C	NV	-9.20	-0.004894	Pass
15KHz	20MHz	MCH	Outer_Full	DFT-QPSK	-10°C	NV	-7.70	-0.004096	Pass
15KHz	20MHz	MCH	Outer_Full	DFT-QPSK	0°C	NV	-7.30	-0.003883	Pass
15KHz	20MHz	MCH	Outer_Full	DFT-QPSK	10°C	NV	-9.00	-0.004787	Pass
15KHz	20MHz	MCH	Outer_Full	DFT-QPSK	20°C	NV	-6.50	-0.003457	Pass
15KHz	20MHz	MCH	Outer_Full	DFT-QPSK	30°C	NV	-5.00	-0.002660	Pass
15KHz	20MHz	MCH	Outer_Full	DFT-QPSK	40°C	NV	-5.30	-0.002819	Pass
15KHz	20MHz	MCH	Outer_Full	DFT-QPSK	50°C	NV	-7.70	-0.004096	Pass

The End