





11AX20MIMO_Ant5_5220_106Tone_RU53



Date: 4 JUN 2024 03:20:44


11AX20MIMO_Ant7_5220_26Tone_RU0



Date: 4 JUN 2024 03:18:54




11AX20MIMO_Ant7_5220_52Tone_RU37



Date: 4 JUN 2024 03:20:09


11AX20MIMO_Ant7_5220_106Tone_RU53



Date: 4 JUN 2024 03:20:53




11AX20MIMO_Ant5_5240_26Tone_RU8



Date: 4 JUN 2024 03:22:27


11AX20MIMO_Ant5_5240_52Tone_RU40



Date: 4 JUN 2024 03:23:54




11AX20MIMO_Ant5_5240_106Tone_RU54



Date: 4 JUN 2024 03:25:23


11AX20MIMO_Ant7_5240_26Tone_RU8



Date: 4 JUN 2024 03:22:51




11AX20MIMO_Ant7_5240_52Tone_RU40



Date: 4 JUN 2024 03:24:20


11AX20MIMO_Ant7_5240_106Tone_RU54



Date: 4 JUN 2024 03:25:47




11AX20MIMO_Ant5_5260_26Tone_RU0



Date: 4 JUN 2024 03:26:32


11AX20MIMO_Ant5_5260_52Tone_RU37



Date: 4 JUN 2024 03:28:22




11AX20MIMO_Ant5_5260_106Tone_RU53



Date: 4 JUN 2024 03:29:09


11AX20MIMO_Ant7_5260_26Tone_RU0



Date: 4 JUN 2024 03:26:42




11AX20MIMO_Ant7_5260_52Tone_RU37



Date: 4 JUN 2024 03:28:31


11AX20MIMO_Ant7_5260_106Tone_RU53



Date: 4 JUN 2024 03:29:19




11AX20MIMO_Ant5_5300_26Tone_RU0



Date: 4 JUN 2024 03:29:58


11AX20MIMO_Ant5_5300_52Tone_RU37



Date: 4 JUN 2024 03:30:57




11AX20MIMO_Ant5_5300_106Tone_RU53



Date: 4 JUN 2024 03:31:35


11AX20MIMO_Ant7_5300_26Tone_RU0



Date: 4 JUN 2024 03:30:09




11AX20MIMO_Ant7_5300_52Tone_RU37



Date: 4 JUN 2024 03:31:07


11AX20MIMO_Ant7_5300_106Tone_RU53



Date: 4 JUN 2024 03:31:45




11AX20MIMO_Ant5_5320_26Tone_RU8



Date: 22.JUN.2024 14:48:14


11AX20MIMO_Ant5_5320_52Tone_RU40



Date: 22.JUN.2024 14:49:31




11AX20MIMO_Ant5_5320_106Tone_RU54



Date: 22.JUN.2024 14:51:29


11AX20MIMO_Ant7_5320_26Tone_RU8



Date: 22.JUN.2024 14:48:25




11AX20MIMO_Ant7_5320_52Tone_RU40



Date: 22.JUN.2024 14:49:41


11AX20MIMO_Ant7_5320_106Tone_RU54



Date: 22.JUN.2024 14:51:40




11AX20MIMO_Ant5_5500_26Tone_RU0



Date: 22.JUN.2024 14:55:26


11AX20MIMO_Ant5_5500_52Tone_RU37




Date: 22.JUN.2024 14:57:25



11AX20MIMO_Ant5_5500_106Tone_RU53




11AX20MIMO_Ant7_5500_26Tone_RU0






11AX20MIMO_Ant7_5500_52Tone_RU37



Date: 22.JUN.2024 14:57:36


11AX20MIMO_Ant7_5500_106Tone_RU53



Date: 22.JUN.2024 14:58:18




11AX20MIMO_Ant5_5580_26Tone_RU0



Date: 4 JUN 2024 03:39:34


11AX20MIMO_Ant5_5580_52Tone_RU37



Date: 4 JUN 2024 03:40:45




11AX20MIMO_Ant5_5580_106Tone_RU53



Date: 4 JUN 2024 03:41:27


11AX20MIMO_Ant7_5580_26Tone_RU0



Date: 4 JUN 2024 03:39:43




11AX20MIMO_Ant7_5580_52Tone_RU37



Date: 4 JUN 2024 03:40:56


11AX20MIMO_Ant7_5580_106Tone_RU53



Date: 4 JUN 2024 03:41:37




11AX20MIMO_Ant5_5700_26Tone_RU8



Date: 22.JUN.2024 14:59:49


11AX20MIMO_Ant5_5700_52Tone_RU40



Date: 22.JUN.2024 15:02:17




11AX20MIMO_Ant5_5700_106Tone_RU54



Date: 22.JUN.2024 15:01:05


11AX20MIMO_Ant7_5700_26Tone_RU8




Date: 22.JUN.2024 14:59:59



11AX20MIMO_Ant7_5700_52Tone_RU40




11AX20MIMO_Ant7_5700_106Tone_RU54






11AX20MIMO_Ant5_5720_26Tone_RU8



Date: 4 JUN 2024 03:46:11


11AX20MIMO_Ant5_5720_52Tone_RU40



Date: 4 JUN 2024 03:49:17




11AX20MIMO_Ant5_5720_106Tone_RU54



Date: 4 JUN 2024 03:50:11


11AX20MIMO_Ant7_5720_26Tone_RU8



Date: 4 JUN 2024 03:46:21




11AX20MIMO_Ant7_5720_52Tone_RU40



Date: 4 JUN 2024 03:49:27


11AX20MIMO_Ant7_5720_106Tone_RU54



Date: 4 JUN 2024 03:50:21




11AX20MIMO_Ant5_5745_26Tone_RU0



Date: 4 JUN 2024 03:51:33


11AX20MIMO_Ant5_5745_52Tone_RU37



Date: 4 JUN 2024 03:52:32




11AX20MIMO_Ant5_5745_106Tone_RU53



Date: 4 JUN 2024 03:53:29


11AX20MIMO_Ant7_5745_26Tone_RU0



Date: 4 JUN 2024 03:51:42




11AX20MIMO_Ant7_5745_52Tone_RU37



Date: 4 JUN 2024 03:52:42


11AX20MIMO_Ant7_5745_106Tone_RU53



Date: 4 JUN 2024 03:53:38




11AX20MIMO_Ant5_5785_26Tone_RU0



Date: 4 JUN 2024 03:54:38


11AX20MIMO_Ant5_5785_52Tone_RU37



Date: 4 JUN 2024 03:55:30




11AX20MIMO_Ant5_5785_106Tone_RU53



Date: 4 JUN 2024 03:56:46


11AX20MIMO_Ant7_5785_26Tone_RU0



Date: 4 JUN 2024 03:54:48




11AX20MIMO_Ant7_5785_52Tone_RU37



Date: 4 JUN 2024 03:55:39


11AX20MIMO_Ant7_5785_106Tone_RU53



Date: 4 JUN 2024 03:56:56




11AX20MIMO_Ant5_5825_26Tone_RU8



Date: 4 JUN 2024 03:57:50


11AX20MIMO_Ant5_5825_52Tone_RU40



Date: 4 JUN 2024 03:58:43




11AX20MIMO_Ant5_5825_106Tone_RU54



Date: 4 JUN 2024 03:59:20


11AX20MIMO_Ant7_5825_26Tone_RU8



Date: 4 JUN 2024 03:57:59




11AX20MIMO_Ant7_5825_52Tone_RU40



Date: 4 JUN 2024 03:58:53

11AX20MIMO_Ant7_5825_106Tone_RU54




Date: 4 JUN 2024 03:59:29



Appendix B. AC Conducted Emission Test Results

Test Engineer :	Amos Zhang	Temperature :	25.3~26.2°C
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	Phase :	Line
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		




Site : CO01-KS
 Condition : 15E RSS247-QP LISN-060105-L 2024 LINE

	Freq	Level	Over	Limit	Read	LISN	Cable	Remark
	MHz	dBuV	Limit	Line	Level	Factor	Loss	
			dB	dBuV	dBuV	dB	dB	
1 *	0.168	52.72	-12.36	65.08	42.20	0.10	10.42	QP
2	0.168	41.82	-13.26	55.08	31.30	0.10	10.42	Average
3	0.243	44.96	-17.04	62.00	34.51	0.08	10.37	QP
4	0.243	33.76	-18.24	52.00	23.31	0.08	10.37	Average
5	0.367	38.51	-20.05	58.56	28.20	0.01	10.30	QP
6	0.367	26.61	-21.95	48.56	16.30	0.01	10.30	Average
7	0.456	36.77	-19.99	56.76	26.61	-0.08	10.24	QP
8	0.456	26.47	-20.29	46.76	16.31	-0.08	10.24	Average
9	0.561	40.27	-15.73	56.00	30.20	-0.12	10.19	QP
10	0.561	31.37	-14.63	46.00	21.30	-0.12	10.19	Average
11	0.683	39.50	-16.50	56.00	29.50	-0.15	10.15	QP
12	0.683	27.20	-18.80	46.00	17.20	-0.15	10.15	Average



Test Engineer :	Amos Zhang	Temperature :	25.3~26.2°C
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	Phase :	Neutral
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		



Site : CO01-KS
 Condition : 15E RSS247-QP LISN-060105-N 2024 NEUTRAL

	Freq	Level	Over	Limit	Read	LISN	Cable	Remark
	MHz	dBuV	Limit	Line	Level	Factor	Loss	
			dB	dBuV	dBuV	dB	dB	
1	0.180	45.74	-18.76	64.50	35.20	0.13	10.41	QP
2	0.180	35.44	-19.06	54.50	24.90	0.13	10.41	Average
3	0.248	42.96	-18.86	61.82	32.59	0.00	10.37	QP
4	0.248	35.86	-15.96	51.82	25.49	0.00	10.37	Average
5	0.497	41.57	-14.48	56.05	31.50	-0.15	10.22	QP
6 *	0.497	34.27	-11.78	46.05	24.20	-0.15	10.22	Average
7	0.641	42.20	-13.80	56.00	32.20	-0.16	10.16	QP
8	0.641	27.80	-18.20	46.00	17.80	-0.16	10.16	Average
9	0.763	41.45	-14.55	56.00	31.50	-0.17	10.12	QP
10	0.763	32.25	-13.75	46.00	22.30	-0.17	10.12	Average
11	0.876	39.43	-16.57	56.00	29.50	-0.17	10.10	QP
12	0.876	29.53	-16.47	46.00	19.60	-0.17	10.10	Average

Note:

- Level(dBμV) = Read Level(dBμV) + LISN Factor(dB) + Cable Loss(dB)
- Over Limit(dB) = Level(dBμV) – Limit Line(dBμV)



Appendix C. Radiated Spurious Emission Test Data

Test Engineer :	Levi zhao	Relative Humidity :	41 ~ 42 %
		Temperature :	22 ~ 23 °C

Radiated Spurious Emission Test Modes

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 1	U-NII-1	5.15-5.25	CDD 5+7	802.11a	36	5180	6Mbps	-	-
Mode 2	U-NII-1	5.15-5.25	CDD 5+7	802.11a	44	5220	6Mbps	-	-
Mode 3	U-NII-1	5.15-5.25	CDD 5+7	802.11a	48	5240	6Mbps	-	-
Mode 4	U-NII-2A	5.25-5.35	CDD 5+7	802.11a	52	5260	6Mbps	-	-
Mode 5	U-NII-2A	5.25-5.35	CDD 5+7	802.11a	60	5300	6Mbps	-	-
Mode 6	U-NII-2A	5.25-5.35	CDD 5+7	802.11a	64	5320	6Mbps	-	-
Mode 7	U-NII-2C	5.47-5.725	CDD 5+7	802.11a	100	5500	6Mbps	-	-
Mode 8	U-NII-2C	5.47-5.725	CDD 5+7	802.11a	116	5580	6Mbps	-	-
Mode 9	U-NII-2C	5.47-5.725	CDD 5+7	802.11a	140	5700	6Mbps	-	-
Mode 10	U-NII-1	5.15-5.25	CDD 5+7	802.11ax HE20	36	5180	MCS0	Full	-
Mode 11	U-NII-1	5.15-5.25	CDD 5+7	802.11ax HE20	44	5220	MCS0	Full	-
Mode 12	U-NII-1	5.15-5.25	CDD 5+7	802.11ax HE20	48	5240	MCS0	Full	-
Mode 13	U-NII-2A	5.25-5.35	CDD 5+7	802.11ax HE20	52	5260	MCS0	Full	-
Mode 14	U-NII-2A	5.25-5.35	CDD 5+7	802.11ax HE20	60	5300	MCS0	Full	-
Mode 15	U-NII-2A	5.25-5.35	CDD 5+7	802.11ax HE20	64	5320	MCS0	Full	-
Mode 16	U-NII-2C	5.47-5.725	CDD 5+7	802.11ax HE20	100	5500	MCS0	-	-
Mode 17	U-NII-2C	5.47-5.725	CDD 5+7	802.11ax HE20	116	5580	MCS0	-	-
Mode 18	U-NII-2C	5.47-5.725	CDD 5+7	802.11ax HE20	140	5700	MCS0	-	-
Mode 19	U-NII-1	5.15-5.25	CDD 5+7	802.11ax HE20	36	5180	MCS0	RU26/0	-
Mode 20	U-NII-2A	5.25-5.35	CDD 5+7	802.11ax HE20	64	5320	MCS0	RU26/8	-
Mode 21	U-NII-2C	5.47-5.725	CDD 5+7	802.11ax HE20	100	5500	MCS0	RU26/0	-
Mode 22	U-NII-2C	5.47-5.725	CDD 5+7	802.11ax HE20	140	5700	MCS0	RU26/8	-
Mode 23	U-NII-1	5.15-5.25	CDD 5+7	802.11ax HE20	36	5180	MCS0	RU52/37	-
Mode 24	U-NII-2A	5.25-5.35	CDD 5+7	802.11ax HE20	64	5320	MCS0	RU52/40	-
Mode 25	U-NII-2C	5.47-5.725	CDD 5+7	802.11ax HE20	100	5500	MCS0	RU52/37	-
Mode 26	U-NII-2C	5.47-5.725	CDD 5+7	802.11ax HE20	140	5700	MCS0	RU52/40	-
Mode 27	U-NII-1	5.15-5.25	CDD 5+7	802.11ax HE20	36	5180	MCS0	RU106/53	-
Mode 28	U-NII-2A	5.25-5.35	CDD 5+7	802.11ax HE20	64	5320	MCS0	RU106/54	-
Mode 29	U-NII-2C	5.47-5.725	CDD 5+7	802.11ax HE20	100	5500	MCS0	RU106/53	-
Mode 30	U-NII-2C	5.47-5.725	CDD 5+7	802.11ax HE20	140	5700	MCS0	RU106/54	-
Mode 31	U-NII-1	5.15-5.25	CDD 5+7	802.11ax HE40	38	5190	MCS0	Full	-
Mode 32	U-NII-1	5.15-5.25	CDD 5+7	802.11ax HE40	46	5230	MCS0	Full	-
Mode 33	U-NII-2A	5.25-5.35	CDD 5+7	802.11ax HE40	54	5270	MCS0	Full	-
Mode 34	U-NII-2A	5.25-5.35	CDD 5+7	802.11ax HE40	62	5310	MCS0	Full	-



Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 35	U-NII-2C	5.47-5.725	CDD 5+7	802.11ax HE40	102	5510	MCS0	Full	-
Mode 36	U-NII-2C	5.47-5.725	CDD 5+7	802.11ax HE40	110	5550	MCS0	Full	-
Mode 37	U-NII-2C	5.47-5.725	CDD 5+7	802.11ax HE40	134	5670	MCS0	Full	-
Mode 38	U-NII-1	5.15-5.25	CDD 5+7	802.11ax HE80	42	5210	MCS0	Full	-
Mode 39	U-NII-2A	5.25-5.35	CDD 5+7	802.11ax HE80	58	5290	MCS0	Full	-
Mode 40	U-NII-2C	5.47-5.725	CDD 5+7	802.11ax HE80	106	5530	MCS0	Full	-
Mode 41	U-NII-2C	5.47-5.725	CDD 5+7	802.11ax HE80	122	5610	MCS0	Full	-
Mode 42	U-NII-3	5.725-5.85	CDD 5+7	802.11a	149	5745	6Mbps	-	-
Mode 43	U-NII-3	5.725-5.85	CDD 5+7	802.11a	157	5785	6Mbps	-	-
Mode 44	U-NII-3	5.725-5.85	CDD 5+7	802.11a	165	5825	6Mbps	-	-
Mode 45	U-NII-3	5.725-5.85	CDD 5+7	802.11ax HE20	149	5745	MCS0	Full	-
Mode 46	U-NII-3	5.725-5.85	CDD 5+7	802.11ax HE20	157	5785	MCS0	Full	-
Mode 47	U-NII-3	5.725-5.85	CDD 5+7	802.11ax HE20	165	5825	MCS0	Full	-
Mode 48	U-NII-3	5.725-5.85	CDD 5+7	802.11ax HE40	151	5755	MCS0	Full	-
Mode 49	U-NII-3	5.725-5.85	CDD 5+7	802.11ax HE40	159	5795	MCS0	Full	-
Mode 50	U-NII-3	5.725-5.85	CDD 5+7	802.11ax HE80	155	5775	MCS0	Full	-
Mode 51	U-NII-3	5.725-5.85	CDD 5+7	802.11ax HE20	149	5745	MCS0	RU26/0	-
Mode 52	U-NII-3	5.725-5.85	CDD 5+7	802.11ax HE20	165	5825	MCS0	RU26/8	-
Mode 53	U-NII-3	5.725-5.85	CDD 5+7	802.11ax HE20	149	5745	MCS0	RU52/37	-
Mode 54	U-NII-3	5.725-5.85	CDD 5+7	802.11ax HE20	165	5825	MCS0	RU52/40	-
Mode 55	U-NII-3	5.725-5.85	CDD 5+7	802.11ax HE20	149	5745	MCS0	RU106/53	-
Mode 56	U-NII-3	5.725-5.85	CDD 5+7	802.11ax HE20	165	5825	MCS0	RU106/54	-
Mode 57	U-NII-2C	5.47-5.85	CDD 5+7	802.11a	144	5720	6Mbps	-	-
Mode 58	U-NII-2C	5.47-5.85	CDD 5+7	802.11ax HE20	144	5720	MCS0	-	-
Mode 59	U-NII-2C	5.47-5.85	CDD 5+7	802.11ax HE40	142	5710	MCS0	-	-
Mode 60	U-NII-2C	5.47-5.85	CDD 5+7	802.11ax HE80	138	5690	MCS0	-	-
Mode 61	U-NII-1	5.15-5.25	CDD 5+7	802.11a	40	5200	6Mbps	-	-
Mode 62	U-NII-1	5.15-5.25	CDD 5+7	802.11ax HE20	40	5200	MCS0	-	-
Mode 63	U-NII-2A	5.25-5.35	CDD 5+7	802.11ax HE20	64	5320	MCS0	Full	-
	2400-2483.5	2400-2483.5	6	Bluetooth-LE_GSKF	38	2478	2Mbps	-	-
Part 27F LTE Band 13 - BW 5M									
Mode 64	U-NII-2A	5.25-5.35	7	802.11ax HE20	64	5320	MCS0	Full	-
	2400-2483.5	2400-2483.5	8	802.11ax HE40	09	2452	MCS0	Full	-
Part 27F LTE Band 13 - BW 5M									



Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
1	802.11a	36	5148.00	50.36	54.00	-3.64	H	AVERAGE	Pass	Band Edge
1	802.11a	36	10360.00	49.80	68.20	-18.40	V	PEAK	Pass	Harmonic
2	802.11a	44	-	-	-	-	-	-	-	Band Edge
2	802.11a	44	10440.00	53.06	68.20	-15.14	V	PEAK	Pass	Harmonic
3	802.11a	48	-	-	-	-	-	-	-	Band Edge
3	802.11a	48	10480.00	52.39	68.20	-15.81	H	PEAK	Pass	Harmonic
4	802.11a	52	-	-	-	-	-	-	-	Band Edge
4	802.11a	52	10520.00	48.44	68.20	-19.76	V	PEAK	Pass	Harmonic
5	802.11a	60	-	-	-	-	-	-	-	Band Edge
5	802.11a	60	10600.00	44.11	54.00	-9.89	V	AVERAGE	Pass	Harmonic
6	802.11a	64	5350.10	50.70	54.00	-3.30	H	AVERAGE	Pass	Band Edge
6	802.11a	64	10640.00	37.50	54.00	-16.50	V	AVERAGE	Pass	Harmonic
7	802.11a	100	5458.75	49.90	54.00	-4.10	H	AVERAGE	Pass	Band Edge
7	802.11a	100	11000.00	43.36	54.00	-10.64	V	AVERAGE	Pass	Harmonic
8	802.11a	116	-	-	-	-	-	-	-	Band Edge
8	802.11a	116	11160.00	44.29	54.00	-9.71	V	AVERAGE	Pass	Harmonic
9	802.11a	140	5728.73	64.39	68.20	-3.81	H	Peak	Pass	Band Edge
9	802.11a	140	11400.00	43.55	54.00	-10.45	V	AVERAGE	Pass	Harmonic
10	802.11ax HE20	36	5149.92	50.04	54.00	-3.96	H	AVERAGE	Pass	Band Edge
10	802.11ax HE20	36	10360.00	48.55	68.20	-19.65	V	PEAK	Pass	Harmonic
11	802.11ax HE20	44	-	-	-	-	-	-	-	Band Edge
11	802.11ax HE20	44	10440.00	50.62	68.20	-17.58	V	PEAK	Pass	Harmonic
12	802.11ax HE20	48	-	-	-	-	-	-	-	Band Edge
12	802.11ax HE20	48	10480.00	51.42	68.20	-16.78	V	PEAK	Pass	Harmonic
13	802.11ax HE20	52	-	-	-	-	-	-	-	Band Edge
13	802.11ax HE20	52	10520.00	51.60	68.20	-16.60	V	PEAK	Pass	Harmonic
14	802.11ax HE20	60	-	-	-	-	-	-	-	Band Edge
14	802.11ax HE20	60	10600.00	41.66	54.00	-12.34	V	AVERAGE	Pass	Harmonic
15	802.11ax HE20	64	5351.78	50.75	54.00	-3.25	H	AVERAGE	Pass	Band Edge
15	802.11ax HE20	64	10640.00	40.82	54.00	-13.18	V	AVERAGE	Pass	Harmonic
16	802.11ax HE20	100	5459.05	50.66	54.00	-3.34	H	AVERAGE	Pass	Band Edge
16	802.11ax HE20	100	11000.00	41.98	54.00	-12.02	V	AVERAGE	Pass	Harmonic
17	802.11ax HE20	116	-	-	-	-	-	-	-	Band Edge
17	802.11ax HE20	116	11160.00	42.14	54.00	-11.86	V	AVERAGE	Pass	Harmonic
18	802.11ax HE20	140	5727.43	64.21	68.20	-3.99	H	Peak	Pass	Band Edge
18	802.11ax HE20	140	11400.00	42.04	54.00	-11.96	V	AVERAGE	Pass	Harmonic
19	802.11ax HE20	36	5147.36	47.72	54.00	-6.28	H	AVERAGE	Pass	Band Edge
19	802.11ax HE20	36	-	-	-	-	-	-	-	Harmonic



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
20	802.11ax HE20	64	5362.84	45.18	54.00	-8.82	H	AVERAGE	Pass	Band Edge
20	802.11ax HE20	64	-	-	-	-	-	-	-	Harmonic
21	802.11ax HE20	100	5456.20	45.20	54.00	-8.80	H	AVERAGE	Pass	Band Edge
21	802.11ax HE20	100	-	-	-	-	-	-	-	Harmonic
22	802.11ax HE20	140	5725.16	57.74	68.20	-10.46	H	PEAK	Pass	Band Edge
22	802.11ax HE20	140	-	-	-	-	-	-	-	Harmonic
23	802.11ax HE20	36	5143.52	45.39	54.00	-8.61	H	AVERAGE	Pass	Band Edge
23	802.11ax HE20	36	-	-	-	-	-	-	-	Harmonic
24	802.11ax HE20	64	5350.10	43.76	54.00	-10.24	H	AVERAGE	Pass	Band Edge
24	802.11ax HE20	64	-	-	-	-	-	-	-	Harmonic
25	802.11ax HE20	100	5468.50	57.83	68.20	-10.37	H	PEAK	Pass	Band Edge
25	802.11ax HE20	100	-	-	-	-	-	-	-	Harmonic
26	802.11ax HE20	140	5727.11	59.54	68.20	-8.66	H	PEAK	Pass	Band Edge
26	802.11ax HE20	140	-	-	-	-	-	-	-	Harmonic
27	802.11ax HE20	36	5149.76	48.44	54.00	-5.56	H	AVERAGE	Pass	Band Edge
27	802.11ax HE20	36	-	-	-	-	-	-	-	Harmonic
28	802.11ax HE20	64	5350.38	48.35	54.00	-5.65	H	AVERAGE	Pass	Band Edge
28	802.11ax HE20	64	-	-	-	-	-	-	-	Harmonic
29	802.11ax HE20	100	5468.35	62.46	68.20	-5.74	H	PEAK	Pass	Band Edge
29	802.11ax HE20	100	-	-	-	-	-	-	-	Harmonic
30	802.11ax HE20	140	5728.41	64.65	68.20	-3.55	V	PEAK	Pass	Band Edge
30	802.11ax HE20	140	-	-	-	-	-	-	-	Harmonic
31	802.11ax HE40	38	5150.00	50.24	54.00	-3.76	H	AVERAGE	Pass	Band Edge
31	802.11ax HE40	38	10380.00	46.97	68.20	-21.23	H	PEAK	Pass	Harmonic
32	802.11ax HE40	46	5147.66	46.91	54.00	-7.09	H	AVERAGE	Pass	Band Edge
32	802.11ax HE40	46	10460.00	48.46	68.20	-19.74	V	PEAK	Pass	Harmonic
33	802.11ax HE40	54	5144.45	45.50	54.00	-8.50	H	AVERAGE	Pass	Band Edge
33	802.11ax HE40	54	10540.00	47.21	68.20	-20.99	V	PEAK	Pass	Harmonic
34	802.11ax HE40	62	5350.05	50.30	54.00	-3.70	H	AVERAGE	Pass	Band Edge
34	802.11ax HE40	62	10620.00	37.71	54.00	-16.29	V	AVERAGE	Pass	Harmonic
35	802.11ax HE40	102	5458.96	50.34	54.00	-3.66	H	AVERAGE	Pass	Band Edge
35	802.11ax HE40	102	11020.00	37.19	54.00	-16.81	V	AVERAGE	Pass	Harmonic
36	802.11ax HE40	110	-	-	-	-	-	-	-	Band Edge
36	802.11ax HE40	110	11100.00	38.03	54.00	-15.97	V	AVERAGE	Pass	Harmonic
37	802.11ax HE40	134	5725.48	60.35	68.20	-7.85	H	PEAK	Pass	Band Edge
37	802.11ax HE40	134	11337.30	47.43	74.00	-26.57	V	Peak	Pass	Harmonic
38	802.11ax HE80	42	5149.10	50.48	54.00	-3.52	H	AVERAGE	Pass	Band Edge
38	802.11ax HE80	42	10420.00	46.46	68.20	-21.74	H	PEAK	Pass	Harmonic
39	802.11ax HE80	58	5350.01	50.50	54.00	-3.50	H	AVERAGE	Pass	Band Edge
39	802.11ax HE80	58	10580.00	46.22	68.20	-21.98	V	PEAK	Pass	Harmonic







Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
40	802.11ax HE80	106	5459.80	50.42	54.00	-3.58	H	AVERAGE	Pass	Band Edge
40	802.11ax HE80	106	11060.00	36.79	54.00	-17.21	V	AVERAGE	Pass	Harmonic
41	802.11ax HE80	122	5459.80	46.80	54.00	-7.20	H	AVERAGE	Pass	Band Edge
41	802.11ax HE80	122	11220.00	36.87	54.00	-17.13	V	AVERAGE	Pass	Harmonic
42	802.11a	149	5619.72	55.70	68.20	-12.50	V	PEAK	Pass	Band Edge
42	802.11a	149	11490.00	44.32	54.00	-9.68	V	AVERAGE	Pass	Harmonic
43	802.11a	157	-	-	-	-	-	-	-	Band Edge
43	802.11a	157	11570.00	43.47	54.00	-10.53	V	AVERAGE	Pass	Harmonic
44	802.11a	165	5939.50	56.20	68.20	-12.00	H	PEAK	Pass	Band Edge
44	802.11a	165	11650.00	45.30	54.00	-8.70	V	AVERAGE	Pass	Harmonic
45	802.11ax HE20	149	5646.69	55.34	68.20	-12.86	H	PEAK	Pass	Band Edge
45	802.11ax HE20	149	11490.00	44.33	54.00	-9.67	V	AVERAGE	Pass	Harmonic
46	802.11ax HE20	157	-	-	-	-	-	-	-	Band Edge
46	802.11ax HE20	157	11570.00	42.91	54.00	-11.09	V	AVERAGE	Pass	Harmonic
47	802.11ax HE20	165	5945.13	56.04	68.20	-12.16	H	PEAK	Pass	Band Edge
47	802.11ax HE20	165	11650.00	43.94	54.00	-10.06	V	AVERAGE	Pass	Harmonic
48	802.11ax HE40	151	5628.68	56.23	68.20	-11.97	H	PEAK	Pass	Band Edge
48	802.11ax HE40	151	11510.00	38.66	54.00	-15.34	V	AVERAGE	Pass	Harmonic
49	802.11ax HE40	159	5944.27	55.86	68.20	-12.34	H	PEAK	Pass	Band Edge
49	802.11ax HE40	159	11590.00	38.27	54.00	-15.73	V	AVERAGE	Pass	Harmonic
50	802.11ax HE80	155	5633.08	57.07	68.20	-11.13	V	PEAK	Pass	Band Edge
50	802.11ax HE80	155	11550.00	37.06	54.00	-16.94	V	AVERAGE	Pass	Harmonic
51	802.11ax HE20	149	5638.72	55.11	68.20	-13.09	H	PEAK	Pass	Band Edge
51	802.11ax HE20	149	-	-	-	-	-	-	-	Harmonic
52	802.11ax HE20	165	5930.13	55.22	68.20	-12.98	V	PEAK	Pass	Band Edge
52	802.11ax HE20	165	-	-	-	-	-	-	-	Harmonic
53	802.11ax HE20	149	5645.82	54.59	68.20	-13.61	H	PEAK	Pass	Band Edge
53	802.11ax HE20	149	-	-	-	-	-	-	-	Harmonic
54	802.11ax HE20	165	5935.88	55.56	68.20	-12.64	H	PEAK	Pass	Band Edge
54	802.11ax HE20	165	-	-	-	-	-	-	-	Harmonic
55	802.11ax HE20	149	5611.17	55.44	68.20	-12.76	H	PEAK	Pass	Band Edge
55	802.11ax HE20	149	-	-	-	-	-	-	-	Harmonic
56	802.11ax HE20	165	5940.88	54.95	68.20	-13.25	H	PEAK	Pass	Band Edge
56	802.11ax HE20	165	-	-	-	-	-	-	-	Harmonic
57	802.11a	144	-	-	-	-	-	-	-	Band Edge
57	802.11a	144	11440.00	43.78	54.00	-10.22	V	AVERAGE	Pass	Harmonic
58	802.11ax HE20	144	-	-	-	-	-	-	-	Band Edge
58	802.11ax HE20	144	11440.00	43.68	54.00	-10.32	V	AVERAGE	Pass	Harmonic







Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
59	802.11ax HE40	142	-	-	-	-	-	-	-	Band Edge
59	802.11ax HE40	142	11420.00	39.10	54.00	-14.90	V	AVERAGE	Pass	Harmonic
60	802.11ax HE80	138	-	-	-	-	-	-	-	Band Edge
60	802.11ax HE80	138	11380.00	45.68	74.00	-28.32	V	PEAK	Pass	Harmonic
61	802.11a	40	5148.28	49.81	54.00	-4.19	H	AVERAGE	Pass	Band Edge
61	802.11a	40	10400.00	56.60	68.20	-11.60	V	PEAK	Pass	Harmonic
62	802.11ax HE20	40	5149.82	50.42	54.00	-3.58	H	AVERAGE	Pass	Band Edge
62	802.11ax HE20	40	10400.00	54.00	68.20	-14.20	V	PEAK	Pass	Harmonic
63	802.11ax HE20	64	5350.66	50.90	54.00	-3.10	H	AVERAGE	Pass	Band Edge
	802.11ax HE20	64	10640.00	46.53	74.00	-27.47	V	PEAK	Pass	Harmonic
	Bluetooth-LE_GSKF	38	2487.52	44.90	54.00	-9.10	H	AVERAGE	Pass	Band Edge
	Bluetooth-LE_GSKF	38	7434.00	44.11	74.00	-29.89	V	PEAK	Pass	Harmonic
64	802.11ax HE20	64	5350.10	50.7	54.00	-3.30	H	AVERAGE	Pass	Band Edge
	802.11ax HE20	64	10640.00	37.91	54.00	-16.09	V	AVERAGE	Pass	Harmonic
	802.11ax HE40	09	2483.97	50.98	54.00	-3.02	H	AVERAGE	Pass	Band Edge
	802.11ax HE40	09	7356.00	43.84	74.00	-30.16	V	PEAK	Pass	Harmonic



Mode	1																																																																																									
	Band Edge																																																																																									
	U-NII-1_5.15-5.25_802.11a_CH36_5180MHz																																																																																									
ANT	CDD 5+7																																																																																									
Pol.	Horizontal	Fundamental																																																																																								
Peak	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5145.12</td> <td>62.11</td> <td>74.00</td> <td>-11.89</td> <td>50.03</td> <td>34.19</td> <td>9.78</td> <td>31.89</td> <td>0.00</td> <td>106</td> <td>279</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5145.12	62.11	74.00	-11.89	50.03	34.19	9.78	31.89	0.00	106	279	PEAK	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5180.00</td> <td>110.43</td> <td>-----</td> <td>-----</td> <td>98.30</td> <td>34.20</td> <td>9.81</td> <td>31.88</td> <td>0.00</td> <td>106</td> <td>279</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5180.00	110.43	-----	-----	98.30	34.20	9.81	31.88	0.00	106	279	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5145.12	62.11	74.00	-11.89	50.03	34.19	9.78	31.89	0.00	106	279	PEAK																																																																														
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5180.00	110.43	-----	-----	98.30	34.20	9.81	31.88	0.00	106	279	PEAK																																																																														
Avg	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5148.00</td> <td>50.36</td> <td>54.00</td> <td>-3.64</td> <td>38.27</td> <td>34.20</td> <td>9.78</td> <td>31.89</td> <td>0.00</td> <td>106</td> <td>279</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5148.00	50.36	54.00	-3.64	38.27	34.20	9.78	31.89	0.00	106	279	AVERAGE	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5180.00</td> <td>102.27</td> <td>-----</td> <td>-----</td> <td>90.14</td> <td>34.20</td> <td>9.81</td> <td>31.88</td> <td>0.00</td> <td>106</td> <td>279</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5180.00	102.27	-----	-----	90.14	34.20	9.81	31.88	0.00	106	279	AVERAGE
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5148.00	50.36	54.00	-3.64	38.27	34.20	9.78	31.89	0.00	106	279	AVERAGE																																																																														
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5180.00	102.27	-----	-----	90.14	34.20	9.81	31.88	0.00	106	279	AVERAGE																																																																														



		1																																																																																										
Mode		Band Edge																																																																																										
		U-NII-1_5.15-5.25_802.11a_CH36_5180MHz																																																																																										
ANT		CDD 5+7																																																																																										
Pol.		Vertical					Fundamental																																																																																					
Peak	 <p>Level (dBuV/m) vs Frequency (MHz) for Vertical polarization. The plot shows a peak at approximately 5180 MHz. A red horizontal line indicates the limit at 65.0 dBuV/m. The measured peak level is 46.0 dBuV/m.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5149.28</td> <td>58.92</td> <td>74.00</td> <td>-15.08</td> <td>46.82</td> <td>34.20</td> <td>9.79</td> <td>31.89</td> <td>0.00</td> <td>343</td> <td>46 PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5149.28	58.92	74.00	-15.08	46.82	34.20	9.79	31.89	0.00	343	46 PEAK	 <p>Level (dBuV/m) vs Frequency (MHz) for Fundamental polarization. The plot shows a sharp peak at 5180 MHz. A red horizontal line indicates the limit at 65.0 dBuV/m. The measured peak level is 105.24 dBuV/m.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5180.00</td> <td>105.24</td> <td>-----</td> <td>-----</td> <td>93.11</td> <td>34.20</td> <td>9.81</td> <td>31.88</td> <td>0.00</td> <td>343</td> <td>46 PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5180.00	105.24	-----	-----	93.11	34.20	9.81	31.88	0.00	343	46 PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																		
1	5149.28	58.92	74.00	-15.08	46.82	34.20	9.79	31.89	0.00	343	46 PEAK																																																																																	
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																		
1	5180.00	105.24	-----	-----	93.11	34.20	9.81	31.88	0.00	343	46 PEAK																																																																																	
Avg	 <p>Level (dBuV/m) vs Frequency (MHz) for Vertical polarization. The plot shows the average spectrum with a peak at 5180 MHz. A red horizontal line indicates the limit at 54.00 dBuV/m. The measured average level is 47.66 dBuV/m.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5147.04</td> <td>47.66</td> <td>54.00</td> <td>-6.34</td> <td>35.58</td> <td>34.19</td> <td>9.78</td> <td>31.89</td> <td>0.00</td> <td>343</td> <td>46 AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5147.04	47.66	54.00	-6.34	35.58	34.19	9.78	31.89	0.00	343	46 AVERAGE	 <p>Level (dBuV/m) vs Frequency (MHz) for Fundamental polarization. The plot shows the average spectrum with a sharp peak at 5180 MHz. A red horizontal line indicates the limit at 54.00 dBuV/m. The measured average level is 98.61 dBuV/m.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5180.00</td> <td>98.61</td> <td>-----</td> <td>-----</td> <td>86.48</td> <td>34.20</td> <td>9.81</td> <td>31.88</td> <td>0.00</td> <td>343</td> <td>46 AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5180.00	98.61	-----	-----	86.48	34.20	9.81	31.88	0.00	343	46 AVERAGE
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																		
1	5147.04	47.66	54.00	-6.34	35.58	34.19	9.78	31.89	0.00	343	46 AVERAGE																																																																																	
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																		
1	5180.00	98.61	-----	-----	86.48	34.20	9.81	31.88	0.00	343	46 AVERAGE																																																																																	



Mode	1																																																																																							
	Harmonic																																																																																							
	U-NII-1_5.15-5.25_802.11a_CH36_5180MHz																																																																																							
ANT	CDD 5+7																																																																																							
Pol.	Horizontal	Vertical																																																																																						
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10360.00</td> <td>46.00</td> <td>68.20</td> <td>-22.20</td> <td>55.61</td> <td>37.55</td> <td>14.12</td> <td>61.28</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10360.00	46.00	68.20	-22.20	55.61	37.55	14.12	61.28	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10360.00</td> <td>49.80</td> <td>68.20</td> <td>-18.40</td> <td>59.39</td> <td>37.56</td> <td>14.13</td> <td>61.28</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10360.00	49.80	68.20	-18.40	59.39	37.56	14.13	61.28	0.00	---	---	PEAK
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	10360.00	46.00	68.20	-22.20	55.61	37.55	14.12	61.28	0.00	---	---	PEAK																																																																												
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	10360.00	49.80	68.20	-18.40	59.39	37.56	14.13	61.28	0.00	---	---	PEAK																																																																												



Mode	2																																																																									
	Harmonic																																																																									
	U-NII-1_5.15-5.25_802.11a_CH44_5220MHz																																																																									
ANT	CDD 5+7																																																																									
Pol.	Horizontal	Vertical																																																																								
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 10440.00</td> <td>46.88</td> <td>68.20</td> <td>-21.32</td> <td>56.30</td> <td>37.67</td> <td>14.18</td> <td>61.27</td> <td>0.00</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 10440.00	46.88	68.20	-21.32	56.30	37.67	14.18	61.27	0.00	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 10440.00</td> <td>53.06</td> <td>68.20</td> <td>-15.14</td> <td>62.48</td> <td>37.67</td> <td>14.18</td> <td>61.27</td> <td>0.00</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 10440.00	53.06	68.20	-15.14	62.48	37.67	14.18	61.27	0.00
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																		
1 10440.00	46.88	68.20	-21.32	56.30	37.67	14.18	61.27	0.00																																																																		
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																		
1 10440.00	53.06	68.20	-15.14	62.48	37.67	14.18	61.27	0.00																																																																		



Mode	3																																																																																	
	Harmonic																																																																																	
	U-NII-1_5.15-5.25_802.11a_CH48_5240MHz																																																																																	
ANT	CDD 5+7																																																																																	
Pol.	Horizontal	Vertical																																																																																
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10480.00</td> <td>52.39</td> <td>68.20</td> <td>-15.81</td> <td>61.69</td> <td>37.76</td> <td>14.21</td> <td>61.27</td> <td>0.00</td> <td>100</td> <td>242</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	10480.00	52.39	68.20	-15.81	61.69	37.76	14.21	61.27	0.00	100	242	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10480.00</td> <td>48.65</td> <td>68.20</td> <td>-19.55</td> <td>57.95</td> <td>37.76</td> <td>14.21</td> <td>61.27</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	10480.00	48.65	68.20	-19.55	57.95	37.76	14.21	61.27	0.00	---	---	PEAK
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	10480.00	52.39	68.20	-15.81	61.69	37.76	14.21	61.27	0.00	100	242	PEAK																																																																						
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	10480.00	48.65	68.20	-19.55	57.95	37.76	14.21	61.27	0.00	---	---	PEAK																																																																						







Mode	4																																																																																	
	Harmonic																																																																																	
	U-NII-2A_5.25-5.35_802.11a_CH52_5260MHz																																																																																	
ANT	CDD 5+7																																																																																	
Pol.	Horizontal	Vertical																																																																																
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10520.00</td> <td>46.42</td> <td>68.20</td> <td>-21.78</td> <td>55.65</td> <td>37.81</td> <td>14.23</td> <td>61.27</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	10520.00	46.42	68.20	-21.78	55.65	37.81	14.23	61.27	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10520.00</td> <td>48.44</td> <td>68.20</td> <td>-19.76</td> <td>57.66</td> <td>37.82</td> <td>14.23</td> <td>61.27</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	10520.00	48.44	68.20	-19.76	57.66	37.82	14.23	61.27	0.00	---	---	PEAK
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	10520.00	46.42	68.20	-21.78	55.65	37.81	14.23	61.27	0.00	---	---	PEAK																																																																						
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	10520.00	48.44	68.20	-19.76	57.66	37.82	14.23	61.27	0.00	---	---	PEAK																																																																						







Mode	5																																																																																																																		
	Harmonic																																																																																																																		
	U-NII-2A_5.25-5.35_802.11a_CH60_5300MHz																																																																																																																		
ANT	CDD 5+7																																																																																																																		
Pol.	Horizontal	Vertical																																																																																																																	
Peak Avg																																																																																																																			
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10600.00</td> <td>50.41</td> <td>74.00</td> <td>-23.59</td> <td>59.48</td> <td>37.90</td> <td>14.29</td> <td>61.26</td> <td>0.00</td> <td>100</td> <td>239</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>10600.00</td> <td>40.73</td> <td>54.00</td> <td>-13.27</td> <td>49.80</td> <td>37.90</td> <td>14.29</td> <td>61.26</td> <td>0.00</td> <td>100</td> <td>33</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10600.00	50.41	74.00	-23.59	59.48	37.90	14.29	61.26	0.00	100	239	PEAK	2	10600.00	40.73	54.00	-13.27	49.80	37.90	14.29	61.26	0.00	100	33	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10600.00</td> <td>53.20</td> <td>74.00</td> <td>-20.80</td> <td>62.27</td> <td>37.90</td> <td>14.29</td> <td>61.26</td> <td>0.00</td> <td>100</td> <td>33</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>10600.00</td> <td>44.11</td> <td>54.00</td> <td>-9.89</td> <td>53.18</td> <td>37.90</td> <td>14.29</td> <td>61.26</td> <td>0.00</td> <td>100</td> <td>33</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10600.00	53.20	74.00	-20.80	62.27	37.90	14.29	61.26	0.00	100	33	PEAK	2	10600.00	44.11	54.00	-9.89	53.18	37.90	14.29	61.26	0.00	100	33
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																									
1	10600.00	50.41	74.00	-23.59	59.48	37.90	14.29	61.26	0.00	100	239	PEAK																																																																																																							
2	10600.00	40.73	54.00	-13.27	49.80	37.90	14.29	61.26	0.00	100	33	AVERAGE																																																																																																							
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																									
1	10600.00	53.20	74.00	-20.80	62.27	37.90	14.29	61.26	0.00	100	33	PEAK																																																																																																							
2	10600.00	44.11	54.00	-9.89	53.18	37.90	14.29	61.26	0.00	100	33	AVERAGE																																																																																																							



Mode	6																																																																																									
	Band Edge																																																																																									
	U-NII-2A_5.25-5.35_802.11a_CH64_5320MHz																																																																																									
ANT	CDD 5+7																																																																																									
Pol.	Horizontal	Fundamental																																																																																								
Peak	 <p>Level (dBuV/m) vs Frequency (MHz) for Horizontal polarization. The plot shows a signal level starting at approximately 113.8 dBuV/m at 5320 MHz and decreasing to about 48.8 dBuV/m at 5460 MHz. A red limit line is shown at 65.0 dBuV/m. A peak is observed at 5320.24 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5350.24</td> <td>59.65</td> <td>74.00</td> <td>-14.35</td> <td>47.02</td> <td>34.50</td> <td>9.91</td> <td>31.78</td> <td>0.00</td> <td>100</td> <td>278</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5350.24	59.65	74.00	-14.35	47.02	34.50	9.91	31.78	0.00	100	278	PEAK	 <p>Level (dBuV/m) vs Frequency (MHz) for Fundamental polarization. The plot shows a signal level starting at approximately 48.8 dBuV/m at 1000 MHz and increasing to about 113.8 dBuV/m at 5320 MHz. A red limit line is shown at 65.0 dBuV/m. A peak is observed at 5320.00 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5320.00</td> <td>110.23</td> <td>-----</td> <td>-----</td> <td>97.63</td> <td>34.50</td> <td>9.90</td> <td>31.80</td> <td>0.00</td> <td>100</td> <td>278</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5320.00	110.23	-----	-----	97.63	34.50	9.90	31.80	0.00	100	278	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5350.24	59.65	74.00	-14.35	47.02	34.50	9.91	31.78	0.00	100	278	PEAK																																																																														
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5320.00	110.23	-----	-----	97.63	34.50	9.90	31.80	0.00	100	278	PEAK																																																																														
Avg	 <p>Level (dBuV/m) vs Frequency (MHz) for Horizontal polarization (Average). The plot shows a signal level starting at approximately 97.5 dBuV/m at 5320 MHz and decreasing to about 48.8 dBuV/m at 5460 MHz. A red limit line is shown at 65.0 dBuV/m. The average level is 53.50 dBuV/m at 5350 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5350.10</td> <td>50.70</td> <td>54.00</td> <td>-3.30</td> <td>38.07</td> <td>34.50</td> <td>9.91</td> <td>31.78</td> <td>0.00</td> <td>100</td> <td>278</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5350.10	50.70	54.00	-3.30	38.07	34.50	9.91	31.78	0.00	100	278	AVERAGE	 <p>Level (dBuV/m) vs Frequency (MHz) for Fundamental polarization (Average). The plot shows a signal level starting at approximately 32.5 dBuV/m at 1000 MHz and increasing to about 113.8 dBuV/m at 5320 MHz. A red limit line is shown at 65.0 dBuV/m. The average level is 102.90 dBuV/m at 5320 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5320.00</td> <td>102.90</td> <td>-----</td> <td>-----</td> <td>90.38</td> <td>34.50</td> <td>9.90</td> <td>31.80</td> <td>0.00</td> <td>100</td> <td>278</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5320.00	102.90	-----	-----	90.38	34.50	9.90	31.80	0.00	100	278	AVERAGE
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5350.10	50.70	54.00	-3.30	38.07	34.50	9.91	31.78	0.00	100	278	AVERAGE																																																																														
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5320.00	102.90	-----	-----	90.38	34.50	9.90	31.80	0.00	100	278	AVERAGE																																																																														



		6																																																																																										
Mode		Band Edge																																																																																										
		U-NII-2A_5.25-5.35_802.11a_CH64_5320MHz																																																																																										
ANT		CDD 5+7																																																																																										
Pol.		Vertical					Fundamental																																																																																					
Peak	 <p>Level (dBuV/m)</p> <p>130</p> <p>113.8</p> <p>97.5</p> <p>81.3</p> <p>65.0</p> <p>48.8</p> <p>32.5</p> <p>16.3</p> <p>0</p> <p>5320</p> <p>5348</p> <p>5376</p> <p>5404</p> <p>5432</p> <p>5460</p> <p>Frequency (MHz)</p> <p>U-NII-1-U-NII-2A-U-NII-2C</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5350.80</td> <td>58.19</td> <td>74.00</td> <td>-15.81</td> <td>45.56</td> <td>34.50</td> <td>9.91</td> <td>31.78</td> <td>0.00</td> <td>343</td> <td>47 PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5350.80	58.19	74.00	-15.81	45.56	34.50	9.91	31.78	0.00	343	47 PEAK	 <p>Level (dBuV/m)</p> <p>130</p> <p>113.8</p> <p>97.5</p> <p>81.3</p> <p>65.0</p> <p>48.8</p> <p>32.5</p> <p>16.3</p> <p>0</p> <p>1000</p> <p>2200</p> <p>3400</p> <p>4600</p> <p>5800</p> <p>7000</p> <p>Frequency (MHz)</p> <p>U-NII-1-U-NII-2A-U-NII-2C</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5320.00</td> <td>105.79</td> <td>-----</td> <td>-----</td> <td>93.19</td> <td>34.50</td> <td>9.90</td> <td>31.80</td> <td>0.00</td> <td>343</td> <td>47 PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5320.00	105.79	-----	-----	93.19	34.50	9.90	31.80	0.00	343	47 PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																		
1	5350.80	58.19	74.00	-15.81	45.56	34.50	9.91	31.78	0.00	343	47 PEAK																																																																																	
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																		
1	5320.00	105.79	-----	-----	93.19	34.50	9.90	31.80	0.00	343	47 PEAK																																																																																	
Avg	 <p>Level (dBuV/m)</p> <p>130</p> <p>113.8</p> <p>97.5</p> <p>81.3</p> <p>65.0</p> <p>48.8</p> <p>32.5</p> <p>16.3</p> <p>0</p> <p>5320</p> <p>5348</p> <p>5376</p> <p>5404</p> <p>5432</p> <p>5460</p> <p>Frequency (MHz)</p> <p>U-NII-1-U-NII-2A-U-NII-2C(AVG)</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5350.10</td> <td>47.82</td> <td>54.00</td> <td>-6.18</td> <td>35.19</td> <td>34.50</td> <td>9.91</td> <td>31.78</td> <td>0.00</td> <td>343</td> <td>47 AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5350.10	47.82	54.00	-6.18	35.19	34.50	9.91	31.78	0.00	343	47 AVERAGE	 <p>Level (dBuV/m)</p> <p>130</p> <p>113.8</p> <p>97.5</p> <p>81.3</p> <p>65.0</p> <p>48.8</p> <p>32.5</p> <p>16.3</p> <p>0</p> <p>1000</p> <p>2200</p> <p>3400</p> <p>4600</p> <p>5800</p> <p>7000</p> <p>Frequency (MHz)</p> <p>U-NII-1-U-NII-2A-U-NII-2C(AVG)</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5320.00</td> <td>99.75</td> <td>-----</td> <td>-----</td> <td>87.15</td> <td>34.50</td> <td>9.90</td> <td>31.80</td> <td>0.00</td> <td>343</td> <td>47 AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5320.00	99.75	-----	-----	87.15	34.50	9.90	31.80	0.00	343	47 AVERAGE
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																		
1	5350.10	47.82	54.00	-6.18	35.19	34.50	9.91	31.78	0.00	343	47 AVERAGE																																																																																	
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																		
1	5320.00	99.75	-----	-----	87.15	34.50	9.90	31.80	0.00	343	47 AVERAGE																																																																																	







Mode	6																																																																																																					
	Harmonic																																																																																																					
	U-NII-2A_5.25-5.35_802.11a_CH64_5320MHz																																																																																																					
ANT	CDD 5+7																																																																																																					
Pol.	Horizontal	Vertical																																																																																																				
Peak Avg																																																																																																						
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10640.00</td> <td>46.86</td> <td>74.00</td> <td>-27.14</td> <td>55.85</td> <td>37.94</td> <td>14.32</td> <td>61.25</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10640.00	46.86	74.00	-27.14	55.85	37.94	14.32	61.25	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10640.00</td> <td>47.49</td> <td>74.00</td> <td>-26.51</td> <td>56.48</td> <td>37.94</td> <td>14.32</td> <td>61.25</td> <td>0.00</td> <td>300</td> <td>360</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>10640.00</td> <td>37.50</td> <td>54.00</td> <td>-16.50</td> <td>46.49</td> <td>37.94</td> <td>14.32</td> <td>61.25</td> <td>0.00</td> <td>300</td> <td>360</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10640.00	47.49	74.00	-26.51	56.48	37.94	14.32	61.25	0.00	300	360	PEAK	2	10640.00	37.50	54.00	-16.50	46.49	37.94	14.32	61.25	0.00	300	360
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																												
1	10640.00	46.86	74.00	-27.14	55.85	37.94	14.32	61.25	0.00	---	---	PEAK																																																																																										
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																												
1	10640.00	47.49	74.00	-26.51	56.48	37.94	14.32	61.25	0.00	300	360	PEAK																																																																																										
2	10640.00	37.50	54.00	-16.50	46.49	37.94	14.32	61.25	0.00	300	360	AVERAGE																																																																																										



Mode	7																																																																																																					
	Band Edge																																																																																																					
	U-NII-2C_5.47-5.725_802.11a_CH100_5500MHz																																																																																																					
ANT	CDD 5+7																																																																																																					
Pol.	Horizontal	Fundamental																																																																																																				
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5458.15</td> <td>58.79</td> <td>74.00</td> <td>-15.21</td> <td>45.72</td> <td>34.78</td> <td>10.02</td> <td>31.73</td> <td>0.00</td> <td>103</td> <td>119</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5469.85</td> <td>63.75</td> <td>68.20</td> <td>-4.45</td> <td>50.67</td> <td>34.76</td> <td>10.04</td> <td>31.72</td> <td>0.00</td> <td>103</td> <td>119</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5458.15	58.79	74.00	-15.21	45.72	34.78	10.02	31.73	0.00	103	119	PEAK	2	5469.85	63.75	68.20	-4.45	50.67	34.76	10.04	31.72	0.00	103	119	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>112.37</td> <td>-----</td> <td>99.28</td> <td>34.70</td> <td>10.09</td> <td>31.70</td> <td>0.00</td> <td>103</td> <td>119</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5500.00	112.37	-----	99.28	34.70	10.09	31.70	0.00	103	119	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																												
1	5458.15	58.79	74.00	-15.21	45.72	34.78	10.02	31.73	0.00	103	119	PEAK																																																																																										
2	5469.85	63.75	68.20	-4.45	50.67	34.76	10.04	31.72	0.00	103	119	PEAK																																																																																										
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																												
1	5500.00	112.37	-----	99.28	34.70	10.09	31.70	0.00	103	119	PEAK																																																																																											
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5458.75</td> <td>49.90</td> <td>54.00</td> <td>-4.10</td> <td>36.83</td> <td>34.78</td> <td>10.02</td> <td>31.73</td> <td>0.00</td> <td>103</td> <td>119</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5458.75	49.90	54.00	-4.10	36.83	34.78	10.02	31.73	0.00	103	119	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>104.27</td> <td>-----</td> <td>91.18</td> <td>34.70</td> <td>10.09</td> <td>31.70</td> <td>0.00</td> <td>103</td> <td>119</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5500.00	104.27	-----	91.18	34.70	10.09	31.70	0.00	103	119	AVERAGE													
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																												
1	5458.75	49.90	54.00	-4.10	36.83	34.78	10.02	31.73	0.00	103	119	AVERAGE																																																																																										
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																												
1	5500.00	104.27	-----	91.18	34.70	10.09	31.70	0.00	103	119	AVERAGE																																																																																											



		7																																																																																																						
Mode		Band Edge																																																																																																						
		U-NII-2C_5.47-5.725_802.11a_CH100_5500MHz																																																																																																						
ANT		CDD 5+7																																																																																																						
Pol.		Vertical					Fundamental																																																																																																	
Peak	 <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>U-NII-1-U-NII-2A-U-NII-2C</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.95</td> <td>55.60</td> <td>74.00</td> <td>-18.40</td> <td>42.52</td> <td>34.78</td> <td>10.03</td> <td>31.73</td> <td>0.00</td> <td>274</td> <td>45 PEAK</td> </tr> <tr> <td>2</td> <td>5469.70</td> <td>57.66</td> <td>68.20</td> <td>-10.54</td> <td>44.58</td> <td>34.76</td> <td>10.04</td> <td>31.72</td> <td>0.00</td> <td>274</td> <td>45 PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5459.95	55.60	74.00	-18.40	42.52	34.78	10.03	31.73	0.00	274	45 PEAK	2	5469.70	57.66	68.20	-10.54	44.58	34.76	10.04	31.72	0.00	274	45 PEAK	 <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>U-NII-1-U-NII-2A-U-NII-2C</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>107.35</td> <td>-----</td> <td>-----</td> <td>94.26</td> <td>34.70</td> <td>10.09</td> <td>31.70</td> <td>0.00</td> <td>274</td> <td>45 PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5500.00	107.35	-----	-----	94.26	34.70	10.09	31.70	0.00	274	45 PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	5459.95	55.60	74.00	-18.40	42.52	34.78	10.03	31.73	0.00	274	45 PEAK																																																																																													
2	5469.70	57.66	68.20	-10.54	44.58	34.76	10.04	31.72	0.00	274	45 PEAK																																																																																													
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	5500.00	107.35	-----	-----	94.26	34.70	10.09	31.70	0.00	274	45 PEAK																																																																																													
Avg	 <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>U-NII-1-U-NII-2A-U-NII-2C(AVG)</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.05</td> <td>46.67</td> <td>54.00</td> <td>-7.33</td> <td>33.59</td> <td>34.78</td> <td>10.03</td> <td>31.73</td> <td>0.00</td> <td>274</td> <td>45 AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5459.05	46.67	54.00	-7.33	33.59	34.78	10.03	31.73	0.00	274	45 AVERAGE	 <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>U-NII-1-U-NII-2A-U-NII-2C(AVG)</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>99.73</td> <td>-----</td> <td>-----</td> <td>86.64</td> <td>34.70</td> <td>10.09</td> <td>31.70</td> <td>0.00</td> <td>274</td> <td>45 AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5500.00	99.73	-----	-----	86.64	34.70	10.09	31.70	0.00	274	45 AVERAGE												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	5459.05	46.67	54.00	-7.33	33.59	34.78	10.03	31.73	0.00	274	45 AVERAGE																																																																																													
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	5500.00	99.73	-----	-----	86.64	34.70	10.09	31.70	0.00	274	45 AVERAGE																																																																																													






Mode	7																																																																																																																		
	Harmonic																																																																																																																		
	U-NII-2C_5.47-5.725_802.11a_CH100_5500MHz																																																																																																																		
ANT	CDD 5+7																																																																																																																		
Pol.	Horizontal	Vertical																																																																																																																	
Peak Avg																																																																																																																			
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11000.00</td> <td>47.45</td> <td>74.00</td> <td>-26.55</td> <td>56.11</td> <td>38.00</td> <td>14.56</td> <td>61.22</td> <td>0.00</td> <td>100</td> <td>360</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>11000.00</td> <td>37.80</td> <td>54.00</td> <td>-16.20</td> <td>46.44</td> <td>38.01</td> <td>14.57</td> <td>61.22</td> <td>0.00</td> <td>100</td> <td>360</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11000.00	47.45	74.00	-26.55	56.11	38.00	14.56	61.22	0.00	100	360	PEAK	2	11000.00	37.80	54.00	-16.20	46.44	38.01	14.57	61.22	0.00	100	360	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11000.00</td> <td>52.29</td> <td>74.00</td> <td>-21.71</td> <td>60.95</td> <td>38.00</td> <td>14.56</td> <td>61.22</td> <td>0.00</td> <td>100</td> <td>43</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>11000.00</td> <td>43.36</td> <td>54.00</td> <td>-10.64</td> <td>52.02</td> <td>38.00</td> <td>14.56</td> <td>61.22</td> <td>0.00</td> <td>100</td> <td>43</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11000.00	52.29	74.00	-21.71	60.95	38.00	14.56	61.22	0.00	100	43	PEAK	2	11000.00	43.36	54.00	-10.64	52.02	38.00	14.56	61.22	0.00	100	43
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																									
1	11000.00	47.45	74.00	-26.55	56.11	38.00	14.56	61.22	0.00	100	360	PEAK																																																																																																							
2	11000.00	37.80	54.00	-16.20	46.44	38.01	14.57	61.22	0.00	100	360	AVERAGE																																																																																																							
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																									
1	11000.00	52.29	74.00	-21.71	60.95	38.00	14.56	61.22	0.00	100	43	PEAK																																																																																																							
2	11000.00	43.36	54.00	-10.64	52.02	38.00	14.56	61.22	0.00	100	43	AVERAGE																																																																																																							






Mode	8																																																																																																														
	Harmonic																																																																																																														
	U-NII-2C_5.47-5.725_802.11a_CH116_5580MHz																																																																																																														
ANT	CDD 5+7																																																																																																														
Pol.	Horizontal	Vertical																																																																																																													
Peak Avg																																																																																																															
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11160.00</td> <td>47.00</td> <td>74.00</td> <td>-26.92</td> <td>55.47</td> <td>38.14</td> <td>14.68</td> <td>61.21</td> <td>0.00</td> <td>300</td> <td>0 PEAK</td> </tr> <tr> <td>2</td> <td>11160.00</td> <td>37.81</td> <td>54.00</td> <td>-16.19</td> <td>46.20</td> <td>38.14</td> <td>14.68</td> <td>61.21</td> <td>0.00</td> <td>300</td> <td>0 AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11160.00	47.00	74.00	-26.92	55.47	38.14	14.68	61.21	0.00	300	0 PEAK	2	11160.00	37.81	54.00	-16.19	46.20	38.14	14.68	61.21	0.00	300	0 AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11160.00</td> <td>53.53</td> <td>74.00</td> <td>-20.47</td> <td>61.92</td> <td>38.14</td> <td>14.68</td> <td>61.21</td> <td>0.00</td> <td>100</td> <td>241 PEAK</td> </tr> <tr> <td>2</td> <td>11160.00</td> <td>44.29</td> <td>54.00</td> <td>-9.71</td> <td>52.68</td> <td>38.14</td> <td>14.68</td> <td>61.21</td> <td>0.00</td> <td>100</td> <td>241 AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11160.00	53.53	74.00	-20.47	61.92	38.14	14.68	61.21	0.00	100	241 PEAK	2	11160.00	44.29	54.00	-9.71	52.68	38.14	14.68	61.21	0.00	100
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																					
1	11160.00	47.00	74.00	-26.92	55.47	38.14	14.68	61.21	0.00	300	0 PEAK																																																																																																				
2	11160.00	37.81	54.00	-16.19	46.20	38.14	14.68	61.21	0.00	300	0 AVERAGE																																																																																																				
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																					
1	11160.00	53.53	74.00	-20.47	61.92	38.14	14.68	61.21	0.00	100	241 PEAK																																																																																																				
2	11160.00	44.29	54.00	-9.71	52.68	38.14	14.68	61.21	0.00	100	241 AVERAGE																																																																																																				



Mode	9																																																																																							
	Band Edge																																																																																							
	U-NII-2C_5.47-5.725_802.11a_CH140_5700MHz																																																																																							
ANT	CDD 5+7																																																																																							
Pol.	Horizontal	Fundamental																																																																																						
Peak	 <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5728.73</td> <td>64.39</td> <td>68.20</td> <td>-3.81</td> <td>51.29</td> <td>34.60</td> <td>10.35</td> <td>31.85</td> <td>0.00</td> <td>100</td> <td>208</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5728.73	64.39	68.20	-3.81	51.29	34.60	10.35	31.85	0.00	100	208	Peak	 <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5700.00</td> <td>112.22</td> <td>-----</td> <td>-----</td> <td>99.08</td> <td>34.60</td> <td>10.33</td> <td>31.79</td> <td>0.00</td> <td>100</td> <td>208</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5700.00	112.22	-----	-----	99.08	34.60	10.33	31.79	0.00	100	208	PEAK
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	5728.73	64.39	68.20	-3.81	51.29	34.60	10.35	31.85	0.00	100	208	Peak																																																																												
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	5700.00	112.22	-----	-----	99.08	34.60	10.33	31.79	0.00	100	208	PEAK																																																																												
Avg	Blank	 <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5700.00</td> <td>103.88</td> <td>-----</td> <td>-----</td> <td>90.74</td> <td>34.60</td> <td>10.33</td> <td>31.79</td> <td>0.00</td> <td>100</td> <td>208</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5700.00	103.88	-----	-----	90.74	34.60	10.33	31.79	0.00	100	208	AVERAGE																																											
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	5700.00	103.88	-----	-----	90.74	34.60	10.33	31.79	0.00	100	208	AVERAGE																																																																												







Mode	9																																																															
	Band Edge																																																															
	U-NII-2C_5.47-5.725_802.11a_CH140_5700MHz																																																															
ANT	CDD 5+7																																																															
Pol.	Vertical	Fundamental																																																														
Peak	 <table border="1" data-bbox="263 1131 782 1254"> <thead> <tr> <th>Limit Freq</th> <th>Over Level</th> <th>Read Line</th> <th>Ant Limit</th> <th>Cable Level</th> <th>Preamp Factor</th> <th>Aux Loss</th> <th>APos Factor</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5736.01</td> <td>60.88</td> <td>68.20</td> <td>-7.32</td> <td>47.80</td> <td>34.60</td> <td>10.35</td> <td>31.87</td> <td>0.00</td> <td>316</td> <td>50 PEAK</td> </tr> </tbody> </table>	Limit Freq	Over Level	Read Line	Ant Limit	Cable Level	Preamp Factor	Aux Loss	APos Factor	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5736.01	60.88	68.20	-7.32	47.80	34.60	10.35	31.87	0.00	316	50 PEAK	 <table border="1" data-bbox="901 1131 1420 1254"> <thead> <tr> <th>Limit Freq</th> <th>Over Level</th> <th>Read Line</th> <th>Ant Limit</th> <th>Cable Level</th> <th>Preamp Factor</th> <th>Aux Loss</th> <th>APos Factor</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5700.00</td> <td>108.48</td> <td>-----</td> <td>-----</td> <td>95.33</td> <td>34.60</td> <td>10.32</td> <td>31.77</td> <td>0.00</td> <td>316</td> <td>50 PEAK</td> </tr> </tbody> </table>	Limit Freq	Over Level	Read Line	Ant Limit	Cable Level	Preamp Factor	Aux Loss	APos Factor	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5700.00	108.48	-----	-----	95.33	34.60	10.32	31.77	0.00	316	50 PEAK
Limit Freq	Over Level	Read Line	Ant Limit	Cable Level	Preamp Factor	Aux Loss	APos Factor	TPos	Remark																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																							
1 5736.01	60.88	68.20	-7.32	47.80	34.60	10.35	31.87	0.00	316	50 PEAK																																																						
Limit Freq	Over Level	Read Line	Ant Limit	Cable Level	Preamp Factor	Aux Loss	APos Factor	TPos	Remark																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																							
1 5700.00	108.48	-----	-----	95.33	34.60	10.32	31.77	0.00	316	50 PEAK																																																						
Avg	Blank	 <table border="1" data-bbox="901 1803 1420 1926"> <thead> <tr> <th>Limit Freq</th> <th>Over Level</th> <th>Read Line</th> <th>Ant Limit</th> <th>Cable Level</th> <th>Preamp Factor</th> <th>Aux Loss</th> <th>APos Factor</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5700.00</td> <td>99.87</td> <td>-----</td> <td>-----</td> <td>86.72</td> <td>34.60</td> <td>10.32</td> <td>31.77</td> <td>0.00</td> <td>316</td> <td>50 AVERAGE</td> </tr> </tbody> </table>	Limit Freq	Over Level	Read Line	Ant Limit	Cable Level	Preamp Factor	Aux Loss	APos Factor	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5700.00	99.87	-----	-----	86.72	34.60	10.32	31.77	0.00	316	50 AVERAGE																															
Limit Freq	Over Level	Read Line	Ant Limit	Cable Level	Preamp Factor	Aux Loss	APos Factor	TPos	Remark																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																							
1 5700.00	99.87	-----	-----	86.72	34.60	10.32	31.77	0.00	316	50 AVERAGE																																																						



Mode	9																																																																																																																			
	Harmonic																																																																																																																			
	U-NII-2C_5.47-5.725_802.11a_CH140_5700MHz																																																																																																																			
ANT	CDD 5+7																																																																																																																			
Pol.	Horizontal	Vertical																																																																																																																		
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11400.00</td> <td>51.70</td> <td>74.00</td> <td>-22.30</td> <td>59.94</td> <td>38.10</td> <td>14.85</td> <td>61.19</td> <td>0.00</td> <td>100</td> <td>343</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>11400.00</td> <td>42.70</td> <td>54.00</td> <td>-11.30</td> <td>50.94</td> <td>38.10</td> <td>14.85</td> <td>61.19</td> <td>0.00</td> <td>100</td> <td>343</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11400.00	51.70	74.00	-22.30	59.94	38.10	14.85	61.19	0.00	100	343	PEAK	2	11400.00	42.70	54.00	-11.30	50.94	38.10	14.85	61.19	0.00	100	343	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11400.00</td> <td>53.50</td> <td>74.00</td> <td>-20.50</td> <td>61.74</td> <td>38.10</td> <td>14.85</td> <td>61.19</td> <td>0.00</td> <td>106</td> <td>358</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>11400.00</td> <td>43.55</td> <td>54.00</td> <td>-10.45</td> <td>51.79</td> <td>38.10</td> <td>14.85</td> <td>61.19</td> <td>0.00</td> <td>106</td> <td>358</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11400.00	53.50	74.00	-20.50	61.74	38.10	14.85	61.19	0.00	106	358	PEAK	2	11400.00	43.55	54.00	-10.45	51.79	38.10	14.85	61.19	0.00	106	358	AVERAGE
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																										
1	11400.00	51.70	74.00	-22.30	59.94	38.10	14.85	61.19	0.00	100	343	PEAK																																																																																																								
2	11400.00	42.70	54.00	-11.30	50.94	38.10	14.85	61.19	0.00	100	343	AVERAGE																																																																																																								
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																										
1	11400.00	53.50	74.00	-20.50	61.74	38.10	14.85	61.19	0.00	106	358	PEAK																																																																																																								
2	11400.00	43.55	54.00	-10.45	51.79	38.10	14.85	61.19	0.00	106	358	AVERAGE																																																																																																								



		10																																																																																												
Mode		Band Edge																																																																																												
		U-NII-1_5.15-5.25_802.11ax HE20_CH36_Full_5180MHz																																																																																												
ANT		CDD 5+7																																																																																												
Pol.		Horizontal					Fundamental																																																																																							
Peak	 <p>Level (dBuV/m)</p> <p>130</p> <p>113.8</p> <p>97.5</p> <p>81.3</p> <p>65.0</p> <p>48.8</p> <p>32.5</p> <p>16.3</p> <p>0</p> <p>5100 5132 5164 5196 5228 5260</p> <p>Frequency (MHz)</p> <p>U-NII-1-U-NII-2A-U-NII-2C</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5148.96</td> <td>59.08</td> <td>74.00</td> <td>-14.92</td> <td>46.98</td> <td>34.20</td> <td>9.79</td> <td>31.89</td> <td>0.00</td> <td>106</td> <td>278</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5148.96	59.08	74.00	-14.92	46.98	34.20	9.79	31.89	0.00	106	278	PEAK	 <p>Level (dBuV/m)</p> <p>130</p> <p>113.8</p> <p>97.5</p> <p>81.3</p> <p>65.0</p> <p>48.8</p> <p>32.5</p> <p>16.3</p> <p>0</p> <p>1000 2200 3400 4600 5800 7000</p> <p>Frequency (MHz)</p> <p>U-NII-1-U-NII-2A-U-NII-2C</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5180.00</td> <td>108.57</td> <td>-----</td> <td>-----</td> <td>96.43</td> <td>34.20</td> <td>9.81</td> <td>31.87</td> <td>0.00</td> <td>106</td> <td>278</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5180.00	108.57	-----	-----	96.43	34.20	9.81	31.87	0.00	106	278	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																				
1	5148.96	59.08	74.00	-14.92	46.98	34.20	9.79	31.89	0.00	106	278	PEAK																																																																																		
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																				
1	5180.00	108.57	-----	-----	96.43	34.20	9.81	31.87	0.00	106	278	PEAK																																																																																		
Avg	 <p>Level (dBuV/m)</p> <p>130</p> <p>113.8</p> <p>97.5</p> <p>81.3</p> <p>65.0</p> <p>48.8</p> <p>32.5</p> <p>16.3</p> <p>0</p> <p>5100 5132 5164 5196 5228 5260</p> <p>Frequency (MHz)</p> <p>U-NII-1-U-NII-2A-U-NII-2C(AVG)</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5149.92</td> <td>50.04</td> <td>54.00</td> <td>-3.96</td> <td>37.94</td> <td>34.20</td> <td>9.79</td> <td>31.89</td> <td>0.00</td> <td>106</td> <td>278</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5149.92	50.04	54.00	-3.96	37.94	34.20	9.79	31.89	0.00	106	278	AVERAGE	 <p>Level (dBuV/m)</p> <p>130</p> <p>113.8</p> <p>97.5</p> <p>81.3</p> <p>65.0</p> <p>48.8</p> <p>32.5</p> <p>16.3</p> <p>0</p> <p>1000 2200 3400 4600 5800 7000</p> <p>Frequency (MHz)</p> <p>U-NII-1-U-NII-2A-U-NII-2C(AVG)</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5180.00</td> <td>100.39</td> <td>-----</td> <td>-----</td> <td>88.26</td> <td>34.20</td> <td>9.81</td> <td>31.88</td> <td>0.00</td> <td>106</td> <td>278</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5180.00	100.39	-----	-----	88.26	34.20	9.81	31.88	0.00	106	278	AVERAGE
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																				
1	5149.92	50.04	54.00	-3.96	37.94	34.20	9.79	31.89	0.00	106	278	AVERAGE																																																																																		
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																				
1	5180.00	100.39	-----	-----	88.26	34.20	9.81	31.88	0.00	106	278	AVERAGE																																																																																		



Mode	10																																																																																					
	Band Edge																																																																																					
	U-NII-1_5.15-5.25_802.11ax HE20_CH36_Full_5180MHz																																																																																					
ANT	CDD 5+7																																																																																					
Pol.	Vertical	Fundamental																																																																																				
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5149.92</td> <td>56.32</td> <td>74.00</td> <td>-17.68</td> <td>44.22</td> <td>34.20</td> <td>9.79</td> <td>31.89</td> <td>0.00</td> <td>344</td> <td>59 PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5149.92	56.32	74.00	-17.68	44.22	34.20	9.79	31.89	0.00	344	59 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5180.00</td> <td>106.68</td> <td>-----</td> <td>-----</td> <td>94.54</td> <td>34.20</td> <td>9.81</td> <td>31.87</td> <td>0.00</td> <td>344</td> <td>59 PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5180.00	106.68	-----	-----	94.54	34.20	9.81	31.87	0.00	344	59 PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																												
1	5149.92	56.32	74.00	-17.68	44.22	34.20	9.79	31.89	0.00	344	59 PEAK																																																																											
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																												
1	5180.00	106.68	-----	-----	94.54	34.20	9.81	31.87	0.00	344	59 PEAK																																																																											
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5149.76</td> <td>46.81</td> <td>54.00</td> <td>-7.19</td> <td>34.71</td> <td>34.20</td> <td>9.79</td> <td>31.89</td> <td>0.00</td> <td>344</td> <td>59 AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5149.76	46.81	54.00	-7.19	34.71	34.20	9.79	31.89	0.00	344	59 AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5180.00</td> <td>97.23</td> <td>-----</td> <td>-----</td> <td>85.10</td> <td>34.20</td> <td>9.81</td> <td>31.88</td> <td>0.00</td> <td>344</td> <td>59 AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5180.00	97.23	-----	-----	85.10	34.20	9.81	31.88	0.00	344	59 AVERAGE
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																												
1	5149.76	46.81	54.00	-7.19	34.71	34.20	9.79	31.89	0.00	344	59 AVERAGE																																																																											
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																												
1	5180.00	97.23	-----	-----	85.10	34.20	9.81	31.88	0.00	344	59 AVERAGE																																																																											



Mode	10																																																																																	
	Harmonic																																																																																	
	U-NII-1_5.15-5.25_802.11ax HE20_CH36_Full_5180MHz																																																																																	
ANT	CDD 5+7																																																																																	
Pol.	Horizontal	Vertical																																																																																
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10360.00</td> <td>45.68</td> <td>68.20</td> <td>-22.52</td> <td>55.27</td> <td>37.56</td> <td>14.13</td> <td>61.28</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	10360.00	45.68	68.20	-22.52	55.27	37.56	14.13	61.28	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10360.00</td> <td>48.55</td> <td>68.20</td> <td>-19.65</td> <td>58.14</td> <td>37.56</td> <td>14.13</td> <td>61.28</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	10360.00	48.55	68.20	-19.65	58.14	37.56	14.13	61.28	0.00	---	---	PEAK
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	10360.00	45.68	68.20	-22.52	55.27	37.56	14.13	61.28	0.00	---	---	PEAK																																																																						
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	10360.00	48.55	68.20	-19.65	58.14	37.56	14.13	61.28	0.00	---	---	PEAK																																																																						



Mode	11																																																																									
	Harmonic																																																																									
	U-NII-1_5.15-5.25_802.11ax HE20_CH44_Full_5220MHz																																																																									
ANT	CDD 5+7																																																																									
Pol.	Horizontal	Vertical																																																																								
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 10440.00</td> <td>46.52</td> <td>68.20</td> <td>-21.68</td> <td>55.95</td> <td>37.66</td> <td>14.18</td> <td>61.27</td> <td>0.00</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 10440.00	46.52	68.20	-21.68	55.95	37.66	14.18	61.27	0.00	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 10440.00</td> <td>50.62</td> <td>68.20</td> <td>-17.58</td> <td>60.04</td> <td>37.67</td> <td>14.18</td> <td>61.27</td> <td>0.00</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 10440.00	50.62	68.20	-17.58	60.04	37.67	14.18	61.27	0.00
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																		
1 10440.00	46.52	68.20	-21.68	55.95	37.66	14.18	61.27	0.00																																																																		
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																		
1 10440.00	50.62	68.20	-17.58	60.04	37.67	14.18	61.27	0.00																																																																		



Mode	12																																																																																	
	Harmonic																																																																																	
	U-NII-1_5.15-5.25_802.11ax HE20_CH48_Full_5240MHz																																																																																	
ANT	CDD 5+7																																																																																	
Pol.	Horizontal	Vertical																																																																																
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10480.00</td> <td>46.11</td> <td>68.20</td> <td>-22.09</td> <td>55.40</td> <td>37.77</td> <td>14.21</td> <td>61.27</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	10480.00	46.11	68.20	-22.09	55.40	37.77	14.21	61.27	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10480.00</td> <td>51.42</td> <td>68.20</td> <td>-16.78</td> <td>60.72</td> <td>37.76</td> <td>14.21</td> <td>61.27</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	10480.00	51.42	68.20	-16.78	60.72	37.76	14.21	61.27	0.00	---	---	PEAK
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	10480.00	46.11	68.20	-22.09	55.40	37.77	14.21	61.27	0.00	---	---	PEAK																																																																						
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	10480.00	51.42	68.20	-16.78	60.72	37.76	14.21	61.27	0.00	---	---	PEAK																																																																						



Mode	13																																																																									
	Harmonic																																																																									
	U-NII-2A_5.25-5.35_802.11ax HE20_CH52_Full_5260MHz																																																																									
ANT	CDD 5+7																																																																									
Pol.	Horizontal	Vertical																																																																								
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 10520.00</td> <td>47.04</td> <td>68.20</td> <td>-21.16</td> <td>56.25</td> <td>37.82</td> <td>14.24</td> <td>61.27</td> <td>0.00</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 10520.00	47.04	68.20	-21.16	56.25	37.82	14.24	61.27	0.00	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 10520.00</td> <td>51.60</td> <td>68.20</td> <td>-16.60</td> <td>60.80</td> <td>37.82</td> <td>14.24</td> <td>61.26</td> <td>0.00</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 10520.00	51.60	68.20	-16.60	60.80	37.82	14.24	61.26	0.00
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																		
1 10520.00	47.04	68.20	-21.16	56.25	37.82	14.24	61.27	0.00																																																																		
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																		
1 10520.00	51.60	68.20	-16.60	60.80	37.82	14.24	61.26	0.00																																																																		



Mode	14																																																																																																						
	Harmonic																																																																																																						
	U-NII-2A_5.25-5.35_802.11ax HE20_CH60_Full_5300MHz																																																																																																						
ANT	CDD 5+7																																																																																																						
Pol.	Horizontal	Vertical																																																																																																					
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10600.00</td> <td>46.66</td> <td>74.00</td> <td>-27.34</td> <td>55.73</td> <td>37.90</td> <td>14.29</td> <td>61.26</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10600.00	46.66	74.00	-27.34	55.73	37.90	14.29	61.26	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10600.00</td> <td>50.62</td> <td>74.00</td> <td>-23.38</td> <td>59.69</td> <td>37.90</td> <td>14.29</td> <td>61.26</td> <td>0.00</td> <td>100</td> <td>271</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>10600.00</td> <td>41.66</td> <td>54.00</td> <td>-12.34</td> <td>50.73</td> <td>37.90</td> <td>14.29</td> <td>61.26</td> <td>0.00</td> <td>100</td> <td>271</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10600.00	50.62	74.00	-23.38	59.69	37.90	14.29	61.26	0.00	100	271	PEAK	2	10600.00	41.66	54.00	-12.34	50.73	37.90	14.29	61.26	0.00	100	271	AVERAGE
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																													
1	10600.00	46.66	74.00	-27.34	55.73	37.90	14.29	61.26	0.00	---	---	PEAK																																																																																											
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																													
1	10600.00	50.62	74.00	-23.38	59.69	37.90	14.29	61.26	0.00	100	271	PEAK																																																																																											
2	10600.00	41.66	54.00	-12.34	50.73	37.90	14.29	61.26	0.00	100	271	AVERAGE																																																																																											



Mode	15																																																																																	
	Band Edge																																																																																	
	U-NII-2A_5.25-5.35_802.11ax HE20_CH64_Full_5320MHz																																																																																	
ANT	CDD 5+7																																																																																	
Pol.	Horizontal	Fundamental																																																																																
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5352.76</td> <td>59.86</td> <td>74.00</td> <td>-14.14</td> <td>47.12</td> <td>34.61</td> <td>9.91</td> <td>31.78</td> <td>0.00</td> <td>100</td> <td>274</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5352.76	59.86	74.00	-14.14	47.12	34.61	9.91	31.78	0.00	100	274	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5320.00</td> <td>111.83</td> <td>-----</td> <td>-----</td> <td>99.19</td> <td>34.54</td> <td>9.90</td> <td>31.80</td> <td>0.00</td> <td>100</td> <td>274</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5320.00	111.83	-----	-----	99.19	34.54	9.90	31.80	0.00	100	274	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	5352.76	59.86	74.00	-14.14	47.12	34.61	9.91	31.78	0.00	100	274	PEAK																																																																						
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	5320.00	111.83	-----	-----	99.19	34.54	9.90	31.80	0.00	100	274	PEAK																																																																						
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5351.78</td> <td>50.75</td> <td>54.00</td> <td>-3.25</td> <td>38.02</td> <td>34.60</td> <td>9.91</td> <td>31.78</td> <td>0.00</td> <td>100</td> <td>274</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5351.78	50.75	54.00	-3.25	38.02	34.60	9.91	31.78	0.00	100	274	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5320.00</td> <td>103.21</td> <td>-----</td> <td>-----</td> <td>90.57</td> <td>34.54</td> <td>9.90</td> <td>31.80</td> <td>0.00</td> <td>100</td> <td>274</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5320.00	103.21	-----	-----	90.57	34.54	9.90	31.80	0.00	100	274	AVERAGE
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	5351.78	50.75	54.00	-3.25	38.02	34.60	9.91	31.78	0.00	100	274	AVERAGE																																																																						
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	5320.00	103.21	-----	-----	90.57	34.54	9.90	31.80	0.00	100	274	AVERAGE																																																																						







Mode	15																																																																																	
	Band Edge																																																																																	
	U-NII-2A_5.25-5.35_802.11ax HE20_CH64_Full_5320MHz																																																																																	
ANT	CDD 5+7																																																																																	
Pol.	Vertical	Fundamental																																																																																
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5352.20</td> <td>56.36</td> <td>74.00</td> <td>-17.64</td> <td>43.63</td> <td>34.60</td> <td>9.91</td> <td>31.78</td> <td>0.00</td> <td>319</td> <td>46</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5352.20	56.36	74.00	-17.64	43.63	34.60	9.91	31.78	0.00	319	46	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5320.00</td> <td>108.18</td> <td>-----</td> <td>-----</td> <td>95.53</td> <td>34.55</td> <td>9.90</td> <td>31.80</td> <td>0.00</td> <td>319</td> <td>46</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5320.00	108.18	-----	-----	95.53	34.55	9.90	31.80	0.00	319	46	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																										
1	5352.20	56.36	74.00	-17.64	43.63	34.60	9.91	31.78	0.00	319	46	PEAK																																																																						
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																										
1	5320.00	108.18	-----	-----	95.53	34.55	9.90	31.80	0.00	319	46	PEAK																																																																						
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5350.10</td> <td>48.17</td> <td>54.00</td> <td>-5.83</td> <td>35.44</td> <td>34.60</td> <td>9.91</td> <td>31.78</td> <td>0.00</td> <td>319</td> <td>46</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5350.10	48.17	54.00	-5.83	35.44	34.60	9.91	31.78	0.00	319	46	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5320.00</td> <td>99.45</td> <td>-----</td> <td>-----</td> <td>86.81</td> <td>34.54</td> <td>9.90</td> <td>31.80</td> <td>0.00</td> <td>319</td> <td>46</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5320.00	99.45	-----	-----	86.81	34.54	9.90	31.80	0.00	319	46	AVERAGE
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																										
1	5350.10	48.17	54.00	-5.83	35.44	34.60	9.91	31.78	0.00	319	46	AVERAGE																																																																						
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																										
1	5320.00	99.45	-----	-----	86.81	34.54	9.90	31.80	0.00	319	46	AVERAGE																																																																						



Mode	15																																																																																																					
	Harmonic																																																																																																					
	U-NII-2A_5.25-5.35_802.11ax HE20_CH64_Full_5320MHz																																																																																																					
ANT	CDD 5+7																																																																																																					
Pol.	Horizontal	Vertical																																																																																																				
Peak Avg																																																																																																						
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10640.00</td> <td>45.91</td> <td>74.00</td> <td>-28.09</td> <td>54.90</td> <td>37.94</td> <td>14.32</td> <td>61.25</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10640.00	45.91	74.00	-28.09	54.90	37.94	14.32	61.25	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10640.00</td> <td>51.10</td> <td>74.00</td> <td>-22.90</td> <td>60.09</td> <td>37.94</td> <td>14.32</td> <td>61.25</td> <td>0.00</td> <td>109</td> <td>27</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>10640.00</td> <td>40.82</td> <td>54.00</td> <td>-13.18</td> <td>49.81</td> <td>37.94</td> <td>14.32</td> <td>61.25</td> <td>0.00</td> <td>109</td> <td>27</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10640.00	51.10	74.00	-22.90	60.09	37.94	14.32	61.25	0.00	109	27	PEAK	2	10640.00	40.82	54.00	-13.18	49.81	37.94	14.32	61.25	0.00	109	27
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																												
1	10640.00	45.91	74.00	-28.09	54.90	37.94	14.32	61.25	0.00	---	---	PEAK																																																																																										
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																												
1	10640.00	51.10	74.00	-22.90	60.09	37.94	14.32	61.25	0.00	109	27	PEAK																																																																																										
2	10640.00	40.82	54.00	-13.18	49.81	37.94	14.32	61.25	0.00	109	27	AVERAGE																																																																																										



Mode	-	
	18G-40G	
	U-NII-2A_5.25-5.35_802.11ax HE20_CH64_Full_5320MHz	
ANT	CDD 5+7	
Pol.	Horizontal	Vertical
Peak		
Avg		

Note: Only the worst case has assessed 18G ~40GHz to test.







Mode	-																																																																																																																																																											
	LF																																																																																																																																																											
	U-NII-2A_5.25-5.35_802.11ax HE20_CH64_Full_5320MHz																																																																																																																																																											
ANT	CDD 5+7																																																																																																																																																											
Pol.	Horizontal	Vertical																																																																																																																																																										
Peak Avg	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Over Limit (dB)</th> <th>Limit (dBuV/m)</th> <th>ReadAntenna Level (dBuV)</th> <th>Cable Loss (dB)</th> <th>Preamp Loss (dB)</th> <th>A/Pos (cm)</th> <th>T/Pos (deg)</th> <th>Remark</th> </tr> </thead> <tbody> <tr><td>1</td><td>93.05</td><td>18.38</td><td>-25.12</td><td>43.50</td><td>34.82</td><td>15.16</td><td>1.26</td><td>32.86</td><td>---</td><td>Peak</td></tr> <tr><td>2</td><td>176.47</td><td>26.70</td><td>-16.80</td><td>43.50</td><td>42.57</td><td>15.19</td><td>1.78</td><td>32.84</td><td>---</td><td>Peak</td></tr> <tr><td>3</td><td>281.23</td><td>24.54</td><td>-21.46</td><td>46.00</td><td>36.14</td><td>18.93</td><td>2.26</td><td>32.79</td><td>---</td><td>Peak</td></tr> <tr><td>4</td><td>409.27</td><td>22.55</td><td>-23.45</td><td>46.00</td><td>30.50</td><td>22.19</td><td>2.73</td><td>32.87</td><td>---</td><td>Peak</td></tr> <tr><td>5</td><td>605.21</td><td>25.23</td><td>-20.77</td><td>46.00</td><td>29.28</td><td>25.70</td><td>3.32</td><td>33.07</td><td>---</td><td>Peak</td></tr> <tr><td>6</td><td>766.23</td><td>28.46</td><td>-17.54</td><td>46.00</td><td>29.33</td><td>28.16</td><td>3.74</td><td>32.77</td><td>---</td><td>Peak</td></tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Over Limit (dB)	Limit (dBuV/m)	ReadAntenna Level (dBuV)	Cable Loss (dB)	Preamp Loss (dB)	A/Pos (cm)	T/Pos (deg)	Remark	1	93.05	18.38	-25.12	43.50	34.82	15.16	1.26	32.86	---	Peak	2	176.47	26.70	-16.80	43.50	42.57	15.19	1.78	32.84	---	Peak	3	281.23	24.54	-21.46	46.00	36.14	18.93	2.26	32.79	---	Peak	4	409.27	22.55	-23.45	46.00	30.50	22.19	2.73	32.87	---	Peak	5	605.21	25.23	-20.77	46.00	29.28	25.70	3.32	33.07	---	Peak	6	766.23	28.46	-17.54	46.00	29.33	28.16	3.74	32.77	---	Peak	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Over Limit (dB)</th> <th>Limit (dBuV/m)</th> <th>ReadAntenna Level (dBuV)</th> <th>Cable Loss (dB)</th> <th>Preamp Loss (dB)</th> <th>A/Pos (cm)</th> <th>T/Pos (deg)</th> <th>Remark</th> </tr> </thead> <tbody> <tr><td>1</td><td>48.43</td><td>28.67</td><td>-11.33</td><td>40.00</td><td>45.51</td><td>15.39</td><td>0.70</td><td>32.93</td><td>---</td><td>Peak</td></tr> <tr><td>2</td><td>174.53</td><td>24.98</td><td>-18.52</td><td>43.50</td><td>40.80</td><td>15.24</td><td>1.77</td><td>32.83</td><td>---</td><td>Peak</td></tr> <tr><td>3</td><td>316.15</td><td>19.29</td><td>-26.71</td><td>46.00</td><td>30.19</td><td>19.54</td><td>2.40</td><td>32.84</td><td>---</td><td>Peak</td></tr> <tr><td>4</td><td>445.16</td><td>23.32</td><td>-22.68</td><td>46.00</td><td>30.52</td><td>22.99</td><td>2.85</td><td>33.04</td><td>---</td><td>Peak</td></tr> <tr><td>5</td><td>541.19</td><td>24.70</td><td>-21.30</td><td>46.00</td><td>30.35</td><td>24.29</td><td>3.14</td><td>33.08</td><td>---</td><td>Peak</td></tr> <tr><td>6</td><td>944.71</td><td>31.04</td><td>-14.96</td><td>46.00</td><td>27.80</td><td>30.77</td><td>4.14</td><td>31.67</td><td>---</td><td>Peak</td></tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Over Limit (dB)	Limit (dBuV/m)	ReadAntenna Level (dBuV)	Cable Loss (dB)	Preamp Loss (dB)	A/Pos (cm)	T/Pos (deg)	Remark	1	48.43	28.67	-11.33	40.00	45.51	15.39	0.70	32.93	---	Peak	2	174.53	24.98	-18.52	43.50	40.80	15.24	1.77	32.83	---	Peak	3	316.15	19.29	-26.71	46.00	30.19	19.54	2.40	32.84	---	Peak	4	445.16	23.32	-22.68	46.00	30.52	22.99	2.85	33.04	---	Peak	5	541.19	24.70	-21.30	46.00	30.35	24.29	3.14	33.08	---	Peak	6	944.71	31.04	-14.96	46.00	27.80	30.77	4.14	31.67	---	Peak
Peak	Freq (MHz)	Level (dBuV/m)	Over Limit (dB)	Limit (dBuV/m)	ReadAntenna Level (dBuV)	Cable Loss (dB)	Preamp Loss (dB)	A/Pos (cm)	T/Pos (deg)	Remark																																																																																																																																																		
1	93.05	18.38	-25.12	43.50	34.82	15.16	1.26	32.86	---	Peak																																																																																																																																																		
2	176.47	26.70	-16.80	43.50	42.57	15.19	1.78	32.84	---	Peak																																																																																																																																																		
3	281.23	24.54	-21.46	46.00	36.14	18.93	2.26	32.79	---	Peak																																																																																																																																																		
4	409.27	22.55	-23.45	46.00	30.50	22.19	2.73	32.87	---	Peak																																																																																																																																																		
5	605.21	25.23	-20.77	46.00	29.28	25.70	3.32	33.07	---	Peak																																																																																																																																																		
6	766.23	28.46	-17.54	46.00	29.33	28.16	3.74	32.77	---	Peak																																																																																																																																																		
Peak	Freq (MHz)	Level (dBuV/m)	Over Limit (dB)	Limit (dBuV/m)	ReadAntenna Level (dBuV)	Cable Loss (dB)	Preamp Loss (dB)	A/Pos (cm)	T/Pos (deg)	Remark																																																																																																																																																		
1	48.43	28.67	-11.33	40.00	45.51	15.39	0.70	32.93	---	Peak																																																																																																																																																		
2	174.53	24.98	-18.52	43.50	40.80	15.24	1.77	32.83	---	Peak																																																																																																																																																		
3	316.15	19.29	-26.71	46.00	30.19	19.54	2.40	32.84	---	Peak																																																																																																																																																		
4	445.16	23.32	-22.68	46.00	30.52	22.99	2.85	33.04	---	Peak																																																																																																																																																		
5	541.19	24.70	-21.30	46.00	30.35	24.29	3.14	33.08	---	Peak																																																																																																																																																		
6	944.71	31.04	-14.96	46.00	27.80	30.77	4.14	31.67	---	Peak																																																																																																																																																		



Mode	16																																																																																																						
	Band Edge																																																																																																						
	U-NII-2C_5.47-5.725_802.11ax HE20_CH100_5500MHz																																																																																																						
ANT	CDD 5+7																																																																																																						
Pol.	Horizontal	Fundamental																																																																																																					
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.65</td> <td>59.56</td> <td>74.00</td> <td>-14.44</td> <td>46.48</td> <td>34.78</td> <td>10.03</td> <td>31.73</td> <td>0.00</td> <td>100</td> <td>233</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5470.00</td> <td>62.18</td> <td>68.20</td> <td>-6.02</td> <td>49.10</td> <td>34.76</td> <td>10.04</td> <td>31.72</td> <td>0.00</td> <td>100</td> <td>233</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5459.65	59.56	74.00	-14.44	46.48	34.78	10.03	31.73	0.00	100	233	PEAK	2	5470.00	62.18	68.20	-6.02	49.10	34.76	10.04	31.72	0.00	100	233	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>110.91</td> <td>-----</td> <td>-----</td> <td>97.82</td> <td>34.70</td> <td>10.09</td> <td>31.70</td> <td>0.00</td> <td>100</td> <td>233</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5500.00	110.91	-----	-----	97.82	34.70	10.09	31.70	0.00	100	233	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																													
1	5459.65	59.56	74.00	-14.44	46.48	34.78	10.03	31.73	0.00	100	233	PEAK																																																																																											
2	5470.00	62.18	68.20	-6.02	49.10	34.76	10.04	31.72	0.00	100	233	PEAK																																																																																											
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																													
1	5500.00	110.91	-----	-----	97.82	34.70	10.09	31.70	0.00	100	233	PEAK																																																																																											
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.05</td> <td>50.66</td> <td>54.00</td> <td>-3.34</td> <td>37.58</td> <td>34.78</td> <td>10.03</td> <td>31.73</td> <td>0.00</td> <td>100</td> <td>233</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5459.05	50.66	54.00	-3.34	37.58	34.78	10.03	31.73	0.00	100	233	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>103.17</td> <td>-----</td> <td>-----</td> <td>90.08</td> <td>34.70</td> <td>10.09</td> <td>31.70</td> <td>0.00</td> <td>100</td> <td>233</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5500.00	103.17	-----	-----	90.08	34.70	10.09	31.70	0.00	100	233	AVERAGE													
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																													
1	5459.05	50.66	54.00	-3.34	37.58	34.78	10.03	31.73	0.00	100	233	AVERAGE																																																																																											
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																													
1	5500.00	103.17	-----	-----	90.08	34.70	10.09	31.70	0.00	100	233	AVERAGE																																																																																											



Mode	16																																																																																																						
	Band Edge																																																																																																						
	U-NII-2C_5.47-5.725_802.11ax HE20_CH100_5500MHZ																																																																																																						
ANT	CDD 5+7																																																																																																						
Pol.	Vertical	Fundamental																																																																																																					
Peak	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5458.00</td> <td>56.42</td> <td>74.00</td> <td>-17.58</td> <td>43.35</td> <td>34.78</td> <td>10.02</td> <td>31.73</td> <td>0.00</td> <td>336</td> <td>48</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5469.25</td> <td>57.56</td> <td>68.20</td> <td>-10.64</td> <td>44.48</td> <td>34.76</td> <td>10.04</td> <td>31.72</td> <td>0.00</td> <td>336</td> <td>48</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5458.00	56.42	74.00	-17.58	43.35	34.78	10.02	31.73	0.00	336	48	PEAK	2	5469.25	57.56	68.20	-10.64	44.48	34.76	10.04	31.72	0.00	336	48	PEAK	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>108.40</td> <td>-----</td> <td>-----</td> <td>95.31</td> <td>34.70</td> <td>10.09</td> <td>31.70</td> <td>0.00</td> <td>336</td> <td>48</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5500.00	108.40	-----	-----	95.31	34.70	10.09	31.70	0.00	336	48	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																													
1	5458.00	56.42	74.00	-17.58	43.35	34.78	10.02	31.73	0.00	336	48	PEAK																																																																																											
2	5469.25	57.56	68.20	-10.64	44.48	34.76	10.04	31.72	0.00	336	48	PEAK																																																																																											
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																													
1	5500.00	108.40	-----	-----	95.31	34.70	10.09	31.70	0.00	336	48	PEAK																																																																																											
Avg	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.50</td> <td>47.58</td> <td>54.00</td> <td>-6.42</td> <td>34.50</td> <td>34.78</td> <td>10.03</td> <td>31.73</td> <td>0.00</td> <td>336</td> <td>48</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5459.50	47.58	54.00	-6.42	34.50	34.78	10.03	31.73	0.00	336	48	AVERAGE	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>100.49</td> <td>-----</td> <td>-----</td> <td>87.40</td> <td>34.70</td> <td>10.09</td> <td>31.70</td> <td>0.00</td> <td>336</td> <td>48</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5500.00	100.49	-----	-----	87.40	34.70	10.09	31.70	0.00	336	48	AVERAGE													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																													
1	5459.50	47.58	54.00	-6.42	34.50	34.78	10.03	31.73	0.00	336	48	AVERAGE																																																																																											
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																													
1	5500.00	100.49	-----	-----	87.40	34.70	10.09	31.70	0.00	336	48	AVERAGE																																																																																											






Mode	16																																																																																																																		
	Harmonic																																																																																																																		
	U-NII-2C_5.47-5.725_802.11ax HE20_CH100_5500MHz																																																																																																																		
ANT	CDD 5+7																																																																																																																		
Pol.	Horizontal	Vertical																																																																																																																	
Peak Avg																																																																																																																			
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11000.00</td> <td>48.94</td> <td>74.00</td> <td>-25.06</td> <td>57.60</td> <td>38.00</td> <td>14.56</td> <td>61.22</td> <td>0.00</td> <td>103</td> <td>267</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>11000.00</td> <td>40.01</td> <td>54.00</td> <td>-13.99</td> <td>48.67</td> <td>38.00</td> <td>14.56</td> <td>61.22</td> <td>0.00</td> <td>103</td> <td>267</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11000.00	48.94	74.00	-25.06	57.60	38.00	14.56	61.22	0.00	103	267	PEAK	2	11000.00	40.01	54.00	-13.99	48.67	38.00	14.56	61.22	0.00	103	267	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11000.00</td> <td>51.33</td> <td>74.00</td> <td>-22.67</td> <td>59.99</td> <td>38.00</td> <td>14.56</td> <td>61.22</td> <td>0.00</td> <td>100</td> <td>43</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>11000.00</td> <td>41.98</td> <td>54.00</td> <td>-12.02</td> <td>50.64</td> <td>38.00</td> <td>14.56</td> <td>61.22</td> <td>0.00</td> <td>100</td> <td>43</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11000.00	51.33	74.00	-22.67	59.99	38.00	14.56	61.22	0.00	100	43	PEAK	2	11000.00	41.98	54.00	-12.02	50.64	38.00	14.56	61.22	0.00	100	43
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																									
1	11000.00	48.94	74.00	-25.06	57.60	38.00	14.56	61.22	0.00	103	267	PEAK																																																																																																							
2	11000.00	40.01	54.00	-13.99	48.67	38.00	14.56	61.22	0.00	103	267	AVERAGE																																																																																																							
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																									
1	11000.00	51.33	74.00	-22.67	59.99	38.00	14.56	61.22	0.00	100	43	PEAK																																																																																																							
2	11000.00	41.98	54.00	-12.02	50.64	38.00	14.56	61.22	0.00	100	43	AVERAGE																																																																																																							



Mode	17																																																																																																																		
	Harmonic																																																																																																																		
	U-NII-2C_5.47-5.725_802.11ax HE20_CH116_5580MHz																																																																																																																		
ANT	CDD 5+7																																																																																																																		
Pol.	Horizontal	Vertical																																																																																																																	
Peak Avg																																																																																																																			
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11160.00</td> <td>50.62</td> <td>74.00</td> <td>-23.38</td> <td>59.01</td> <td>38.14</td> <td>14.68</td> <td>61.21</td> <td>0.00</td> <td>117</td> <td>347</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>11160.00</td> <td>41.77</td> <td>54.00</td> <td>-12.23</td> <td>50.16</td> <td>38.14</td> <td>14.68</td> <td>61.21</td> <td>0.00</td> <td>117</td> <td>347</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11160.00	50.62	74.00	-23.38	59.01	38.14	14.68	61.21	0.00	117	347	PEAK	2	11160.00	41.77	54.00	-12.23	50.16	38.14	14.68	61.21	0.00	117	347	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11160.00</td> <td>51.44</td> <td>74.00</td> <td>-22.56</td> <td>59.83</td> <td>38.14</td> <td>14.68</td> <td>61.21</td> <td>0.00</td> <td>100</td> <td>39</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>11160.00</td> <td>42.14</td> <td>54.00</td> <td>-11.86</td> <td>50.54</td> <td>38.14</td> <td>14.67</td> <td>61.21</td> <td>0.00</td> <td>100</td> <td>39</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11160.00	51.44	74.00	-22.56	59.83	38.14	14.68	61.21	0.00	100	39	PEAK	2	11160.00	42.14	54.00	-11.86	50.54	38.14	14.67	61.21	0.00	100	39
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																									
1	11160.00	50.62	74.00	-23.38	59.01	38.14	14.68	61.21	0.00	117	347	PEAK																																																																																																							
2	11160.00	41.77	54.00	-12.23	50.16	38.14	14.68	61.21	0.00	117	347	AVERAGE																																																																																																							
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																									
1	11160.00	51.44	74.00	-22.56	59.83	38.14	14.68	61.21	0.00	100	39	PEAK																																																																																																							
2	11160.00	42.14	54.00	-11.86	50.54	38.14	14.67	61.21	0.00	100	39	AVERAGE																																																																																																							



Mode	18																																																																																	
	Band Edge																																																																																	
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_5700MHz																																																																																	
ANT	CDD 5+7																																																																																	
Pol.	Horizontal	Fundamental																																																																																
Peak	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5727.43</td> <td>64.21</td> <td>68.20</td> <td>-3.99</td> <td>51.11</td> <td>34.60</td> <td>10.35</td> <td>31.85</td> <td>0.00</td> <td>100</td> <td>118</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5727.43	64.21	68.20	-3.99	51.11	34.60	10.35	31.85	0.00	100	118	Peak	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5700.00</td> <td>109.97</td> <td>-----</td> <td>-----</td> <td>96.81</td> <td>34.60</td> <td>10.32</td> <td>31.76</td> <td>0.00</td> <td>100</td> <td>118</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5700.00	109.97	-----	-----	96.81	34.60	10.32	31.76	0.00	100	118	PEAK
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	5727.43	64.21	68.20	-3.99	51.11	34.60	10.35	31.85	0.00	100	118	Peak																																																																						
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	5700.00	109.97	-----	-----	96.81	34.60	10.32	31.76	0.00	100	118	PEAK																																																																						
Avg	Blank	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5700.00</td> <td>103.73</td> <td>-----</td> <td>-----</td> <td>90.58</td> <td>34.60</td> <td>10.32</td> <td>31.77</td> <td>0.00</td> <td>100</td> <td>118</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5700.00	103.73	-----	-----	90.58	34.60	10.32	31.77	0.00	100	118	AVERAGE																																								
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	5700.00	103.73	-----	-----	90.58	34.60	10.32	31.77	0.00	100	118	AVERAGE																																																																						



Mode	18																																																																																					
	Band Edge																																																																																					
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_5700MHZ																																																																																					
ANT	CDD 5+7																																																																																					
Pol.	Vertical	Fundamental																																																																																				
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5725.29</td> <td>63.14</td> <td>68.20</td> <td>-5.06</td> <td>50.04</td> <td>34.60</td> <td>10.34</td> <td>31.84</td> <td>0.00</td> <td>300</td> <td>47</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5725.29	63.14	68.20	-5.06	50.04	34.60	10.34	31.84	0.00	300	47	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5700.00</td> <td>106.56</td> <td>-----</td> <td>-----</td> <td>93.41</td> <td>34.60</td> <td>10.32</td> <td>31.77</td> <td>0.00</td> <td>300</td> <td>47</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	106.56	-----	-----	93.41	34.60	10.32	31.77	0.00	300	47	PEAK
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																													
1	5725.29	63.14	68.20	-5.06	50.04	34.60	10.34	31.84	0.00	300	47	PEAK																																																																										
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																													
1	5700.00	106.56	-----	-----	93.41	34.60	10.32	31.77	0.00	300	47	PEAK																																																																										
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5700.00</td> <td>97.87</td> <td>-----</td> <td>-----</td> <td>84.72</td> <td>34.60</td> <td>10.32</td> <td>31.77</td> <td>0.00</td> <td>300</td> <td>47</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	97.87	-----	-----	84.72	34.60	10.32	31.77	0.00	300	47	AVERAGE																																										
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																													
1	5700.00	97.87	-----	-----	84.72	34.60	10.32	31.77	0.00	300	47	AVERAGE																																																																										







Mode	18																																																																																																		
	Harmonic																																																																																																		
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_5700MHz																																																																																																		
ANT	CDD 5+7																																																																																																		
Pol.	Horizontal	Vertical																																																																																																	
Peak Avg																																																																																																			
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11400.00</td> <td>46.29</td> <td>74.00</td> <td>-27.71</td> <td>54.53</td> <td>38.10</td> <td>14.85</td> <td>61.19</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11400.00	46.29	74.00	-27.71	54.53	38.10	14.85	61.19	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11400.00</td> <td>52.42</td> <td>74.00</td> <td>-21.58</td> <td>60.66</td> <td>38.10</td> <td>14.85</td> <td>61.19</td> <td>0.00</td> <td>100</td> <td>360</td> <td>PEAK</td> </tr> <tr> <td>2 11400.00</td> <td>42.04</td> <td>54.00</td> <td>-11.96</td> <td>50.28</td> <td>38.10</td> <td>14.85</td> <td>61.19</td> <td>0.00</td> <td>100</td> <td>360</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11400.00	52.42	74.00	-21.58	60.66	38.10	14.85	61.19	0.00	100	360	PEAK	2 11400.00	42.04	54.00	-11.96	50.28	38.10	14.85	61.19	0.00	100	360
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																									
1 11400.00	46.29	74.00	-27.71	54.53	38.10	14.85	61.19	0.00	---	---	PEAK																																																																																								
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																									
1 11400.00	52.42	74.00	-21.58	60.66	38.10	14.85	61.19	0.00	100	360	PEAK																																																																																								
2 11400.00	42.04	54.00	-11.96	50.28	38.10	14.85	61.19	0.00	100	360	AVERAGE																																																																																								



Mode	19																																																																																									
	Band Edge																																																																																									
	U-NII-1_5.15-5.25_802.11ax HE20_CH36_RU26/0_5180MHz																																																																																									
ANT	CDD 5+7																																																																																									
Pol.	Horizontal	Fundamental																																																																																								
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5139.36</td> <td>56.81</td> <td>74.00</td> <td>-17.19</td> <td>44.19</td> <td>34.74</td> <td>9.78</td> <td>31.90</td> <td>0.00</td> <td>100</td> <td>280</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5139.36	56.81	74.00	-17.19	44.19	34.74	9.78	31.90	0.00	100	280	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5180.00</td> <td>114.53</td> <td>-----</td> <td>-----</td> <td>101.99</td> <td>34.62</td> <td>9.80</td> <td>31.88</td> <td>0.00</td> <td>100</td> <td>280</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5180.00	114.53	-----	-----	101.99	34.62	9.80	31.88	0.00	100	280	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5139.36	56.81	74.00	-17.19	44.19	34.74	9.78	31.90	0.00	100	280	PEAK																																																																														
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5180.00	114.53	-----	-----	101.99	34.62	9.80	31.88	0.00	100	280	PEAK																																																																														
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5147.36</td> <td>47.72</td> <td>54.00</td> <td>-6.28</td> <td>35.12</td> <td>34.71</td> <td>9.78</td> <td>31.89</td> <td>0.00</td> <td>100</td> <td>280</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5147.36	47.72	54.00	-6.28	35.12	34.71	9.78	31.89	0.00	100	280	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5180.00</td> <td>108.81</td> <td>-----</td> <td>-----</td> <td>96.27</td> <td>34.62</td> <td>9.80</td> <td>31.88</td> <td>0.00</td> <td>100</td> <td>280</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5180.00	108.81	-----	-----	96.27	34.62	9.80	31.88	0.00	100	280	AVERAGE
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5147.36	47.72	54.00	-6.28	35.12	34.71	9.78	31.89	0.00	100	280	AVERAGE																																																																														
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5180.00	108.81	-----	-----	96.27	34.62	9.80	31.88	0.00	100	280	AVERAGE																																																																														



Mode	19																																																																																									
	Band Edge																																																																																									
	U-NII-1_5.15-5.25_802.11ax HE20_CH36_RU26/0_5180MHz																																																																																									
ANT	CDD 5+7																																																																																									
Pol.	Vertical	Fundamental																																																																																								
Peak	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5136.16</td> <td>55.48</td> <td>74.00</td> <td>-18.52</td> <td>42.85</td> <td>34.76</td> <td>9.77</td> <td>31.90</td> <td>0.00</td> <td>389</td> <td>49</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5136.16	55.48	74.00	-18.52	42.85	34.76	9.77	31.90	0.00	389	49	PEAK	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5180.00</td> <td>113.33</td> <td>-----</td> <td>-----</td> <td>100.79</td> <td>34.62</td> <td>9.80</td> <td>31.88</td> <td>0.00</td> <td>389</td> <td>49</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5180.00	113.33	-----	-----	100.79	34.62	9.80	31.88	0.00	389	49	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5136.16	55.48	74.00	-18.52	42.85	34.76	9.77	31.90	0.00	389	49	PEAK																																																																														
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5180.00	113.33	-----	-----	100.79	34.62	9.80	31.88	0.00	389	49	PEAK																																																																														
Avg	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5136.48</td> <td>46.06</td> <td>54.00</td> <td>-7.94</td> <td>33.44</td> <td>34.75</td> <td>9.77</td> <td>31.90</td> <td>0.00</td> <td>389</td> <td>49</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5136.48	46.06	54.00	-7.94	33.44	34.75	9.77	31.90	0.00	389	49	AVERAGE	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5180.00</td> <td>105.92</td> <td>-----</td> <td>-----</td> <td>93.38</td> <td>34.62</td> <td>9.80</td> <td>31.88</td> <td>0.00</td> <td>389</td> <td>49</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5180.00	105.92	-----	-----	93.38	34.62	9.80	31.88	0.00	389	49	AVERAGE
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5136.48	46.06	54.00	-7.94	33.44	34.75	9.77	31.90	0.00	389	49	AVERAGE																																																																														
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5180.00	105.92	-----	-----	93.38	34.62	9.80	31.88	0.00	389	49	AVERAGE																																																																														







Mode	20																																																																																			
	Band Edge																																																																																			
	U-NII-2A_5.25-5.35_802.11ax HE20_CH64_RU26/8_5320MHz																																																																																			
ANT	CDD 5+7																																																																																			
Pol.	Horizontal	Fundamental																																																																																		
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5359.20</td> <td>54.79</td> <td>74.00</td> <td>-19.21</td> <td>42.15</td> <td>34.50</td> <td>9.92</td> <td>31.78</td> <td>0.00</td> <td>100</td> <td>279 PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5359.20	54.79	74.00	-19.21	42.15	34.50	9.92	31.78	0.00	100	279 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5320.00</td> <td>113.24</td> <td>-----</td> <td>-----</td> <td>100.64</td> <td>34.50</td> <td>9.90</td> <td>31.80</td> <td>0.00</td> <td>100</td> <td>279 PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5320.00	113.24	-----	-----	100.64	34.50	9.90	31.80	0.00	100	279 PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																										
1 5359.20	54.79	74.00	-19.21	42.15	34.50	9.92	31.78	0.00	100	279 PEAK																																																																										
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																										
1 5320.00	113.24	-----	-----	100.64	34.50	9.90	31.80	0.00	100	279 PEAK																																																																										
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5362.84</td> <td>45.18</td> <td>54.00</td> <td>-8.82</td> <td>32.54</td> <td>34.50</td> <td>9.92</td> <td>31.78</td> <td>0.00</td> <td>100</td> <td>279 AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5362.84	45.18	54.00	-8.82	32.54	34.50	9.92	31.78	0.00	100	279 AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5320.00</td> <td>107.80</td> <td>-----</td> <td>-----</td> <td>95.20</td> <td>34.50</td> <td>9.90</td> <td>31.80</td> <td>0.00</td> <td>100</td> <td>279 AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5320.00	107.80	-----	-----	95.20	34.50	9.90	31.80	0.00	100	279 AVERAGE
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																										
1 5362.84	45.18	54.00	-8.82	32.54	34.50	9.92	31.78	0.00	100	279 AVERAGE																																																																										
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																										
1 5320.00	107.80	-----	-----	95.20	34.50	9.90	31.80	0.00	100	279 AVERAGE																																																																										



		20																																																																																																
Mode		Band Edge																																																																																																
		U-NII-2A_5.25-5.35_802.11ax HE20_CH64_RU26/8_5320MHz																																																																																																
ANT		CDD 5+7																																																																																																
Pol.		Vertical					Fundamental																																																																																											
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5362.84</td> <td>112.57</td> <td>-----</td> <td>81.3</td> <td>41.79</td> <td>34.50</td> <td>9.92</td> <td>31.78</td> <td>0.00</td> <td>346</td> <td>54</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5362.84	112.57	-----	81.3	41.79	34.50	9.92	31.78	0.00	346	54	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5320.00</td> <td>112.57</td> <td>-----</td> <td>81.3</td> <td>99.97</td> <td>34.50</td> <td>9.90</td> <td>31.80</td> <td>0.00</td> <td>346</td> <td>54</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5320.00	112.57	-----	81.3	99.97	34.50	9.90	31.80	0.00	346	54	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg	Remark																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																								
1	5362.84	112.57	-----	81.3	41.79	34.50	9.92	31.78	0.00	346	54	PEAK																																																																																						
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg	Remark																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																								
1	5320.00	112.57	-----	81.3	99.97	34.50	9.90	31.80	0.00	346	54	PEAK																																																																																						
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5360.46</td> <td>44.44</td> <td>54.00</td> <td>-9.56</td> <td>31.80</td> <td>34.50</td> <td>9.92</td> <td>31.78</td> <td>0.00</td> <td>346</td> <td>54</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5360.46	44.44	54.00	-9.56	31.80	34.50	9.92	31.78	0.00	346	54	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5320.00</td> <td>105.17</td> <td>-----</td> <td>81.3</td> <td>92.57</td> <td>34.50</td> <td>9.90</td> <td>31.80</td> <td>0.00</td> <td>346</td> <td>54</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5320.00	105.17	-----	81.3	92.57	34.50	9.90	31.80	0.00	346	54	AVERAGE
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg	Remark																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																								
1	5360.46	44.44	54.00	-9.56	31.80	34.50	9.92	31.78	0.00	346	54	AVERAGE																																																																																						
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg	Remark																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																								
1	5320.00	105.17	-----	81.3	92.57	34.50	9.90	31.80	0.00	346	54	AVERAGE																																																																																						



Mode	21																																																																																																						
	Band Edge																																																																																																						
	U-NII-2C_5.47-5.725_802.11ax HE20_CH100_RU26/0_5500MHz																																																																																																						
ANT	CDD 5+7																																																																																																						
Pol.	Horizontal	Fundamental																																																																																																					
Peak	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5458.75</td> <td>56.44</td> <td>74.00</td> <td>-17.56</td> <td>43.63</td> <td>34.52</td> <td>10.02</td> <td>31.73</td> <td>0.00</td> <td>113</td> <td>115</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5462.80</td> <td>53.36</td> <td>68.20</td> <td>-14.84</td> <td>40.52</td> <td>34.53</td> <td>10.03</td> <td>31.72</td> <td>0.00</td> <td>113</td> <td>115</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5458.75	56.44	74.00	-17.56	43.63	34.52	10.02	31.73	0.00	113	115	PEAK	2	5462.80	53.36	68.20	-14.84	40.52	34.53	10.03	31.72	0.00	113	115	PEAK	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>115.63</td> <td>-----</td> <td>-----</td> <td>102.67</td> <td>34.59</td> <td>10.08</td> <td>31.71</td> <td>0.00</td> <td>113</td> <td>115</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5500.00	115.63	-----	-----	102.67	34.59	10.08	31.71	0.00	113	115	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																													
1	5458.75	56.44	74.00	-17.56	43.63	34.52	10.02	31.73	0.00	113	115	PEAK																																																																																											
2	5462.80	53.36	68.20	-14.84	40.52	34.53	10.03	31.72	0.00	113	115	PEAK																																																																																											
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																													
1	5500.00	115.63	-----	-----	102.67	34.59	10.08	31.71	0.00	113	115	PEAK																																																																																											
Avg	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5456.20</td> <td>45.20</td> <td>54.00</td> <td>-8.80</td> <td>32.40</td> <td>34.51</td> <td>10.02</td> <td>31.73</td> <td>0.00</td> <td>113</td> <td>115</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5456.20	45.20	54.00	-8.80	32.40	34.51	10.02	31.73	0.00	113	115	AVERAGE	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>107.49</td> <td>-----</td> <td>-----</td> <td>94.53</td> <td>34.59</td> <td>10.08</td> <td>31.71</td> <td>0.00</td> <td>113</td> <td>115</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5500.00	107.49	-----	-----	94.53	34.59	10.08	31.71	0.00	113	115	AVERAGE													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																													
1	5456.20	45.20	54.00	-8.80	32.40	34.51	10.02	31.73	0.00	113	115	AVERAGE																																																																																											
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																													
1	5500.00	107.49	-----	-----	94.53	34.59	10.08	31.71	0.00	113	115	AVERAGE																																																																																											