





11AX20MIMO_Ant5_6435_26Tone_RU0



Date: 8 AUG 2024 17:37:59


11AX20MIMO_Ant5_6435_52Tone_RU37



Date: 8 AUG 2024 17:39:28




11AX20MIMO_Ant5_6435_106Tone_RU53



Date: 8 AUG 2024 17:50:42


11AX20MIMO_Ant8_6435_26Tone_RU0



Date: 8 AUG 2024 17:38:39




11AX20MIMO_Ant8_6435_52Tone_RU37



Date: 8 AUG 2024 17:49:10


11AX20MIMO_Ant8_6435_106Tone_RU53



Date: 8 AUG 2024 17:51:35




11AX20MIMO_Ant5_6475_26Tone_RU0



Date: 8 AUG 2024 17:52:58


11AX20MIMO_Ant5_6475_52Tone_RU37



Date: 8 AUG 2024 17:54:34




11AX20MIMO_Ant5_6475_106Tone_RU53



Date: 8 AUG 2024 17:56:37


11AX20MIMO_Ant8_6475_26Tone_RU0



Date: 8 AUG 2024 17:53:40




11AX20MIMO_Ant8_6475_52Tone_RU37



Date: 8 AUG 2024 17:55:10


11AX20MIMO_Ant8_6475_106Tone_RU53



Date: 8 AUG 2024 17:57:14




11AX20MIMO_Ant5_6515_26Tone_RU8



Date: 8 AUG 2024 17:58:17


11AX20MIMO_Ant5_6515_52Tone_RU40



Date: 8 AUG 2024 18:02:11




11AX20MIMO_Ant5_6515_106Tone_RU54



Date: 8 AUG 2024 18:03:53


11AX20MIMO_Ant8_6515_26Tone_RU8



Date: 8 AUG 2024 17:58:53




11AX20MIMO_Ant8_6515_52Tone_RU40



Date: 8 AUG 2024 18:02:51


11AX20MIMO_Ant8_6515_106Tone_RU54



Date: 8 AUG 2024 18:04:38




11AX20MIMO_Ant5_6535_26Tone_RU0



Date: 8 AUG 2024 18:05:36


11AX20MIMO_Ant5_6535_52Tone_RU37




Date: 8 AUG 2024 18:08:55



11AX20MIMO_Ant5_6535_106Tone_RU53




11AX20MIMO_Ant8_6535_26Tone_RU0






11AX20MIMO_Ant8_6535_52Tone_RU37



Date: 8 AUG 2024 18:09:32


11AX20MIMO_Ant8_6535_106Tone_RU53



Date: 8 AUG 2024 18:10:55




11AX20MIMO_Ant5_6695_26Tone_RU0



Date: 8 AUG 2024 18:11:42


11AX20MIMO_Ant5_6695_52Tone_RU37



Date: 8 AUG 2024 18:14:51




11AX20MIMO_Ant5_6695_106Tone_RU53



Date: 8 AUG 2024 18:17:22


11AX20MIMO_Ant8_6695_26Tone_RU0



Date: 8 AUG 2024 18:13:16




11AX20MIMO_Ant8_6695_52Tone_RU37



Date: 8 AUG 2024 18:15:39


11AX20MIMO_Ant8_6695_106Tone_RU53



Date: 8 AUG 2024 18:17:59




11AX20MIMO_Ant5_6855_26Tone_RU8



Date: 8 AUG 2024 18:21:09


11AX20MIMO_Ant5_6855_52Tone_RU40



Date: 8 AUG 2024 18:23:17




11AX20MIMO_Ant5_6855_106Tone_RU54



Date: 8 AUG 2024 18:24:45


11AX20MIMO_Ant8_6855_26Tone_RU8



Date: 8 AUG 2024 18:21:49




11AX20MIMO_Ant8_6855_52Tone_RU40



Date: 8 AUG 2024 18:23:55


11AX20MIMO_Ant8_6855_106Tone_RU54



Date: 8 AUG 2024 18:25:20




11AX20MIMO_Ant5_6875_26Tone_RU0



Date: 2 AUG 2024 12:55:27


11AX20MIMO_Ant5_6875_26Tone_RU8



Date: 8 AUG 2024 18:26:22




11AX20MIMO_Ant5_6875_52Tone_RU40



Date: 8 AUG 2024 18:28:31


11AX20MIMO_Ant5_6875_106Tone_RU54



Date: 8 AUG 2024 18:29:55




11AX20MIMO_Ant8_6875_26Tone_RU0



Date: 2 AUG 2024 12:57:49


11AX20MIMO_Ant8_6875_26Tone_RU0



Date: 8 AUG 2024 18:26:59




11AX20MIMO_Ant8_6875_52Tone_RU40



Date: 8 AUG 2024 18:29:07


11AX20MIMO_Ant8_6875_106Tone_RU54



Date: 8 AUG 2024 18:30:32




11AX20MIMO_Ant5_6895_26Tone_RU0



Date: 8 AUG 2024 18:31:32


11AX20MIMO_Ant5_6895_52Tone_RU37



Date: 8 AUG 2024 18:33:24




11AX20MIMO_Ant5_6895_106Tone_RU53



Date: 8 AUG 2024 18:35:04


11AX20MIMO_Ant8_6895_26Tone_RU0



Date: 8 AUG 2024 18:32:28




11AX20MIMO_Ant8_6895_52Tone_RU37



Date: 8 AUG 2024 18:34:09


11AX20MIMO_Ant8_6895_106Tone_RU53



Date: 8 AUG 2024 18:35:43




11AX20MIMO_Ant5_6995_26Tone_RU0



Date: 8 AUG 2024 18:37:06


11AX20MIMO_Ant5_6995_52Tone_RU37



Date: 8 AUG 2024 18:39:27




11AX20MIMO_Ant5_6995_106Tone_RU53



Date: 8 AUG 2024 18:42:40


11AX20MIMO_Ant8_6995_26Tone_RU0



Date: 8 AUG 2024 18:38:25




11AX20MIMO_Ant8_6995_52Tone_RU37



Date: 8 AUG 2024 18:40:03


11AX20MIMO_Ant8_6995_106Tone_RU53



Date: 8 AUG 2024 18:43:25




11AX20MIMO_Ant5_7095_26Tone_RU8



Date: 8 AUG 2024 18:44:31


11AX20MIMO_Ant5_7095_52Tone_RU40



Date: 8 AUG 2024 18:46:12




11AX20MIMO_Ant5_7095_106Tone_RU54



Date: 8 AUG 2024 18:49:22


11AX20MIMO_Ant8_7095_26Tone_RU8




Date: 8 AUG 2024 18:45:08



11AX20MIMO_Ant8_7095_52Tone_RU40




11AX20MIMO_Ant8_7095_106Tone_RU54





Appendix B. AC Conducted Emission Test Results

Test Engineer :	Amos Zhang	Temperature :	25.3~26.2°C
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	Phase :	Line
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		




Site : CO01-KS
Condition : 15E RSS247-QP LISN-060105-L 2024 LINE

	Freq	Level	Over	Limit	Read	LISN	Cable	
	MHz	dBuV	Limit	Line	Level	Factor	Loss	Remark
			dB	dBuV	dBuV	dB	dB	
1	0.153	47.44	-18.38	65.82	36.90	0.12	10.42	QP
2	0.153	30.14	-25.68	55.82	19.60	0.12	10.42	Average
3 *	0.180	49.41	-15.09	64.50	38.91	0.09	10.41	QP
4	0.180	31.41	-23.09	54.50	20.91	0.09	10.41	Average
5	0.214	44.38	-18.67	63.05	33.90	0.08	10.40	QP
6	0.214	24.38	-28.67	53.05	13.90	0.08	10.40	Average
7	0.280	38.73	-22.08	60.81	28.29	0.09	10.35	QP
8	0.280	22.73	-28.08	50.81	12.29	0.09	10.35	Average
9	0.437	41.60	-15.51	57.11	31.40	-0.06	10.26	QP
10	0.437	26.00	-21.11	47.11	15.80	-0.06	10.26	Average
11	7.769	43.75	-16.25	60.00	33.61	-0.23	10.37	QP
12	7.769	31.45	-18.55	50.00	21.31	-0.23	10.37	Average



Test Engineer :	Amos Zhang	Temperature :	25.3~26.2°C
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	Phase :	Neutral
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		



Site : CO01-KS
Condition : 15E RSS247-QP LISN-060105-N 2024 NEUTRAL

	Freq	Level	Over	Limit	Read	LISN	Cable	Remark
	MHz	dBuV	Limit	Line	Level	Factor	Loss	
			dB	dBuV	dBuV	dB	dB	
1	0.197	48.64	-15.12	63.76	38.10	0.13	10.41	QP
2	0.197	31.14	-22.62	53.76	20.60	0.13	10.41	Average
3	0.251	43.96	-17.77	61.73	33.60	-0.01	10.37	QP
4	0.251	27.26	-24.47	51.73	16.90	-0.01	10.37	Average
5 *	0.484	43.18	-13.09	56.27	33.10	-0.15	10.23	QP
6	0.484	27.98	-18.29	46.27	17.90	-0.15	10.23	Average
7	0.595	41.22	-14.78	56.00	31.20	-0.16	10.18	QP
8	0.595	23.92	-22.08	46.00	13.90	-0.16	10.18	Average
9	0.708	40.17	-15.83	56.00	30.20	-0.17	10.14	QP
10	0.708	23.57	-22.43	46.00	13.60	-0.17	10.14	Average
11	8.683	40.36	-19.64	60.00	30.11	-0.24	10.49	QP
12	8.683	27.06	-22.94	50.00	16.81	-0.24	10.49	Average

Note:

1. Level(dBμV) = Read Level(dBμV) + LISN Factor(dB) + Cable Loss(dB)
2. Over Limit(dB) = Level(dBμV) – Limit Line(dBμV)



Appendix C. Radiated Spurious Emission

Radiated Spurious Emission Test Modes

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 1	U-NII-5	5.925-6.425	CDD 5+8	802.11ax HE20	1	5955	MCS0	Full	-
Mode 2	U-NII-5	5.925-6.425	CDD 5+8	802.11ax HE20	1	5955	MCS0	RU26/0	-
Mode 3	U-NII-5	5.925-6.425	CDD 5+8	802.11ax HE20	1	5955	MCS0	RU52/37	-
Mode 4	U-NII-5	5.925-6.425	CDD 5+8	802.11ax HE20	1	5955	MCS0	RU106/53	-
Mode 5	U-NII-5	5.925-6.425	CDD 5+8	802.11ax HE20	45	6175	MCS0	Full	-
Mode 6	U-NII-5	5.925-6.425	CDD 5+8	802.11ax HE20	93	6415	MCS0	Full	-
Mode 7	U-NII-5	5.925-6.425	CDD 5+8	802.11ax HE40	3	5965	MCS0	Full	-
Mode 8	U-NII-5	5.925-6.425	CDD 5+8	802.11ax HE40	43	6165	MCS0	Full	-
Mode 9	U-NII-5	5.925-6.425	CDD 5+8	802.11ax HE40	91	6405	MCS0	Full	-
Mode 10	U-NII-5	5.925-6.425	CDD 5+8	802.11ax HE80	7	5985	MCS0	Full	-
Mode 11	U-NII-5	5.925-6.425	CDD 5+8	802.11ax HE80	39	6145	MCS0	Full	-
Mode 12	U-NII-5	5.925-6.425	CDD 5+8	802.11ax HE80	87	6385	MCS0	Full	-
Mode 13	U-NII-5	5.925-6.425	CDD 5+8	802.11ax HE160	15	6025	MCS0	Full	-
Mode 14	U-NII-5	5.925-6.425	CDD 5+8	802.11ax HE160	47	6185	MCS0	Full	-
Mode 15	U-NII-5	5.925-6.425	CDD 5+8	802.11ax HE160	79	6345	MCS0	Full	-
Mode 16	U-NII-5	5.925-6.425	CDD 5+8	802.11ax HE20	97	6435	MCS0	Full	-
Mode 17	U-NII-6	6.425-6.525	CDD 5+8	802.11ax HE20	105	6475	MCS0	Full	-
Mode 18	U-NII-6	6.425-6.525	CDD 5+8	802.11ax HE20	113	6515	MCS0	Full	-
Mode 19	U-NII-5	6.425-6.525	CDD 5+8	802.11ax HE40	99	6445	MCS0	Full	-
Mode 20	U-NII-6	6.425-6.525	CDD 5+8	802.11ax HE40	107	6485	MCS0	Full	-
Mode 21	U-NII-5	6.425-6.525	CDD 5+8	802.11ax HE80	103	6465	MCS0	Full	-
Mode 22	U-NII-6	6.425-6.525	CDD 5+8	802.11ax HE40	115	6525	MCS0	Full	-
Mode 23	U-NII-6	6.425-6.525	CDD 5+8	802.11ax HE80	119	6545	MCS0	Full	-
Mode 24	U-NII-8	6.425-6.525	CDD 5+8	802.11ax HE160	111	6505	MCS0	Full	-
Mode 25	U-NII-7	6.525-6.875	CDD 5+8	802.11ax HE20	117	6535	MCS0	Full	-
Mode 26	U-NII-7	6.525-6.875	CDD 5+8	802.11ax HE20	149	6695	MCS0	Full	-
Mode 27	U-NII-7	6.525-6.875	CDD 5+8	802.11ax HE40	123	6565	MCS0	Full	-
Mode 28	U-NII-7	6.525-6.875	CDD 5+8	802.11ax HE40	147	6685	MCS0	Full	-
Mode 29	U-NII-7	6.525-6.875	CDD 5+8	802.11ax HE40	179	6845	MCS0	Full	-
Mode 30	U-NII-7	6.525-6.875	CDD 5+8	802.11ax HE80	135	6625	MCS0	Full	-
Mode 31	U-NII-7	6.525-6.875	CDD 5+8	802.11ax HE80	151	6705	MCS0	Full	-
Mode 32	U-NII-7	6.525-6.875	CDD 5+8	802.11ax HE160	143	6665	MCS0	Full	-
Mode 33	U-NII-7	6.525-6.875	CDD 5+8	802.11ax HE20	185	6875	MCS0	Full	-
Mode 34	U-NII-7	6.525-6.875	CDD 5+8	802.11ax HE80	183	6865	MCS0	Full	-



Mode 35	U-NII-7	6.525-6.875	CDD 5+8	802.11ax HE160	175	6825	MCS0	Full	-
Mode 36	U-NII-8	6.875-7.125	CDD 5+8	802.11ax HE20	189	6895	MCS0	Full	-
Mode 37	U-NII-8	6.875-7.125	CDD 5+8	802.11ax HE20	209	6995	MCS0	Full	-
Mode 38	U-NII-8	6.875-7.125	CDD 5+8	802.11ax HE20	229	7095	MCS0	Full	-
Mode 39	U-NII-8	6.875-7.125	CDD 5+8	802.11ax HE20	229	7095	MCS0	RU26/8	-
Mode 40	U-NII-8	6.875-7.125	CDD 5+8	802.11ax HE20	229	7095	MCS0	RU52/40	-
Mode 41	U-NII-8	6.875-7.125	CDD 5+8	802.11ax HE20	229	7095	MCS0	RU106/54	-
Mode 42	U-NII-8	6.875-7.125	CDD 5+8	802.11ax HE40	203	6965	MCS0	Full	-
Mode 43	U-NII-8	6.875-7.125	CDD 5+8	802.11ax HE40	227	7085	MCS0	Full	-
Mode 44	U-NII-8	6.875-7.125	CDD 5+8	802.11ax HE80	199	6945	MCS0	Full	-
Mode 45	U-NII-8	6.875-7.125	CDD 5+8	802.11ax HE80	215	7025	MCS0	Full	-
Mode 46	U-NII-8	5.925-6.425	CDD 5+8	802.11ax HE160	207	6985	MCS0	Full	-
Mode 47	U-NII-8	6.875-7.125	CDD 5+8	802.11ax HE40	187	6885	MCS0	Full	-
Mode 48	U-NII-5	5.925-6.425	CDD 5+8	802.11ax HE160	15	6025	MCS0	Full	-
	Part 27M N7 DFT-s Max BW/QPSK/1RB1								



Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
1	802.11ax HE20	1	5923.15	52.81	68.20	-15.39	H	AVERAGE	Pass	Band Edge
1	802.11ax HE20	1	11910.00	37.61	54.00	-16.39	V	AVERAGE	Pass	Harmonic
2	802.11ax HE20	1	5923.15	44.56	68.20	-23.64	H	AVERAGE	Pass	Band Edge
2	802.11ax HE20	1	-	-	-	-	-	-	-	Harmonic
3	802.11ax HE20	1	7379.00	51.81	68.20	-16.39	H	AVERAGE	Pass	Band Edge
3	802.11ax HE20	1	-	-	-	-	-	-	-	Harmonic
4	802.11ax HE20	1	7939.00	51.88	68.20	-16.32	H	Average	Pass	Band Edge
4	802.11ax HE20	1	-	-	-	-	-	-	-	Harmonic
5	802.11ax HE20	45	-	-	-	-	-	-	-	Band Edge
5	802.11ax HE20	45	12350.00	47.68	74.00	-26.32	V	PEAK	Pass	Harmonic
6	802.11ax HE20	93	-	-	-	-	-	-	-	Band Edge
6	802.11ax HE20	93	12830.00	46.55	88.20	-41.65	V	PEAK	Pass	Harmonic
7	802.11ax HE40	3	5922.30	52.95	68.20	-15.25	H	AVERAGE	Pass	Band Edge
7	802.11ax HE40	3	11930.00	47.09	74.00	-26.91	V	PEAK	Pass	Harmonic
8	802.11ax HE40	43	-	-	-	-	-	-	-	Band Edge
8	802.11ax HE40	43	12330.00	46.76	74.00	-27.24	V	PEAK	Pass	Harmonic
9	802.11ax HE40	91	-	-	-	-	-	-	-	Band Edge
9	802.11ax HE40	91	12810.00	47.18	88.20	-41.02	V	PEAK	Pass	Harmonic
10	802.11ax HE80	7	5918.28	53.39	68.20	-14.81	H	AVERAGE	Pass	Band Edge
10	802.11ax HE80	7	11970.00	46.84	74.00	-27.16	V	PEAK	Pass	Harmonic
11	802.11ax HE80	39	-	-	-	-	-	-	-	Band Edge
11	802.11ax HE80	39	12290.00	47.43	74.00	-26.57	V	PEAK	Pass	Harmonic
12	802.11ax HE80	87	-	-	-	-	-	-	-	Band Edge
12	802.11ax HE80	87	12770.00	45.85	88.20	-42.35	V	PEAK	Pass	Harmonic
13	802.11ax HE160	15	5867.6	50.62	68.2	-17.58	H	Average	Pass	Band Edge
13	802.11ax HE160	15	8029.00	49.76	54.00	-4.24	H	PEAK	Pass	Harmonic
14	802.11ax HE160	47	-	-	-	-	-	-	-	Band Edge
14	802.11ax HE160	47	12370.00	47.05	74.00	-26.95	H	PEAK	Pass	Harmonic
15	802.11ax HE160	79	-	-	-	-	-	-	-	Band Edge
15	802.11ax HE160	79	12690.00	46.95	74.00	-27.05	H	PEAK	Pass	Harmonic
16	802.11ax HE20	97	-	-	-	-	-	-	-	Band Edge
16	802.11ax HE20	97	12870.00	48.06	88.20	-40.14	V	PEAK	Pass	Harmonic
17	802.11ax HE20	105	-	-	-	-	-	-	-	Band Edge
17	802.11ax HE20	105	12950.00	47.70	88.20	-40.50	V	PEAK	Pass	Harmonic



18	802.11ax HE20	113	-	-	-	-	-	-	-	Band Edge
18	802.11ax HE20	113	13030.00	47.55	88.20	-40.65	V	PEAK	Pass	Harmonic
19	802.11ax HE40	99	-	-	-	-	-	-	-	Band Edge
19	802.11ax HE40	99	12890.00	47.82	88.20	-40.38	V	PEAK	Pass	Harmonic
20	802.11ax HE40	107	-	-	-	-	-	-	-	Band Edge
20	802.11ax HE40	107	12970.00	47.34	88.20	-40.86	V	PEAK	Pass	Harmonic
21	802.11ax HE80	103	-	-	-	-	-	-	-	Band Edge
21	802.11ax HE80	103	12930.00	47.19	88.20	-41.01	V	PEAK	Pass	Harmonic
22	802.11ax HE40	115	-	-	-	-	-	-	-	Band Edge
22	802.11ax HE40	115	13050.00	46.81	88.20	-41.39	V	PEAK	Pass	Harmonic
23	802.11ax HE80	119	-	-	-	-	-	-	-	Band Edge
23	802.11ax HE80	119	13090.00	46.20	88.20	-42.00	H	PEAK	Pass	Harmonic
24	802.11ax HE160	111	-	-	-	-	-	-	-	Band Edge
24	802.11ax HE160	111	13010.00	46.10	88.20	-42.10	H	PEAK	Pass	Harmonic
25	802.11ax HE20	117	-	-	-	-	-	-	-	Band Edge
25	802.11ax HE20	117	13070.00	47.96	88.20	-40.24	V	PEAK	Pass	Harmonic
26	802.11ax HE20	149	-	-	-	-	-	-	-	Band Edge
26	802.11ax HE20	149	13390.00	42.20	54.00	-11.80	V	AVERAGE	Pass	Harmonic
27	802.11ax HE40	123	-	-	-	-	-	-	-	Band Edge
27	802.11ax HE40	123	13130.00	46.40	88.20	-41.80	V	PEAK	Pass	Harmonic
28	802.11ax HE40	147	-	-	-	-	-	-	-	Band Edge
28	802.11ax HE40	147	13370.00	47.46	74.00	-26.54	V	PEAK	Pass	Harmonic
29	802.11ax HE40	179	-	-	-	-	-	-	-	Band Edge
29	802.11ax HE40	179	13690.00	47.41	88.20	-40.79	V	PEAK	Pass	Harmonic
30	802.11ax HE80	135	-	-	-	-	-	-	-	Band Edge
30	802.11ax HE80	135	13250.00	45.40	74.00	-28.60	V	PEAK	Pass	Harmonic
31	802.11ax HE80	151	-	-	-	-	-	-	-	Band Edge
31	802.11ax HE80	151	13410.00	45.91	88.20	-42.29	V	PEAK	Pass	Harmonic
32	802.11ax HE160	143	-	-	-	-	-	-	-	Band Edge
32	802.11ax HE160	143	13330.00	46.23	74.00	-27.77	H	PEAK	Pass	Harmonic
33	802.11ax HE20	185	-	-	-	-	-	-	-	Band Edge
33	802.11ax HE20	185	13750.00	47.31	88.20	-40.89	V	PEAK	Pass	Harmonic
34	802.11ax HE80	183	-	-	-	-	-	-	-	Band Edge
34	802.11ax HE80	183	13730.00	46.01	88.20	-42.19	V	PEAK	Pass	Harmonic
35	802.11ax HE160	175	-	-	-	-	-	-	-	Band Edge
35	802.11ax HE160	175	13650.00	45.03	88.20	-43.17	V	PEAK	Pass	Harmonic







36	802.11ax HE20	189	-	-	-	-	-	-	-	Band Edge
36	802.11ax HE20	189	13790.00	47.81	88.20	-40.39	V	PEAK	Pass	Harmonic
37	802.11ax HE20	209	-	-	-	-	-	-	-	Band Edge
37	802.11ax HE20	209	13990.00	47.81	88.20	-40.39	V	PEAK	Pass	Harmonic
38	802.11ax HE20	229	7128.04	52.82	68.20	-15.38	H	AVERAGE	Pass	Band Edge
38	802.11ax HE20	229	14190.00	47.10	88.20	-41.10	V	PEAK	Pass	Harmonic
39	802.11ax HE20	229	7185.64	45.53	68.20	-22.67	V	AVERAGE	Pass	Band Edge
39	802.11ax HE20	229	-	-	-	-	-	-	-	Harmonic
40	802.11ax HE20	229	7177.16	45.46	68.20	-22.74	H	AVERAGE	Pass	Band Edge
40	802.11ax HE20	229	-	-	-	-	-	-	-	Harmonic
41	802.11ax HE20	229	7188.36	45.51	68.20	-22.69	V	AVERAGE	Pass	Band Edge
41	802.11ax HE20	229	-	-	-	-	-	-	-	Harmonic
42	802.11ax HE40	203	-	-	-	-	-	-	-	Band Edge
42	802.11ax HE40	203	13930.00	44.06	88.20	-44.14	H	PEAK	Pass	Harmonic
43	802.11ax HE40	227	7125.48	48.60	68.20	-19.60	H	AVERAGE	Pass	Band Edge
43	802.11ax HE40	227	14170.00	46.13	88.20	-42.07	V	PEAK	Pass	Harmonic
44	802.11ax HE80	199	-	-	-	-	-	-	-	Band Edge
44	802.11ax HE80	199	13890.00	44.65	88.20	-43.55	V	PEAK	Pass	Harmonic
45	802.11ax HE80	215	7126.20	49.23	68.20	-18.97	H	AVERAGE	Pass	Band Edge
45	802.11ax HE80	215	14050.00	44.92	88.20	-43.28	H	PEAK	Pass	Harmonic
46	802.11ax HE160	207	7125.64	47.93	68.20	-20.27	H	AVERAGE	Pass	Band Edge
46	802.11ax HE160	207	13970.00	45.02	88.20	-43.18	H	PEAK	Pass	Harmonic
47	802.11ax HE40	187	-	-	-	-	-	-	-	Band Edge
47	802.11ax HE40	187	13770.00	45.74	88.20	-42.46	V	PEAK	Pass	Harmonic





<Co-location mode>

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
48	802.11ax HE160	15	5839.40	52.10	68.20	-16.10	H	AVERAGE	Pass	Band Edge
	802.11ax HE160	15	12050.00	45.29	74.00	-28.71	V	PEAK	Pass	Harmonic



		1																																																						
Mode		Band Edge																																																						
		U-NII-5_5.925-6.425_802.11ax HE20_CH1_Full_5955MHz																																																						
ANT		CDD 5+8																																																						
Pol.		Horizontal																																																						
Peak																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.58</td><td>71.05</td><td>88.20</td><td>-17.15</td><td>57.64</td><td>35.05</td><td>10.52</td><td>32.16</td><td>0.00</td><td>100</td><td>301 PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.58	71.05	88.20	-17.15	57.64	35.05	10.52	32.16	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5924.58	71.05	88.20	-17.15	57.64	35.05	10.52	32.16	0.00	100	301 PEAK																																													
Fundamental																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>113.92</td><td>-----</td><td>-----</td><td>100.35</td><td>35.20</td><td>10.54</td><td>32.17</td><td>0.00</td><td>100</td><td>301 PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	113.92	-----	-----	100.35	35.20	10.54	32.17	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5955.00	113.92	-----	-----	100.35	35.20	10.54	32.17	0.00	100	301 PEAK																																													
Avg																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5923.15</td><td>52.81</td><td>68.20</td><td>-15.39</td><td>39.42</td><td>35.04</td><td>10.51</td><td>32.16</td><td>0.00</td><td>100</td><td>301 AVERAGE</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5923.15	52.81	68.20	-15.39	39.42	35.04	10.51	32.16	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5923.15	52.81	68.20	-15.39	39.42	35.04	10.51	32.16	0.00	100	301 AVERAGE																																													
AVERAGE																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>105.30</td><td>-----</td><td>-----</td><td>91.73</td><td>35.20</td><td>10.54</td><td>32.17</td><td>0.00</td><td>100</td><td>301 AVERAGE</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	105.30	-----	-----	91.73	35.20	10.54	32.17	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5955.00	105.30	-----	-----	91.73	35.20	10.54	32.17	0.00	100	301 AVERAGE																																													



		1																																																																																															
Mode		Band Edge																																																																																															
		U-NII-5_5.925-6.425_802.11ax HE20_CH1_Full_5955MHz																																																																																															
ANT		CDD 5+8																																																																																															
Pol.		Vertical					Fundamental																																																																																										
Peak																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5919.77</td><td>60.61</td><td>88.20</td><td>-27.59</td><td>47.24</td><td>35.02</td><td>10.51</td><td>32.16</td><td>0.00</td><td>358 32 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5919.77	60.61	88.20	-27.59	47.24	35.02	10.51	32.16	0.00	358 32 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>110.02</td><td>-----</td><td>-----</td><td>96.45</td><td>35.20</td><td>10.54</td><td>32.17</td><td>0.00</td><td>358 32 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	110.02	-----	-----	96.45	35.20	10.54	32.17	0.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5919.77	60.61	88.20	-27.59	47.24	35.02	10.51	32.16	0.00	358 32 PEAK																																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5955.00	110.02	-----	-----	96.45	35.20	10.54	32.17	0.00	358 32 PEAK																																																																																							
Avg																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5924.71</td><td>47.69</td><td>68.20</td><td>-20.51</td><td>34.28</td><td>35.05</td><td>10.52</td><td>32.16</td><td>0.00</td><td>358 32 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.71	47.69	68.20	-20.51	34.28	35.05	10.52	32.16	0.00	358 32 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>101.12</td><td>-----</td><td>-----</td><td>87.55</td><td>35.20</td><td>10.54</td><td>32.17</td><td>0.00</td><td>358 32 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	101.12	-----	-----	87.55	35.20	10.54	32.17	0.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5924.71	47.69	68.20	-20.51	34.28	35.05	10.52	32.16	0.00	358 32 AVERAGE																																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5955.00	101.12	-----	-----	87.55	35.20	10.54	32.17	0.00	358 32 AVERAGE																																																																																							

1

Harmonic

U-NII-5_5.925-6.425_802.11ax HE20_CH1_Full_5955MHz

ANT

CDD 5+8

Pol.

Horizontal

Vertical

Peak

Avg

Level (dBuV/m)

130

113.8

97.5

81.3

65.0

48.8

32.5

16.3

0

10000

11600

13200

14800

16400

18000

WIFI 6E PEAK

WIFI 6E(AVG)

Limit Over Read Ant Cable Preamp Aux APos TPos

Freq Level Line Limit Level Factor Loss Factor Factor

11910.00 46.54 74.00 -27.46 53.92 38.70 15.21 61.29 0.00 --- --- PEAK

Level (dBuV/m)

130

113.8

97.5

81.3

65.0

48.8

32.5

16.3

0

10000

11600

13200

14800

16400

18000

WIFI 6E PEAK

WIFI 6E(AVG)





Limit Over Read Ant Cable Preamp Aux APos TPos

Freq Level Line Limit Level Factor Loss Factor Factor



11910.00 48.46 74.00 -25.54 55.84 38.70 15.21 61.29 0.00 100 360 PEAK

11910.00 37.61 54.00 -16.39 45.00 38.70 15.20 61.29 0.00 100 360 AVERAGE




Mode	2																																																																																																				
	Band Edge																																																																																																				
	U-NII-5_5.925-6.425_802.11ax HE20_CH1_RU26/0_5955MHz																																																																																																				
ANT	CDD 5+8																																																																																																				
Pol.	Horizontal						Fundamental																																																																																														
Peak																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5903.39</td><td>56.23</td><td>88.20</td><td>-31.97</td><td>42.97</td><td>34.92</td><td>10.50</td><td>32.16</td><td>0.00</td><td>100</td><td>244 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5903.39	56.23	88.20	-31.97	42.97	34.92	10.50	32.16	0.00	100	244 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>99.92</td><td>-----</td><td>-----</td><td>86.35</td><td>35.20</td><td>10.54</td><td>32.17</td><td>0.00</td><td>100</td><td>244 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	99.92	-----	-----	86.35	35.20	10.54	32.17	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5903.39	56.23	88.20	-31.97	42.97	34.92	10.50	32.16	0.00	100	244 PEAK																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5955.00	99.92	-----	-----	86.35	35.20	10.54	32.17	0.00	100	244 PEAK																																																																																										
Avg																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5923.15</td><td>44.56</td><td>68.20</td><td>-23.64</td><td>31.17</td><td>35.04</td><td>10.51</td><td>32.16</td><td>0.00</td><td>100</td><td>244 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5923.15	44.56	68.20	-23.64	31.17	35.04	10.51	32.16	0.00	100	244 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>90.70</td><td>-----</td><td>-----</td><td>77.13</td><td>35.20</td><td>10.54</td><td>32.17</td><td>0.00</td><td>100</td><td>244 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	90.70	-----	-----	77.13	35.20	10.54	32.17	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5923.15	44.56	68.20	-23.64	31.17	35.04	10.51	32.16	0.00	100	244 AVERAGE																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5955.00	90.70	-----	-----	77.13	35.20	10.54	32.17	0.00	100	244 AVERAGE																																																																																										





		2																																																					
Mode		Band Edge																																																					
		U-NII-5_5.925-6.425_802.11ax HE20_CH1_RU26/0_5955MHz																																																					
ANT		CDD 5+8																																																					
Pol.		Vertical					Fundamental																																																
Peak																																																							
		<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5882.33</td><td>56.76</td><td>88.20</td><td>-31.44</td><td>43.61</td><td>34.83</td><td>10.48</td><td>32.16</td><td>0.00</td><td>100</td><td>19 PEAK</td></tr></tbody></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5882.33	56.76	88.20	-31.44	43.61	34.83	10.48	32.16	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5882.33	56.76	88.20	-31.44	43.61	34.83	10.48	32.16	0.00	100	19 PEAK																																												
Avg																																																							
		<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5907.42</td><td>44.46</td><td>68.20</td><td>-23.74</td><td>31.18</td><td>34.94</td><td>10.50</td><td>32.16</td><td>0.00</td><td>100</td><td>19 AVERAGE</td></tr></tbody></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5907.42	44.46	68.20	-23.74	31.18	34.94	10.50	32.16	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5907.42	44.46	68.20	-23.74	31.18	34.94	10.50	32.16	0.00	100	19 AVERAGE																																												




		3									
Mode	Band Edge										
	U-NII-5_5.925-6.425_802.11ax HE20_CH1_RU52/37_5955MHz										
ANT	CDD 5+8										
Pol.	Horizontal										
Peak	Fundamental										
	Fundamental										
Avg	Fundamental										
	Fundamental										





Horizontal																																																								
																																																								
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5920.55</td><td>55.67</td><td>88.20</td><td>-32.53</td><td>42.30</td><td>35.02</td><td>10.51</td><td>32.16</td><td>0.00</td><td>100</td><td>267 PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5920.55	55.67	88.20	-32.53	42.30	35.02	10.51	32.16	0.00	100	267 PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5920.55	55.67	88.20	-32.53	42.30	35.02	10.51	32.16	0.00	100	267 PEAK																																													

Fundamental																																																								
																																																								
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>99.44</td><td>-----</td><td>-----</td><td>85.87</td><td>35.20</td><td>10.54</td><td>32.17</td><td>0.00</td><td>100</td><td>267 PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	99.44	-----	-----	85.87	35.20	10.54	32.17	0.00	100	267 PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5955.00	99.44	-----	-----	85.87	35.20	10.54	32.17	0.00	100	267 PEAK																																													





Horizontal																																																								
																																																								
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5910.00</td><td>44.46</td><td>68.20</td><td>-23.74</td><td>31.16</td><td>34.96</td><td>10.50</td><td>32.16</td><td>0.00</td><td>100</td><td>267 AVERAGE</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5910.00	44.46	68.20	-23.74	31.16	34.96	10.50	32.16	0.00	100	267 AVERAGE
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5910.00	44.46	68.20	-23.74	31.16	34.96	10.50	32.16	0.00	100	267 AVERAGE																																													

Fundamental																																																																				
																																																																				
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>90.62</td><td>-----</td><td>-----</td><td>77.05</td><td>35.20</td><td>10.54</td><td>32.17</td><td>0.00</td><td>100</td><td>267 AVERAGE</td></tr><tr><td>2</td><td>7939.00</td><td>51.81</td><td>68.20</td><td>-16.39</td><td>36.55</td><td>35.90</td><td>12.34</td><td>32.90</td><td>0.00</td><td>100</td><td>267 Average</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	90.62	-----	-----	77.05	35.20	10.54	32.17	0.00	100	267 AVERAGE	2	7939.00	51.81	68.20	-16.39	36.55	35.90	12.34	32.90	0.00	100	267 Average
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	5955.00	90.62	-----	-----	77.05	35.20	10.54	32.17	0.00	100	267 AVERAGE																																																									
2	7939.00	51.81	68.20	-16.39	36.55	35.90	12.34	32.90	0.00	100	267 Average																																																									







Mode	3																																																								
	Band Edge																																																								
	U-NII-5_5.925-6.425_802.11ax HE20_CH1_RU52/37_5955MHz																																																								
ANT	CDD 5+8																																																								
Pol.	Vertical																																																								
Peak	Fundamental																																																								
																																																									
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5848.01</td><td>56.28</td><td>88.20</td><td>-31.92</td><td>43.27</td><td>34.70</td><td>10.45</td><td>32.14</td><td>0.00</td><td>372</td><td>20 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5848.01	56.28	88.20	-31.92	43.27	34.70	10.45	32.14	0.00	372	20 PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																														
1	5848.01	56.28	88.20	-31.92	43.27	34.70	10.45	32.14	0.00	372	20 PEAK																																														
Avg																																																									
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>92.95</td><td>-----</td><td>-----</td><td>79.38</td><td>35.20</td><td>10.54</td><td>32.17</td><td>0.00</td><td>372</td><td>20 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5955.00	92.95	-----	-----	79.38	35.20	10.54	32.17	0.00	372	20 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																														
1	5955.00	92.95	-----	-----	79.38	35.20	10.54	32.17	0.00	372	20 PEAK																																														
Peak																																																									
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5906.12</td><td>44.42</td><td>68.20</td><td>-23.78</td><td>31.14</td><td>34.94</td><td>10.50</td><td>32.16</td><td>0.00</td><td>372</td><td>20 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5906.12	44.42	68.20	-23.78	31.14	34.94	10.50	32.16	0.00	372	20 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																														
1	5906.12	44.42	68.20	-23.78	31.14	34.94	10.50	32.16	0.00	372	20 AVERAGE																																														
Avg																																																									
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>83.94</td><td>-----</td><td>-----</td><td>70.37</td><td>35.20</td><td>10.54</td><td>32.17</td><td>0.00</td><td>372</td><td>20 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5955.00	83.94	-----	-----	70.37	35.20	10.54	32.17	0.00	372	20 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																														
1	5955.00	83.94	-----	-----	70.37	35.20	10.54	32.17	0.00	372	20 AVERAGE																																														





Mode	4																																																																																																																
	Band Edge - L																																																																																																																
	U-NII-5_5.925-6.425_802.11ax HE20_CH1_RU106/53_5955MHz																																																																																																																
ANT	CDD 5+8																																																																																																																
Pol.	Horizontal						Fundamental																																																																																																										
Peak																																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5849.57</td><td>56.30</td><td>88.20</td><td>-31.90</td><td>43.30</td><td>34.70</td><td>10.45</td><td>32.15</td><td>0.00</td><td>100</td><td>266 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5849.57	56.30	88.20	-31.90	43.30	34.70	10.45	32.15	0.00	100	266 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>99.20</td><td>-----</td><td>-----</td><td>85.63</td><td>35.20</td><td>10.54</td><td>32.17</td><td>0.00</td><td>100</td><td>266 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	99.20	-----	-----	85.63	35.20	10.54	32.17	0.00	100	266 PEAK											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5849.57	56.30	88.20	-31.90	43.30	34.70	10.45	32.15	0.00	100	266 PEAK																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5955.00	99.20	-----	-----	85.63	35.20	10.54	32.17	0.00	100	266 PEAK																																																																																																						
Avg																																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5911.84</td><td>44.48</td><td>68.20</td><td>-23.72</td><td>31.17</td><td>34.97</td><td>10.50</td><td>32.16</td><td>0.00</td><td>100</td><td>266 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5911.84	44.48	68.20	-23.72	31.17	34.97	10.50	32.16	0.00	100	266 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>90.79</td><td>-----</td><td>-----</td><td>77.22</td><td>35.20</td><td>10.54</td><td>32.17</td><td>0.00</td><td>100</td><td>266 AVERAGE</td></tr><tr><td>2</td><td>7939.00</td><td>51.88</td><td>68.20</td><td>-16.32</td><td>36.62</td><td>35.90</td><td>12.34</td><td>32.98</td><td>0.00</td><td>100</td><td>266 Average</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	90.79	-----	-----	77.22	35.20	10.54	32.17	0.00	100	266 AVERAGE	2	7939.00	51.88	68.20	-16.32	36.62	35.90	12.34	32.98	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5911.84	44.48	68.20	-23.72	31.17	34.97	10.50	32.16	0.00	100	266 AVERAGE																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5955.00	90.79	-----	-----	77.22	35.20	10.54	32.17	0.00	100	266 AVERAGE																																																																																																						
2	7939.00	51.88	68.20	-16.32	36.62	35.90	12.34	32.98	0.00	100	266 Average																																																																																																						





Mode	4																																																																																																																						
	Band Edge - L																																																																																																																						
	U-NII-5_5.925-6.425_802.11ax HE20_CH1_RU106/53_5955MHz																																																																																																																						
ANT	CDD 5+8																																																																																																																						
Pol.	Vertical						Fundamental																																																																																																																
Peak																																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5858.41</td><td>56.43</td><td>88.20</td><td>-31.77</td><td>43.40</td><td>34.73</td><td>10.46</td><td>32.16</td><td>0.00</td><td>303</td><td>323 PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5858.41	56.43	88.20	-31.77	43.40	34.73	10.46	32.16	0.00	303	323 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>94.31</td><td>-----</td><td>-----</td><td>80.74</td><td>35.20</td><td>10.54</td><td>32.17</td><td>0.00</td><td>303</td><td>323 PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5955.00	94.31	-----	-----	80.74	35.20	10.54	32.17	0.00	303
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1	5858.41	56.43	88.20	-31.77	43.40	34.73	10.46	32.16	0.00	303	323 PEAK																																																																																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1	5955.00	94.31	-----	-----	80.74	35.20	10.54	32.17	0.00	303	323 PEAK																																																																																																												
Avg																																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5918.00</td><td>44.43</td><td>68.20</td><td>-23.77</td><td>31.07</td><td>35.01</td><td>10.51</td><td>32.16</td><td>0.00</td><td>303</td><td>323 AVERAGE</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5918.00	44.43	68.20	-23.77	31.07	35.01	10.51	32.16	0.00	303	323 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>85.00</td><td>-----</td><td>-----</td><td>71.51</td><td>35.20</td><td>10.54</td><td>32.17</td><td>0.00</td><td>303</td><td>323 AVERAGE</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5955.00	85.00	-----	-----	71.51	35.20	10.54	32.17	0.00	303
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1	5918.00	44.43	68.20	-23.77	31.07	35.01	10.51	32.16	0.00	303	323 AVERAGE																																																																																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1	5955.00	85.00	-----	-----	71.51	35.20	10.54	32.17	0.00	303	323 AVERAGE																																																																																																												



Mode	5																																																																																																										
	Harmonic																																																																																																										
	U-NII-5_5.925-6.425_802.11ax HE20_CH45_Full_6175MHz																																																																																																										
ANT	CDD 5+8																																																																																																										
Pol.	Horizontal						Vertical																																																																																																				
Peak Avg																																																																																																											
	<table><tr><th colspan="2"></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12350.00</td><td>46.82</td><td>74.00</td><td>-27.18</td><td>54.06</td><td>38.80</td><td>15.54</td><td>61.58</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>								Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	12350.00	46.82	74.00	-27.18	54.06	38.80	15.54	61.58	0.00	---	---	PEAK	<table><tr><th colspan="2"></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12350.00</td><td>47.68</td><td>74.00</td><td>-26.32</td><td>54.92</td><td>38.80</td><td>15.54</td><td>61.58</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>								Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	12350.00	47.68	74.00	-26.32	54.92	38.80	15.54	61.58	0.00	---	---
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																
1	12350.00	46.82	74.00	-27.18	54.06	38.80	15.54	61.58	0.00	---	---	PEAK																																																																																															
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																
1	12350.00	47.68	74.00	-26.32	54.92	38.80	15.54	61.58	0.00	---	---	PEAK																																																																																															



		6																																																										
Mode		Harmonic																																																										
		U-NII-5_5.925-6.425_802.11ax HE20_CH93_Full_6415MHz																																																										
ANT		CDD 5+8																																																										
Pol.		Horizontal						Vertical																																																				
Peak Avg																																																												
		<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12830.00</td><td>46.27</td><td>88.20</td><td>-41.93</td><td>52.97</td><td>39.33</td><td>15.92</td><td>61.95</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	12830.00	46.27	88.20	-41.93	52.97	39.33	15.92	61.95	0.00	---	---	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																	
1	12830.00	46.27	88.20	-41.93	52.97	39.33	15.92	61.95	0.00	---	---	PEAK																																																
																																																												
		<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12830.00</td><td>46.55</td><td>88.20</td><td>-41.65</td><td>53.25</td><td>39.33</td><td>15.92</td><td>61.95</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	12830.00	46.55	88.20	-41.65	53.25	39.33	15.92	61.95	0.00	---	---	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																	
1	12830.00	46.55	88.20	-41.65	53.25	39.33	15.92	61.95	0.00	---	---	PEAK																																																