




WCDMA Band V (RMC 12.2Kbps)


Lowest Channel



Date: 18 SEP 2024 09:38:36


WCDMA Band II (RMC 12.2Kbps)

Lowest Channel




Date: 14 SEP 2024 14:12:26

Middle Channel




Date: 18 SEP 2024 09:42:40

Middle Channel




Date: 18 SEP 2024 09:18:19

Highest Channel



Date: 18 SEP 2024 09:48:53

Highest Channel




Date: 18 SEP 2024 09:21:12




WCDMA Band IV (RMC 12.2Kbps)

Lowest Channel




Date: 18.SEP.2024 09:24:56

Middle Channel



Date: 18.SEP.2024 09:28:06

Highest Channel




Date: 18.SEP.2024 09:33:03



Conducted Band Edge

WCDMA Band V (RMC 12.2Kbps)

Lowest Band Edge



Date: 18.SEP.2024 09:39:44

Highest Band Edge



Date: 18.SEP.2024 09:47:35


WCDMA Band II (RMC 12.2Kbps)

Lowest Band Edge




Date: 18.SEP.2024 09:13:27

Highest Band Edge




Date: 18.SEP.2024 09:22:40






Conducted Spurious Emission






WCDMA Band IV (RMC 12.2Kbps)

Lowest Channel




Date: 18 SEP 2024 09:26:11

Middle Channel



Date: 18 SEP 2024 09:28:27

Highest Channel



Date: 18 SEP 2024 09:33:28



Frequency Stability

Test Conditions	Middle Channel	WCDMA Band V (RMC 12.2Kbps)	Limit 2.5ppm
Temperature (°C)	Voltage (Volt)	Deviation (ppm)	Result
50	Normal Voltage	0.0006	PASS
40	Normal Voltage	0.0002	
30	Normal Voltage	0.0011	
20(Ref.)	Normal Voltage	0.0000	
10	Normal Voltage	0.0004	
0	Normal Voltage	0.0011	
-10	Normal Voltage	0.0002	
-20	Normal Voltage	0.0012	
-30	Normal Voltage	0.0008	
20	Maximum Voltage	0.0002	
20	Normal Voltage	0.0000	
20	Battery End Point	0.0012	

Test Conditions	Middle Channel	WCDMA Band II (RMC 12.2Kbps)	Limit Note 2.
Temperature (°C)	Voltage (Volt)	Deviation (ppm)	Result
50	Normal Voltage	0.0007	PASS
40	Normal Voltage	0.0002	
30	Normal Voltage	0.0002	
20(Ref.)	Normal Voltage	0.0000	
10	Normal Voltage	0.0004	
0	Normal Voltage	0.0007	
-10	Normal Voltage	0.0002	
-20	Normal Voltage	0.0003	
-30	Normal Voltage	0.0005	
20	Maximum Voltage	0.0002	
20	Normal Voltage	0.0000	
20	Battery End Point	0.0005	

Note:

1. Normal Voltage = 3.91V. ; Battery End Point (BEP) = 3.5 V. ; Maximum Voltage =4.45 V
2. The frequency fundamental emissions stay within the authorized frequency block based on the frequency deviation measured is small.



Test Conditions	Middle Channel	WCDMA Band IV (RMC 12.2Kbps)	Limit Note 2.
Temperature (°C)	Voltage (Volt)	Deviation (ppm)	Result
50	Normal Voltage	0.0048	PASS
40	Normal Voltage	0.0005	
30	Normal Voltage	0.0003	
20(Ref.)	Normal Voltage	0.0000	
10	Normal Voltage	0.0005	
0	Normal Voltage	0.0003	
-10	Normal Voltage	0.0002	
-20	Normal Voltage	0.0001	
-30	Normal Voltage	0.0032	
20	Maximum Voltage	0.0001	
20	Normal Voltage	0.0000	
20	Battery End Point	0.0006	

Note:

1. Normal Voltage = 3.91V. ; Battery End Point (BEP) = 3.5 V. ; Maximum Voltage =4.45 V
2. The frequency fundamental emissions stay within the authorized frequency block based on the frequency deviation measured is small.



Appendix B. Test Results of Radiated Test

Radiated Spurious Emission

Test Engineer :	LiangHuaCong	Temperature :	22~25°C
		Relative Humidity :	48~52%

GSM850 (GPRS 1 Tx slots) /Ant.0									
Channel	Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Middle	1672.8	-55.26	-13	-42.26	-67.52	-58.51	4.00	9.40	H
	2509.2	-45.16	-13	-32.16	-64.66	-48.73	4.88	10.60	H
	3345.6	-60.88	-13	-47.88	-82.22	-65.81	5.52	12.60	H
	1672.8	-45.64	-13	-32.64	-58.61	-48.89	4.00	9.40	H
	2509.2	-42.58	-13	-29.58	-62.29	-46.15	4.88	10.60	H
	3345.6	-60.53	-13	-47.53	-82.17	-65.46	5.52	12.60	H

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

GSM850 (EDGE 1 Tx slots) /Ant.0									
Channel	Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Middle	1672.8	-60.59	-13	-47.59	-72.85	-63.84	4.00	9.40	H
	2509.2	-46.79	-13	-33.79	-66.29	-50.36	4.88	10.60	H
	3345.6	-61.17	-13	-48.17	-82.51	-66.10	5.52	12.60	H
	1672.8	-45.06	-13	-32.06	-58.03	-48.31	4.00	9.40	H
	2509.2	-43.51	-13	-30.51	-63.22	-47.08	4.88	10.60	H
	3345.6	-60.69	-13	-47.69	-82.33	-65.62	5.52	12.60	H

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



GSM1900 (GPRS 1 Tx slots) /Ant.0									
Channel	Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Middle	3760	-57.88	-13	-44.88	-80.37	-64.63	5.85	12.60	H
	5640	-56.86	-13	-43.86	-81.26	-62.66	7.30	13.10	H
	7520	-54.24	-13	-41.24	-81.12	-57.39	8.35	11.50	H
	3760	-55.20	-13	-42.20	-80.85	-61.95	5.85	12.60	H
	5640	-56.71	-13	-43.71	-81.26	-62.51	7.30	13.10	H
	7520	-55.03	-13	-42.03	-81.89	-58.18	8.35	11.50	H

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

GSM1900 (EDGE 1 Tx slots) /Ant.0									
Channel	Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Middle	3760	-58.06	-13	-45.06	-80.55	-64.81	5.85	12.60	H
	5640	-56.90	-13	-43.90	-81.30	-62.70	7.30	13.10	H
	7520	-54.82	-13	-41.82	-81.70	-57.97	8.35	11.50	H
	3760	-55.19	-13	-42.19	-80.84	-61.94	5.85	12.60	H
	5640	-56.75	-13	-43.75	-81.3	-62.55	7.30	13.10	H
	7520	-54.76	-13	-41.76	-81.62	-57.91	8.35	11.50	H

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



WCDMA Band V(RMC 12.2Kbps)/Ant.0									
Channel	Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Middle	1672.8	-66.71	-13	-53.71	-78.97	-69.96	4.00	9.40	H
	2509.2	-61.25	-13	-48.25	-80.75	-64.82	4.88	10.60	H
	3345.6	-61.04	-13	-48.04	-82.38	-65.97	5.52	12.60	H
	1672.8	-63.59	-13	-50.59	-76.56	-66.84	4.00	9.40	V
	2509.2	-60.90	-13	-47.90	-80.61	-64.47	4.88	10.60	V
	3345.6	-60.65	-13	-47.65	-82.29	-65.58	5.52	12.60	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

WCDMA Band II(RMC 12.2Kbps) /Ant.0									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Middle	3760	-57.87	-13	-44.87	-80.36	-64.62	5.85	12.60	H
	5640	-56.95	-13	-43.95	-81.35	-62.75	7.30	13.10	H
	7520	-54.86	-13	-41.86	-81.74	-58.01	8.35	11.50	H
	3760	-55.08	-13	-42.08	-80.73	-61.83	5.85	12.60	V
	5640	-56.84	-13	-43.84	-81.39	-62.64	7.30	13.10	V
	7520	-54.67	-13	-41.67	-81.53	-57.82	8.35	11.50	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

WCDMA Band IV(RMC 12.2Kbps) /Ant.0									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Middle	3465.2	-60.01	-13	-47.01	-82.26	-66.86	5.65	12.50	H
	5197.8	-56.37	-13	-43.37	-81.22	-62.04	7.13	12.80	H
	6930.4	-54.96	-13	-41.96	-81.25	-58.36	8.40	11.80	H
	3465.2	-59.23	-13	-46.23	-81.28	-66.08	5.65	12.50	V
	5197.8	-56.30	-13	-43.30	-81.42	-61.97	7.13	12.80	V
	6930.4	-54.15	-13	-41.15	-81.36	-57.55	8.40	11.80	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.