




Appendix B. AC Conducted Emission Test Results

Test Engineer :	Chase Nathon	Temperature :	22~24°C
		Relative Humidity :	44~50%
Test Voltage :	120Vac / 60Hz	Phase :	Line
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		



Site : CO01-SZ
 Condition: FCC 15C_QP AC LISN 100063_L LINE


	Freq	Level	Over Limit	Limit Line	Read Level	LISN Factor	Cable Loss	Remark
	MHz	dBuV	dB	dBuV	dBuV	dB	dB	
1	0.53	37.29	-8.71	46.00	17.40	9.73	10.16	Average
2	0.53	46.59	-9.41	56.00	26.70	9.73	10.16	QP
3	0.65	33.68	-12.32	46.00	13.80	9.72	10.16	Average
4	0.65	45.38	-10.62	56.00	25.50	9.72	10.16	QP
5	1.91	29.55	-16.45	46.00	9.60	9.72	10.23	Average
6	1.91	43.85	-12.15	56.00	23.90	9.72	10.23	QP
7	2.36	31.28	-14.72	46.00	11.30	9.73	10.25	Average
8	2.36	44.88	-11.12	56.00	24.90	9.73	10.25	QP
9	3.09	30.05	-15.95	46.00	10.00	9.76	10.29	Average
10	3.09	43.45	-12.55	56.00	23.40	9.76	10.29	QP
11	5.68	30.61	-19.39	50.00	10.49	9.76	10.36	Average
12	5.68	42.89	-17.11	60.00	22.77	9.76	10.36	QP
13 *	13.56	53.17			32.80	9.91	10.46	Average
14	13.56	53.47			33.10	9.91	10.46	QP

(1) with antenna

Remark: 13.560MHz is the NFC RF fundamental signal.



Test Engineer :	Chase Nathon	Temperature :	22~24°C
		Relative Humidity :	44~50%
Test Voltage :	120Vac / 60Hz	Phase :	Neutral
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		



Site : C001-SZ
 Condition: FCC 15C_QP AC LISN 100063_N NEUTRAL


	Freq	Level	Over Limit	Limit Line	Read Level	LISN Factor	Cable Loss	Remark
	MHz	dBuV	dB	dBuV	dBuV	dB	dB	
1	0.54	34.99	-11.01	46.00	15.10	9.73	10.16	Average
2	0.54	46.99	-9.01	56.00	27.10	9.73	10.16	QP
3	0.98	30.25	-15.75	46.00	10.40	9.69	10.16	Average
4	0.98	43.45	-12.55	56.00	23.60	9.69	10.16	QP
5	2.27	25.87	-20.13	46.00	5.90	9.72	10.25	Average
6	2.27	43.07	-12.93	56.00	23.10	9.72	10.25	QP
7	3.58	26.12	-19.88	46.00	6.10	9.71	10.31	Average
8	3.58	42.12	-13.88	56.00	22.10	9.71	10.31	QP
9	4.45	29.25	-16.75	46.00	9.19	9.72	10.34	Average
10	4.45	44.85	-11.15	56.00	24.79	9.72	10.34	QP
11	5.65	31.09	-18.91	50.00	10.99	9.74	10.36	Average
12	5.65	45.09	-14.91	60.00	24.99	9.74	10.36	QP
13 *	13.56	53.95			33.71	9.78	10.46	Average
14	13.56	54.35			34.11	9.78	10.46	QP

(1) with antenna

Remark: 13.560MHz is the NFC RF fundamental signal.



Test Engineer :	Chase Nathon	Temperature :	22~24°C
		Relative Humidity :	44~50%
Test Voltage :	120Vac / 60Hz	Phase :	Line
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		



Site : CO01-SZ
 Condition: FCC 15C_QP AC LISN 100063_L LINE


	Freq	Level	Over	Limit	Read	LISN	Cable	
	MHz	dBuV	Limit	Line	Level	Factor	Loss	Remark
			dB	dBuV	dBuV	dB	dB	
1	13.56	26.27	-23.73	50.00	5.90	9.91	10.46	Average
2 *	13.56	43.27	-16.73	60.00	22.90	9.91	10.46	QP

(2) With dummy load

Remark: Only the fundamental NFC signal needs to be retested per KDB 174176.



Test Engineer :	Chase Nathon	Temperature :	22~24°C
		Relative Humidity :	44~50%
Test Voltage :	120Vac / 60Hz	Phase :	Neutral
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		



Site : C001-SZ
 Condition: FCC 15C_QP AC LISN 100063_N NEUTRAL

	Freq	Level	Over Limit	Limit Line	Read Level	LISN Factor	Cable Loss	Remark
	MHz	dBuV	dB	dBuV	dBuV	dB	dB	
1	13.56	22.65	-27.35	50.00	2.41	9.78	10.46	Average
2 *	13.56	46.45	-13.55	60.00	26.21	9.78	10.46	QP

(2) With dummy load

Remark: Only the fundamental NFC signal needs to be retested per KDB 174176.

Note:

- Level(dBμV) = Read Level(dBμV) + LISN Factor(dB) + Cable Loss(dB)
- Over Limit(dB) = Level(dBμV) – Limit Line(dBμV)



Appendix C Radiated Spurious Emission Test Data

Test Engineer :	Reid Huang	Relative Humidity :	48~49%
		Temperature :	24-25°C

Radiated Spurious Emission Test Modes





Mode	Band (MHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 1	2400-2483.5	6	802.11b	01	2412	1Mbps	-	-
Mode 2	2400-2483.5	6	802.11b	06	2437	1Mbps	-	-
Mode 3	2400-2483.5	6	802.11b	11	2462	1Mbps	-	-
Mode 4	2400-2483.5	6	802.11g	01	2412	6Mbps	-	-
Mode 5	2400-2483.5	6	802.11g	06	2437	6Mbps	-	-
Mode 6	2400-2483.5	6	802.11g	11	2462	6Mbps	-	-
Mode 7	2400-2483.5	6	802.11n HT20	01	2412	MCS0	-	-
Mode 8	2400-2483.5	6	802.11n HT20	06	2437	MCS0	-	-
Mode 9	2400-2483.5	6	802.11n HT20	11	2462	MCS0	-	-
Mode 10	2400-2483.5	6	802.11n HT40	03	2422	MCS0	-	-
Mode 11	2400-2483.5	6	802.11n HT40	09	2452	MCS0	-	-
Mode 12	2400-2483.5	6	802.11n HT40	09	2452	MCS0	-	LF
Mode 13	Co-TX	6	802.11n HT40	09	2452	MCS0	-	-
		5	LTE B48 Link	-	-	-	-	-







Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
1	802.11b	01	2389.04	40.00	54.00	-14.00	H	AVERAGE	Pass	Band Edge
1	802.11b	01	4824.00	43.97	54.00	-10.03	V	Average	Pass	Harmonic
2	802.11b	06	-	-	-	-	-	-	-	Band Edge
2	802.11b	06	4874.00	49.24	54.00	-4.76	H	Average	Pass	Harmonic
3	802.11b	11	2484.00	44.07	54.00	-9.93	H	AVERAGE	Pass	Band Edge
3	802.11b	11	4924.00	44.71	54.00	-9.29	H	Average	Pass	Harmonic
4	802.11g	01	2389.95	50.90	54.00	-3.10	H	AVERAGE	Pass	Band Edge
4	802.11g	01	4824.00	42.53	74.00	-31.47	H	Peak	Pass	Harmonic
5	802.11g	06	-	-	-	-	-	-	-	Band Edge
5	802.11g	06	7311.00	41.77	54.00	-12.23	H	Average	Pass	Harmonic
6	802.11g	11	2483.58	50.26	54.00	-3.74	H	AVERAGE	Pass	Band Edge
6	802.11g	11	7386.00	39.93	54.00	-14.07	V	Average	Pass	Harmonic
7	802.11n HT20	01	2389.95	50.25	54.00	-3.75	H	AVERAGE	Pass	Band Edge
7	802.11n HT20	01	4824.00	42.07	74.00	-31.93	V	Peak	Pass	Harmonic
8	802.11n HT20	06	-	-	-	-	-	-	-	Band Edge
8	802.11n HT20	06	7311.00	40.99	54.00	-13.01	V	Average	Pass	Harmonic
9	802.11n HT20	11	2483.51	50.45	54.00	-3.55	H	AVERAGE	Pass	Band Edge
9	802.11n HT20	11	7386.00	48.56	74.00	-25.44	V	Peak	Pass	Harmonic
10	802.11n HT40	03	2389.97	50.41	54.00	-3.59	H	AVERAGE	Pass	Band Edge
10	802.11n HT40	03	-	-	-	-	-	-	-	Harmonic
11	802.11n HT40	09	2484.21	51.00	54.00	-3.00	H	AVERAGE	Pass	Band Edge
11	802.11n HT40	09	7356.00	43.76	74.00	-30.24	V	Peak	Pass	Harmonic
12	802.11n HT40	09	67.83	25.21	40.00	-14.79	V	Peak	Pass	LF
13	CO-TX	-	2484.256	50.97	54.00	-3.03	H	AVERAGE	Pass	Band Edge
13		-	7356.00	43.45	74.00	-30.55	H	Peak	Pass	Harmonic



Mode	1																																																																																																	
	Band Edge																																																																																																	
	2400-2483.5_802.11b_CH01_2412MHz																																																																																																	
ANT	6																																																																																																	
Pol.	Horizontal	Fundamental																																																																																																
Peak	 <p style="text-align: right;">Date: 2024-09-06</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> <tr> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2388.91</td> <td>49.42</td> <td>74.00</td> <td>-24.58</td> <td>46.87</td> <td>30.72</td> <td>5.36</td> <td>33.53</td> <td>100</td> <td>266</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm									deg	1	2388.91	49.42	74.00	-24.58	46.87	30.72	5.36	33.53	100	266	PEAK	 <p style="text-align: right;">Date: 2024-09-06</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> <tr> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2412.00</td> <td>109.02</td> <td>-----</td> <td>-----</td> <td>106.47</td> <td>30.72</td> <td>5.38</td> <td>33.55</td> <td>100</td> <td>266</td> <td>PEAK_74</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm									deg	1	2412.00	109.02	-----	-----	106.47	30.72	5.38	33.55	100	266	PEAK_74
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																										
								deg																																																																																										
1	2388.91	49.42	74.00	-24.58	46.87	30.72	5.36	33.53	100	266	PEAK																																																																																							
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																										
								deg																																																																																										
1	2412.00	109.02	-----	-----	106.47	30.72	5.38	33.55	100	266	PEAK_74																																																																																							
Avg	 <p style="text-align: right;">Date: 2024-09-06</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> <tr> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2389.04</td> <td>40.00</td> <td>54.00</td> <td>-14.00</td> <td>37.45</td> <td>30.72</td> <td>5.36</td> <td>33.53</td> <td>100</td> <td>266</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm									deg	1	2389.04	40.00	54.00	-14.00	37.45	30.72	5.36	33.53	100	266	AVERAGE	 <p style="text-align: right;">Date: 2024-09-06</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> <tr> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2412.00</td> <td>106.18</td> <td>-----</td> <td>-----</td> <td>103.63</td> <td>30.72</td> <td>5.38</td> <td>33.55</td> <td>100</td> <td>266</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm									deg	1	2412.00	106.18	-----	-----	103.63	30.72	5.38	33.55	100	266	AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																										
								deg																																																																																										
1	2389.04	40.00	54.00	-14.00	37.45	30.72	5.36	33.53	100	266	AVERAGE																																																																																							
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																										
								deg																																																																																										
1	2412.00	106.18	-----	-----	103.63	30.72	5.38	33.55	100	266	AVERAGE																																																																																							



		1																																																																																																
Mode	Band Edge																																																																																																	
	2400-2483.5_802.11b_CH01_2412MHz																																																																																																	
ANT	6																																																																																																	
Pol.	Vertical	Fundamental																																																																																																
Peak	 <p style="text-align: right;">Date: 2024-09-06</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> <tr> <th>deg</th> <th colspan="8"></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2388.52</td> <td>47.38</td> <td>74.00</td> <td>-26.62</td> <td>44.83</td> <td>30.72</td> <td>5.36</td> <td>33.53</td> <td>399</td> <td>247</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg									1	2388.52	47.38	74.00	-26.62	44.83	30.72	5.36	33.53	399	247	PEAK	 <p style="text-align: right;">Date: 2024-09-06</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> <tr> <th>deg</th> <th colspan="8"></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2412.00</td> <td>106.13</td> <td>-----</td> <td>-----</td> <td>103.58</td> <td>30.72</td> <td>5.38</td> <td>33.55</td> <td>399</td> <td>247</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg									1	2412.00	106.13	-----	-----	103.58	30.72	5.38	33.55	399	247	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																										
deg																																																																																																		
1	2388.52	47.38	74.00	-26.62	44.83	30.72	5.36	33.53	399	247	PEAK																																																																																							
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																										
deg																																																																																																		
1	2412.00	106.13	-----	-----	103.58	30.72	5.38	33.55	399	247	PEAK																																																																																							
Avg	 <p style="text-align: right;">Date: 2024-09-06</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> <tr> <th>deg</th> <th colspan="8"></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2388.78</td> <td>38.16</td> <td>54.00</td> <td>-15.84</td> <td>35.61</td> <td>30.72</td> <td>5.36</td> <td>33.53</td> <td>399</td> <td>247</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg									1	2388.78	38.16	54.00	-15.84	35.61	30.72	5.36	33.53	399	247	AVERAGE	 <p style="text-align: right;">Date: 2024-09-06</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> <tr> <th>deg</th> <th colspan="8"></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2412.00</td> <td>103.45</td> <td>-----</td> <td>-----</td> <td>100.90</td> <td>30.72</td> <td>5.38</td> <td>33.55</td> <td>399</td> <td>247</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg									1	2412.00	103.45	-----	-----	100.90	30.72	5.38	33.55	399	247	AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																										
deg																																																																																																		
1	2388.78	38.16	54.00	-15.84	35.61	30.72	5.36	33.53	399	247	AVERAGE																																																																																							
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																										
deg																																																																																																		
1	2412.00	103.45	-----	-----	100.90	30.72	5.38	33.55	399	247	AVERAGE																																																																																							



Mode	1																																																																																																	
	Harmonic																																																																																																	
	2400-2483.5_802.11b_CH01_2412MHz																																																																																																	
ANT	6																																																																																																	
Pol.	Horizontal	Vertical																																																																																																
Peak Avg	<p>Data: 1 Date: 2024-09-06</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 *</td> <td>4824.00</td> <td>46.03</td> <td>-27.97</td> <td>74.00</td> <td>65.58</td> <td>36.42</td> <td>8.88</td> <td>64.85</td> <td>105</td> <td>94</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>4824.00</td> <td>42.12</td> <td>-11.88</td> <td>54.00</td> <td>61.67</td> <td>36.42</td> <td>8.88</td> <td>64.85</td> <td>105</td> <td>94</td> <td>Average</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Limit	Level	Factor	Loss	Factor		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	1 *	4824.00	46.03	-27.97	74.00	65.58	36.42	8.88	64.85	105	94	Peak	2	4824.00	42.12	-11.88	54.00	61.67	36.42	8.88	64.85	105	94	Average	<p>Data: 2 Date: 2024-09-06</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 *</td> <td>4824.00</td> <td>46.00</td> <td>-27.92</td> <td>74.00</td> <td>65.63</td> <td>36.42</td> <td>8.88</td> <td>64.85</td> <td>100</td> <td>352</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>4824.00</td> <td>43.97</td> <td>-10.03</td> <td>54.00</td> <td>63.52</td> <td>36.42</td> <td>8.88</td> <td>64.85</td> <td>100</td> <td>352</td> <td>Average</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Limit	Level	Factor	Loss	Factor		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	1 *	4824.00	46.00	-27.92	74.00	65.63	36.42	8.88	64.85	100	352	Peak	2	4824.00	43.97	-10.03	54.00	63.52	36.42	8.88	64.85	100	352	Average
	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																										
Freq	Level	Limit	Level	Factor	Loss	Factor																																																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB																																																																																											
1 *	4824.00	46.03	-27.97	74.00	65.58	36.42	8.88	64.85	105	94	Peak																																																																																							
2	4824.00	42.12	-11.88	54.00	61.67	36.42	8.88	64.85	105	94	Average																																																																																							
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																											
Freq	Level	Limit	Level	Factor	Loss	Factor																																																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB																																																																																											
1 *	4824.00	46.00	-27.92	74.00	65.63	36.42	8.88	64.85	100	352	Peak																																																																																							
2	4824.00	43.97	-10.03	54.00	63.52	36.42	8.88	64.85	100	352	Average																																																																																							







Mode	2																																																																																																															
	Harmonic																																																																																																															
	2400-2483.5_802.11b_CH06_2437MHz																																																																																																															
ANT	6																																																																																																															
Pol.	Horizontal	Vertical																																																																																																														
Peak Avg	<p>Data: 1 Date: 2024-09-06</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 *</td> <td>4874.00</td> <td>52.69</td> <td>-21.31</td> <td>74.00</td> <td>72.30</td> <td>36.50</td> <td>8.76</td> <td>64.87</td> <td>100</td> <td>98</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>4874.00</td> <td>49.24</td> <td>-4.76</td> <td>54.00</td> <td>68.85</td> <td>36.50</td> <td>8.76</td> <td>64.87</td> <td>100</td> <td>98</td> <td>Average</td> </tr> <tr> <td>3</td> <td>7311.00</td> <td>45.09</td> <td>-28.91</td> <td>74.00</td> <td>62.88</td> <td>36.89</td> <td>10.18</td> <td>64.86</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Over Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV	dB/m	dB	cm	deg		1 *	4874.00	52.69	-21.31	74.00	72.30	36.50	8.76	64.87	100	98	Peak	2	4874.00	49.24	-4.76	54.00	68.85	36.50	8.76	64.87	100	98	Average	3	7311.00	45.09	-28.91	74.00	62.88	36.89	10.18	64.86	---	---	Peak	<p>Data: 2 Date: 2024-09-06</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 *</td> <td>4874.00</td> <td>47.72</td> <td>-26.28</td> <td>74.00</td> <td>67.33</td> <td>36.50</td> <td>8.76</td> <td>64.87</td> <td>100</td> <td>344</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>4874.00</td> <td>43.93</td> <td>-10.07</td> <td>54.00</td> <td>63.54</td> <td>36.50</td> <td>8.76</td> <td>64.87</td> <td>100</td> <td>344</td> <td>Average</td> </tr> <tr> <td>3</td> <td>7311.00</td> <td>45.72</td> <td>-28.28</td> <td>74.00</td> <td>63.51</td> <td>36.89</td> <td>10.18</td> <td>64.86</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Over Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1 *	4874.00	47.72	-26.28	74.00	67.33	36.50	8.76	64.87	100	344	Peak	2	4874.00	43.93	-10.07	54.00	63.54	36.50	8.76	64.87	100	344	Average	3	7311.00	45.72	-28.28	74.00	63.51	36.89	10.18	64.86	---	---	Peak
	Freq	Level	Over Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																							
MHz	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																									
1 *	4874.00	52.69	-21.31	74.00	72.30	36.50	8.76	64.87	100	98	Peak																																																																																																					
2	4874.00	49.24	-4.76	54.00	68.85	36.50	8.76	64.87	100	98	Average																																																																																																					
3	7311.00	45.09	-28.91	74.00	62.88	36.89	10.18	64.86	---	---	Peak																																																																																																					
Freq	Level	Over Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1 *	4874.00	47.72	-26.28	74.00	67.33	36.50	8.76	64.87	100	344	Peak																																																																																																					
2	4874.00	43.93	-10.07	54.00	63.54	36.50	8.76	64.87	100	344	Average																																																																																																					
3	7311.00	45.72	-28.28	74.00	63.51	36.89	10.18	64.86	---	---	Peak																																																																																																					



Mode	3																																																																																	
	Band Edge																																																																																	
	2400-2483.5_802.11b_CH11_2462MHz																																																																																	
ANT	6																																																																																	
Pol.	Horizontal	Fundamental																																																																																
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2485.45</td> <td>53.45</td> <td>74.00</td> <td>-20.55</td> <td>51.18</td> <td>30.86</td> <td>4.92</td> <td>33.51</td> <td>100</td> <td>274 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	cm	deg	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	2485.45	53.45	74.00	-20.55	51.18	30.86	4.92	33.51	100	274 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2462.00</td> <td>107.06</td> <td>-----</td> <td>-----</td> <td>104.93</td> <td>30.77</td> <td>4.89</td> <td>33.53</td> <td>100</td> <td>274 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	cm	deg	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	2462.00	107.06	-----	-----	104.93	30.77	4.89	33.53	100	274 PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	cm	deg	Remark																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	2485.45	53.45	74.00	-20.55	51.18	30.86	4.92	33.51	100	274 PEAK																																																																								
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	cm	deg	Remark																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	2462.00	107.06	-----	-----	104.93	30.77	4.89	33.53	100	274 PEAK																																																																								
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2484.00</td> <td>44.07</td> <td>54.00</td> <td>-9.93</td> <td>41.81</td> <td>30.85</td> <td>4.92</td> <td>33.51</td> <td>100</td> <td>274 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	cm	deg	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	2484.00	44.07	54.00	-9.93	41.81	30.85	4.92	33.51	100	274 AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2462.00</td> <td>104.70</td> <td>-----</td> <td>-----</td> <td>102.56</td> <td>30.77</td> <td>4.89</td> <td>33.52</td> <td>100</td> <td>274 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	cm	deg	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	2462.00	104.70	-----	-----	102.56	30.77	4.89	33.52	100	274 AVERAGE
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	cm	deg	Remark																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	2484.00	44.07	54.00	-9.93	41.81	30.85	4.92	33.51	100	274 AVERAGE																																																																								
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	cm	deg	Remark																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	2462.00	104.70	-----	-----	102.56	30.77	4.89	33.52	100	274 AVERAGE																																																																								



Mode	3																																																																									
	Band Edge																																																																									
	2400-2483.5_802.11b_CH11_2462MHz																																																																									
ANT	6																																																																									
Pol.	Vertical	Fundamental																																																																								
Peak	 <p style="text-align: right;">Date: 2024-09-19</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2484.08</td> <td>53.20</td> <td>74.00</td> <td>-20.80</td> <td>50.94</td> <td>30.85</td> <td>4.92</td> <td>33.51</td> <td>389</td> <td>237</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	2484.08	53.20	74.00	-20.80	50.94	30.85	4.92	33.51	389	237	PEAK	 <p style="text-align: right;">Date: 2024-09-19</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2462.00</td> <td>104.93</td> <td>-----</td> <td>-----</td> <td>102.80</td> <td>30.77</td> <td>4.89</td> <td>33.53</td> <td>389</td> <td>237</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	2462.00	104.93	-----	-----	102.80	30.77	4.89	33.53	389	237	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor			Remark																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	2484.08	53.20	74.00	-20.80	50.94	30.85	4.92	33.51	389	237	PEAK																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor			Remark																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	2462.00	104.93	-----	-----	102.80	30.77	4.89	33.53	389	237	PEAK																																																															
Avg	 <p style="text-align: right;">Date: 2024-09-19</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.93</td> <td>43.24</td> <td>54.00</td> <td>-10.76</td> <td>40.98</td> <td>30.85</td> <td>4.92</td> <td>33.51</td> <td>389</td> <td>237</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	2483.93	43.24	54.00	-10.76	40.98	30.85	4.92	33.51	389	237	AVERAGE	 <p style="text-align: right;">Date: 2024-09-19</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2462.00</td> <td>102.64</td> <td>-----</td> <td>-----</td> <td>100.50</td> <td>30.77</td> <td>4.89</td> <td>33.52</td> <td>389</td> <td>237</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	2462.00	102.64	-----	-----	100.50	30.77	4.89	33.52	389	237	AVERAGE
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor			Remark																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	2483.93	43.24	54.00	-10.76	40.98	30.85	4.92	33.51	389	237	AVERAGE																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor			Remark																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	2462.00	102.64	-----	-----	100.50	30.77	4.89	33.52	389	237	AVERAGE																																																															



Mode	3																																																																																									
	Harmonic																																																																																									
	2400-2483.5_802.11b_CH11_2462MHz																																																																																									
ANT	6																																																																																									
Pol.	Horizontal	Vertical																																																																																								
Peak Avg	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Over Limit (dB)</th> <th>Limit (dBuV/m)</th> <th>ReadAntenna (dBuV)</th> <th>Cable Loss (dB/m)</th> <th>Preamp Loss (dB)</th> <th>A/Pos (dB)</th> <th>T/Pos (cm/deg)</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1 *</td> <td>4924.00</td> <td>47.41</td> <td>-26.59</td> <td>74.00</td> <td>67.19</td> <td>36.58</td> <td>8.53</td> <td>64.89</td> <td>103</td> <td>99 Peak</td> </tr> <tr> <td>2</td> <td>4924.00</td> <td>44.71</td> <td>-9.29</td> <td>54.00</td> <td>64.49</td> <td>36.58</td> <td>8.53</td> <td>64.89</td> <td>103</td> <td>99 Average</td> </tr> <tr> <td>3</td> <td>7386.00</td> <td>44.73</td> <td>-29.27</td> <td>74.00</td> <td>62.60</td> <td>36.81</td> <td>10.18</td> <td>64.86</td> <td>---</td> <td>---</td> </tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Over Limit (dB)	Limit (dBuV/m)	ReadAntenna (dBuV)	Cable Loss (dB/m)	Preamp Loss (dB)	A/Pos (dB)	T/Pos (cm/deg)	Remark	1 *	4924.00	47.41	-26.59	74.00	67.19	36.58	8.53	64.89	103	99 Peak	2	4924.00	44.71	-9.29	54.00	64.49	36.58	8.53	64.89	103	99 Average	3	7386.00	44.73	-29.27	74.00	62.60	36.81	10.18	64.86	---	---	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Over Limit (dB)</th> <th>Limit (dBuV/m)</th> <th>ReadAntenna (dBuV)</th> <th>Cable Loss (dB/m)</th> <th>Preamp Loss (dB)</th> <th>A/Pos (dB)</th> <th>T/Pos (cm/deg)</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1 *</td> <td>4924.00</td> <td>45.51</td> <td>-28.49</td> <td>74.00</td> <td>65.29</td> <td>36.58</td> <td>8.53</td> <td>64.89</td> <td>100</td> <td>351 Peak</td> </tr> <tr> <td>2</td> <td>4924.00</td> <td>42.31</td> <td>-11.69</td> <td>54.00</td> <td>62.09</td> <td>36.58</td> <td>8.53</td> <td>64.89</td> <td>100</td> <td>351 Average</td> </tr> <tr> <td>3</td> <td>7386.00</td> <td>45.05</td> <td>-28.95</td> <td>74.00</td> <td>62.92</td> <td>36.81</td> <td>10.18</td> <td>64.86</td> <td>---</td> <td>---</td> </tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Over Limit (dB)	Limit (dBuV/m)	ReadAntenna (dBuV)	Cable Loss (dB/m)	Preamp Loss (dB)	A/Pos (dB)	T/Pos (cm/deg)	Remark	1 *	4924.00	45.51	-28.49	74.00	65.29	36.58	8.53	64.89	100	351 Peak	2	4924.00	42.31	-11.69	54.00	62.09	36.58	8.53	64.89	100	351 Average	3	7386.00	45.05	-28.95	74.00	62.92	36.81	10.18	64.86	---	---
	Peak	Freq (MHz)	Level (dBuV/m)	Over Limit (dB)	Limit (dBuV/m)	ReadAntenna (dBuV)	Cable Loss (dB/m)	Preamp Loss (dB)	A/Pos (dB)	T/Pos (cm/deg)	Remark																																																																															
1 *	4924.00	47.41	-26.59	74.00	67.19	36.58	8.53	64.89	103	99 Peak																																																																																
2	4924.00	44.71	-9.29	54.00	64.49	36.58	8.53	64.89	103	99 Average																																																																																
3	7386.00	44.73	-29.27	74.00	62.60	36.81	10.18	64.86	---	---																																																																																
Peak	Freq (MHz)	Level (dBuV/m)	Over Limit (dB)	Limit (dBuV/m)	ReadAntenna (dBuV)	Cable Loss (dB/m)	Preamp Loss (dB)	A/Pos (dB)	T/Pos (cm/deg)	Remark																																																																																
1 *	4924.00	45.51	-28.49	74.00	65.29	36.58	8.53	64.89	100	351 Peak																																																																																
2	4924.00	42.31	-11.69	54.00	62.09	36.58	8.53	64.89	100	351 Average																																																																																
3	7386.00	45.05	-28.95	74.00	62.92	36.81	10.18	64.86	---	---																																																																																



Mode	4																																																																																	
	Band Edge																																																																																	
	2400-2483.5_802.11g_CH01_2412MHz																																																																																	
ANT	6																																																																																	
Pol.	Horizontal	Fundamental																																																																																
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2389.82</td> <td>64.39</td> <td>74.00</td> <td>-9.61</td> <td>61.84</td> <td>30.72</td> <td>5.36</td> <td>33.53</td> <td>106</td> <td>287</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.82	64.39	74.00	-9.61	61.84	30.72	5.36	33.53	106	287	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2412.00</td> <td>108.57</td> <td>-----</td> <td>-----</td> <td>106.02</td> <td>30.72</td> <td>5.38</td> <td>33.55</td> <td>106</td> <td>287</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	108.57	-----	-----	106.02	30.72	5.38	33.55	106	287	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	2389.82	64.39	74.00	-9.61	61.84	30.72	5.36	33.53	106	287	PEAK																																																																							
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	2412.00	108.57	-----	-----	106.02	30.72	5.38	33.55	106	287	PEAK																																																																							
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2389.95</td> <td>50.90</td> <td>54.00</td> <td>-3.10</td> <td>48.35</td> <td>30.72</td> <td>5.36</td> <td>33.53</td> <td>106</td> <td>287</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.95	50.90	54.00	-3.10	48.35	30.72	5.36	33.53	106	287	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2412.00</td> <td>101.02</td> <td>-----</td> <td>-----</td> <td>98.47</td> <td>30.72</td> <td>5.38</td> <td>33.55</td> <td>106</td> <td>287</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	101.02	-----	-----	98.47	30.72	5.38	33.55	106	287	AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	2389.95	50.90	54.00	-3.10	48.35	30.72	5.36	33.53	106	287	AVERAGE																																																																							
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	2412.00	101.02	-----	-----	98.47	30.72	5.38	33.55	106	287	AVERAGE																																																																							



Mode	4																																																																																																	
	Band Edge																																																																																																	
	2400-2483.5_802.11g_CH01_2412MHz																																																																																																	
ANT	6																																																																																																	
Pol.	Vertical	Fundamental																																																																																																
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> <tr> <th>deg</th> <th colspan="8"></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2389.95</td> <td>62.91</td> <td>74.00</td> <td>-11.09</td> <td>60.36</td> <td>30.72</td> <td>5.36</td> <td>33.53</td> <td>369</td> <td>237</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg									1	2389.95	62.91	74.00	-11.09	60.36	30.72	5.36	33.53	369	237	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> <tr> <th>deg</th> <th colspan="8"></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2412.00</td> <td>107.55</td> <td>-----</td> <td>-----</td> <td>105.00</td> <td>30.72</td> <td>5.38</td> <td>33.55</td> <td>369</td> <td>237</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg									1	2412.00	107.55	-----	-----	105.00	30.72	5.38	33.55	369	237	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																										
deg																																																																																																		
1	2389.95	62.91	74.00	-11.09	60.36	30.72	5.36	33.53	369	237	PEAK																																																																																							
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																										
deg																																																																																																		
1	2412.00	107.55	-----	-----	105.00	30.72	5.38	33.55	369	237	PEAK																																																																																							
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> <tr> <th>deg</th> <th colspan="8"></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2389.95</td> <td>49.35</td> <td>54.00</td> <td>-4.65</td> <td>46.80</td> <td>30.72</td> <td>5.36</td> <td>33.53</td> <td>369</td> <td>237</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg									1	2389.95	49.35	54.00	-4.65	46.80	30.72	5.36	33.53	369	237	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> <tr> <th>deg</th> <th colspan="8"></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2412.00</td> <td>99.56</td> <td>-----</td> <td>-----</td> <td>97.01</td> <td>30.72</td> <td>5.38</td> <td>33.55</td> <td>369</td> <td>237</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg									1	2412.00	99.56	-----	-----	97.01	30.72	5.38	33.55	369	237	AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																										
deg																																																																																																		
1	2389.95	49.35	54.00	-4.65	46.80	30.72	5.36	33.53	369	237	AVERAGE																																																																																							
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																										
deg																																																																																																		
1	2412.00	99.56	-----	-----	97.01	30.72	5.38	33.55	369	237	AVERAGE																																																																																							



Mode	4																																																																				
	Harmonic																																																																				
	2400-2483.5_802.11g_CH01_2412MHz																																																																				
ANT	6																																																																				
Pol.	Horizontal	Vertical																																																																			
Peak Avg																																																																					
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 4824.00</td> <td>42.53</td> <td>74.00</td> <td>-31.47</td> <td>65.75</td> <td>34.26</td> <td>7.75</td> <td>65.23</td> <td>-- -- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 4824.00	42.53	74.00	-31.47	65.75	34.26	7.75	65.23	-- -- Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 4824.00</td> <td>42.13</td> <td>74.00</td> <td>-31.87</td> <td>65.35</td> <td>34.26</td> <td>7.75</td> <td>65.23</td> <td>-- -- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 4824.00	42.13	74.00	-31.87	65.35	34.26	7.75	65.23
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																														
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																													
1 4824.00	42.53	74.00	-31.47	65.75	34.26	7.75	65.23	-- -- Peak																																																													
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																														
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																													
1 4824.00	42.13	74.00	-31.87	65.35	34.26	7.75	65.23	-- -- Peak																																																													







Mode	5																																																																																																																									
	Harmonic																																																																																																																									
	2400-2483.5_802.11g_CH06_2437MHz																																																																																																																									
ANT	6																																																																																																																									
Pol.	Horizontal	Vertical																																																																																																																								
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4874.00</td> <td>42.70</td> <td>74.00</td> <td>-31.30</td> <td>65.85</td> <td>34.33</td> <td>7.77</td> <td>65.25</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>7311.00</td> <td>50.35</td> <td>74.00</td> <td>-23.65</td> <td>70.63</td> <td>35.44</td> <td>8.93</td> <td>64.65</td> <td>163</td> <td>26</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>7311.00</td> <td>41.77</td> <td>54.00</td> <td>-12.23</td> <td>62.05</td> <td>35.44</td> <td>8.93</td> <td>64.65</td> <td>163</td> <td>26</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	4874.00	42.70	74.00	-31.30	65.85	34.33	7.77	65.25	--	Peak	2	7311.00	50.35	74.00	-23.65	70.63	35.44	8.93	64.65	163	26	Peak	3	7311.00	41.77	54.00	-12.23	62.05	35.44	8.93	64.65	163	26	Average	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4874.00</td> <td>43.36</td> <td>74.00</td> <td>-30.64</td> <td>66.51</td> <td>34.33</td> <td>7.77</td> <td>65.25</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>7311.00</td> <td>52.28</td> <td>74.00</td> <td>-21.72</td> <td>72.56</td> <td>35.44</td> <td>8.93</td> <td>64.65</td> <td>326</td> <td>16</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>7311.00</td> <td>41.58</td> <td>54.00</td> <td>-12.42</td> <td>61.86</td> <td>35.44</td> <td>8.93</td> <td>64.65</td> <td>326</td> <td>16</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	4874.00	43.36	74.00	-30.64	66.51	34.33	7.77	65.25	--	Peak	2	7311.00	52.28	74.00	-21.72	72.56	35.44	8.93	64.65	326	16	Peak	3	7311.00	41.58	54.00	-12.42	61.86	35.44	8.93	64.65	326	16	Average
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																		
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																																		
1	4874.00	42.70	74.00	-31.30	65.85	34.33	7.77	65.25	--	Peak																																																																																																																
2	7311.00	50.35	74.00	-23.65	70.63	35.44	8.93	64.65	163	26	Peak																																																																																																															
3	7311.00	41.77	54.00	-12.23	62.05	35.44	8.93	64.65	163	26	Average																																																																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																			
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																																		
1	4874.00	43.36	74.00	-30.64	66.51	34.33	7.77	65.25	--	Peak																																																																																																																
2	7311.00	52.28	74.00	-21.72	72.56	35.44	8.93	64.65	326	16	Peak																																																																																																															
3	7311.00	41.58	54.00	-12.42	61.86	35.44	8.93	64.65	326	16	Average																																																																																																															



Mode	6																																																																																	
	Band Edge																																																																																	
	2400-2483.5_802.11g_CH11_2462MHz																																																																																	
ANT	6																																																																																	
Pol.	Horizontal	Fundamental																																																																																
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2484.27</td> <td>67.01</td> <td>74.00</td> <td>-6.99</td> <td>64.44</td> <td>30.70</td> <td>5.46</td> <td>33.59</td> <td>100</td> <td>268</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2484.27	67.01	74.00	-6.99	64.44	30.70	5.46	33.59	100	268	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2462.00</td> <td>107.90</td> <td>74.00</td> <td>33.90</td> <td>105.34</td> <td>30.71</td> <td>5.43</td> <td>33.58</td> <td>100</td> <td>268</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	107.90	74.00	33.90	105.34	30.71	5.43	33.58	100	268	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	2484.27	67.01	74.00	-6.99	64.44	30.70	5.46	33.59	100	268	PEAK																																																																							
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	2462.00	107.90	74.00	33.90	105.34	30.71	5.43	33.58	100	268	PEAK																																																																							
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.58</td> <td>50.26</td> <td>54.00</td> <td>-3.74</td> <td>47.69</td> <td>30.70</td> <td>5.46</td> <td>33.59</td> <td>100</td> <td>268</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.58	50.26	54.00	-3.74	47.69	30.70	5.46	33.59	100	268	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2462.00</td> <td>100.26</td> <td>54.00</td> <td>46.26</td> <td>97.69</td> <td>30.71</td> <td>5.44</td> <td>33.58</td> <td>100</td> <td>268</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	100.26	54.00	46.26	97.69	30.71	5.44	33.58	100	268	AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	2483.58	50.26	54.00	-3.74	47.69	30.70	5.46	33.59	100	268	AVERAGE																																																																							
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	2462.00	100.26	54.00	46.26	97.69	30.71	5.44	33.58	100	268	AVERAGE																																																																							



Mode	6																																																																																	
	Band Edge																																																																																	
	2400-2483.5_802.11g_CH11_2462MHz																																																																																	
ANT	6																																																																																	
Pol.	Vertical	Fundamental																																																																																
Peak	 <p style="text-align: right;">Date: 2024-09-09</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.58</td> <td>65.62</td> <td>74.00</td> <td>-8.38</td> <td>63.05</td> <td>30.70</td> <td>5.46</td> <td>33.59</td> <td>369</td> <td>230</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.58	65.62	74.00	-8.38	63.05	30.70	5.46	33.59	369	230	PEAK	 <p style="text-align: right;">Date: 2024-09-09</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2462.00</td> <td>106.02</td> <td>-----</td> <td>-----</td> <td>103.45</td> <td>30.71</td> <td>5.44</td> <td>33.58</td> <td>369</td> <td>230</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	106.02	-----	-----	103.45	30.71	5.44	33.58	369	230	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	2483.58	65.62	74.00	-8.38	63.05	30.70	5.46	33.59	369	230	PEAK																																																																							
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	2462.00	106.02	-----	-----	103.45	30.71	5.44	33.58	369	230	PEAK																																																																							
Avg	 <p style="text-align: right;">Date: 2024-09-09</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.74</td> <td>49.34</td> <td>54.00</td> <td>-4.66</td> <td>46.77</td> <td>30.70</td> <td>5.46</td> <td>33.59</td> <td>369</td> <td>230</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.74	49.34	54.00	-4.66	46.77	30.70	5.46	33.59	369	230	AVERAGE	 <p style="text-align: right;">Date: 2024-09-09</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2462.00</td> <td>98.53</td> <td>-----</td> <td>-----</td> <td>95.96</td> <td>30.71</td> <td>5.44</td> <td>33.58</td> <td>369</td> <td>230</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	98.53	-----	-----	95.96	30.71	5.44	33.58	369	230	AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	2483.74	49.34	54.00	-4.66	46.77	30.70	5.46	33.59	369	230	AVERAGE																																																																							
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	2462.00	98.53	-----	-----	95.96	30.71	5.44	33.58	369	230	AVERAGE																																																																							







Mode	6																																																																																																																									
	Harmonic																																																																																																																									
	2400-2483.5_802.11g_CH11_2462MHz																																																																																																																									
ANT	6																																																																																																																									
Pol.	Horizontal	Vertical																																																																																																																								
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4924.00</td> <td>43.09</td> <td>74.00</td> <td>-30.91</td> <td>66.17</td> <td>34.40</td> <td>7.79</td> <td>65.27</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>7386.00</td> <td>48.47</td> <td>74.00</td> <td>-25.53</td> <td>68.47</td> <td>35.42</td> <td>9.17</td> <td>64.59</td> <td>144</td> <td>155</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>7386.00</td> <td>38.47</td> <td>54.00</td> <td>-15.53</td> <td>58.47</td> <td>35.42</td> <td>9.17</td> <td>64.59</td> <td>144</td> <td>155</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	4924.00	43.09	74.00	-30.91	66.17	34.40	7.79	65.27	--	Peak	2	7386.00	48.47	74.00	-25.53	68.47	35.42	9.17	64.59	144	155	Peak	3	7386.00	38.47	54.00	-15.53	58.47	35.42	9.17	64.59	144	155	Average	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4924.00</td> <td>42.70</td> <td>74.00</td> <td>-31.30</td> <td>65.78</td> <td>34.40</td> <td>7.79</td> <td>65.27</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>7386.00</td> <td>51.19</td> <td>74.00</td> <td>-22.81</td> <td>71.19</td> <td>35.42</td> <td>9.17</td> <td>64.59</td> <td>252</td> <td>5</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>7386.00</td> <td>39.93</td> <td>54.00</td> <td>-14.07</td> <td>59.93</td> <td>35.42</td> <td>9.17</td> <td>64.59</td> <td>252</td> <td>5</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	4924.00	42.70	74.00	-31.30	65.78	34.40	7.79	65.27	--	Peak	2	7386.00	51.19	74.00	-22.81	71.19	35.42	9.17	64.59	252	5	Peak	3	7386.00	39.93	54.00	-14.07	59.93	35.42	9.17	64.59	252	5	Average
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																		
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																																		
1	4924.00	43.09	74.00	-30.91	66.17	34.40	7.79	65.27	--	Peak																																																																																																																
2	7386.00	48.47	74.00	-25.53	68.47	35.42	9.17	64.59	144	155	Peak																																																																																																															
3	7386.00	38.47	54.00	-15.53	58.47	35.42	9.17	64.59	144	155	Average																																																																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																			
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																																		
1	4924.00	42.70	74.00	-31.30	65.78	34.40	7.79	65.27	--	Peak																																																																																																																
2	7386.00	51.19	74.00	-22.81	71.19	35.42	9.17	64.59	252	5	Peak																																																																																																															
3	7386.00	39.93	54.00	-14.07	59.93	35.42	9.17	64.59	252	5	Average																																																																																																															



Mode	7																																																																																																	
	Band Edge																																																																																																	
	2400-2483.5_802.11n HT20_CH01_2412MHz																																																																																																	
ANT	6																																																																																																	
Pol.	Horizontal	Fundamental																																																																																																
Peak	<p style="text-align: right;">Date: 2024-09-13</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> <tr> <th>deg</th> <th colspan="8"></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2389.82</td> <td>66.06</td> <td>74.00</td> <td>-7.94</td> <td>63.51</td> <td>30.72</td> <td>5.36</td> <td>33.53</td> <td>109</td> <td>282</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg									1	2389.82	66.06	74.00	-7.94	63.51	30.72	5.36	33.53	109	282	PEAK	<p style="text-align: right;">Date: 2024-09-13</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> <tr> <th>deg</th> <th colspan="8"></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2412.00</td> <td>107.45</td> <td>-----</td> <td>-----</td> <td>104.90</td> <td>30.72</td> <td>5.38</td> <td>33.55</td> <td>109</td> <td>282</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg									1	2412.00	107.45	-----	-----	104.90	30.72	5.38	33.55	109	282	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																										
deg																																																																																																		
1	2389.82	66.06	74.00	-7.94	63.51	30.72	5.36	33.53	109	282	PEAK																																																																																							
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																										
deg																																																																																																		
1	2412.00	107.45	-----	-----	104.90	30.72	5.38	33.55	109	282	PEAK																																																																																							
Avg	<p style="text-align: right;">Date: 2024-09-13</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> <tr> <th>deg</th> <th colspan="8"></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2389.95</td> <td>50.25</td> <td>54.00</td> <td>-3.75</td> <td>47.70</td> <td>30.72</td> <td>5.36</td> <td>33.53</td> <td>109</td> <td>282</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg									1	2389.95	50.25	54.00	-3.75	47.70	30.72	5.36	33.53	109	282	AVERAGE	<p style="text-align: right;">Date: 2024-09-13</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> <tr> <th>deg</th> <th colspan="8"></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2412.00</td> <td>100.37</td> <td>-----</td> <td>-----</td> <td>97.82</td> <td>30.72</td> <td>5.38</td> <td>33.55</td> <td>109</td> <td>282</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg									1	2412.00	100.37	-----	-----	97.82	30.72	5.38	33.55	109	282	AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																										
deg																																																																																																		
1	2389.95	50.25	54.00	-3.75	47.70	30.72	5.36	33.53	109	282	AVERAGE																																																																																							
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																										
deg																																																																																																		
1	2412.00	100.37	-----	-----	97.82	30.72	5.38	33.55	109	282	AVERAGE																																																																																							



Mode	7																																																																																																	
	Band Edge																																																																																																	
	2400-2483.5_802.11n HT20_CH01_2412MHz																																																																																																	
ANT	6																																																																																																	
Pol.	Vertical	Fundamental																																																																																																
Peak	 <p style="text-align: right;">Date: 2024-09-13</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> <tr> <th>deg</th> <th colspan="8"></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2389.82</td> <td>63.86</td> <td>74.00</td> <td>-10.14</td> <td>61.31</td> <td>30.72</td> <td>5.36</td> <td>33.53</td> <td>370</td> <td>239</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg									1	2389.82	63.86	74.00	-10.14	61.31	30.72	5.36	33.53	370	239	PEAK	 <p style="text-align: right;">Date: 2024-09-13</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> <tr> <th>deg</th> <th colspan="8"></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2412.00</td> <td>105.57</td> <td>-----</td> <td>-----</td> <td>103.02</td> <td>30.72</td> <td>5.38</td> <td>33.55</td> <td>370</td> <td>239</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg									1	2412.00	105.57	-----	-----	103.02	30.72	5.38	33.55	370	239	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																										
deg																																																																																																		
1	2389.82	63.86	74.00	-10.14	61.31	30.72	5.36	33.53	370	239	PEAK																																																																																							
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																										
deg																																																																																																		
1	2412.00	105.57	-----	-----	103.02	30.72	5.38	33.55	370	239	PEAK																																																																																							
Avg	 <p style="text-align: right;">Date: 2024-09-13</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> <tr> <th>deg</th> <th colspan="8"></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2389.95</td> <td>48.85</td> <td>54.00</td> <td>-5.15</td> <td>46.30</td> <td>30.72</td> <td>5.36</td> <td>33.53</td> <td>370</td> <td>239</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg									1	2389.95	48.85	54.00	-5.15	46.30	30.72	5.36	33.53	370	239	AVERAGE	 <p style="text-align: right;">Date: 2024-09-13</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> <tr> <th>deg</th> <th colspan="8"></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2412.00</td> <td>98.27</td> <td>-----</td> <td>-----</td> <td>95.72</td> <td>30.72</td> <td>5.38</td> <td>33.55</td> <td>370</td> <td>239</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg									1	2412.00	98.27	-----	-----	95.72	30.72	5.38	33.55	370	239	AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																										
deg																																																																																																		
1	2389.95	48.85	54.00	-5.15	46.30	30.72	5.36	33.53	370	239	AVERAGE																																																																																							
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																										
deg																																																																																																		
1	2412.00	98.27	-----	-----	95.72	30.72	5.38	33.55	370	239	AVERAGE																																																																																							



Mode	7																																																																								
	Harmonic																																																																								
	2400-2483.5_802.11n_HT20_CH01_2412MHz																																																																								
ANT	6																																																																								
Pol.	Horizontal	Vertical																																																																							
Peak Avg																																																																									
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4824.00</td> <td>41.69</td> <td>74.00</td> <td>-32.31</td> <td>64.91</td> <td>34.26</td> <td>7.75</td> <td>65.23</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	4824.00	41.69	74.00	-32.31	64.91	34.26	7.75	65.23	--	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4824.00</td> <td>42.07</td> <td>74.00</td> <td>-31.93</td> <td>65.29</td> <td>34.26</td> <td>7.75</td> <td>65.23</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	4824.00	42.07	74.00	-31.93	65.29	34.26	7.75	65.23	--
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																	
1	4824.00	41.69	74.00	-32.31	64.91	34.26	7.75	65.23	--	Peak																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																	
1	4824.00	42.07	74.00	-31.93	65.29	34.26	7.75	65.23	--	Peak																																																															



Mode	8																																																																																																									
	Harmonic																																																																																																									
	2400-2483.5_802.11n HT20_CH06_2437MHz																																																																																																									
ANT	6																																																																																																									
Pol.	Horizontal	Vertical																																																																																																								
Peak Avg																																																																																																										
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4874.00</td> <td>42.12</td> <td>74.00</td> <td>-31.88</td> <td>65.27</td> <td>34.33</td> <td>7.77</td> <td>65.25</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>7311.00</td> <td>44.17</td> <td>74.00</td> <td>-29.83</td> <td>64.45</td> <td>35.44</td> <td>8.93</td> <td>64.65</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	4874.00	42.12	74.00	-31.88	65.27	34.33	7.77	65.25	--	Peak	2	7311.00	44.17	74.00	-29.83	64.45	35.44	8.93	64.65	--	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4874.00</td> <td>42.49</td> <td>74.00</td> <td>-31.51</td> <td>65.64</td> <td>34.33</td> <td>7.77</td> <td>65.25</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>7311.00</td> <td>52.68</td> <td>74.00</td> <td>-21.32</td> <td>72.96</td> <td>35.44</td> <td>8.93</td> <td>64.65</td> <td>326</td> <td>16 Peak</td> </tr> <tr> <td>3</td> <td>7311.00</td> <td>40.99</td> <td>54.00</td> <td>-13.01</td> <td>61.27</td> <td>35.44</td> <td>8.93</td> <td>64.65</td> <td>326</td> <td>16 Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	4874.00	42.49	74.00	-31.51	65.64	34.33	7.77	65.25	--	Peak	2	7311.00	52.68	74.00	-21.32	72.96	35.44	8.93	64.65	326	16 Peak	3	7311.00	40.99	54.00	-13.01	61.27	35.44	8.93	64.65	326
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																			
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																		
1	4874.00	42.12	74.00	-31.88	65.27	34.33	7.77	65.25	--	Peak																																																																																																
2	7311.00	44.17	74.00	-29.83	64.45	35.44	8.93	64.65	--	Peak																																																																																																
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																			
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																		
1	4874.00	42.49	74.00	-31.51	65.64	34.33	7.77	65.25	--	Peak																																																																																																
2	7311.00	52.68	74.00	-21.32	72.96	35.44	8.93	64.65	326	16 Peak																																																																																																
3	7311.00	40.99	54.00	-13.01	61.27	35.44	8.93	64.65	326	16 Average																																																																																																



Mode	9																																																																															
	Band Edge																																																																															
	2400-2483.5_802.11n_HT20_CH11_2462MHz																																																																															
ANT	6																																																																															
Pol.	Horizontal	Fundamental																																																																														
Peak	<p style="text-align: right;">Date: 2024-09-09</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.66</td> <td>66.91</td> <td>74.00</td> <td>-7.09</td> <td>64.34</td> <td>30.70</td> <td>5.46</td> <td>33.59</td> <td>290</td> <td>269</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2483.66	66.91	74.00	-7.09	64.34	30.70	5.46	33.59	290	269	PEAK	<p style="text-align: right;">Date: 2024-09-09</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2462.00</td> <td>107.55</td> <td>-----</td> <td>-----</td> <td>104.98</td> <td>30.71</td> <td>5.44</td> <td>33.58</td> <td>290</td> <td>269</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	107.55	-----	-----	104.98	30.71	5.44	33.58	290	269	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
Freq	Level	Line	Level	Factor	Loss Factor																																																																											
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	2483.66	66.91	74.00	-7.09	64.34	30.70	5.46	33.59	290	269	PEAK																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	Level	Factor	Loss Factor																																																																											
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	2462.00	107.55	-----	-----	104.98	30.71	5.44	33.58	290	269	PEAK																																																																					
Avg	<p style="text-align: right;">Date: 2024-09-09</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.51</td> <td>50.45</td> <td>54.00</td> <td>-3.55</td> <td>47.88</td> <td>30.70</td> <td>5.46</td> <td>33.59</td> <td>290</td> <td>269</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2483.51	50.45	54.00	-3.55	47.88	30.70	5.46	33.59	290	269	AVERAGE	<p style="text-align: right;">Date: 2024-09-09</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2462.00</td> <td>99.96</td> <td>-----</td> <td>-----</td> <td>97.39</td> <td>30.71</td> <td>5.44</td> <td>33.58</td> <td>290</td> <td>269</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	99.96	-----	-----	97.39	30.71	5.44	33.58	290	269	AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	Level	Factor	Loss Factor																																																																											
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	2483.51	50.45	54.00	-3.55	47.88	30.70	5.46	33.59	290	269	AVERAGE																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	Level	Factor	Loss Factor																																																																											
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	2462.00	99.96	-----	-----	97.39	30.71	5.44	33.58	290	269	AVERAGE																																																																					



		9																																										
Mode	Band Edge																																											
	2400-2483.5_802.11n_HT20_CH11_2462MHz																																											
ANT	6																																											
Pol.	Vertical	Fundamental																																										
Peak	<table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 2483.55 64.74 74.00</td> <td>-9.26</td> <td>62.17</td> <td>30.70</td> <td>5.46</td> <td>33.59</td> <td>369 225 PEAK</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg	1 2483.55 64.74 74.00	-9.26	62.17	30.70	5.46	33.59	369 225 PEAK	<table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 2462.00 103.82</td> <td>-----</td> <td>101.25</td> <td>30.71</td> <td>5.44</td> <td>33.58</td> <td>369 225 PEAK</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg	1 2462.00 103.82	-----	101.25	30.71	5.44	33.58	369 225 PEAK
	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos																																					
Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg																																						
1 2483.55 64.74 74.00	-9.26	62.17	30.70	5.46	33.59	369 225 PEAK																																						
Limit Margin	Read	Ant	Cable	Preamp	APos	TPos																																						
Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg																																						
1 2462.00 103.82	-----	101.25	30.71	5.44	33.58	369 225 PEAK																																						
Avg	<table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 2483.55 48.35 54.00</td> <td>-5.65</td> <td>45.78</td> <td>30.70</td> <td>5.46</td> <td>33.59</td> <td>369 225 AVERAGE</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg	1 2483.55 48.35 54.00	-5.65	45.78	30.70	5.46	33.59	369 225 AVERAGE	<table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 2462.00 97.41</td> <td>-----</td> <td>94.84</td> <td>30.71</td> <td>5.44</td> <td>33.58</td> <td>369 225 AVERAGE</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg	1 2462.00 97.41	-----	94.84	30.71	5.44	33.58	369 225 AVERAGE
Limit Margin	Read	Ant	Cable	Preamp	APos	TPos																																						
Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg																																						
1 2483.55 48.35 54.00	-5.65	45.78	30.70	5.46	33.59	369 225 AVERAGE																																						
Limit Margin	Read	Ant	Cable	Preamp	APos	TPos																																						
Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg																																						
1 2462.00 97.41	-----	94.84	30.71	5.44	33.58	369 225 AVERAGE																																						



Mode	9																																																																																																			
	Harmonic																																																																																																			
	2400-2483.5_802.11n HT20_CH11_2462MHz																																																																																																			
ANT	6																																																																																																			
Pol.	Horizontal	Vertical																																																																																																		
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4924.00</td> <td>41.82</td> <td>74.00</td> <td>-32.18</td> <td>64.90</td> <td>34.40</td> <td>7.79</td> <td>65.27</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>7386.00</td> <td>46.14</td> <td>74.00</td> <td>-27.86</td> <td>66.14</td> <td>35.42</td> <td>9.17</td> <td>64.59</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	4924.00	41.82	74.00	-32.18	64.90	34.40	7.79	65.27	--	--	Peak	2	7386.00	46.14	74.00	-27.86	66.14	35.42	9.17	64.59	--	--	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4924.00</td> <td>43.37</td> <td>74.00</td> <td>-30.63</td> <td>66.45</td> <td>34.40</td> <td>7.79</td> <td>65.27</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>7386.00</td> <td>48.56</td> <td>74.00</td> <td>-25.44</td> <td>68.56</td> <td>35.42</td> <td>9.17</td> <td>64.59</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	4924.00	43.37	74.00	-30.63	66.45	34.40	7.79	65.27	--	--	Peak	2	7386.00	48.56	74.00	-25.44	68.56	35.42	9.17	64.59	--	--	Peak
	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																												
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																												
1	4924.00	41.82	74.00	-32.18	64.90	34.40	7.79	65.27	--	--	Peak																																																																																									
2	7386.00	46.14	74.00	-27.86	66.14	35.42	9.17	64.59	--	--	Peak																																																																																									
Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																													
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																												
1	4924.00	43.37	74.00	-30.63	66.45	34.40	7.79	65.27	--	--	Peak																																																																																									
2	7386.00	48.56	74.00	-25.44	68.56	35.42	9.17	64.59	--	--	Peak																																																																																									







Mode	10																																																																															
	Band Edge - L																																																																															
	2400-2483.5_802.11n HT40_CH03_2422MHz																																																																															
ANT	6																																																																															
Pol.	Horizontal	Fundamental																																																																														
Peak	<p style="text-align: right;">Date: 2024-09-13</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2389.97</td> <td>64.61</td> <td>74.00</td> <td>-9.39</td> <td>62.06</td> <td>30.72</td> <td>5.36</td> <td>33.53</td> <td>292</td> <td>286</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2389.97	64.61	74.00	-9.39	62.06	30.72	5.36	33.53	292	286	PEAK	<p style="text-align: right;">Date: 2024-09-13</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2422.00</td> <td>105.15</td> <td>74.00</td> <td>-----</td> <td>102.59</td> <td>30.72</td> <td>5.39</td> <td>33.55</td> <td>292</td> <td>286</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2422.00	105.15	74.00	-----	102.59	30.72	5.39	33.55	292	286	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
Freq	Level	Line	Level	Factor	Loss Factor																																																																											
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	2389.97	64.61	74.00	-9.39	62.06	30.72	5.36	33.53	292	286	PEAK																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	Level	Factor	Loss Factor																																																																											
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	2422.00	105.15	74.00	-----	102.59	30.72	5.39	33.55	292	286	PEAK																																																																					
Avg	<p style="text-align: right;">Date: 2024-09-13</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2389.97</td> <td>50.41</td> <td>54.00</td> <td>-3.59</td> <td>47.86</td> <td>30.72</td> <td>5.36</td> <td>33.53</td> <td>292</td> <td>286</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2389.97	50.41	54.00	-3.59	47.86	30.72	5.36	33.53	292	286	AVERAGE	<p style="text-align: right;">Date: 2024-09-13</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2422.00</td> <td>97.24</td> <td>54.00</td> <td>-----</td> <td>94.68</td> <td>30.72</td> <td>5.39</td> <td>33.55</td> <td>292</td> <td>286</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2422.00	97.24	54.00	-----	94.68	30.72	5.39	33.55	292	286	AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	Level	Factor	Loss Factor																																																																											
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	2389.97	50.41	54.00	-3.59	47.86	30.72	5.36	33.53	292	286	AVERAGE																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	Level	Factor	Loss Factor																																																																											
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	2422.00	97.24	54.00	-----	94.68	30.72	5.39	33.55	292	286	AVERAGE																																																																					



Mode	10																																								
	Band Edge - R																																								
	2400-2483.5_802.11n HT40_CH03_2422MHz																																								
ANT	6																																								
Pol.	Horizontal	Fundamental																																							
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2485.65</td> <td>52.42</td> <td>74.00</td> <td>-21.58</td> <td>49.85</td> <td>30.70</td> <td>5.46</td> <td>33.59</td> <td>292</td> <td>286</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2485.65	52.42	74.00	-21.58	49.85	30.70	5.46	33.59	292	286	PEAK	Blank
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																		
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																	
1	2485.65	52.42	74.00	-21.58	49.85	30.70	5.46	33.59	292	286	PEAK																														
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2484.40</td> <td>39.77</td> <td>54.00</td> <td>-14.23</td> <td>37.20</td> <td>30.70</td> <td>5.46</td> <td>33.59</td> <td>292</td> <td>286</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2484.40	39.77	54.00	-14.23	37.20	30.70	5.46	33.59	292	286	AVERAGE	Blank
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																		
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																	
1	2484.40	39.77	54.00	-14.23	37.20	30.70	5.46	33.59	292	286	AVERAGE																														



Mode	10																																																																																	
	Band Edge - L																																																																																	
	2400-2483.5_802.11n HT40_CH03_2422MHz																																																																																	
ANT	6																																																																																	
Pol.	Vertical	Fundamental																																																																																
Peak	 <p style="text-align: right;">Date: 2024-09-13</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2389.74</td> <td>59.62</td> <td>74.00</td> <td>-14.38</td> <td>57.07</td> <td>30.72</td> <td>5.36</td> <td>33.53</td> <td>332</td> <td>252</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	cm	deg	1	2389.74	59.62	74.00	-14.38	57.07	30.72	5.36	33.53	332	252	PEAK	 <p style="text-align: right;">Date: 2024-09-13</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2422.00</td> <td>96.40</td> <td>-----</td> <td>-----</td> <td>93.84</td> <td>30.72</td> <td>5.39</td> <td>33.55</td> <td>332</td> <td>252</td> <td>PEAK_74</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	cm	deg	1	2422.00	96.40	-----	-----	93.84	30.72	5.39	33.55	332	252	PEAK_74
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	cm	deg																																																																									
1	2389.74	59.62	74.00	-14.38	57.07	30.72	5.36	33.53	332	252	PEAK																																																																							
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	cm	deg																																																																									
1	2422.00	96.40	-----	-----	93.84	30.72	5.39	33.55	332	252	PEAK_74																																																																							
Avg	 <p style="text-align: right;">Date: 2024-09-13</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2389.97</td> <td>46.56</td> <td>54.00</td> <td>-7.44</td> <td>44.01</td> <td>30.72</td> <td>5.36</td> <td>33.53</td> <td>332</td> <td>252</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	cm	deg	1	2389.97	46.56	54.00	-7.44	44.01	30.72	5.36	33.53	332	252	AVERAGE	 <p style="text-align: right;">Date: 2024-09-13</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2422.00</td> <td>88.92</td> <td>-----</td> <td>-----</td> <td>86.36</td> <td>30.72</td> <td>5.39</td> <td>33.55</td> <td>332</td> <td>252</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	cm	deg	1	2422.00	88.92	-----	-----	86.36	30.72	5.39	33.55	332	252	AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	cm	deg																																																																									
1	2389.97	46.56	54.00	-7.44	44.01	30.72	5.36	33.53	332	252	AVERAGE																																																																							
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	cm	deg																																																																									
1	2422.00	88.92	-----	-----	86.36	30.72	5.39	33.55	332	252	AVERAGE																																																																							



Mode	10																																									
	Band Edge - R																																									
	2400-2483.5_802.11n HT40_CH03_2422MHz																																									
ANT	6																																									
Pol.	Vertical	Fundamental																																								
Peak	<p>Date: 2024-09-13</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2485.49</td> <td>49.52</td> <td>74.00</td> <td>-24.48</td> <td>46.95</td> <td>30.70</td> <td>5.46</td> <td>33.59</td> <td>332</td> <td>252</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2485.49	49.52	74.00	-24.48	46.95	30.70	5.46	33.59	332	252	PEAK	Blank
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																	
1	2485.49	49.52	74.00	-24.48	46.95	30.70	5.46	33.59	332	252	PEAK																															
Avg	<p>Date: 2024-09-13</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.78</td> <td>37.76</td> <td>54.00</td> <td>-16.24</td> <td>35.19</td> <td>30.70</td> <td>5.46</td> <td>33.59</td> <td>332</td> <td>252</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.78	37.76	54.00	-16.24	35.19	30.70	5.46	33.59	332	252	AVERAGE	Blank
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																	
1	2483.78	37.76	54.00	-16.24	35.19	30.70	5.46	33.59	332	252	AVERAGE																															







Mode	11																																																	
	Band Edge - L																																																	
	2400-2483.5_802.11n HT40_CH09_2452MHz																																																	
ANT	6																																																	
Pol.	Horizontal	Fundamental																																																
Peak	<table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 2389.80 47.23 74.00 -26.77</td> <td>44.68</td> <td>30.72</td> <td>5.36</td> <td>33.53</td> <td>100</td> <td>281</td> <td>PEAK</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg		1 2389.80 47.23 74.00 -26.77	44.68	30.72	5.36	33.53	100	281	PEAK	<table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 2452.00 104.73 -----</td> <td>102.17</td> <td>30.71</td> <td>5.42</td> <td>33.57</td> <td>100</td> <td>281</td> <td>PEAK_74</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg		1 2452.00 104.73 -----	102.17	30.71	5.42	33.57	100	281	PEAK_74
	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																										
Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg																																												
1 2389.80 47.23 74.00 -26.77	44.68	30.72	5.36	33.53	100	281	PEAK																																											
Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																											
Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg																																												
1 2452.00 104.73 -----	102.17	30.71	5.42	33.57	100	281	PEAK_74																																											
Avg	<table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 2389.95 36.89 54.00 -17.11</td> <td>34.34</td> <td>30.72</td> <td>5.36</td> <td>33.53</td> <td>100</td> <td>281</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg		1 2389.95 36.89 54.00 -17.11	34.34	30.72	5.36	33.53	100	281	AVERAGE	<table border="1"> <thead> <tr> <th>Limit Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line (dB)</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 2452.00 96.85 -----</td> <td>94.28</td> <td>30.71</td> <td>5.43</td> <td>33.57</td> <td>100</td> <td>281</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg		1 2452.00 96.85 -----	94.28	30.71	5.43	33.57	100	281	AVERAGE
Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																											
Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg																																												
1 2389.95 36.89 54.00 -17.11	34.34	30.72	5.36	33.53	100	281	AVERAGE																																											
Limit Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																											
Freq Level Line (dB)	Level Factor	Loss Factor			cm	deg																																												
1 2452.00 96.85 -----	94.28	30.71	5.43	33.57	100	281	AVERAGE																																											



Mode	11																																					
	Band Edge - R																																					
	2400-2483.5_802.11n HT40_CH09_2452MHz																																					
ANT	6																																					
Pol.	Horizontal	Fundamental																																				
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.97</td> <td>68.65</td> <td>74.00</td> <td>-5.35</td> <td>66.08</td> <td>30.70</td> <td>5.46</td> <td>33.59</td> <td>100</td> <td>281</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	1	2483.97	68.65	74.00	-5.35	66.08	30.70	5.46	33.59	100	281	PEAK	Blank
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																															
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																															
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm																															
1	2483.97	68.65	74.00	-5.35	66.08	30.70	5.46	33.59	100	281	PEAK																											
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2484.21</td> <td>51.00</td> <td>54.00</td> <td>-3.00</td> <td>48.43</td> <td>30.70</td> <td>5.46</td> <td>33.59</td> <td>100</td> <td>281</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	1	2484.21	51.00	54.00	-3.00	48.43	30.70	5.46	33.59	100	281	AVERAGE	Blank
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																															
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																															
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm																															
1	2484.21	51.00	54.00	-3.00	48.43	30.70	5.46	33.59	100	281	AVERAGE																											



Mode	11																																																																																	
	Band Edge - L																																																																																	
	2400-2483.5_802.11n_HT40_CH09_2452MHz																																																																																	
ANT	6																																																																																	
Pol.	Vertical	Fundamental																																																																																
Peak	 <p style="text-align: right;">Date: 2024-09-13</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2388.95</td> <td>45.89</td> <td>74.00</td> <td>-28.11</td> <td>43.34</td> <td>30.72</td> <td>5.36</td> <td>33.53</td> <td>378</td> <td>246</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2388.95	45.89	74.00	-28.11	43.34	30.72	5.36	33.53	378	246	PEAK	 <p style="text-align: right;">Date: 2024-09-13</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2452.00</td> <td>99.42</td> <td>-----</td> <td>-----</td> <td>96.85</td> <td>30.71</td> <td>5.44</td> <td>33.58</td> <td>378</td> <td>246</td> <td>PEAK_74</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2452.00	99.42	-----	-----	96.85	30.71	5.44	33.58	378	246	PEAK_74
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	2388.95	45.89	74.00	-28.11	43.34	30.72	5.36	33.53	378	246	PEAK																																																																							
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	2452.00	99.42	-----	-----	96.85	30.71	5.44	33.58	378	246	PEAK_74																																																																							
Avg	 <p style="text-align: right;">Date: 2024-09-13</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2389.95</td> <td>35.19</td> <td>54.00</td> <td>-18.81</td> <td>32.64</td> <td>30.72</td> <td>5.36</td> <td>33.53</td> <td>378</td> <td>246</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.95	35.19	54.00	-18.81	32.64	30.72	5.36	33.53	378	246	AVERAGE	 <p style="text-align: right;">Date: 2024-09-13</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2452.00</td> <td>91.05</td> <td>-----</td> <td>-----</td> <td>88.48</td> <td>30.71</td> <td>5.43</td> <td>33.57</td> <td>378</td> <td>246</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2452.00	91.05	-----	-----	88.48	30.71	5.43	33.57	378	246	AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	2389.95	35.19	54.00	-18.81	32.64	30.72	5.36	33.53	378	246	AVERAGE																																																																							
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	2452.00	91.05	-----	-----	88.48	30.71	5.43	33.57	378	246	AVERAGE																																																																							



Mode	11																																					
	Band Edge - R																																					
	2400-2483.5_802.11n HT40_CH09_2452MHz																																					
ANT	6																																					
Pol.	Vertical	Fundamental																																				
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2485.89</td> <td>64.54</td> <td>74.00</td> <td>-9.46</td> <td>61.97</td> <td>30.70</td> <td>5.46</td> <td>33.59</td> <td>378</td> <td>246</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	1	2485.89	64.54	74.00	-9.46	61.97	30.70	5.46	33.59	378	246	PEAK	Blank
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																															
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																															
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm																															
1	2485.89	64.54	74.00	-9.46	61.97	30.70	5.46	33.59	378	246	PEAK																											
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>(dB)</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.73</td> <td>48.98</td> <td>54.00</td> <td>-5.02</td> <td>46.41</td> <td>30.70</td> <td>5.46</td> <td>33.59</td> <td>378</td> <td>246</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	1	2483.73	48.98	54.00	-5.02	46.41	30.70	5.46	33.59	378	246	AVERAGE	Blank
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																															
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																															
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm																															
1	2483.73	48.98	54.00	-5.02	46.41	30.70	5.46	33.59	378	246	AVERAGE																											







Mode	11																																																																																									
	Harmonic																																																																																									
	2400-2483.5_802.11n HT40_CH09_2452MHz																																																																																									
ANT	6																																																																																									
Pol.	Horizontal	Vertical																																																																																								
Peak Avg	<table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4904.00</td> <td>40.40</td> <td>74.00</td> <td>-33.60</td> <td>63.51</td> <td>34.37</td> <td>7.78</td> <td>65.26</td> <td>--</td> <td>-- Peak</td> </tr> <tr> <td>2</td> <td>7356.00</td> <td>43.07</td> <td>74.00</td> <td>-30.93</td> <td>63.18</td> <td>35.43</td> <td>9.07</td> <td>64.61</td> <td>--</td> <td>-- Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	4904.00	40.40	74.00	-33.60	63.51	34.37	7.78	65.26	--	-- Peak	2	7356.00	43.07	74.00	-30.93	63.18	35.43	9.07	64.61	--	-- Peak	<table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4904.00</td> <td>42.01</td> <td>74.00</td> <td>-31.99</td> <td>65.12</td> <td>34.37</td> <td>7.78</td> <td>65.26</td> <td>--</td> <td>-- Peak</td> </tr> <tr> <td>2</td> <td>7356.00</td> <td>43.76</td> <td>74.00</td> <td>-30.24</td> <td>63.87</td> <td>35.43</td> <td>9.07</td> <td>64.61</td> <td>--</td> <td>-- Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	4904.00	42.01	74.00	-31.99	65.12	34.37	7.78	65.26	--	-- Peak	2	7356.00	43.76	74.00	-30.24	63.87	35.43	9.07	64.61	--	-- Peak
	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	4904.00	40.40	74.00	-33.60	63.51	34.37	7.78	65.26	--	-- Peak																																																																																
2	7356.00	43.07	74.00	-30.93	63.18	35.43	9.07	64.61	--	-- Peak																																																																																
Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	4904.00	42.01	74.00	-31.99	65.12	34.37	7.78	65.26	--	-- Peak																																																																																
2	7356.00	43.76	74.00	-30.24	63.87	35.43	9.07	64.61	--	-- Peak																																																																																



Mode	12																																																																																																																																																																																																
	Harmonic																																																																																																																																																																																																
	2400-2483.5_802.11n_HT40_CH09_2452MHz																																																																																																																																																																																																
ANT	6																																																																																																																																																																																																
Pol.	Horizontal	Vertical																																																																																																																																																																																															
Peak Avg																																																																																																																																																																																																	
	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>60.07</td> <td>17.54</td> <td>40.00</td> <td>-22.46</td> <td>32.81</td> <td>18.83</td> <td>0.78</td> <td>34.88</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>152.22</td> <td>21.10</td> <td>43.50</td> <td>-22.40</td> <td>35.65</td> <td>18.86</td> <td>1.29</td> <td>34.70</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>332.64</td> <td>21.01</td> <td>46.00</td> <td>-24.99</td> <td>33.88</td> <td>19.84</td> <td>1.89</td> <td>34.60</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>4</td> <td>552.83</td> <td>24.13</td> <td>46.00</td> <td>-21.87</td> <td>31.83</td> <td>24.30</td> <td>2.50</td> <td>34.50</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>5</td> <td>723.55</td> <td>28.17</td> <td>46.00</td> <td>-17.83</td> <td>32.36</td> <td>27.33</td> <td>2.88</td> <td>34.40</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>6</td> <td>835.10</td> <td>30.09</td> <td>46.00</td> <td>-15.91</td> <td>32.79</td> <td>28.52</td> <td>3.08</td> <td>34.30</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	60.07	17.54	40.00	-22.46	32.81	18.83	0.78	34.88	--	--	Peak	2	152.22	21.10	43.50	-22.40	35.65	18.86	1.29	34.70	--	--	Peak	3	332.64	21.01	46.00	-24.99	33.88	19.84	1.89	34.60	--	--	Peak	4	552.83	24.13	46.00	-21.87	31.83	24.30	2.50	34.50	--	--	Peak	5	723.55	28.17	46.00	-17.83	32.36	27.33	2.88	34.40	--	--	Peak	6	835.10	30.09	46.00	-15.91	32.79	28.52	3.08	34.30	--	--	Peak	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>67.83</td> <td>25.21</td> <td>40.00</td> <td>-14.79</td> <td>41.74</td> <td>17.43</td> <td>0.84</td> <td>34.80</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>150.28</td> <td>21.34</td> <td>43.50</td> <td>-22.16</td> <td>35.78</td> <td>18.98</td> <td>1.28</td> <td>34.70</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>304.51</td> <td>19.91</td> <td>46.00</td> <td>-26.09</td> <td>33.47</td> <td>19.23</td> <td>1.81</td> <td>34.60</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>4</td> <td>504.33</td> <td>23.81</td> <td>46.00</td> <td>-22.19</td> <td>32.51</td> <td>23.43</td> <td>2.37</td> <td>34.50</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>5</td> <td>721.61</td> <td>27.71</td> <td>46.00</td> <td>-18.29</td> <td>31.93</td> <td>27.31</td> <td>2.87</td> <td>34.40</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>6</td> <td>807.94</td> <td>30.53</td> <td>46.00</td> <td>-15.47</td> <td>33.80</td> <td>27.99</td> <td>3.04</td> <td>34.30</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	67.83	25.21	40.00	-14.79	41.74	17.43	0.84	34.80	--	--	Peak	2	150.28	21.34	43.50	-22.16	35.78	18.98	1.28	34.70	--	--	Peak	3	304.51	19.91	46.00	-26.09	33.47	19.23	1.81	34.60	--	--	Peak	4	504.33	23.81	46.00	-22.19	32.51	23.43	2.37	34.50	--	--	Peak	5	721.61	27.71	46.00	-18.29	31.93	27.31	2.87	34.40	--	--	Peak	6	807.94	30.53	46.00	-15.47	33.80	27.99	3.04	34.30	--	--
Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																							
1	60.07	17.54	40.00	-22.46	32.81	18.83	0.78	34.88	--	--	Peak																																																																																																																																																																																						
2	152.22	21.10	43.50	-22.40	35.65	18.86	1.29	34.70	--	--	Peak																																																																																																																																																																																						
3	332.64	21.01	46.00	-24.99	33.88	19.84	1.89	34.60	--	--	Peak																																																																																																																																																																																						
4	552.83	24.13	46.00	-21.87	31.83	24.30	2.50	34.50	--	--	Peak																																																																																																																																																																																						
5	723.55	28.17	46.00	-17.83	32.36	27.33	2.88	34.40	--	--	Peak																																																																																																																																																																																						
6	835.10	30.09	46.00	-15.91	32.79	28.52	3.08	34.30	--	--	Peak																																																																																																																																																																																						
Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																							
1	67.83	25.21	40.00	-14.79	41.74	17.43	0.84	34.80	--	--	Peak																																																																																																																																																																																						
2	150.28	21.34	43.50	-22.16	35.78	18.98	1.28	34.70	--	--	Peak																																																																																																																																																																																						
3	304.51	19.91	46.00	-26.09	33.47	19.23	1.81	34.60	--	--	Peak																																																																																																																																																																																						
4	504.33	23.81	46.00	-22.19	32.51	23.43	2.37	34.50	--	--	Peak																																																																																																																																																																																						
5	721.61	27.71	46.00	-18.29	31.93	27.31	2.87	34.40	--	--	Peak																																																																																																																																																																																						
6	807.94	30.53	46.00	-15.47	33.80	27.99	3.04	34.30	--	--	Peak																																																																																																																																																																																						



		13																																																																										
Mode	Band Edge - L																																																																											
	Co-located TX																																																																											
Pol.	Horizontal		Fundamental																																																																									
Peak	 <p>Date: 2024-09-19</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2358.42</td> <td>49.91</td> <td>74.00</td> <td>-24.09</td> <td>48.07</td> <td>30.67</td> <td>4.76</td> <td>33.59</td> <td>400</td> <td>287</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	2358.42	49.91	74.00	-24.09	48.07	30.67	4.76	33.59	400	287	PEAK	 <p>Date: 2024-09-19</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2452.00</td> <td>105.55</td> <td>-----</td> <td>-----</td> <td>103.49</td> <td>30.72</td> <td>4.87</td> <td>33.53</td> <td>400</td> <td>287</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	2452.00	105.55	-----	-----	103.49	30.72	4.87	33.53	400	287	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																				
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																					
1	2358.42	49.91	74.00	-24.09	48.07	30.67	4.76	33.59	400	287	PEAK																																																																	
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																					
1	2452.00	105.55	-----	-----	103.49	30.72	4.87	33.53	400	287	PEAK																																																																	
Avg	 <p>Date: 2024-09-19</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2389.95</td> <td>39.70</td> <td>54.00</td> <td>-14.30</td> <td>37.86</td> <td>30.61</td> <td>4.80</td> <td>33.57</td> <td>400</td> <td>287</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	2389.95	39.70	54.00	-14.30	37.86	30.61	4.80	33.57	400	287	AVERAGE	 <p>Date: 2024-09-19</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2452.00</td> <td>97.78</td> <td>-----</td> <td>-----</td> <td>95.72</td> <td>30.72</td> <td>4.87</td> <td>33.53</td> <td>400</td> <td>287</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	2452.00	97.78	-----	-----	95.72	30.72	4.87	33.53	400	287	AVERAGE
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																				
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																					
1	2389.95	39.70	54.00	-14.30	37.86	30.61	4.80	33.57	400	287	AVERAGE																																																																	
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																					
1	2452.00	97.78	-----	-----	95.72	30.72	4.87	33.53	400	287	AVERAGE																																																																	



		13																																									
Mode	Band Edge - R																																										
	Co-located TX																																										
Pol.	Horizontal	Fundamental																																									
Peak	<p style="text-align: right;">Date: 2024-09-19</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.54</td> <td>66.70</td> <td>74.00</td> <td>-5.30</td> <td>66.44</td> <td>30.85</td> <td>4.92</td> <td>33.51</td> <td>400</td> <td>287</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line Margin	Level	Factor	Loss Factor		cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.54	66.70	74.00	-5.30	66.44	30.85	4.92	33.51	400	287	PEAK	Blank	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																				
Freq	Level	Line Margin	Level	Factor	Loss Factor		cm	deg																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																		
1	2483.54	66.70	74.00	-5.30	66.44	30.85	4.92	33.51	400	287	PEAK																																
Avg	<p style="text-align: right;">Date: 2024-09-19</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2484.26</td> <td>50.97</td> <td>54.00</td> <td>-3.03</td> <td>48.71</td> <td>30.85</td> <td>4.92</td> <td>33.51</td> <td>400</td> <td>287</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line Margin	Level	Factor	Loss Factor		cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2484.26	50.97	54.00	-3.03	48.71	30.85	4.92	33.51	400	287	AVERAGE	Blank	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																				
Freq	Level	Line Margin	Level	Factor	Loss Factor		cm	deg																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																		
1	2484.26	50.97	54.00	-3.03	48.71	30.85	4.92	33.51	400	287	AVERAGE																																



		13																																																																										
Mode	Band Edge - L																																																																											
	Co-located TX																																																																											
Pol.	Vertical	Fundamental																																																																										
Peak	<p style="text-align: right;">Date: 2024-09-19</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2389.38</td> <td>50.16</td> <td>74.00</td> <td>-23.84</td> <td>48.32</td> <td>30.61</td> <td>4.80</td> <td>33.57</td> <td>348</td> <td>243</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2389.38	50.16	74.00	-23.84	48.32	30.61	4.80	33.57	348	243	PEAK	<p style="text-align: right;">Date: 2024-09-19</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2452.00</td> <td>102.87</td> <td>-----</td> <td>-----</td> <td>100.78</td> <td>30.74</td> <td>4.88</td> <td>33.53</td> <td>348</td> <td>243</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2452.00	102.87	-----	-----	100.78	30.74	4.88	33.53	348	243	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	2389.38	50.16	74.00	-23.84	48.32	30.61	4.80	33.57	348	243	PEAK																																																																	
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	2452.00	102.87	-----	-----	100.78	30.74	4.88	33.53	348	243	PEAK																																																																	
Avg	<p style="text-align: right;">Date: 2024-09-19</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2389.80</td> <td>39.26</td> <td>54.00</td> <td>-14.74</td> <td>37.42</td> <td>30.61</td> <td>4.80</td> <td>33.57</td> <td>348</td> <td>243</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2389.80	39.26	54.00	-14.74	37.42	30.61	4.80	33.57	348	243	AVERAGE	<p style="text-align: right;">Date: 2024-09-19</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2452.00</td> <td>95.55</td> <td>-----</td> <td>-----</td> <td>93.46</td> <td>30.74</td> <td>4.88</td> <td>33.53</td> <td>348</td> <td>243</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2452.00	95.55	-----	-----	93.46	30.74	4.88	33.53	348	243	AVERAGE
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	2389.80	39.26	54.00	-14.74	37.42	30.61	4.80	33.57	348	243	AVERAGE																																																																	
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	2452.00	95.55	-----	-----	93.46	30.74	4.88	33.53	348	243	AVERAGE																																																																	




		13																																									
Mode	Band Edge - R																																										
	Co-located TX																																										
Pol.	Vertical	Fundamental																																									
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2484.11</td> <td>68.11</td> <td>74.00</td> <td>-5.89</td> <td>65.85</td> <td>30.85</td> <td>4.92</td> <td>33.51</td> <td>348</td> <td>243 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	cm	deg	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	2484.11	68.11	74.00	-5.89	65.85	30.85	4.92	33.51	348	243 PEAK	Blank	
Limit	Read	Ant	Cable	Preamp	APos	TPos																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	cm	deg	Remark																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																		
1	2484.11	68.11	74.00	-5.89	65.85	30.85	4.92	33.51	348	243 PEAK																																	
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.82</td> <td>50.64</td> <td>54.00</td> <td>-3.36</td> <td>48.38</td> <td>30.85</td> <td>4.92</td> <td>33.51</td> <td>348</td> <td>243 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	cm	deg	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	2483.82	50.64	54.00	-3.36	48.38	30.85	4.92	33.51	348	243 AVERAGE	Blank	
Limit	Read	Ant	Cable	Preamp	APos	TPos																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	cm	deg	Remark																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																		
1	2483.82	50.64	54.00	-3.36	48.38	30.85	4.92	33.51	348	243 AVERAGE																																	



Mode	13																																																																																									
	Harmonic																																																																																									
	Co-located TX																																																																																									
Pol.	Horizontal	Vertical																																																																																								
Peak Avg	<table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line Margin</th> <th>Read Level</th> <th>Ant Factor</th> <th>Cable Loss</th> <th>Preamp Loss</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4904.00</td> <td>40.12</td> <td>74.00</td> <td>-33.88</td> <td>63.23</td> <td>34.37</td> <td>7.78</td> <td>65.26</td> <td>--</td> <td>-- Peak</td> </tr> <tr> <td>2</td> <td>7356.00</td> <td>43.45</td> <td>74.00</td> <td>-30.55</td> <td>63.56</td> <td>35.43</td> <td>9.07</td> <td>64.61</td> <td>--</td> <td>-- Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Loss	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	4904.00	40.12	74.00	-33.88	63.23	34.37	7.78	65.26	--	-- Peak	2	7356.00	43.45	74.00	-30.55	63.56	35.43	9.07	64.61	--	-- Peak	<table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line Margin</th> <th>Read Level</th> <th>Ant Factor</th> <th>Cable Loss</th> <th>Preamp Loss</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4904.00</td> <td>40.46</td> <td>74.00</td> <td>-33.54</td> <td>63.57</td> <td>34.37</td> <td>7.78</td> <td>65.26</td> <td>--</td> <td>-- Peak</td> </tr> <tr> <td>2</td> <td>7356.00</td> <td>43.13</td> <td>74.00</td> <td>-30.87</td> <td>63.24</td> <td>35.43</td> <td>9.07</td> <td>64.61</td> <td>--</td> <td>-- Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Loss	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	4904.00	40.46	74.00	-33.54	63.57	34.37	7.78	65.26	--	-- Peak	2	7356.00	43.13	74.00	-30.87	63.24	35.43	9.07	64.61	--	-- Peak
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Loss	APos	TPos	Remark																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	4904.00	40.12	74.00	-33.88	63.23	34.37	7.78	65.26	--	-- Peak																																																																																
2	7356.00	43.45	74.00	-30.55	63.56	35.43	9.07	64.61	--	-- Peak																																																																																
Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Loss	APos	TPos	Remark																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	4904.00	40.46	74.00	-33.54	63.57	34.37	7.78	65.26	--	-- Peak																																																																																
2	7356.00	43.13	74.00	-30.87	63.24	35.43	9.07	64.61	--	-- Peak																																																																																


Appendix D. Duty Cycle Plots

Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
802.11b	100	-	-	10Hz
802.11g	100	-	-	10Hz
802.11n HT20	100	-	-	10Hz
802.11n HT40	100	-	-	10Hz






802.11g



802.11n HT20





802.11n HT40

