System Check_835MHz

Measurement performed on September 11, 2024

Device Under Test

| Manufacturer | Model | Dimensions [mm] | Speaker Position [mm] |
|--------------|-------|--------------------|-----------------------|
| | | 146.2 x 71.8 x 7.5 | 144.3 |

Hardware Setup

| Probe Name | Probe Calibration Date | DAE Name | DAE Calibration Date |
|-----------------|------------------------|------------|----------------------|
| EF3DV3 - SN4053 | September 15, 2023 | DAE4 Sn715 | January 25, 2024 |


Communication Systems

| Band Name | Communication Systems Name | Channel | Frequency [MHz] |
|-----------|----------------------------|---------|-----------------|
| CD835 | CW | 50 | 835.0 |

Grid Settings

| Extent X [mm] | Extent Y [mm] | Step X [mm] | Step Y [mm] | Distance [mm] |
|---------------|---------------|-------------|-------------|---------------|
| 20.0 | 180.0 | 5.0 | 5.0 | 15.0 |

| Dipole Type | Dipole Serial Number | Emax [V/m] | Drift [dB] |
|-------------|----------------------|------------|------------|
| CD835 | 1171 | 110 | -0.03 |



System Check_1880MHz

Measurement performed on September 11, 2024

Device Under Test

| Manufacturer | Model | Dimensions [mm] | Speaker Position [mm] |
|--------------|-------|--------------------|-----------------------|
| | | 146.2 x 71.8 x 7.5 | 144.3 |

Hardware Setup

| Probe Name | Probe Calibration Date | DAE Name | DAE Calibration Date |
|-----------------|------------------------|------------|----------------------|
| EF3DV3 - SN4053 | September 15, 2023 | DAE4 Sn715 | January 25, 2024 |


Communication Systems

| Band Name | Communication Systems Name | Channel | Frequency [MHz] |
|-----------|----------------------------|---------|-----------------|
| CD1880 | CW | 50 | 1880.0 |

Grid Settings

| Extent X [mm] | Extent Y [mm] | Step X [mm] | Step Y [mm] | Distance [mm] |
|---------------|---------------|-------------|-------------|---------------|
| 20.0 | 90.0 | 5.0 | 5.0 | 15.0 |

| Dipole Type | Dipole Serial Number | Emax [V/m] | Drift [dB] |
|-------------|----------------------|------------|------------|
| CD1880 | 1155 | 88.0 | -0.02 |



System Check_2600MHz

Measurement performed on September 11, 2024

Device Under Test

| Manufacturer | Model | Dimensions [mm] | Speaker Position [mm] |
|--------------|-------|--------------------|-----------------------|
| | | 146.2 x 71.8 x 7.5 | 144.3 |

Hardware Setup

| Probe Name | Probe Calibration Date | DAE Name | DAE Calibration Date |
|-----------------|------------------------|------------|----------------------|
| EF3DV3 - SN4053 | September 15, 2023 | DAE4 Sn715 | January 25, 2024 |


Communication Systems

| Band Name | Communication Systems Name | Channel | Frequency [MHz] |
|-----------|----------------------------|---------|-----------------|
| CD2600V3 | CW | 50 | 2600.0 |

Grid Settings

| Extent X [mm] | Extent Y [mm] | Step X [mm] | Step Y [mm] | Distance [mm] |
|---------------|---------------|-------------|-------------|---------------|
| 20.0 | 90.0 | 5.0 | 5.0 | 15.0 |

| Dipole Type | Dipole Serial Number | Emax [V/m] | Drift [dB] |
|-------------|----------------------|------------|------------|
| CD2600 | 1030 | 86.2 | -0.01 |



System Check_3500MHz

Measurement performed on September 11, 2024

Device Under Test

| Manufacturer | Model | Dimensions [mm] | Speaker Position [mm] |
|--------------|-------|--------------------|-----------------------|
| | | 146.2 x 71.8 x 7.5 | 144.3 |

Hardware Setup

| Probe Name | Probe Calibration Date | DAE Name | DAE Calibration Date |
|-----------------|------------------------|------------|----------------------|
| EF3DV3 - SN4053 | September 15, 2023 | DAE4 Sn715 | January 25, 2024 |

Communication Systems

| Band Name | Communication Systems Name | Channel | Frequency [MHz] |
|-----------|----------------------------|---------|-----------------|
| CD3500V3 | CW | 50 | 3500.0 |

Grid Settings

| Extent X [mm] | Extent Y [mm] | Step X [mm] | Step Y [mm] | Distance [mm] |
|---------------|---------------|-------------|-------------|---------------|
| 20.0 | 60.0 | 5.0 | 5.0 | 15.0 |

| Dipole Type | Dipole Serial Number | Emax [V/m] | Drift [dB] |
|-------------|----------------------|------------|------------|
| CD3500 | 1020 | 83.6 | 0.02 |

