











Mode	27																																																																																																			
	Band Edge																																																																																																			
	U-NII-2C_5.47-5.725_802.11a_CH140_5700MHz																																																																																																			
ANT	4																																																																																																			
Pol.	Horizontal						Fundamental																																																																																													
Peak	 Horizontal Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot shows a blue line representing the signal level, which is mostly below the red limit line. A red line is labeled 'U-NII-1-U-NII-2A-U-NII-2C'. A vertical blue line marks the peak at 5725.76 MHz. <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5725.76</td><td>64.09</td><td>68.20</td><td>-4.11</td><td>46.70</td><td>34.65</td><td>12.68</td><td>29.94</td><td>0.00</td><td>104</td><td>292</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5725.76	64.09	68.20	-4.11	46.70	34.65	12.68	29.94	0.00	104	292	PEAK	 Fundamental Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot shows a blue line representing the signal level, which is mostly below the red limit line. A red line is labeled 'U-NII-1-U-NII-2A-U-NII-2C'. A vertical blue line marks the peak at 5700.00 MHz. <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>105.69</td><td>-----</td><td>-----</td><td>88.44</td><td>34.60</td><td>12.64</td><td>29.99</td><td>0.00</td><td>104</td><td>292</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	105.69	-----	-----	88.44	34.60	12.64	29.99	0.00	104	292	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5725.76	64.09	68.20	-4.11	46.70	34.65	12.68	29.94	0.00	104	292	PEAK																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5700.00	105.69	-----	-----	88.44	34.60	12.64	29.99	0.00	104	292	PEAK																																																																																								
Avg	Blank						 Fundamental Average Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot shows a blue line representing the signal level, which is mostly below the red limit line. A red line is labeled 'U-NII-1-U-NII-2A-U-NII-2C(AVG)'. A vertical blue line marks the peak at 5700.00 MHz. <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>96.86</td><td>-----</td><td>-----</td><td>79.61</td><td>34.60</td><td>12.65</td><td>30.00</td><td>0.00</td><td>104</td><td>292</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	96.86	-----	-----	79.61	34.60	12.65	30.00	0.00	104	292	AVERAGE																																												
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5700.00	96.86	-----	-----	79.61	34.60	12.65	30.00	0.00	104	292	AVERAGE																																																																																								







Mode	27																																																																																																			
	Band Edge																																																																																																			
	U-NII-2C_5.47-5.725_802.11a_CH140_5700MHz																																																																																																			
ANT	4																																																																																																			
Pol.	Vertical						Fundamental																																																																																													
Peak																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5727.04</td><td>61.74</td><td>68.20</td><td>-6.46</td><td>44.34</td><td>34.65</td><td>12.68</td><td>29.93</td><td>0.00</td><td>343</td><td>239</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5727.04	61.74	68.20	-6.46	44.34	34.65	12.68	29.93	0.00	343	239	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>103.11</td><td>-----</td><td>-----</td><td>85.86</td><td>34.60</td><td>12.65</td><td>30.00</td><td>0.00</td><td>343</td><td>239</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	103.11	-----	-----	85.86	34.60	12.65	30.00	0.00	343	239	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5727.04	61.74	68.20	-6.46	44.34	34.65	12.68	29.93	0.00	343	239	PEAK																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5700.00	103.11	-----	-----	85.86	34.60	12.65	30.00	0.00	343	239	PEAK																																																																																								
Avg	Blank																																																																																																			
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>95.25</td><td>-----</td><td>-----</td><td>78.00</td><td>34.60</td><td>12.64</td><td>29.99</td><td>0.00</td><td>343</td><td>239</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	95.25	-----	-----	78.00	34.60	12.64	29.99	0.00	343	239	AVERAGE																																												
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5700.00	95.25	-----	-----	78.00	34.60	12.64	29.99	0.00	343	239	AVERAGE																																																																																								







Mode	27																																																																																																																				
	Harmonic																																																																																																																				
	U-NII-2C_5.47-5.725_802.11a_CH140_5700MHz																																																																																																																				
ANT	4																																																																																																																				
Pol.	Horizontal						Vertical																																																																																																														
Peak Avg																																																																																																																					
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 11400.00</td><td>48.11</td><td>74.00</td><td>-25.89</td><td>56.06</td><td>38.00</td><td>18.50</td><td>64.45</td><td>0.00</td><td>100</td><td>360</td><td>PEAK</td></tr><tr><td>2 11400.00</td><td>37.36</td><td>54.00</td><td>-16.64</td><td>45.26</td><td>38.00</td><td>18.51</td><td>64.41</td><td>0.00</td><td>100</td><td>360</td><td>AVERAGE</td></tr></table>								Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 11400.00	48.11	74.00	-25.89	56.06	38.00	18.50	64.45	0.00	100	360	PEAK	2 11400.00	37.36	54.00	-16.64	45.26	38.00	18.51	64.41	0.00	100	360	AVERAGE	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 11400.00</td><td>46.82</td><td>74.00</td><td>-27.18</td><td>54.77</td><td>38.00</td><td>18.50</td><td>64.45</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>							Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 11400.00	46.82	74.00	-27.18	54.77	38.00	18.50	64.45	0.00	--	--	PEAK
			Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																											
1 11400.00	48.11	74.00	-25.89	56.06	38.00	18.50	64.45	0.00	100	360	PEAK																																																																																																										
2 11400.00	37.36	54.00	-16.64	45.26	38.00	18.51	64.41	0.00	100	360	AVERAGE																																																																																																										
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																											
1 11400.00	46.82	74.00	-27.18	54.77	38.00	18.50	64.45	0.00	--	--	PEAK																																																																																																										



		28																																																																																																														
Mode	Band Edge																																																																																																															
	U-NII-2C_5.47-5.725_802.11ax HE20_CH100_Full RU_5500MHz																																																																																																															
ANT	4																																																																																																															
Pol.	Horizontal						Fundamental																																																																																																									
Peak																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5458.57</td><td>57.12</td><td>74.00</td><td>-16.88</td><td>40.08</td><td>34.58</td><td>12.33</td><td>29.87</td><td>0.00</td><td>100</td><td>306</td><td>PEAK</td></tr><tr><td>2</td><td>5469.13</td><td>61.07</td><td>68.20</td><td>-7.13</td><td>44.06</td><td>34.56</td><td>12.34</td><td>29.89</td><td>0.00</td><td>100</td><td>306</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5458.57	57.12	74.00	-16.88	40.08	34.58	12.33	29.87	0.00	100	306	PEAK	2	5469.13	61.07	68.20	-7.13	44.06	34.56	12.34	29.89	0.00	100	306	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>105.04</td><td>-----</td><td>-----</td><td>88.09</td><td>34.51</td><td>12.38</td><td>29.94</td><td>0.00</td><td>100</td><td>306</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	105.04	-----	-----	88.09	34.51	12.38	29.94	0.00	100	306
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5458.57	57.12	74.00	-16.88	40.08	34.58	12.33	29.87	0.00	100	306	PEAK																																																																																																				
2	5469.13	61.07	68.20	-7.13	44.06	34.56	12.34	29.89	0.00	100	306	PEAK																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5500.00	105.04	-----	-----	88.09	34.51	12.38	29.94	0.00	100	306	PEAK																																																																																																				
Avg																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5459.69</td><td>47.00</td><td>54.00</td><td>-7.00</td><td>29.97</td><td>34.58</td><td>12.33</td><td>29.88</td><td>0.00</td><td>100</td><td>306</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.69	47.00	54.00	-7.00	29.97	34.58	12.33	29.88	0.00	100	306	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>95.69</td><td>-----</td><td>-----</td><td>78.74</td><td>34.51</td><td>12.38</td><td>29.94</td><td>0.00</td><td>100</td><td>306</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	95.69	-----	-----	78.74	34.51	12.38	29.94	0.00	100	306	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5459.69	47.00	54.00	-7.00	29.97	34.58	12.33	29.88	0.00	100	306	AVERAGE																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5500.00	95.69	-----	-----	78.74	34.51	12.38	29.94	0.00	100	306	AVERAGE																																																																																																				





		28																																																																																																													
Mode	Band Edge																																																																																																														
	U-NII-2C_5.47-5.725_802.11ax HE20_CH100_Full RU_5500MHz																																																																																																														
ANT	4																																																																																																														
Pol.	Vertical						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5459.21</td><td>56.36</td><td>74.00</td><td>-17.64</td><td>39.32</td><td>34.58</td><td>12.33</td><td>29.87</td><td>0.00</td><td>386</td><td>237</td><td>PEAK</td></tr><tr><td>2</td><td>5467.69</td><td>61.61</td><td>68.20</td><td>-6.59</td><td>44.60</td><td>34.56</td><td>12.34</td><td>29.89</td><td>0.00</td><td>386</td><td>237</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.21	56.36	74.00	-17.64	39.32	34.58	12.33	29.87	0.00	386	237	PEAK	2	5467.69	61.61	68.20	-6.59	44.60	34.56	12.34	29.89	0.00	386	237	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>104.00</td><td>-----</td><td>-----</td><td>87.85</td><td>34.51</td><td>12.38</td><td>29.94</td><td>0.00</td><td>386</td><td>237</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	104.00	-----	-----	87.85	34.51	12.38	29.94	0.00	386	237
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5459.21	56.36	74.00	-17.64	39.32	34.58	12.33	29.87	0.00	386	237	PEAK																																																																																																			
2	5467.69	61.61	68.20	-6.59	44.60	34.56	12.34	29.89	0.00	386	237	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5500.00	104.00	-----	-----	87.85	34.51	12.38	29.94	0.00	386	237	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5460.00</td><td>46.45</td><td>54.00</td><td>-7.55</td><td>29.42</td><td>34.58</td><td>12.33</td><td>29.88</td><td>0.00</td><td>386</td><td>237</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5460.00	46.45	54.00	-7.55	29.42	34.58	12.33	29.88	0.00	386	237	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>95.47</td><td>-----</td><td>-----</td><td>78.52</td><td>34.51</td><td>12.38</td><td>29.94</td><td>0.00</td><td>386</td><td>237</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	95.47	-----	-----	78.52	34.51	12.38	29.94	0.00	386	237	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5460.00	46.45	54.00	-7.55	29.42	34.58	12.33	29.88	0.00	386	237	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5500.00	95.47	-----	-----	78.52	34.51	12.38	29.94	0.00	386	237	AVERAGE																																																																																																			






Mode	28																																																																																																
	Harmonic																																																																																																
	U-NII-2C_5.47-5.725_802.11ax HE20_CH100_Full RU_5500MHz																																																																																																
ANT	4																																																																																																
Pol.	Horizontal						Vertical																																																																																										
Peak Avg																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11000.00</td><td>46.04</td><td>74.00</td><td>-27.96</td><td>56.08</td><td>37.80</td><td>18.15</td><td>65.99</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11000.00	46.04	74.00	-27.96	56.08	37.80	18.15	65.99	0.00	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11000.00</td><td>45.22</td><td>74.00</td><td>-28.78</td><td>55.26</td><td>37.80</td><td>18.15</td><td>65.99</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11000.00	45.22	74.00	-28.78	55.26	37.80	18.15	65.99	0.00	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	11000.00	46.04	74.00	-27.96	56.08	37.80	18.15	65.99	0.00	--	PEAK																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	11000.00	45.22	74.00	-28.78	55.26	37.80	18.15	65.99	0.00	--	PEAK																																																																																						



Mode	29																																																																																																	
	Harmonic																																																																																																	
	U-NII-2C_5.47-5.725_802.11ax HE20_CH116_Full RU_5580MHz																																																																																																	
ANT	4																																																																																																	
Pol.	Horizontal						Vertical																																																																																											
Peak Avg																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11160.00</td><td>46.48</td><td>74.00</td><td>-27.52</td><td>55.60</td><td>37.96</td><td>18.29</td><td>65.37</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11160.00	46.48	74.00	-27.52	55.60	37.96	18.29	65.37	0.00	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11160.00</td><td>46.28</td><td>74.00</td><td>-27.72</td><td>55.40</td><td>37.96</td><td>18.29</td><td>65.37</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11160.00	46.28	74.00	-27.72	55.40	37.96	18.29	65.37	0.00	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	11160.00	46.48	74.00	-27.52	55.60	37.96	18.29	65.37	0.00	--	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	11160.00	46.28	74.00	-27.72	55.40	37.96	18.29	65.37	0.00	--	PEAK																																																																																							





Mode	30																																																																																																
	Band Edge																																																																																																
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_Full RU_5700MHz																																																																																																
ANT	4																																																																																																
Pol.	Horizontal						Fundamental																																																																																										
Peak																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5725.00</td><td>65.08</td><td>68.20</td><td>-3.12</td><td>47.69</td><td>34.65</td><td>12.68</td><td>29.94</td><td>0.00</td><td>102</td><td>295 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5725.00	65.08	68.20	-3.12	47.69	34.65	12.68	29.94	0.00	102	295 PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5700.00</td><td>102.84</td><td>-----</td><td>-----</td><td>85.59</td><td>34.60</td><td>12.65</td><td>30.00</td><td>0.00</td><td>102</td><td>295 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	102.84	-----	-----	85.59	34.60	12.65	30.00	0.00	102
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5725.00	65.08	68.20	-3.12	47.69	34.65	12.68	29.94	0.00	102	295 PEAK																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5700.00	102.84	-----	-----	85.59	34.60	12.65	30.00	0.00	102	295 PEAK																																																																																						
Avg	Blank																																																																																																
							<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5700.00</td><td>94.13</td><td>-----</td><td>-----</td><td>76.88</td><td>34.60</td><td>12.64</td><td>29.99</td><td>0.00</td><td>102</td><td>295 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	94.13	-----	-----	76.88	34.60	12.64	29.99	0.00	102	295 AVERAGE																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5700.00	94.13	-----	-----	76.88	34.60	12.64	29.99	0.00	102	295 AVERAGE																																																																																						







Mode	30																																																																																																			
	Band Edge																																																																																																			
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_Full RU_5700MHz																																																																																																			
ANT	4																																																																																																			
Pol.	Vertical						Fundamental																																																																																													
Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5725.28</td><td>61.60</td><td>68.20</td><td>-6.60</td><td>44.21</td><td>34.65</td><td>12.68</td><td>29.94</td><td>0.00</td><td>356</td><td>236</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5725.28	61.60	68.20	-6.60	44.21	34.65	12.68	29.94	0.00	356	236	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>100.73</td><td>-----</td><td>-----</td><td>83.48</td><td>34.60</td><td>12.64</td><td>29.99</td><td>0.00</td><td>356</td><td>236</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	100.73	-----	-----	83.48	34.60	12.64	29.99	0.00	356	236	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5725.28	61.60	68.20	-6.60	44.21	34.65	12.68	29.94	0.00	356	236	PEAK																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5700.00	100.73	-----	-----	83.48	34.60	12.64	29.99	0.00	356	236	PEAK																																																																																								
Avg	Blank						<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>92.66</td><td>-----</td><td>-----</td><td>75.41</td><td>34.60</td><td>12.64</td><td>29.99</td><td>0.00</td><td>356</td><td>236</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	92.66	-----	-----	75.41	34.60	12.64	29.99	0.00	356	236	AVERAGE																																												
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5700.00	92.66	-----	-----	75.41	34.60	12.64	29.99	0.00	356	236	AVERAGE																																																																																								




Mode	30																																																																																																																															
	Harmonic																																																																																																																															
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_Full RU_5700MHz																																																																																																																															
ANT	4																																																																																																																															
Pol.	Horizontal						Vertical																																																																																																																									
Peak Avg																																																																																																																																
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 11400.00</td><td>47.52</td><td>74.00</td><td>-26.48</td><td>55.47</td><td>38.00</td><td>18.50</td><td>64.45</td><td>0.00</td><td>100</td><td>360</td><td>PEAK</td></tr><tr><td>2 11400.00</td><td>37.34</td><td>54.00</td><td>-16.66</td><td>45.24</td><td>38.00</td><td>18.51</td><td>64.41</td><td>0.00</td><td>100</td><td>360</td><td>AVERAGE</td></tr></table>								Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 11400.00	47.52	74.00	-26.48	55.47	38.00	18.50	64.45	0.00	100	360	PEAK	2 11400.00	37.34	54.00	-16.66	45.24	38.00	18.51	64.41	0.00	100	360	AVERAGE	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 11400.00</td><td>47.37</td><td>74.00</td><td>-26.63</td><td>55.32</td><td>38.00</td><td>18.50</td><td>64.45</td><td>0.00</td><td>100</td><td>0</td><td>PEAK</td></tr><tr><td>2 11400.00</td><td>37.41</td><td>54.00</td><td>-16.59</td><td>45.31</td><td>38.00</td><td>18.51</td><td>64.41</td><td>0.00</td><td>100</td><td>0</td><td>AVERAGE</td></tr></table>							Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 11400.00	47.37	74.00	-26.63	55.32	38.00	18.50	64.45	0.00	100	0	PEAK	2 11400.00	37.41	54.00	-16.59	45.31	38.00	18.51	64.41	0.00	100	0
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																						
1 11400.00	47.52	74.00	-26.48	55.47	38.00	18.50	64.45	0.00	100	360	PEAK																																																																																																																					
2 11400.00	37.34	54.00	-16.66	45.24	38.00	18.51	64.41	0.00	100	360	AVERAGE																																																																																																																					
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																						
1 11400.00	47.37	74.00	-26.63	55.32	38.00	18.50	64.45	0.00	100	0	PEAK																																																																																																																					
2 11400.00	37.41	54.00	-16.59	45.31	38.00	18.51	64.41	0.00	100	0	AVERAGE																																																																																																																					







Mode	31																																																																																																															
	Band Edge - L																																																																																																															
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_Full RU_5510MHz																																																																																																															
ANT	4																																																																																																															
Pol.	Horizontal						Fundamental																																																																																																									
Peak																																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5459.85</td><td>59.56</td><td>74.00</td><td>-14.44</td><td>42.53</td><td>34.58</td><td>12.33</td><td>29.88</td><td>0.00</td><td>100</td><td>118</td><td>PEAK</td></tr><tr><td>2</td><td>5467.05</td><td>64.65</td><td>68.20</td><td>-3.55</td><td>47.63</td><td>34.57</td><td>12.34</td><td>29.89</td><td>0.00</td><td>100</td><td>118</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.85	59.56	74.00	-14.44	42.53	34.58	12.33	29.88	0.00	100	118	PEAK	2	5467.05	64.65	68.20	-3.55	47.63	34.57	12.34	29.89	0.00	100	118	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5510.00</td><td>102.05</td><td>-----</td><td>-----</td><td>85.09</td><td>34.50</td><td>12.39</td><td>29.93</td><td>0.00</td><td>100</td><td>118</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	102.05	-----	-----	85.09	34.50	12.39	29.93	0.00	100	118
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5459.85	59.56	74.00	-14.44	42.53	34.58	12.33	29.88	0.00	100	118	PEAK																																																																																																				
2	5467.05	64.65	68.20	-3.55	47.63	34.57	12.34	29.89	0.00	100	118	PEAK																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5510.00	102.05	-----	-----	85.09	34.50	12.39	29.93	0.00	100	118	PEAK																																																																																																				
Avg																																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5459.85</td><td>49.30</td><td>54.00</td><td>-4.70</td><td>32.27</td><td>34.58</td><td>12.33</td><td>29.88</td><td>0.00</td><td>100</td><td>118</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.85	49.30	54.00	-4.70	32.27	34.58	12.33	29.88	0.00	100	118	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5510.00</td><td>92.22</td><td>-----</td><td>-----</td><td>75.24</td><td>34.50</td><td>12.40</td><td>29.92</td><td>0.00</td><td>100</td><td>118</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	92.22	-----	-----	75.24	34.50	12.40	29.92	0.00	100	118	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5459.85	49.30	54.00	-4.70	32.27	34.58	12.33	29.88	0.00	100	118	AVERAGE																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5510.00	92.22	-----	-----	75.24	34.50	12.40	29.92	0.00	100	118	AVERAGE																																																																																																				




Mode	31																																																																									
	Band Edge - R																																																																									
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_Full RU_5510MHz																																																																									
ANT	4																																																																									
Pol.	Horizontal	Fundamental																																																																								
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>5747.52</td><td>56.14</td><td>68.20</td><td>-12.06</td><td>38.62</td><td>34.70</td><td>12.70</td><td>29.88</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0.00</td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>100</td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>118</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5747.52	56.14	68.20	-12.06	38.62	34.70	12.70	29.88								0.00									100										118									PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																		
1	5747.52	56.14	68.20	-12.06	38.62	34.70	12.70	29.88																																																																		
							0.00																																																																			
							100																																																																			
								118																																																																		
								PEAK																																																																		





Mode	31																																																																																																				
	Band Edge - L																																																																																																				
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_Full RU_5510MHz																																																																																																				
ANT	4																																																																																																				
Pol.	Vertical						Fundamental																																																																																														
Peak																																																																																																					
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg	1	5457.45	56.03	74.00	-17.97	38.98	34.59	12.33	29.87	0.00	314	48	PEAK	2	5465.29	61.30	68.20	-6.90	44.27	34.57	12.34	29.88	0.00	314	48	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5510.00</td><td>98.24</td><td>-----</td><td>-----</td><td>81.20</td><td>34.50</td><td>12.42</td><td>29.88</td><td>0.00</td><td>314</td><td>48</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg	1	5510.00	98.24	-----	-----	81.20	34.50	12.42	29.88	0.00	314	48
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg																																																																																											
1	5457.45	56.03	74.00	-17.97	38.98	34.59	12.33	29.87	0.00	314	48	PEAK																																																																																									
2	5465.29	61.30	68.20	-6.90	44.27	34.57	12.34	29.88	0.00	314	48	PEAK																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg																																																																																											
1	5510.00	98.24	-----	-----	81.20	34.50	12.42	29.88	0.00	314	48	PEAK																																																																																									
Avg																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5459.53</td><td>47.99</td><td>54.00</td><td>-6.01</td><td>30.96</td><td>34.58</td><td>12.33</td><td>29.88</td><td>0.00</td><td>314</td><td>48</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg	1	5459.53	47.99	54.00	-6.01	30.96	34.58	12.33	29.88	0.00	314	48	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5510.00</td><td>89.25</td><td>-----</td><td>-----</td><td>72.27</td><td>34.50</td><td>12.40</td><td>29.92</td><td>0.00</td><td>314</td><td>48</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg	1	5510.00	89.25	-----	-----	72.27	34.50	12.40	29.92	0.00	314	48	AVERAGE											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg																																																																																											
1	5459.53	47.99	54.00	-6.01	30.96	34.58	12.33	29.88	0.00	314	48	AVERAGE																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg																																																																																											
1	5510.00	89.25	-----	-----	72.27	34.50	12.40	29.92	0.00	314	48	AVERAGE																																																																																									







Mode	31																																																					
	Band Edge - R																																																					
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_Full RU_5510MHz																																																					
ANT	4																																																					
Pol.	Vertical						Fundamental																																															
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5729.04</td><td>56.76</td><td>68.20</td><td>-11.44</td><td>39.35</td><td>34.66</td><td>12.68</td><td>29.93</td><td>0.00</td><td>314</td><td>48 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5729.04	56.76	68.20	-11.44	39.35	34.66	12.68	29.93	0.00	314	48 PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5729.04	56.76	68.20	-11.44	39.35	34.66	12.68	29.93	0.00	314	48 PEAK																																											




Mode	31																																																																																																	
	Harmonic																																																																																																	
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_Full RU_5510MHz																																																																																																	
ANT	4																																																																																																	
Pol.	Horizontal						Vertical																																																																																											
Peak Avg																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11020.00</td><td>45.11</td><td>74.00</td><td>-28.89</td><td>55.03</td><td>37.82</td><td>18.17</td><td>65.91</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11020.00	45.11	74.00	-28.89	55.03	37.82	18.17	65.91	0.00	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11020.00</td><td>45.38</td><td>74.00</td><td>-28.62</td><td>55.30</td><td>37.82</td><td>18.17</td><td>65.91</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11020.00	45.38	74.00	-28.62	55.30	37.82	18.17	65.91	0.00	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	11020.00	45.11	74.00	-28.89	55.03	37.82	18.17	65.91	0.00	--	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	11020.00	45.38	74.00	-28.62	55.30	37.82	18.17	65.91	0.00	--	PEAK																																																																																							







		32																																																									
Mode		Band Edge - L																																																									
		U-NII-2C_5.47-5.725_802.11ax HE40_CH110_Full RU_5550MHz																																																									
ANT		4																																																									
Pol.		Horizontal																																																									
Peak																																																											
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5447.51	57.21	74.00	-16.79	40.16	34.60	12.31	29.86	0.00	105	113 PEAK	2	5468.31	57.12	68.20	-11.08	40.11	34.56	12.34	29.89	0.00	105
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																
1	5447.51	57.21	74.00	-16.79	40.16	34.60	12.31	29.86	0.00	105	113 PEAK																																																
2	5468.31	57.12	68.20	-11.08	40.11	34.56	12.34	29.89	0.00	105	113 PEAK																																																
Fundamental																																																											
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5550.00	104.97	-----	-----	87.87	34.50	12.45	29.85	0.00	105	113 PEAK											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																
1	5550.00	104.97	-----	-----	87.87	34.50	12.45	29.85	0.00	105	113 PEAK																																																
Avg																																																											
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5458.51	47.48	54.00	-6.52	30.44	34.58	12.33	29.87	0.00	105	113 AVERAGE											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																
1	5458.51	47.48	54.00	-6.52	30.44	34.58	12.33	29.87	0.00	105	113 AVERAGE																																																
Aver																																																											
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5550.00	95.62	-----	-----	78.50	34.50	12.45	29.83	0.00	105	113 AVERAGE											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																
1	5550.00	95.62	-----	-----	78.50	34.50	12.45	29.83	0.00	105	113 AVERAGE																																																




Mode	32																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11ax HE40_CH110_Full RU_5550MHz																																																							
ANT	4																																																							
Pol.	Horizontal	Fundamental																																																						
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>5749.64</td><td>57.18</td><td>68.20</td><td>-11.02</td><td>39.65</td><td>34.70</td><td>12.71</td><td>29.88</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0.00</td><td>105</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>113</td></tr></table> Remark: PEAK		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5749.64	57.18	68.20	-11.02	39.65	34.70	12.71	29.88								0.00	105									113	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																
1	5749.64	57.18	68.20	-11.02	39.65	34.70	12.71	29.88																																																
							0.00	105																																																
								113																																																





Mode	32																																																																																																															
	Band Edge - L																																																																																																															
	U-NII-2C_5.47-5.725_802.11ax HE40_CH110_Full RU_5550MHz																																																																																																															
ANT	4																																																																																																															
Pol.	Vertical						Fundamental																																																																																																									
Peak																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5432.31</td><td>55.95</td><td>74.00</td><td>-18.05</td><td>38.89</td><td>34.60</td><td>12.29</td><td>29.83</td><td>0.00</td><td>309</td><td>49</td><td>PEAK</td></tr><tr><td>2</td><td>5469.31</td><td>56.34</td><td>68.20</td><td>-11.86</td><td>39.33</td><td>34.56</td><td>12.34</td><td>29.89</td><td>0.00</td><td>309</td><td>49</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5432.31	55.95	74.00	-18.05	38.89	34.60	12.29	29.83	0.00	309	49	PEAK	2	5469.31	56.34	68.20	-11.86	39.33	34.56	12.34	29.89	0.00	309	49	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5550.00</td><td>102.32</td><td>-----</td><td>-----</td><td>85.22</td><td>34.50</td><td>12.45</td><td>29.85</td><td>0.00</td><td>309</td><td>49</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5550.00	102.32	-----	-----	85.22	34.50	12.45	29.85	0.00	309	49
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5432.31	55.95	74.00	-18.05	38.89	34.60	12.29	29.83	0.00	309	49	PEAK																																																																																																				
2	5469.31	56.34	68.20	-11.86	39.33	34.56	12.34	29.89	0.00	309	49	PEAK																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5550.00	102.32	-----	-----	85.22	34.50	12.45	29.85	0.00	309	49	PEAK																																																																																																				
Avg																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5458.71</td><td>46.53</td><td>54.00</td><td>-7.47</td><td>29.49</td><td>34.58</td><td>12.33</td><td>29.87</td><td>0.00</td><td>309</td><td>49</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5458.71	46.53	54.00	-7.47	29.49	34.58	12.33	29.87	0.00	309	49	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5550.00</td><td>92.99</td><td>-----</td><td>-----</td><td>75.89</td><td>34.50</td><td>12.45</td><td>29.85</td><td>0.00</td><td>309</td><td>49</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5550.00	92.99	-----	-----	75.89	34.50	12.45	29.85	0.00	309	49	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5458.71	46.53	54.00	-7.47	29.49	34.58	12.33	29.87	0.00	309	49	AVERAGE																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5550.00	92.99	-----	-----	75.89	34.50	12.45	29.85	0.00	309	49	AVERAGE																																																																																																				







Mode	32																																													
	Band Edge - R																																													
	U-NII-2C_5.47-5.725_802.11ax HE40_CH110_Full RU_5550MHz																																													
ANT	4																																													
Pol.	Vertical	Fundamental																																												
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5727.25</td><td>56.22</td><td>68.20</td><td>-11.98</td><td>38.82</td><td>34.65</td><td>12.68</td><td>29.93</td><td>0.00</td><td>309</td><td>49</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5727.25	56.22	68.20	-11.98	38.82	34.65	12.68	29.93	0.00	309	49	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	5727.25	56.22	68.20	-11.98	38.82	34.65	12.68	29.93	0.00	309	49	PEAK																																		




Mode	32																																																																																																
	Harmonic																																																																																																
	U-NII-2C_5.47-5.725_802.11ax HE40_CH110_Full RU_5550MHz																																																																																																
ANT	4																																																																																																
Pol.	Horizontal						Vertical																																																																																										
Peak Avg																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11100.00</td><td>45.47</td><td>74.00</td><td>-28.53</td><td>54.93</td><td>37.90</td><td>18.24</td><td>65.60</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11100.00	45.47	74.00	-28.53	54.93	37.90	18.24	65.60	0.00	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11100.00</td><td>46.40</td><td>74.00</td><td>-27.60</td><td>55.86</td><td>37.90</td><td>18.24</td><td>65.60</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11100.00	46.40	74.00	-27.60	55.86	37.90	18.24	65.60	0.00	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	11100.00	45.47	74.00	-28.53	54.93	37.90	18.24	65.60	0.00	--	PEAK																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	11100.00	46.40	74.00	-27.60	55.86	37.90	18.24	65.60	0.00	--	PEAK																																																																																						







Mode	33																																																																																																												
	Band Edge - L																																																																																																												
	U-NII-2C_5.47-5.725_802.11ax HE40_CH134_Full RU_5670MHz																																																																																																												
ANT	4																																																																																																												
Pol.	Horizontal						Fundamental																																																																																																						
Peak																																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5429.29</td><td>56.19</td><td>74.00</td><td>-17.81</td><td>39.13</td><td>34.60</td><td>12.29</td><td>29.83</td><td>0.00</td><td>100</td><td>113 PEAK</td></tr><tr><td>2</td><td>5467.85</td><td>55.45</td><td>68.20</td><td>-12.75</td><td>38.44</td><td>34.56</td><td>12.34</td><td>29.89</td><td>0.00</td><td>100</td><td>113 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5429.29	56.19	74.00	-17.81	39.13	34.60	12.29	29.83	0.00	100	113 PEAK	2	5467.85	55.45	68.20	-12.75	38.44	34.56	12.34	29.89	0.00	100	113 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5670.00</td><td>103.75</td><td>-----</td><td>-----</td><td>86.46</td><td>34.60</td><td>12.60</td><td>29.91</td><td>0.00</td><td>100</td><td>113 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	103.75	-----	-----	86.46	34.60	12.60	29.91	0.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5429.29	56.19	74.00	-17.81	39.13	34.60	12.29	29.83	0.00	100	113 PEAK																																																																																																		
2	5467.85	55.45	68.20	-12.75	38.44	34.56	12.34	29.89	0.00	100	113 PEAK																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5670.00	103.75	-----	-----	86.46	34.60	12.60	29.91	0.00	100	113 PEAK																																																																																																		
Avg																																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5456.48</td><td>46.17</td><td>54.00</td><td>-7.83</td><td>29.12</td><td>34.59</td><td>12.33</td><td>29.87</td><td>0.00</td><td>100</td><td>113 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5456.48	46.17	54.00	-7.83	29.12	34.59	12.33	29.87	0.00	100	113 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5670.00</td><td>94.11</td><td>-----</td><td>-----</td><td>76.82</td><td>34.60</td><td>12.60</td><td>29.91</td><td>0.00</td><td>100</td><td>113 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	94.11	-----	-----	76.82	34.60	12.60	29.91	0.00	100	113 AVERAGE											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5456.48	46.17	54.00	-7.83	29.12	34.59	12.33	29.87	0.00	100	113 AVERAGE																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5670.00	94.11	-----	-----	76.82	34.60	12.60	29.91	0.00	100	113 AVERAGE																																																																																																		




Mode	33																																					
	Band Edge - R																																					
	U-NII-2C_5.47-5.725_802.11ax HE40_CH134_Full RU_5670MHz																																					
ANT	4																																					
Pol.	Horizontal	Fundamental																																				
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>5729.84</td><td>64.87</td><td>68.20</td><td>-3.33</td><td>47.46</td><td>34.66</td><td>12.68</td><td>29.93</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5729.84	64.87	68.20	-3.33	47.46	34.66	12.68	29.93	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																														
1	5729.84	64.87	68.20	-3.33	47.46	34.66	12.68	29.93																														





Mode	33																																																																																																															
	Band Edge - L																																																																																																															
	U-NII-2C_5.47-5.725_802.11ax HE40_CH134_Full RU_5670MHz																																																																																																															
ANT	4																																																																																																															
Pol.	Vertical						Fundamental																																																																																																									
Peak																																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5402.41</td><td>56.22</td><td>74.00</td><td>-17.78</td><td>39.15</td><td>34.60</td><td>12.25</td><td>29.78</td><td>0.00</td><td>297</td><td>48</td><td>PEAK</td></tr><tr><td>2</td><td>5460.97</td><td>55.32</td><td>68.20</td><td>-12.88</td><td>38.29</td><td>34.58</td><td>12.33</td><td>29.88</td><td>0.00</td><td>297</td><td>48</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5402.41	56.22	74.00	-17.78	39.15	34.60	12.25	29.78	0.00	297	48	PEAK	2	5460.97	55.32	68.20	-12.88	38.29	34.58	12.33	29.88	0.00	297	48	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5670.00</td><td>99.26</td><td>-----</td><td>-----</td><td>81.97</td><td>34.60</td><td>12.61</td><td>29.92</td><td>0.00</td><td>297</td><td>48</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	99.26	-----	-----	81.97	34.60	12.61	29.92	0.00	297	48
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5402.41	56.22	74.00	-17.78	39.15	34.60	12.25	29.78	0.00	297	48	PEAK																																																																																																				
2	5460.97	55.32	68.20	-12.88	38.29	34.58	12.33	29.88	0.00	297	48	PEAK																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5670.00	99.26	-----	-----	81.97	34.60	12.61	29.92	0.00	297	48	PEAK																																																																																																				
Avg																																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5456.01</td><td>46.10</td><td>54.00</td><td>-7.90</td><td>29.05</td><td>34.59</td><td>12.33</td><td>29.87</td><td>0.00</td><td>297</td><td>48</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5456.01	46.10	54.00	-7.90	29.05	34.59	12.33	29.87	0.00	297	48	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5670.00</td><td>91.05</td><td>-----</td><td>-----</td><td>73.76</td><td>34.60</td><td>12.60</td><td>29.91</td><td>0.00</td><td>297</td><td>48</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	91.05	-----	-----	73.76	34.60	12.60	29.91	0.00	297	48	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5456.01	46.10	54.00	-7.90	29.05	34.59	12.33	29.87	0.00	297	48	AVERAGE																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5670.00	91.05	-----	-----	73.76	34.60	12.60	29.91	0.00	297	48	AVERAGE																																																																																																				







Mode	33																																					
	Band Edge - R																																					
	U-NII-2C_5.47-5.725_802.11ax HE40_CH134_Full RU_5670MHz																																					
ANT	4																																					
Pol.	Vertical	Fundamental																																				
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>5725.12</td><td>58.82</td><td>68.20</td><td>-9.38</td><td>41.43</td><td>34.65</td><td>12.68</td><td>29.94</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5725.12	58.82	68.20	-9.38	41.43	34.65	12.68	29.94	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																														
	MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																														
1	5725.12	58.82	68.20	-9.38	41.43	34.65	12.68	29.94																														




Mode	33																																																																				
	Harmonic																																																																				
	U-NII-2C_5.47-5.725_802.11ax HE40_CH134_Full RU_5670MHz																																																																				
ANT	4																																																																				
Pol.	Horizontal						Vertical																																																														
Peak Avg																																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11340.00</td><td>47.11</td><td>74.00</td><td>-26.89</td><td>55.40</td><td>37.94</td><td>18.45</td><td>64.68</td><td>0.00</td><td>100</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>11340.00</td><td>37.23</td><td>54.00</td><td>-16.77</td><td>45.53</td><td>37.94</td><td>18.45</td><td>64.69</td><td>0.00</td><td>100</td><td>360</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11340.00	47.11	74.00	-26.89	55.40	37.94	18.45	64.68	0.00	100	360	PEAK	2	11340.00	37.23	54.00	-16.77	45.53	37.94	18.45	64.69	0.00	100	360	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1	11340.00	47.11	74.00	-26.89	55.40	37.94	18.45	64.68	0.00	100	360	PEAK																																																									
2	11340.00	37.23	54.00	-16.77	45.53	37.94	18.45	64.69	0.00	100	360	AVERAGE																																																									
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11340.00</td><td>46.80</td><td>74.00</td><td>-27.20</td><td>55.09</td><td>37.94</td><td>18.45</td><td>64.68</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11340.00	46.80	74.00	-27.20	55.09	37.94	18.45	64.68	0.00	--	--	PEAK													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																										
1	11340.00	46.80	74.00	-27.20	55.09	37.94	18.45	64.68	0.00	--	--	PEAK																																																									







		34																																																																																																
Mode		Band Edge - L																																																																																																
		U-NII-2C_5.47-5.725_802.11ax HE80_CH106_Full RU_5530MHz																																																																																																
ANT		4																																																																																																
Pol.		Horizontal					Fundamental																																																																																											
Peak																																																																																																		
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5457.45	60.17	74.00	-13.83	43.12	34.59	12.33	29.87	0.00	100	115 PEAK	2	5469.45	60.37	68.20	-7.83	43.36	34.56	12.34	29.89	0.00	100	115 PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5530.00</td><td>98.31</td><td>-----</td><td>-----</td><td>81.30</td><td>34.50</td><td>12.41</td><td>29.90</td><td>0.00</td><td>100</td><td>115 PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	98.31	-----	-----	81.30	34.50	12.41	29.90	0.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5457.45	60.17	74.00	-13.83	43.12	34.59	12.33	29.87	0.00	100	115 PEAK																																																																																							
2	5469.45	60.37	68.20	-7.83	43.36	34.56	12.34	29.89	0.00	100	115 PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5530.00	98.31	-----	-----	81.30	34.50	12.41	29.90	0.00	100	115 PEAK																																																																																							
Avg																																																																																																		
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5458.57	50.63	54.00	-3.37	33.59	34.58	12.33	29.87	0.00	100	115 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5530.00</td><td>89.30</td><td>-----</td><td>-----</td><td>72.26</td><td>34.50</td><td>12.42</td><td>29.88</td><td>0.00</td><td>100</td><td>115 AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	89.30	-----	-----	72.26	34.50	12.42	29.88	0.00	100	115 AVERAGE											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5458.57	50.63	54.00	-3.37	33.59	34.58	12.33	29.87	0.00	100	115 AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5530.00	89.30	-----	-----	72.26	34.50	12.42	29.88	0.00	100	115 AVERAGE																																																																																							




Mode	34																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_Full RU_5530MHz																																																							
ANT	4																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5732.08</td><td>56.81</td><td>68.20</td><td>-11.39</td><td>39.38</td><td>34.66</td><td>12.69</td><td>29.92</td><td>0.00</td><td>100</td><td>115</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5732.08	56.81	68.20	-11.39	39.38	34.66	12.69	29.92	0.00	100	115	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5732.08	56.81	68.20	-11.39	39.38	34.66	12.69	29.92	0.00	100	115	PEAK																																												



Mode	34																																																																																																															
	Band Edge - L																																																																																																															
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_Full RU_5530MHz																																																																																																															
ANT	4																																																																																																															
Pol.	Vertical						Fundamental																																																																																																									
Peak																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5455.21</td><td>57.92</td><td>74.00</td><td>-16.08</td><td>40.88</td><td>34.59</td><td>12.32</td><td>29.87</td><td>0.00</td><td>312</td><td>49</td><td>PEAK</td></tr><tr><td>2</td><td>5468.17</td><td>58.64</td><td>68.20</td><td>-9.56</td><td>41.63</td><td>34.56</td><td>12.34</td><td>29.89</td><td>0.00</td><td>312</td><td>49</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5455.21	57.92	74.00	-16.08	40.88	34.59	12.32	29.87	0.00	312	49	PEAK	2	5468.17	58.64	68.20	-9.56	41.63	34.56	12.34	29.89	0.00	312	49	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5530.00</td><td>94.98</td><td>-----</td><td>-----</td><td>77.94</td><td>34.50</td><td>12.42</td><td>29.88</td><td>0.00</td><td>312</td><td>49</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	94.98	-----	-----	77.94	34.50	12.42	29.88	0.00	312	49
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5455.21	57.92	74.00	-16.08	40.88	34.59	12.32	29.87	0.00	312	49	PEAK																																																																																																				
2	5468.17	58.64	68.20	-9.56	41.63	34.56	12.34	29.89	0.00	312	49	PEAK																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5530.00	94.98	-----	-----	77.94	34.50	12.42	29.88	0.00	312	49	PEAK																																																																																																				
Avg																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5458.41</td><td>49.09</td><td>54.00</td><td>-4.91</td><td>32.05</td><td>34.58</td><td>12.33</td><td>29.87</td><td>0.00</td><td>312</td><td>49</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5458.41	49.09	54.00	-4.91	32.05	34.58	12.33	29.87	0.00	312	49	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5530.00</td><td>85.57</td><td>-----</td><td>-----</td><td>68.53</td><td>34.50</td><td>12.42</td><td>29.88</td><td>0.00</td><td>312</td><td>49</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	85.57	-----	-----	68.53	34.50	12.42	29.88	0.00	312	49	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5458.41	49.09	54.00	-4.91	32.05	34.58	12.33	29.87	0.00	312	49	AVERAGE																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5530.00	85.57	-----	-----	68.53	34.50	12.42	29.88	0.00	312	49	AVERAGE																																																																																																				







Mode	34																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_Full RU_5530MHz																																																							
ANT	4																																																							
Pol.	Vertical						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5732.24</td><td>56.45</td><td>68.20</td><td>-11.75</td><td>39.02</td><td>34.66</td><td>12.69</td><td>29.92</td><td>0.00</td><td>312</td><td>49</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5732.24	56.45	68.20	-11.75	39.02	34.66	12.69	29.92	0.00	312	49	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5732.24	56.45	68.20	-11.75	39.02	34.66	12.69	29.92	0.00	312	49	PEAK																																												




Mode	34																																																										
	Harmonic																																																										
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_Full RU_5530MHz																																																										
ANT	4																																																										
Pol.	Horizontal						Vertical																																																				
Peak Avg																																																											
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 11060.00</td><td>45.84</td><td>74.00</td><td>-28.16</td><td>55.54</td><td>37.86</td><td>18.20</td><td>65.76</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>														Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 11060.00	45.84	74.00	-28.16	55.54	37.86	18.20	65.76	0.00	--	--	PEAK
			Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																	
1 11060.00	45.84	74.00	-28.16	55.54	37.86	18.20	65.76	0.00	--	--	PEAK																																																
<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 11060.00</td><td>46.12</td><td>74.00</td><td>-27.88</td><td>55.82</td><td>37.86</td><td>18.20</td><td>65.76</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>														Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 11060.00	46.12	74.00	-27.88	55.82	37.86	18.20	65.76	0.00	--	--	PEAK	
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																	
1 11060.00	46.12	74.00	-27.88	55.82	37.86	18.20	65.76	0.00	--	--	PEAK																																																







Mode	35																																																																																																	
	Band Edge - L																																																																																																	
	U-NII-2C_5.47-5.725_802.11ax HE80_CH122_Full RU_5610MHz																																																																																																	
ANT	4																																																																																																	
Pol.	Horizontal						Fundamental																																																																																											
Peak																																																																																																		
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5454.09	57.74	74.00	-16.26	40.70	34.59	12.32	29.87	0.00	100	112 PEAK	2	5462.41	58.26	68.20	-9.94	41.23	34.58	12.33	29.88	0.00	100	112 PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5610.00</td><td>102.33</td><td>-----</td><td>-----</td><td>85.04</td><td>34.52</td><td>12.53</td><td>29.76</td><td>0.00</td><td>100</td><td>112 PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	102.33	-----	-----	85.04	34.52	12.53	29.76	0.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5454.09	57.74	74.00	-16.26	40.70	34.59	12.32	29.87	0.00	100	112 PEAK																																																																																							
2	5462.41	58.26	68.20	-9.94	41.23	34.58	12.33	29.88	0.00	100	112 PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5610.00	102.33	-----	-----	85.04	34.52	12.53	29.76	0.00	100	112 PEAK																																																																																							
Avg																																																																																																		
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5456.17	48.39	54.00	-5.61	31.34	34.59	12.33	29.87	0.00	100	112 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5610.00</td><td>92.47</td><td>-----</td><td>-----</td><td>75.20</td><td>34.50</td><td>12.51</td><td>29.74</td><td>0.00</td><td>100</td><td>112 AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	92.47	-----	-----	75.20	34.50	12.51	29.74	0.00	100	112 AVERAGE											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5456.17	48.39	54.00	-5.61	31.34	34.59	12.33	29.87	0.00	100	112 AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5610.00	92.47	-----	-----	75.20	34.50	12.51	29.74	0.00	100	112 AVERAGE																																																																																							




Mode	35																																																						
	Band Edge - R																																																						
	U-NII-2C_5.47-5.725_802.11ax HE80_CH122_Full RU_5610MHz																																																						
ANT	4																																																						
Pol.	Horizontal						Fundamental																																																
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5728.56</td><td>63.05</td><td>68.20</td><td>-5.15</td><td>45.64</td><td>34.66</td><td>12.68</td><td>29.93</td><td>0.00</td><td>100</td><td>112 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5728.56	63.05	68.20	-5.15	45.64	34.66	12.68	29.93	0.00	100	112 PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5728.56	63.05	68.20	-5.15	45.64	34.66	12.68	29.93	0.00	100	112 PEAK																																												





Mode	35																																																																																																															
	Band Edge - L																																																																																																															
	U-NII-2C_5.47-5.725_802.11ax HE80_CH122_Full RU_5610MHz																																																																																																															
ANT	4																																																																																																															
Pol.	Vertical						Fundamental																																																																																																									
Peak																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5455.53</td><td>56.20</td><td>74.00</td><td>-17.80</td><td>39.16</td><td>34.59</td><td>12.32</td><td>29.87</td><td>0.00</td><td>301</td><td>48</td><td>PEAK</td></tr><tr><td>2</td><td>5468.17</td><td>56.21</td><td>68.20</td><td>-11.99</td><td>39.20</td><td>34.56</td><td>12.34</td><td>29.89</td><td>0.00</td><td>301</td><td>48</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5455.53	56.20	74.00	-17.80	39.16	34.59	12.32	29.87	0.00	301	48	PEAK	2	5468.17	56.21	68.20	-11.99	39.20	34.56	12.34	29.89	0.00	301	48	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5610.00</td><td>98.27</td><td>-----</td><td>-----</td><td>80.98</td><td>34.50</td><td>12.52</td><td>29.73</td><td>0.00</td><td>301</td><td>48</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	98.27	-----	-----	80.98	34.50	12.52	29.73	0.00	301	48
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5455.53	56.20	74.00	-17.80	39.16	34.59	12.32	29.87	0.00	301	48	PEAK																																																																																																				
2	5468.17	56.21	68.20	-11.99	39.20	34.56	12.34	29.89	0.00	301	48	PEAK																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5610.00	98.27	-----	-----	80.98	34.50	12.52	29.73	0.00	301	48	PEAK																																																																																																				
Avg																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5451.21</td><td>47.55</td><td>54.00</td><td>-6.45</td><td>30.49</td><td>34.60</td><td>12.32</td><td>29.86</td><td>0.00</td><td>301</td><td>48</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5451.21	47.55	54.00	-6.45	30.49	34.60	12.32	29.86	0.00	301	48	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5610.00</td><td>89.30</td><td>-----</td><td>-----</td><td>72.01</td><td>34.52</td><td>12.53</td><td>29.76</td><td>0.00</td><td>301</td><td>48</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	89.30	-----	-----	72.01	34.52	12.53	29.76	0.00	301	48	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5451.21	47.55	54.00	-6.45	30.49	34.60	12.32	29.86	0.00	301	48	AVERAGE																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5610.00	89.30	-----	-----	72.01	34.52	12.53	29.76	0.00	301	48	AVERAGE																																																																																																				







Mode	35																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11ax HE80_CH122_Full RU_5610MHz																																																							
ANT	4																																																							
Pol.	Vertical	Fundamental																																																						
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>5731.12</td><td>59.45</td><td>68.20</td><td>-8.75</td><td>42.03</td><td>34.66</td><td>12.68</td><td>29.92</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0.00</td><td>301</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>48 PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5731.12	59.45	68.20	-8.75	42.03	34.66	12.68	29.92								0.00	301									48 PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																
1	5731.12	59.45	68.20	-8.75	42.03	34.66	12.68	29.92																																																
							0.00	301																																																
								48 PEAK																																																







Mode	35																																																																				
	Harmonic																																																																				
	U-NII-2C_5.47-5.725_802.11ax HE80_CH122_Full RU_5610MHz																																																																				
ANT	4																																																																				
Pol.	Horizontal						Vertical																																																														
Peak Avg																																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11220.00</td><td>47.04</td><td>74.00</td><td>-26.96</td><td>55.86</td><td>37.98</td><td>18.34</td><td>65.14</td><td>0.00</td><td>100</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>11220.00</td><td>37.24</td><td>54.00</td><td>-16.76</td><td>46.11</td><td>37.99</td><td>18.33</td><td>65.19</td><td>0.00</td><td>100</td><td>360</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11220.00	47.04	74.00	-26.96	55.86	37.98	18.34	65.14	0.00	100	360	PEAK	2	11220.00	37.24	54.00	-16.76	46.11	37.99	18.33	65.19	0.00	100	360	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1	11220.00	47.04	74.00	-26.96	55.86	37.98	18.34	65.14	0.00	100	360	PEAK																																																									
2	11220.00	37.24	54.00	-16.76	46.11	37.99	18.33	65.19	0.00	100	360	AVERAGE																																																									
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11220.00</td><td>46.18</td><td>74.00</td><td>-27.82</td><td>55.00</td><td>37.98</td><td>18.34</td><td>65.14</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11220.00	46.18	74.00	-27.82	55.00	37.98	18.34	65.14	0.00	--	--	PEAK														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1	11220.00	46.18	74.00	-27.82	55.00	37.98	18.34	65.14	0.00	--	--	PEAK																																																									






Mode	36																																																																																																															
	Band Edge																																																																																																															
	U-NII-2C_5.47-5.725_802.11ax HE20_CH100_Partial_26/0RU_5500MHz																																																																																																															
ANT	4																																																																																																															
Pol.	Horizontal						Fundamental																																																																																																									
Peak																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5457.77</td><td>64.23</td><td>74.00</td><td>-9.77</td><td>47.19</td><td>34.58</td><td>12.33</td><td>29.87</td><td>0.00</td><td>128</td><td>117</td><td>PEAK</td></tr><tr><td>2</td><td>5463.37</td><td>55.92</td><td>68.20</td><td>-12.28</td><td>38.89</td><td>34.57</td><td>12.34</td><td>29.88</td><td>0.00</td><td>128</td><td>117</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5457.77	64.23	74.00	-9.77	47.19	34.58	12.33	29.87	0.00	128	117	PEAK	2	5463.37	55.92	68.20	-12.28	38.89	34.57	12.34	29.88	0.00	128	117	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>111.88</td><td>-----</td><td>-----</td><td>94.90</td><td>34.53</td><td>12.37</td><td>29.92</td><td>0.00</td><td>128</td><td>117</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	111.88	-----	-----	94.90	34.53	12.37	29.92	0.00	128	117
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5457.77	64.23	74.00	-9.77	47.19	34.58	12.33	29.87	0.00	128	117	PEAK																																																																																																				
2	5463.37	55.92	68.20	-12.28	38.89	34.57	12.34	29.88	0.00	128	117	PEAK																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5500.00	111.88	-----	-----	94.90	34.53	12.37	29.92	0.00	128	117	PEAK																																																																																																				
Avg																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5457.61</td><td>50.64</td><td>54.00</td><td>-3.36</td><td>33.60</td><td>34.58</td><td>12.33</td><td>29.87</td><td>0.00</td><td>128</td><td>117</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5457.61	50.64	54.00	-3.36	33.60	34.58	12.33	29.87	0.00	128	117	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>104.30</td><td>-----</td><td>-----</td><td>87.34</td><td>34.52</td><td>12.37</td><td>29.93</td><td>0.00</td><td>128</td><td>117</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	104.30	-----	-----	87.34	34.52	12.37	29.93	0.00	128	117	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5457.61	50.64	54.00	-3.36	33.60	34.58	12.33	29.87	0.00	128	117	AVERAGE																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5500.00	104.30	-----	-----	87.34	34.52	12.37	29.93	0.00	128	117	AVERAGE																																																																																																				






Mode	36																																																																																																												
	Band Edge																																																																																																												
	U-NII-2C_5.47-5.725_802.11ax HE20_CH100_Partial_26/0RU_5500MHz																																																																																																												
ANT	4																																																																																																												
Pol.	Vertical						Fundamental																																																																																																						
Peak																																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5458.73</td><td>60.43</td><td>74.00</td><td>-13.57</td><td>43.39</td><td>34.58</td><td>12.33</td><td>29.87</td><td>0.00</td><td>365</td><td>53 PEAK</td></tr><tr><td>2</td><td>5469.13</td><td>55.95</td><td>68.20</td><td>-12.25</td><td>38.94</td><td>34.56</td><td>12.34</td><td>29.89</td><td>0.00</td><td>365</td><td>53 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5458.73	60.43	74.00	-13.57	43.39	34.58	12.33	29.87	0.00	365	53 PEAK	2	5469.13	55.95	68.20	-12.25	38.94	34.56	12.34	29.89	0.00	365	53 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>110.77</td><td>-----</td><td>-----</td><td>93.81</td><td>34.52</td><td>12.37</td><td>29.93</td><td>0.00</td><td>365</td><td>53 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	110.77	-----	-----	93.81	34.52	12.37	29.93	0.00	365
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5458.73	60.43	74.00	-13.57	43.39	34.58	12.33	29.87	0.00	365	53 PEAK																																																																																																		
2	5469.13	55.95	68.20	-12.25	38.94	34.56	12.34	29.89	0.00	365	53 PEAK																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5500.00	110.77	-----	-----	93.81	34.52	12.37	29.93	0.00	365	53 PEAK																																																																																																		
Avg																																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5457.45</td><td>49.25</td><td>54.00</td><td>-4.75</td><td>32.20</td><td>34.59</td><td>12.33</td><td>29.87</td><td>0.00</td><td>365</td><td>53 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5457.45	49.25	54.00	-4.75	32.20	34.59	12.33	29.87	0.00	365	53 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>102.81</td><td>-----</td><td>-----</td><td>85.85</td><td>34.52</td><td>12.37</td><td>29.93</td><td>0.00</td><td>365</td><td>53 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	102.81	-----	-----	85.85	34.52	12.37	29.93	0.00	365	53 AVERAGE											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5457.45	49.25	54.00	-4.75	32.20	34.59	12.33	29.87	0.00	365	53 AVERAGE																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5500.00	102.81	-----	-----	85.85	34.52	12.37	29.93	0.00	365	53 AVERAGE																																																																																																		







Mode	37																																																																																																		
	Band Edge																																																																																																		
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_Partial_26/8RU_5700MHz																																																																																																		
ANT	4																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5726.32</td><td>64.70</td><td>68.20</td><td>-3.50</td><td>47.30</td><td>34.65</td><td>12.68</td><td>29.93</td><td>0.00</td><td>108</td><td>122</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5726.32	64.70	68.20	-3.50	47.30	34.65	12.68	29.93	0.00	108	122	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>111.95</td><td>-----</td><td>-----</td><td>94.67</td><td>34.61</td><td>12.65</td><td>29.98</td><td>0.00</td><td>108</td><td>122</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	111.95	-----	-----	94.67	34.61	12.65	29.98	0.00	108	122
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5726.32	64.70	68.20	-3.50	47.30	34.65	12.68	29.93	0.00	108	122	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5700.00	111.95	-----	-----	94.67	34.61	12.65	29.98	0.00	108	122	PEAK																																																																																							
Avg	Blank																																																																																																		
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>104.93</td><td>-----</td><td>-----</td><td>87.65</td><td>34.61</td><td>12.65</td><td>29.98</td><td>0.00</td><td>108</td><td>122</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	104.93	-----	-----	87.65	34.61	12.65	29.98	0.00	108	122	AVERAGE																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5700.00	104.93	-----	-----	87.65	34.61	12.65	29.98	0.00	108	122	AVERAGE																																																																																							





Mode	37																																																																																																		
	Band Edge																																																																																																		
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_Partial_26/8RU_5700MHz																																																																																																		
ANT	4																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5726.80</td><td>59.04</td><td>68.20</td><td>-9.16</td><td>41.64</td><td>34.65</td><td>12.68</td><td>29.93</td><td>0.00</td><td>300</td><td>290</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5726.80	59.04	68.20	-9.16	41.64	34.65	12.68	29.93	0.00	300	290	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5700.00</td><td>103.05</td><td>-----</td><td>-----</td><td>85.77</td><td>34.61</td><td>12.65</td><td>29.98</td><td>0.00</td><td>300</td><td>290</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	103.05	-----	-----	85.77	34.61	12.65	29.98	0.00	300	290
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5726.80	59.04	68.20	-9.16	41.64	34.65	12.68	29.93	0.00	300	290	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5700.00	103.05	-----	-----	85.77	34.61	12.65	29.98	0.00	300	290	PEAK																																																																																							
Avg	Blank																																																																																																		
							<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5700.00</td><td>97.20</td><td>-----</td><td>-----</td><td>79.92</td><td>34.61</td><td>12.65</td><td>29.98</td><td>0.00</td><td>300</td><td>290</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	97.20	-----	-----	79.92	34.61	12.65	29.98	0.00	300	290	AVERAGE																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5700.00	97.20	-----	-----	79.92	34.61	12.65	29.98	0.00	300	290	AVERAGE																																																																																							






	38																																																																																																																											
Mode	Band Edge																																																																																																																											
	U-NII-2C_5.47-5.725_802.11ax HE20_CH100_Partial_52/37RU_5500MHz																																																																																																																											
ANT	4																																																																																																																											
Pol.	Horizontal						Fundamental																																																																																																																					
Peak																																																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5460.00</td><td>63.00</td><td>74.00</td><td>-11.00</td><td>45.97</td><td>34.58</td><td>12.33</td><td>29.88</td><td>0.00</td><td>124</td><td>118</td><td>PEAK</td></tr><tr><td>2</td><td>5460.01</td><td>63.06</td><td>68.20</td><td>-5.14</td><td>46.03</td><td>34.58</td><td>12.33</td><td>29.88</td><td>0.00</td><td>124</td><td>118</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5460.00	63.00	74.00	-11.00	45.97	34.58	12.33	29.88	0.00	124	118	PEAK	2	5460.01	63.06	68.20	-5.14	46.03	34.58	12.33	29.88	0.00	124	118	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>111.45</td><td>-----</td><td>-----</td><td>94.49</td><td>34.52</td><td>12.37</td><td>29.93</td><td>0.00</td><td>124</td><td>118</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	111.45	-----	-----	94.49	34.52	12.37	29.93	0.00	124	118
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5460.00	63.00	74.00	-11.00	45.97	34.58	12.33	29.88	0.00	124	118	PEAK																																																																																																																
2	5460.01	63.06	68.20	-5.14	46.03	34.58	12.33	29.88	0.00	124	118	PEAK																																																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5500.00	111.45	-----	-----	94.49	34.52	12.37	29.93	0.00	124	118	PEAK																																																																																																																
Avg																																																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5460.00</td><td>48.59</td><td>54.00</td><td>-5.41</td><td>31.56</td><td>34.58</td><td>12.33</td><td>29.88</td><td>0.00</td><td>124</td><td>118</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5460.00	48.59	54.00	-5.41	31.56	34.58	12.33	29.88	0.00	124	118	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>102.14</td><td>-----</td><td>-----</td><td>85.18</td><td>34.52</td><td>12.37</td><td>29.93</td><td>0.00</td><td>124</td><td>118</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	102.14	-----	-----	85.18	34.52	12.37	29.93	0.00	124	118	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5460.00	48.59	54.00	-5.41	31.56	34.58	12.33	29.88	0.00	124	118	AVERAGE																																																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5500.00	102.14	-----	-----	85.18	34.52	12.37	29.93	0.00	124	118	AVERAGE																																																																																																																







Mode	38																																																																	
	Band Edge																																																																	
	U-NII-2C_5.47-5.725_802.11ax HE20_CH100_Partial_52/37RU_5500MHz																																																																	
ANT	4																																																																	
Pol.	Vertical						Fundamental																																																											
Peak																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5460.00</td><td>58.17</td><td>74.00</td><td>-15.83</td><td>41.14</td><td>34.58</td><td>12.33</td><td>29.88</td><td>0.00</td><td>346</td><td>58 PEAK</td></tr><tr><td>2</td><td>5461.13</td><td>59.49</td><td>68.20</td><td>-8.71</td><td>42.46</td><td>34.58</td><td>12.33</td><td>29.88</td><td>0.00</td><td>346</td><td>58 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5460.00	58.17	74.00	-15.83	41.14	34.58	12.33	29.88	0.00	346	58 PEAK	2	5461.13	59.49	68.20	-8.71	42.46	34.58	12.33	29.88	0.00	346	58 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	5460.00	58.17	74.00	-15.83	41.14	34.58	12.33	29.88	0.00	346	58 PEAK																																																							
2	5461.13	59.49	68.20	-8.71	42.46	34.58	12.33	29.88	0.00	346	58 PEAK																																																							
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>108.17</td><td>-----</td><td>-----</td><td>91.21</td><td>34.52</td><td>12.37</td><td>29.93</td><td>0.00</td><td>346</td><td>58 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	108.17	-----	-----	91.21	34.52	12.37	29.93	0.00	346	58 PEAK													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	5500.00	108.17	-----	-----	91.21	34.52	12.37	29.93	0.00	346	58 PEAK																																																							
Avg																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5459.98</td><td>46.64</td><td>54.00</td><td>-7.36</td><td>29.61</td><td>34.58</td><td>12.33</td><td>29.88</td><td>0.00</td><td>346</td><td>58 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.98	46.64	54.00	-7.36	29.61	34.58	12.33	29.88	0.00	346	58 AVERAGE												
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	5459.98	46.64	54.00	-7.36	29.61	34.58	12.33	29.88	0.00	346	58 AVERAGE																																																							
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>100.40</td><td>-----</td><td>-----</td><td>83.44</td><td>34.52</td><td>12.37</td><td>29.93</td><td>0.00</td><td>346</td><td>58 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	100.40	-----	-----	83.44	34.52	12.37	29.93	0.00	346	58 AVERAGE													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	5500.00	100.40	-----	-----	83.44	34.52	12.37	29.93	0.00	346	58 AVERAGE																																																							







Mode	39																																																																																																		
	Band Edge																																																																																																		
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_Partial_52/40RU_5700MHz																																																																																																		
ANT	4																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5725.04</td><td>65.07</td><td>68.20</td><td>-3.13</td><td>47.68</td><td>34.65</td><td>12.68</td><td>29.94</td><td>0.00</td><td>118</td><td>120</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5725.04	65.07	68.20	-3.13	47.68	34.65	12.68	29.94	0.00	118	120	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5700.00</td><td>109.05</td><td>-----</td><td>-----</td><td>91.78</td><td>34.61</td><td>12.65</td><td>29.99</td><td>0.00</td><td>118</td><td>120</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	109.05	-----	-----	91.78	34.61	12.65	29.99	0.00	118	120
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5725.04	65.07	68.20	-3.13	47.68	34.65	12.68	29.94	0.00	118	120	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5700.00	109.05	-----	-----	91.78	34.61	12.65	29.99	0.00	118	120	PEAK																																																																																							
Avg	Blank																																																																																																		
							<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5700.00</td><td>101.47</td><td>-----</td><td>-----</td><td>84.22</td><td>34.60</td><td>12.65</td><td>30.00</td><td>0.00</td><td>118</td><td>120</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	101.47	-----	-----	84.22	34.60	12.65	30.00	0.00	118	120	AVERAGE																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5700.00	101.47	-----	-----	84.22	34.60	12.65	30.00	0.00	118	120	AVERAGE																																																																																							






Mode	39																																																																																							
	Band Edge																																																																																							
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_Partial_52/40RU_5700MHz																																																																																							
ANT	4																																																																																							
Pol.	Vertical	Fundamental																																																																																						
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5726.96</td><td>60.10</td><td>68.20</td><td>-8.10</td><td>42.70</td><td>34.65</td><td>12.68</td><td>29.93</td><td>0.00</td><td>344</td><td>59 PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5726.96	60.10	68.20	-8.10	42.70	34.65	12.68	29.93	0.00	344	59 PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5700.00</td><td>106.26</td><td>-----</td><td>-----</td><td>88.98</td><td>34.61</td><td>12.65</td><td>29.98</td><td>0.00</td><td>344</td><td>59 PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	106.26	-----	-----	88.98	34.61	12.65	29.98	0.00	344	59 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	5726.96	60.10	68.20	-8.10	42.70	34.65	12.68	29.93	0.00	344	59 PEAK																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	5700.00	106.26	-----	-----	88.98	34.61	12.65	29.98	0.00	344	59 PEAK																																																																													
Avg	Blank	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5700.00</td><td>99.01</td><td>-----</td><td>-----</td><td>81.73</td><td>34.61</td><td>12.65</td><td>29.98</td><td>0.00</td><td>344</td><td>59 AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	99.01	-----	-----	81.73	34.61	12.65	29.98	0.00	344	59 AVERAGE																																											
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	5700.00	99.01	-----	-----	81.73	34.61	12.65	29.98	0.00	344	59 AVERAGE																																																																													

	40																																																																																																										
Mode	Band Edge																																																																																																										
	U-NII-2C_5.47-5.725_802.11ax HE20_CH100_Partial_106/53RU_5500MHz																																																																																																										
ANT	4																																																																																																										
Pol.	Horizontal						Fundamental																																																																																																				
Peak																																																																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5451.85</td><td>56.55</td><td>74.00</td><td>-17.45</td><td>39.49</td><td>34.60</td><td>12.32</td><td>29.86</td><td>0.00</td><td>100</td><td>119 PEAK</td></tr><tr><td>2</td><td>5469.93</td><td>61.20</td><td>68.20</td><td>-7.00</td><td>44.19</td><td>34.56</td><td>12.34</td><td>29.89</td><td>0.00</td><td>100</td><td>119 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5451.85	56.55	74.00	-17.45	39.49	34.60	12.32	29.86	0.00	100	119 PEAK	2	5469.93	61.20	68.20	-7.00	44.19	34.56	12.34	29.89	0.00	100	119 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>108.20</td><td>-----</td><td>-----</td><td>91.24</td><td>34.52</td><td>12.37</td><td>29.93</td><td>0.00</td><td>100</td><td>119 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	108.20	-----	-----	91.24	34.52	12.37	29.93	0.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																		
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	5451.85	56.55	74.00	-17.45	39.49	34.60	12.32	29.86	0.00	100	119 PEAK																																																																																																
2	5469.93	61.20	68.20	-7.00	44.19	34.56	12.34	29.89	0.00	100	119 PEAK																																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																		
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	5500.00	108.20	-----	-----	91.24	34.52	12.37	29.93	0.00	100	119 PEAK																																																																																																
Avg																																																																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5460.00</td><td>45.59</td><td>54.00</td><td>-8.41</td><td>28.56</td><td>34.58</td><td>12.33</td><td>29.88</td><td>0.00</td><td>100</td><td>119 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5460.00	45.59	54.00	-8.41	28.56	34.58	12.33	29.88	0.00	100	119 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>98.74</td><td>-----</td><td>-----</td><td>81.78</td><td>34.52</td><td>12.37</td><td>29.93</td><td>0.00</td><td>100</td><td>119 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	98.74	-----	-----	81.78	34.52	12.37	29.93	0.00	100	119 AVERAGE											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																		
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	5460.00	45.59	54.00	-8.41	28.56	34.58	12.33	29.88	0.00	100	119 AVERAGE																																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																		
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	5500.00	98.74	-----	-----	81.78	34.52	12.37	29.93	0.00	100	119 AVERAGE																																																																																																






		40																																																																		
Mode		Band Edge																																																																		
		U-NII-2C_5.47-5.725_802.11ax HE20_CH100_Partial_106/53RU_5500MHz																																																																		
ANT		4																																																																		
Pol.		Vertical																																																																		
Peak																																																																				
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg				1	5452.01	56.29	74.00	-17.71	39.23	34.60	12.32	29.86	0.00	370	55	PEAK			2	5465.93	59.59	68.20	-8.61	42.57	34.57	12.34	29.89	0.00	370	55	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																										
1	5452.01	56.29	74.00	-17.71	39.23	34.60	12.32	29.86	0.00	370	55	PEAK																																																								
2	5465.93	59.59	68.20	-8.61	42.57	34.57	12.34	29.89	0.00	370	55	PEAK																																																								
Fundamental																																																																				
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg				1	5500.00	106.85	-----	-----	89.90	34.51	12.38	29.94	0.00	370	55	PEAK																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																										
1	5500.00	106.85	-----	-----	89.90	34.51	12.38	29.94	0.00	370	55	PEAK																																																								
Avg																																																																				
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg				1	5459.01	45.11	54.00	-8.89	28.07	34.58	12.33	29.87	0.00	370	55	AVERAGE																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																										
1	5459.01	45.11	54.00	-8.89	28.07	34.58	12.33	29.87	0.00	370	55	AVERAGE																																																								
AVERAGE																																																																				
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg				1	5500.00	96.99	-----	-----	80.03	34.52	12.37	29.93	0.00	370	55	AVERAGE																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																										
1	5500.00	96.99	-----	-----	80.03	34.52	12.37	29.93	0.00	370	55	AVERAGE																																																								



Mode	41																																																																																																		
	Band Edge																																																																																																		
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_Partial_106/54RU_5700MHz																																																																																																		
ANT	4																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5725.84</td><td>65.04</td><td>68.20</td><td>-3.16</td><td>47.65</td><td>34.65</td><td>12.68</td><td>29.94</td><td>0.00</td><td>104</td><td>117</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5725.84	65.04	68.20	-3.16	47.65	34.65	12.68	29.94	0.00	104	117	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5705.89</td><td>101.01</td><td>-----</td><td>-----</td><td>83.74</td><td>34.61</td><td>12.65</td><td>29.99</td><td>0.00</td><td>104</td><td>117</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5705.89	101.01	-----	-----	83.74	34.61	12.65	29.99	0.00	104	117
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5725.84	65.04	68.20	-3.16	47.65	34.65	12.68	29.94	0.00	104	117	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5705.89	101.01	-----	-----	83.74	34.61	12.65	29.99	0.00	104	117	PEAK																																																																																							
Avg	Blank																																																																																																		
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>99.18</td><td>-----</td><td>-----</td><td>81.93</td><td>34.60</td><td>12.65</td><td>30.00</td><td>0.00</td><td>104</td><td>117</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	99.18	-----	-----	81.93	34.60	12.65	30.00	0.00	104	117	AVERAGE																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5700.00	99.18	-----	-----	81.93	34.60	12.65	30.00	0.00	104	117	AVERAGE																																																																																							





Mode	41																																																																																																
	Band Edge																																																																																																
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_Partial_106/54RU_5700MHz																																																																																																
ANT	4																																																																																																
Pol.	Vertical						Fundamental																																																																																										
Peak																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5725.60</td><td>61.99</td><td>68.20</td><td>-6.21</td><td>44.60</td><td>34.65</td><td>12.68</td><td>29.94</td><td>0.00</td><td>347</td><td>50 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5725.60	61.99	68.20	-6.21	44.60	34.65	12.68	29.94	0.00	347	50 PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5700.00</td><td>105.24</td><td>-----</td><td>-----</td><td>87.99</td><td>34.60</td><td>12.65</td><td>30.00</td><td>0.00</td><td>347</td><td>50 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	105.24	-----	-----	87.99	34.60	12.65	30.00	0.00	347
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5725.60	61.99	68.20	-6.21	44.60	34.65	12.68	29.94	0.00	347	50 PEAK																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5700.00	105.24	-----	-----	87.99	34.60	12.65	30.00	0.00	347	50 PEAK																																																																																						
Avg	Blank																																																																																																
							<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5700.00</td><td>96.06</td><td>-----</td><td>-----</td><td>78.81</td><td>34.60</td><td>12.65</td><td>30.00</td><td>0.00</td><td>347</td><td>50 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	96.06	-----	-----	78.81	34.60	12.65	30.00	0.00	347	50 AVERAGE																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5700.00	96.06	-----	-----	78.81	34.60	12.65	30.00	0.00	347	50 AVERAGE																																																																																						





Mode	42																																																																																																																													
	Harmonic																																																																																																																													
	U-NII-2C_5.47-5.725_802.11a_CH144_5720MHz																																																																																																																													
ANT	4																																																																																																																													
Pol.	Horizontal						Vertical																																																																																																																							
Peak Avg																																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11440.00</td><td>47.06</td><td>74.00</td><td>-26.94</td><td>54.81</td><td>38.00</td><td>18.54</td><td>64.29</td><td>0.00</td><td>100</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>11440.00</td><td>37.68</td><td>54.00</td><td>-16.32</td><td>45.38</td><td>38.00</td><td>18.55</td><td>64.25</td><td>0.00</td><td>100</td><td>360</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11440.00	47.06	74.00	-26.94	54.81	38.00	18.54	64.29	0.00	100	360	PEAK	2	11440.00	37.68	54.00	-16.32	45.38	38.00	18.55	64.25	0.00	100	360	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11440.00</td><td>47.37</td><td>74.00</td><td>-26.63</td><td>55.12</td><td>38.00</td><td>18.54</td><td>64.29</td><td>0.00</td><td>100</td><td>0</td><td>PEAK</td></tr><tr><td>2</td><td>11440.00</td><td>37.82</td><td>54.00</td><td>-16.18</td><td>45.52</td><td>38.00</td><td>18.55</td><td>64.25</td><td>0.00</td><td>100</td><td>0</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11440.00	47.37	74.00	-26.63	55.12	38.00	18.54	64.29	0.00	100	0	PEAK	2	11440.00	37.82	54.00	-16.18	45.52	38.00	18.55	64.25	0.00	100	0	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	11440.00	47.06	74.00	-26.94	54.81	38.00	18.54	64.29	0.00	100	360	PEAK																																																																																																																		
2	11440.00	37.68	54.00	-16.32	45.38	38.00	18.55	64.25	0.00	100	360	AVERAGE																																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	11440.00	47.37	74.00	-26.63	55.12	38.00	18.54	64.29	0.00	100	0	PEAK																																																																																																																		
2	11440.00	37.82	54.00	-16.18	45.52	38.00	18.55	64.25	0.00	100	0	AVERAGE																																																																																																																		





Mode	43																																																																				
	Harmonic																																																																				
	U-NII-2C_5.47-5.725_802.11ax HE20_CH144_Full RU_5720MHz																																																																				
ANT	4																																																																				
Pol.	Horizontal						Vertical																																																														
Peak Avg																																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11440.00</td><td>47.51</td><td>74.00</td><td>-26.49</td><td>55.26</td><td>38.00</td><td>18.54</td><td>64.29</td><td>0.00</td><td>100</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>11440.00</td><td>37.62</td><td>54.00</td><td>-16.38</td><td>45.32</td><td>38.00</td><td>18.55</td><td>64.25</td><td>0.00</td><td>100</td><td>360</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11440.00	47.51	74.00	-26.49	55.26	38.00	18.54	64.29	0.00	100	360	PEAK	2	11440.00	37.62	54.00	-16.38	45.32	38.00	18.55	64.25	0.00	100	360	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1	11440.00	47.51	74.00	-26.49	55.26	38.00	18.54	64.29	0.00	100	360	PEAK																																																									
2	11440.00	37.62	54.00	-16.38	45.32	38.00	18.55	64.25	0.00	100	360	AVERAGE																																																									
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11440.00</td><td>46.67</td><td>74.00</td><td>-27.33</td><td>54.42</td><td>38.00</td><td>18.54</td><td>64.29</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11440.00	46.67	74.00	-27.33	54.42	38.00	18.54	64.29	0.00	--	--	PEAK														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1	11440.00	46.67	74.00	-27.33	54.42	38.00	18.54	64.29	0.00	--	--	PEAK																																																									






Mode	44																																																																																																											
	Harmonic																																																																																																											
	U-NII-2C_5.47-5.725_802.11ax HE40_CH142_Full RU_5710MHz																																																																																																											
ANT	4																																																																																																											
Pol.	Horizontal						Vertical																																																																																																					
Peak Avg																																																																																																												
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>11420.00</td><td>46.90</td><td>74.00</td><td>-27.10</td><td>54.75</td><td>38.00</td><td>18.52</td><td>64.37</td><td>0.00</td><td>--</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11420.00	46.90	74.00	-27.10	54.75	38.00	18.52	64.37	0.00	--	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>11420.00</td><td>47.22</td><td>74.00</td><td>-26.78</td><td>55.07</td><td>38.00</td><td>18.52</td><td>64.37</td><td>0.00</td><td>100</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>11420.00</td><td>37.72</td><td>54.00</td><td>-16.28</td><td>45.57</td><td>38.00</td><td>18.52</td><td>64.37</td><td>0.00</td><td>100</td><td>360</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11420.00	47.22	74.00	-26.78	55.07	38.00	18.52	64.37	0.00	100	360	PEAK	2	11420.00	37.72	54.00	-16.28	45.57	38.00	18.52	64.37	0.00	100	360	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																			
Freq	Level	Line	Level	Factor	Loss	Factor	Factor	Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	11420.00	46.90	74.00	-27.10	54.75	38.00	18.52	64.37	0.00	--	PEAK																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																				
Freq	Level	Line	Level	Factor	Loss	Factor	Factor	Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	11420.00	47.22	74.00	-26.78	55.07	38.00	18.52	64.37	0.00	100	360	PEAK																																																																																																
2	11420.00	37.72	54.00	-16.28	45.57	38.00	18.52	64.37	0.00	100	360	AVERAGE																																																																																																






Mode	45																																																																				
	Harmonic																																																																				
	U-NII-2C_5.47-5.725_802.11ax HE80_CH138_Full RU_5690MHz																																																																				
ANT	4																																																																				
Pol.	Horizontal						Vertical																																																														
Peak Avg																																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11380.00</td><td>47.02</td><td>74.00</td><td>-26.98</td><td>55.08</td><td>37.98</td><td>18.48</td><td>64.52</td><td>0.00</td><td>100</td><td>0</td><td>PEAK</td></tr><tr><td>2</td><td>11380.00</td><td>37.72</td><td>54.00</td><td>-16.28</td><td>45.60</td><td>38.00</td><td>18.51</td><td>64.39</td><td>0.00</td><td>100</td><td>0</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11380.00	47.02	74.00	-26.98	55.08	37.98	18.48	64.52	0.00	100	0	PEAK	2	11380.00	37.72	54.00	-16.28	45.60	38.00	18.51	64.39	0.00	100	0	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1	11380.00	47.02	74.00	-26.98	55.08	37.98	18.48	64.52	0.00	100	0	PEAK																																																									
2	11380.00	37.72	54.00	-16.28	45.60	38.00	18.51	64.39	0.00	100	0	AVERAGE																																																									
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11380.00</td><td>46.25</td><td>74.00</td><td>-27.75</td><td>54.31</td><td>37.98</td><td>18.48</td><td>64.52</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11380.00	46.25	74.00	-27.75	54.31	37.98	18.48	64.52	0.00	--	--	PEAK													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																										
1	11380.00	46.25	74.00	-27.75	54.31	37.98	18.48	64.52	0.00	--	--	PEAK																																																									





Mode	47																																																																																																																																									
	Band Edge																																																																																																																																									
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																																																									
ANT	4																																																																																																																																									
Pol.	Horizontal						Fundamental																																																																																																																																			
Peak																																																																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5685.41</td><td>57.68</td><td>68.20</td><td>-10.52</td><td>40.38</td><td>34.51</td><td>12.53</td><td>29.74</td><td>0.00</td><td>101</td><td>114</td><td>PEAK</td></tr><tr><td>2</td><td>5658.00</td><td>54.27</td><td>68.20</td><td>-13.93</td><td>36.95</td><td>34.60</td><td>12.58</td><td>29.86</td><td>0.00</td><td>101</td><td>114</td><td>PEAK</td></tr><tr><td>3</td><td>5719.01</td><td>64.63</td><td>110.62</td><td>-45.99</td><td>47.27</td><td>34.64</td><td>12.67</td><td>29.95</td><td>0.00</td><td>101</td><td>114</td><td>PEAK</td></tr><tr><td>4</td><td>5721.01</td><td>68.25</td><td>113.21</td><td>-44.96</td><td>50.89</td><td>34.64</td><td>12.67</td><td>29.95</td><td>0.00</td><td>101</td><td>114</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5685.41	57.68	68.20	-10.52	40.38	34.51	12.53	29.74	0.00	101	114	PEAK	2	5658.00	54.27	68.20	-13.93	36.95	34.60	12.58	29.86	0.00	101	114	PEAK	3	5719.01	64.63	110.62	-45.99	47.27	34.64	12.67	29.95	0.00	101	114	PEAK	4	5721.01	68.25	113.21	-44.96	50.89	34.64	12.67	29.95	0.00	101	114	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>106.18</td><td>-----</td><td>-----</td><td>88.68</td><td>34.69</td><td>12.70</td><td>29.89</td><td>0.00</td><td>101</td><td>114</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	106.18	-----	-----	88.68	34.69	12.70	29.89	0.00	101	114
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5685.41	57.68	68.20	-10.52	40.38	34.51	12.53	29.74	0.00	101	114	PEAK																																																																																																																														
2	5658.00	54.27	68.20	-13.93	36.95	34.60	12.58	29.86	0.00	101	114	PEAK																																																																																																																														
3	5719.01	64.63	110.62	-45.99	47.27	34.64	12.67	29.95	0.00	101	114	PEAK																																																																																																																														
4	5721.01	68.25	113.21	-44.96	50.89	34.64	12.67	29.95	0.00	101	114	PEAK																																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5745.00	106.18	-----	-----	88.68	34.69	12.70	29.89	0.00	101	114	PEAK																																																																																																																														
Avg	Blank																																																																																																																																									
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>98.61</td><td>-----</td><td>-----</td><td>81.11</td><td>34.69</td><td>12.70</td><td>29.89</td><td>0.00</td><td>101</td><td>114</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	98.61	-----	-----	81.11	34.69	12.70	29.89	0.00	101	114	AVERAGE																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5745.00	98.61	-----	-----	81.11	34.69	12.70	29.89	0.00	101	114	AVERAGE																																																																																																																														






Mode	47																																																																																																																																									
	Band Edge																																																																																																																																									
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																																																									
ANT	4																																																																																																																																									
Pol.	Vertical						Fundamental																																																																																																																																			
Peak																																																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5680.21</td><td>57.14</td><td>68.20</td><td>-11.06</td><td>39.85</td><td>34.50</td><td>12.52</td><td>29.73</td><td>0.00</td><td>337</td><td>55</td><td>PEAK</td></tr><tr><td>2</td><td>5658.61</td><td>54.08</td><td>68.66</td><td>-14.58</td><td>36.77</td><td>34.60</td><td>12.58</td><td>29.87</td><td>0.00</td><td>337</td><td>55</td><td>PEAK</td></tr><tr><td>3</td><td>5714.61</td><td>60.90</td><td>109.39</td><td>-48.49</td><td>43.57</td><td>34.63</td><td>12.66</td><td>29.96</td><td>0.00</td><td>337</td><td>55</td><td>PEAK</td></tr><tr><td>4</td><td>5721.41</td><td>66.56</td><td>114.12</td><td>-47.56</td><td>49.20</td><td>34.64</td><td>12.67</td><td>29.95</td><td>0.00</td><td>337</td><td>55</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5680.21	57.14	68.20	-11.06	39.85	34.50	12.52	29.73	0.00	337	55	PEAK	2	5658.61	54.08	68.66	-14.58	36.77	34.60	12.58	29.87	0.00	337	55	PEAK	3	5714.61	60.90	109.39	-48.49	43.57	34.63	12.66	29.96	0.00	337	55	PEAK	4	5721.41	66.56	114.12	-47.56	49.20	34.64	12.67	29.95	0.00	337	55	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>103.64</td><td>-----</td><td>-----</td><td>86.19</td><td>34.67</td><td>12.69</td><td>29.91</td><td>0.00</td><td>337</td><td>55</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	103.64	-----	-----	86.19	34.67	12.69	29.91	0.00	337	55
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5680.21	57.14	68.20	-11.06	39.85	34.50	12.52	29.73	0.00	337	55	PEAK																																																																																																																														
2	5658.61	54.08	68.66	-14.58	36.77	34.60	12.58	29.87	0.00	337	55	PEAK																																																																																																																														
3	5714.61	60.90	109.39	-48.49	43.57	34.63	12.66	29.96	0.00	337	55	PEAK																																																																																																																														
4	5721.41	66.56	114.12	-47.56	49.20	34.64	12.67	29.95	0.00	337	55	PEAK																																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5745.00	103.64	-----	-----	86.19	34.67	12.69	29.91	0.00	337	55	PEAK																																																																																																																														
Avg	Blank																																																																																																																																									
							<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>95.75</td><td>-----</td><td>-----</td><td>78.25</td><td>34.69</td><td>12.70</td><td>29.89</td><td>0.00</td><td>337</td><td>55</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	95.75	-----	-----	78.25	34.69	12.70	29.89	0.00	337	55	AVERAGE																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5745.00	95.75	-----	-----	78.25	34.69	12.70	29.89	0.00	337	55	AVERAGE																																																																																																																														




Mode	47																																																																					
	Harmonic																																																																					
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																					
ANT	4																																																																					
Pol.	Horizontal																																																																					
Peak Avg																																																																						
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 11490.00</td><td>48.06</td><td>74.00</td><td>-25.94</td><td>55.58</td><td>38.00</td><td>18.58</td><td>64.10</td><td>0.00</td><td>100</td><td>0</td><td>PEAK</td></tr><tr><td>2 11490.00</td><td>38.12</td><td>54.00</td><td>-15.88</td><td>45.61</td><td>38.00</td><td>18.59</td><td>64.08</td><td>0.00</td><td>100</td><td>0</td><td>AVERAGE</td></tr></table>													Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 11490.00	48.06	74.00	-25.94	55.58	38.00	18.58	64.10	0.00	100	0	PEAK	2 11490.00	38.12	54.00	-15.88	45.61	38.00	18.59	64.08	0.00	100	0	AVERAGE
			Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																												
1 11490.00	48.06	74.00	-25.94	55.58	38.00	18.58	64.10	0.00	100	0	PEAK																																																											
2 11490.00	38.12	54.00	-15.88	45.61	38.00	18.59	64.08	0.00	100	0	AVERAGE																																																											
Vertical																																																																						
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 11490.00</td><td>47.75</td><td>74.00</td><td>-26.25</td><td>55.27</td><td>38.00</td><td>18.58</td><td>64.10</td><td>0.00</td><td>100</td><td>360</td><td>PEAK</td></tr><tr><td>2 11490.00</td><td>38.12</td><td>54.00</td><td>-15.88</td><td>45.60</td><td>38.00</td><td>18.59</td><td>64.07</td><td>0.00</td><td>100</td><td>360</td><td>AVERAGE</td></tr></table>													Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 11490.00	47.75	74.00	-26.25	55.27	38.00	18.58	64.10	0.00	100	360	PEAK	2 11490.00	38.12	54.00	-15.88	45.60	38.00	18.59	64.07	0.00	100	360	AVERAGE
			Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																												
1 11490.00	47.75	74.00	-26.25	55.27	38.00	18.58	64.10	0.00	100	360	PEAK																																																											
2 11490.00	38.12	54.00	-15.88	45.60	38.00	18.59	64.07	0.00	100	360	AVERAGE																																																											






Mode	48																																																																																																																	
	Band Edge - L																																																																																																																	
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																																																																																	
ANT	4																																																																																																																	
Pol.	Horizontal						Fundamental																																																																																																											
Peak																																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5618.61</td><td>56.51</td><td>68.20</td><td>-11.69</td><td>39.21</td><td>34.54</td><td>12.54</td><td>29.78</td><td>0.00</td><td>100</td><td>114 PEAK</td></tr><tr><td>2</td><td>5658.00</td><td>54.02</td><td>68.20</td><td>-14.18</td><td>36.70</td><td>34.60</td><td>12.58</td><td>29.86</td><td>0.00</td><td>100</td><td>114 PEAK</td></tr><tr><td>3</td><td>5700.19</td><td>53.89</td><td>105.35</td><td>-51.46</td><td>36.64</td><td>34.60</td><td>12.65</td><td>30.00</td><td>0.00</td><td>100</td><td>114 PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>53.92</td><td>110.90</td><td>-56.98</td><td>36.56</td><td>34.64</td><td>12.67</td><td>29.95</td><td>0.00</td><td>100</td><td>114 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5618.61	56.51	68.20	-11.69	39.21	34.54	12.54	29.78	0.00	100	114 PEAK	2	5658.00	54.02	68.20	-14.18	36.70	34.60	12.58	29.86	0.00	100	114 PEAK	3	5700.19	53.89	105.35	-51.46	36.64	34.60	12.65	30.00	0.00	100	114 PEAK	4	5720.00	53.92	110.90	-56.98	36.56	34.64	12.67	29.95	0.00	100	114 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5785.00</td><td>107.57</td><td>-----</td><td>-----</td><td>89.84</td><td>34.77</td><td>12.75</td><td>29.79</td><td>0.00</td><td>100</td><td>114 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5785.00	107.57	-----	-----	89.84	34.77	12.75	29.79	0.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																								
1	5618.61	56.51	68.20	-11.69	39.21	34.54	12.54	29.78	0.00	100	114 PEAK																																																																																																							
2	5658.00	54.02	68.20	-14.18	36.70	34.60	12.58	29.86	0.00	100	114 PEAK																																																																																																							
3	5700.19	53.89	105.35	-51.46	36.64	34.60	12.65	30.00	0.00	100	114 PEAK																																																																																																							
4	5720.00	53.92	110.90	-56.98	36.56	34.64	12.67	29.95	0.00	100	114 PEAK																																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																								
1	5785.00	107.57	-----	-----	89.84	34.77	12.75	29.79	0.00	100	114 PEAK																																																																																																							
Avg	Blank																																																																																																																	
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5785.00</td><td>99.16</td><td>-----</td><td>-----</td><td>81.43</td><td>34.77</td><td>12.75</td><td>29.79</td><td>0.00</td><td>100</td><td>114 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5785.00	99.16	-----	-----	81.43	34.77	12.75	29.79	0.00	100	114 AVERAGE																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																								
1	5785.00	99.16	-----	-----	81.43	34.77	12.75	29.79	0.00	100	114 AVERAGE																																																																																																							




Mode	48																																																																																				
	Band Edge - R																																																																																				
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																																																				
ANT	4																																																																																				
Pol.	Horizontal	Fundamental																																																																																			
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.99</td><td>52.77</td><td>110.93</td><td>-58.16</td><td>34.90</td><td>34.83</td><td>12.86</td><td>29.82</td><td>0.00</td><td>100</td><td>114</td><td>PEAK</td></tr><tr><td>2</td><td>5873.39</td><td>55.56</td><td>105.75</td><td>-50.19</td><td>37.57</td><td>34.94</td><td>12.89</td><td>29.84</td><td>0.00</td><td>100</td><td>114</td><td>PEAK</td></tr><tr><td>3</td><td>5924.99</td><td>57.07</td><td>68.21</td><td>-11.14</td><td>38.84</td><td>35.10</td><td>12.98</td><td>29.85</td><td>0.00</td><td>100</td><td>114</td><td>PEAK</td></tr><tr><td>4</td><td>5925.01</td><td>57.20</td><td>68.20</td><td>-11.00</td><td>38.97</td><td>35.10</td><td>12.98</td><td>29.85</td><td>0.00</td><td>100</td><td>114</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.99	52.77	110.93	-58.16	34.90	34.83	12.86	29.82	0.00	100	114	PEAK	2	5873.39	55.56	105.75	-50.19	37.57	34.94	12.89	29.84	0.00	100	114	PEAK	3	5924.99	57.07	68.21	-11.14	38.84	35.10	12.98	29.85	0.00	100	114	PEAK	4	5925.01	57.20	68.20	-11.00	38.97	35.10	12.98	29.85	0.00	100	114	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																											
1	5854.99	52.77	110.93	-58.16	34.90	34.83	12.86	29.82	0.00	100	114	PEAK																																																																									
2	5873.39	55.56	105.75	-50.19	37.57	34.94	12.89	29.84	0.00	100	114	PEAK																																																																									
3	5924.99	57.07	68.21	-11.14	38.84	35.10	12.98	29.85	0.00	100	114	PEAK																																																																									
4	5925.01	57.20	68.20	-11.00	38.97	35.10	12.98	29.85	0.00	100	114	PEAK																																																																									





Mode	48																																																																																																																						
	Band Edge - L																																																																																																																						
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																																																																																						
ANT	4																																																																																																																						
Pol.	Vertical						Fundamental																																																																																																																
Peak																																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5606.61</td><td>56.81</td><td>68.20</td><td>-11.39</td><td>39.52</td><td>34.51</td><td>12.53</td><td>29.75</td><td>0.00</td><td>368</td><td>50</td><td>PEAK</td></tr><tr><td>2</td><td>5652.21</td><td>55.97</td><td>69.85</td><td>-13.88</td><td>38.65</td><td>34.60</td><td>12.59</td><td>29.87</td><td>0.00</td><td>368</td><td>50</td><td>PEAK</td></tr><tr><td>3</td><td>5702.61</td><td>54.84</td><td>106.03</td><td>-51.19</td><td>37.57</td><td>34.61</td><td>12.65</td><td>29.99</td><td>0.00</td><td>368</td><td>50</td><td>PEAK</td></tr><tr><td>4</td><td>5721.01</td><td>53.61</td><td>113.21</td><td>-59.60</td><td>36.25</td><td>34.64</td><td>12.67</td><td>29.95</td><td>0.00</td><td>368</td><td>50</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5606.61	56.81	68.20	-11.39	39.52	34.51	12.53	29.75	0.00	368	50	PEAK	2	5652.21	55.97	69.85	-13.88	38.65	34.60	12.59	29.87	0.00	368	50	PEAK	3	5702.61	54.84	106.03	-51.19	37.57	34.61	12.65	29.99	0.00	368	50	PEAK	4	5721.01	53.61	113.21	-59.60	36.25	34.64	12.67	29.95	0.00	368	50	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5785.00</td><td>104.24</td><td>-----</td><td>-----</td><td>86.54</td><td>34.76</td><td>12.74</td><td>29.80</td><td>0.00</td><td>368</td><td>50</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5785.00	104.24	-----	-----	86.54	34.76	12.74	29.80	0.00	368	50
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																													
1	5606.61	56.81	68.20	-11.39	39.52	34.51	12.53	29.75	0.00	368	50	PEAK																																																																																																											
2	5652.21	55.97	69.85	-13.88	38.65	34.60	12.59	29.87	0.00	368	50	PEAK																																																																																																											
3	5702.61	54.84	106.03	-51.19	37.57	34.61	12.65	29.99	0.00	368	50	PEAK																																																																																																											
4	5721.01	53.61	113.21	-59.60	36.25	34.64	12.67	29.95	0.00	368	50	PEAK																																																																																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																													
1	5785.00	104.24	-----	-----	86.54	34.76	12.74	29.80	0.00	368	50	PEAK																																																																																																											
Avg	Blank																																																																																																																						
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5785.00</td><td>96.00</td><td>-----</td><td>-----</td><td>78.35</td><td>34.77</td><td>12.75</td><td>29.79</td><td>0.00</td><td>368</td><td>50</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5785.00	96.00	-----	-----	78.35	34.77	12.75	29.79	0.00	368	50	AVERAGE																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																													
1	5785.00	96.00	-----	-----	78.35	34.77	12.75	29.79	0.00	368	50	AVERAGE																																																																																																											



Mode	48																																																																																													
	Band Edge - R																																																																																													
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																																																													
ANT	4																																																																																													
Pol.	Vertical						Fundamental																																																																																							
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.99</td><td>54.01</td><td>110.93</td><td>-56.92</td><td>36.14</td><td>34.83</td><td>12.86</td><td>29.82</td><td>0.00</td><td>368</td><td>50</td><td>PEAK</td></tr><tr><td>2</td><td>5874.99</td><td>54.05</td><td>105.30</td><td>-51.25</td><td>36.04</td><td>34.95</td><td>12.90</td><td>29.84</td><td>0.00</td><td>368</td><td>50</td><td>PEAK</td></tr><tr><td>3</td><td>5924.21</td><td>55.61</td><td>68.78</td><td>-13.17</td><td>37.38</td><td>35.10</td><td>12.98</td><td>29.85</td><td>0.00</td><td>368</td><td>50</td><td>PEAK</td></tr><tr><td>4</td><td>5975.41</td><td>56.95</td><td>68.20</td><td>-11.25</td><td>38.59</td><td>35.10</td><td>13.07</td><td>29.81</td><td>0.00</td><td>368</td><td>50</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.99	54.01	110.93	-56.92	36.14	34.83	12.86	29.82	0.00	368	50	PEAK	2	5874.99	54.05	105.30	-51.25	36.04	34.95	12.90	29.84	0.00	368	50	PEAK	3	5924.21	55.61	68.78	-13.17	37.38	35.10	12.98	29.85	0.00	368	50	PEAK	4	5975.41	56.95	68.20	-11.25	38.59	35.10	13.07	29.81	0.00	368	50	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																				
1	5854.99	54.01	110.93	-56.92	36.14	34.83	12.86	29.82	0.00	368	50	PEAK																																																																																		
2	5874.99	54.05	105.30	-51.25	36.04	34.95	12.90	29.84	0.00	368	50	PEAK																																																																																		
3	5924.21	55.61	68.78	-13.17	37.38	35.10	12.98	29.85	0.00	368	50	PEAK																																																																																		
4	5975.41	56.95	68.20	-11.25	38.59	35.10	13.07	29.81	0.00	368	50	PEAK																																																																																		






Mode	48																																																																																																																													
	Harmonic																																																																																																																													
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																																																																																													
ANT	4																																																																																																																													
Pol.	Horizontal						Vertical																																																																																																																							
Peak Avg																																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11570.00</td><td>47.19</td><td>74.00</td><td>-26.81</td><td>54.57</td><td>38.07</td><td>18.65</td><td>64.10</td><td>0.00</td><td>100</td><td>0</td><td>PEAK</td></tr><tr><td>2</td><td>11570.00</td><td>37.83</td><td>54.00</td><td>-16.17</td><td>45.19</td><td>38.08</td><td>18.66</td><td>64.10</td><td>0.00</td><td>100</td><td>0</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11570.00	47.19	74.00	-26.81	54.57	38.07	18.65	64.10	0.00	100	0	PEAK	2	11570.00	37.83	54.00	-16.17	45.19	38.08	18.66	64.10	0.00	100	0	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11570.00</td><td>47.73</td><td>74.00</td><td>-26.27</td><td>55.11</td><td>38.07</td><td>18.65</td><td>64.10</td><td>0.00</td><td>100</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>11570.00</td><td>37.95</td><td>54.00</td><td>-16.05</td><td>45.31</td><td>38.08</td><td>18.66</td><td>64.10</td><td>0.00</td><td>100</td><td>360</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11570.00	47.73	74.00	-26.27	55.11	38.07	18.65	64.10	0.00	100	360	PEAK	2	11570.00	37.95	54.00	-16.05	45.31	38.08	18.66	64.10	0.00	100	360	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																				
1	11570.00	47.19	74.00	-26.81	54.57	38.07	18.65	64.10	0.00	100	0	PEAK																																																																																																																		
2	11570.00	37.83	54.00	-16.17	45.19	38.08	18.66	64.10	0.00	100	0	AVERAGE																																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																				
1	11570.00	47.73	74.00	-26.27	55.11	38.07	18.65	64.10	0.00	100	360	PEAK																																																																																																																		
2	11570.00	37.95	54.00	-16.05	45.31	38.08	18.66	64.10	0.00	100	360	AVERAGE																																																																																																																		





Mode	49																																																																																																																											
	Band Edge																																																																																																																											
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																																																											
ANT	4																																																																																																																											
Pol.	Horizontal	Fundamental																																																																																																																										
Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5854.61</td><td>62.03</td><td>111.78</td><td>-49.75</td><td>44.16</td><td>34.83</td><td>12.86</td><td>29.82</td><td>0.00</td><td>101</td><td>114 PEAK</td></tr><tr><td>2</td><td>5857.01</td><td>63.05</td><td>110.34</td><td>-47.29</td><td>45.16</td><td>34.84</td><td>12.87</td><td>29.82</td><td>0.00</td><td>101</td><td>114 PEAK</td></tr><tr><td>3</td><td>5923.01</td><td>55.76</td><td>69.67</td><td>-13.91</td><td>37.53</td><td>35.10</td><td>12.98</td><td>29.85</td><td>0.00</td><td>101</td><td>114 PEAK</td></tr><tr><td>4</td><td>5937.01</td><td>56.93</td><td>68.20</td><td>-11.27</td><td>38.67</td><td>35.10</td><td>13.00</td><td>29.84</td><td>0.00</td><td>101</td><td>114 PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.61	62.03	111.78	-49.75	44.16	34.83	12.86	29.82	0.00	101	114 PEAK	2	5857.01	63.05	110.34	-47.29	45.16	34.84	12.87	29.82	0.00	101	114 PEAK	3	5923.01	55.76	69.67	-13.91	37.53	35.10	12.98	29.85	0.00	101	114 PEAK	4	5937.01	56.93	68.20	-11.27	38.67	35.10	13.00	29.84	0.00	101	114 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>106.38</td><td>-----</td><td>-----</td><td>88.55</td><td>34.80</td><td>12.81</td><td>29.78</td><td>0.00</td><td>101</td><td>114 PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	106.38	-----	-----	88.55	34.80	12.81	29.78	0.00	101	114 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5854.61	62.03	111.78	-49.75	44.16	34.83	12.86	29.82	0.00	101	114 PEAK																																																																																																																	
2	5857.01	63.05	110.34	-47.29	45.16	34.84	12.87	29.82	0.00	101	114 PEAK																																																																																																																	
3	5923.01	55.76	69.67	-13.91	37.53	35.10	12.98	29.85	0.00	101	114 PEAK																																																																																																																	
4	5937.01	56.93	68.20	-11.27	38.67	35.10	13.00	29.84	0.00	101	114 PEAK																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5825.00	106.38	-----	-----	88.55	34.80	12.81	29.78	0.00	101	114 PEAK																																																																																																																	
Avg	Blank	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>98.74</td><td>-----</td><td>-----</td><td>88.91</td><td>34.80</td><td>12.81</td><td>29.78</td><td>0.00</td><td>101</td><td>114 AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	98.74	-----	-----	88.91	34.80	12.81	29.78	0.00	101	114 AVERAGE																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5825.00	98.74	-----	-----	88.91	34.80	12.81	29.78	0.00	101	114 AVERAGE																																																																																																																	






Mode	49																																																																																																															
	Band Edge																																																																																																															
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																																															
ANT	4																																																																																																															
Pol.	Vertical	Fundamental																																																																																																														
Peak	 Vertical Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 5600 to 6000 MHz. The plot shows a red limit line and a blue measured signal. Four peaks are identified and numbered 1 to 4. <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1 5853.41</td><td>59.85</td><td>114.52</td><td>-54.67</td><td>41.98</td><td>34.82</td><td>12.86</td><td>29.81</td><td>0.00</td><td>300</td></tr><tr><td>2 5874.99</td><td>55.84</td><td>105.30</td><td>-49.46</td><td>37.83</td><td>34.95</td><td>12.90</td><td>29.84</td><td>0.00</td><td>300</td></tr><tr><td>3 5924.99</td><td>55.89</td><td>68.21</td><td>-12.32</td><td>37.66</td><td>35.10</td><td>12.98</td><td>29.85</td><td>0.00</td><td>300</td></tr><tr><td>4 5970.21</td><td>56.89</td><td>68.20</td><td>-11.31</td><td>38.54</td><td>35.10</td><td>13.06</td><td>29.81</td><td>0.00</td><td>300</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1 5853.41	59.85	114.52	-54.67	41.98	34.82	12.86	29.81	0.00	300	2 5874.99	55.84	105.30	-49.46	37.83	34.95	12.90	29.84	0.00	300	3 5924.99	55.89	68.21	-12.32	37.66	35.10	12.98	29.85	0.00	300	4 5970.21	56.89	68.20	-11.31	38.54	35.10	13.06	29.81	0.00	300	 Fundamental Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 1000 to 7000 MHz. The plot shows a red limit line and a blue measured signal. A single peak is identified and numbered 1. <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1 5825.00</td><td>101.12</td><td>-----</td><td>-----</td><td>83.29</td><td>34.80</td><td>12.81</td><td>29.78</td><td>0.00</td><td>300</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1 5825.00	101.12	-----	-----	83.29	34.80	12.81	29.78	0.00	300
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																																																							
1 5853.41	59.85	114.52	-54.67	41.98	34.82	12.86	29.81	0.00	300																																																																																																							
2 5874.99	55.84	105.30	-49.46	37.83	34.95	12.90	29.84	0.00	300																																																																																																							
3 5924.99	55.89	68.21	-12.32	37.66	35.10	12.98	29.85	0.00	300																																																																																																							
4 5970.21	56.89	68.20	-11.31	38.54	35.10	13.06	29.81	0.00	300																																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																																																							
1 5825.00	101.12	-----	-----	83.29	34.80	12.81	29.78	0.00	300																																																																																																							
Avg	Blank	 Fundamental Average Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 1000 to 7000 MHz. The plot shows a red limit line and a blue measured signal. A single peak is identified and numbered 1. <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1 5825.00</td><td>93.48</td><td>-----</td><td>-----</td><td>75.65</td><td>34.80</td><td>12.81</td><td>29.78</td><td>0.00</td><td>300</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1 5825.00	93.48	-----	-----	75.65	34.80	12.81	29.78	0.00	300																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																																																							
1 5825.00	93.48	-----	-----	75.65	34.80	12.81	29.78	0.00	300																																																																																																							






Mode	49																																																																																																																	
	Harmonic																																																																																																																	
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																																																	
ANT	4																																																																																																																	
Pol.	Horizontal						Vertical																																																																																																											
Peak Avg																																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>11650.00</td><td>47.11</td><td>74.00</td><td>-26.89</td><td>54.33</td><td>38.20</td><td>18.72</td><td>64.14</td><td>0.00</td><td>100</td><td>0</td><td>PEAK</td></tr><tr><td>2</td><td>11650.00</td><td>37.38</td><td>54.00</td><td>-16.62</td><td>44.63</td><td>38.18</td><td>18.71</td><td>64.14</td><td>0.00</td><td>100</td><td>0</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11650.00	47.11	74.00	-26.89	54.33	38.20	18.72	64.14	0.00	100	0	PEAK	2	11650.00	37.38	54.00	-16.62	44.63	38.18	18.71	64.14	0.00	100	0	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>11650.00</td><td>46.68</td><td>74.00</td><td>-27.32</td><td>53.90</td><td>38.20</td><td>18.72</td><td>64.14</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11650.00	46.68	74.00	-27.32	53.90	38.20	18.72	64.14	0.00	--	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																								
1	11650.00	47.11	74.00	-26.89	54.33	38.20	18.72	64.14	0.00	100	0	PEAK																																																																																																						
2	11650.00	37.38	54.00	-16.62	44.63	38.18	18.71	64.14	0.00	100	0	AVERAGE																																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																							
1	11650.00	46.68	74.00	-27.32	53.90	38.20	18.72	64.14	0.00	--	--	PEAK																																																																																																						





Mode	50																																																																																																																																										
	Band Edge																																																																																																																																										
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_Full RU_5745MHz																																																																																																																																										
ANT	4																																																																																																																																										
Pol.	Horizontal						Fundamental																																																																																																																																				
Peak																																																																																																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5630.00</td><td>55.73</td><td>68.20</td><td>-12.47</td><td>38.42</td><td>34.56</td><td>12.56</td><td>29.81</td><td>0.00</td><td>100</td><td>114</td><td>PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>54.14</td><td>68.20</td><td>-14.06</td><td>36.82</td><td>34.60</td><td>12.58</td><td>29.86</td><td>0.00</td><td>100</td><td>114</td><td>PEAK</td></tr><tr><td>3</td><td>5720.00</td><td>69.43</td><td>110.90</td><td>-41.47</td><td>52.07</td><td>34.64</td><td>12.67</td><td>29.95</td><td>0.00</td><td>100</td><td>114</td><td>PEAK</td></tr><tr><td>4</td><td>5722.40</td><td>78.00</td><td>116.37</td><td>-38.37</td><td>60.63</td><td>34.64</td><td>12.67</td><td>29.94</td><td>0.00</td><td>100</td><td>114</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5630.00	55.73	68.20	-12.47	38.42	34.56	12.56	29.81	0.00	100	114	PEAK	2	5650.00	54.14	68.20	-14.06	36.82	34.60	12.58	29.86	0.00	100	114	PEAK	3	5720.00	69.43	110.90	-41.47	52.07	34.64	12.67	29.95	0.00	100	114	PEAK	4	5722.40	78.00	116.37	-38.37	60.63	34.64	12.67	29.94	0.00	100	114	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>107.37</td><td>-----</td><td>-----</td><td>89.87</td><td>34.69</td><td>12.70</td><td>29.89</td><td>0.00</td><td>100</td><td>114</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	107.37	-----	-----	89.87	34.69	12.70	29.89	0.00	100	114	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5630.00	55.73	68.20	-12.47	38.42	34.56	12.56	29.81	0.00	100	114	PEAK																																																																																																																															
2	5650.00	54.14	68.20	-14.06	36.82	34.60	12.58	29.86	0.00	100	114	PEAK																																																																																																																															
3	5720.00	69.43	110.90	-41.47	52.07	34.64	12.67	29.95	0.00	100	114	PEAK																																																																																																																															
4	5722.40	78.00	116.37	-38.37	60.63	34.64	12.67	29.94	0.00	100	114	PEAK																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5745.00	107.37	-----	-----	89.87	34.69	12.70	29.89	0.00	100	114	PEAK																																																																																																																															
Avg	Blank																																																																																																																																										
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>97.85</td><td>-----</td><td>-----</td><td>80.35</td><td>34.69</td><td>12.70</td><td>29.89</td><td>0.00</td><td>100</td><td>114</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	97.85	-----	-----	80.35	34.69	12.70	29.89	0.00	100	114	AVERAGE																																																																																			
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5745.00	97.85	-----	-----	80.35	34.69	12.70	29.89	0.00	100	114	AVERAGE																																																																																																																															






Mode	50																																																																																							
	Band Edge																																																																																							
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_Full RU_5745MHz																																																																																							
ANT	4																																																																																							
Pol.	Vertical																																																																																							
Peak																																																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5627.20</td><td>57.53</td><td>68.20</td><td>-10.67</td><td>40.23</td><td>34.55</td><td>12.55</td><td>29.80</td><td>0.00</td><td>374 49 PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>52.87</td><td>68.20</td><td>-15.33</td><td>35.55</td><td>34.60</td><td>12.58</td><td>29.86</td><td>0.00</td><td>374 49 PEAK</td></tr><tr><td>3</td><td>5718.80</td><td>64.60</td><td>110.56</td><td>-45.96</td><td>47.24</td><td>34.64</td><td>12.67</td><td>29.95</td><td>0.00</td><td>374 49 PEAK</td></tr><tr><td>4</td><td>5722.00</td><td>70.45</td><td>115.46</td><td>-45.01</td><td>53.08</td><td>34.64</td><td>12.67</td><td>29.94</td><td>0.00</td><td>374 49 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5627.20	57.53	68.20	-10.67	40.23	34.55	12.55	29.80	0.00	374 49 PEAK	2	5650.00	52.87	68.20	-15.33	35.55	34.60	12.58	29.86	0.00	374 49 PEAK	3	5718.80	64.60	110.56	-45.96	47.24	34.64	12.67	29.95	0.00	374 49 PEAK	4	5722.00	70.45	115.46	-45.01	53.08	34.64	12.67	29.94	0.00	374 49 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																															
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																													
1	5627.20	57.53	68.20	-10.67	40.23	34.55	12.55	29.80	0.00	374 49 PEAK																																																																														
2	5650.00	52.87	68.20	-15.33	35.55	34.60	12.58	29.86	0.00	374 49 PEAK																																																																														
3	5718.80	64.60	110.56	-45.96	47.24	34.64	12.67	29.95	0.00	374 49 PEAK																																																																														
4	5722.00	70.45	115.46	-45.01	53.08	34.64	12.67	29.94	0.00	374 49 PEAK																																																																														
Avg																																																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>102.40</td><td>-----</td><td>-----</td><td>84.90</td><td>34.69</td><td>12.70</td><td>29.89</td><td>0.00</td><td>374 49 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	102.40	-----	-----	84.90	34.69	12.70	29.89	0.00	374 49 PEAK																																	
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																															
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																													
1	5745.00	102.40	-----	-----	84.90	34.69	12.70	29.89	0.00	374 49 PEAK																																																																														
Blank																																																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>94.08</td><td>-----</td><td>-----</td><td>76.58</td><td>34.69</td><td>12.70</td><td>29.89</td><td>0.00</td><td>374 49 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	94.08	-----	-----	76.58	34.69	12.70	29.89	0.00	374 49 AVERAGE																																	
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																															
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																													
1	5745.00	94.08	-----	-----	76.58	34.69	12.70	29.89	0.00	374 49 AVERAGE																																																																														




Mode	50																																																																
	Harmonic																																																																
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_Full RU_5745MHz																																																																
ANT	4																																																																
Pol.	Horizontal																																																																
Peak Avg																																																																	
	<table><tr><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11490.00</td><td>48.60</td><td>74.00</td><td>-25.40</td><td>56.12</td><td>38.00</td><td>18.58</td><td>64.10</td><td>0.00</td><td>100</td><td>0 PEAK</td></tr><tr><td>2 11490.00</td><td>38.18</td><td>54.00</td><td>-15.82</td><td>45.66</td><td>38.00</td><td>18.59</td><td>64.07</td><td>0.00</td><td>100</td><td>0 AVERAGE</td></tr></table>											Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11490.00	48.60	74.00	-25.40	56.12	38.00	18.58	64.10	0.00	100	0 PEAK	2 11490.00	38.18	54.00	-15.82	45.66	38.00	18.59	64.07	0.00	100	0 AVERAGE
	Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																						
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																							
1 11490.00	48.60	74.00	-25.40	56.12	38.00	18.58	64.10	0.00	100	0 PEAK																																																							
2 11490.00	38.18	54.00	-15.82	45.66	38.00	18.59	64.07	0.00	100	0 AVERAGE																																																							
																																																																	
<table><tr><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11490.00</td><td>47.90</td><td>74.00</td><td>-26.10</td><td>55.42</td><td>38.00</td><td>18.58</td><td>64.10</td><td>0.00</td><td>100</td><td>360 PEAK</td></tr><tr><td>2 11490.00</td><td>38.15</td><td>54.00</td><td>-15.85</td><td>45.64</td><td>38.00</td><td>18.59</td><td>64.08</td><td>0.00</td><td>100</td><td>360 AVERAGE</td></tr></table>											Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11490.00	47.90	74.00	-26.10	55.42	38.00	18.58	64.10	0.00	100	360 PEAK	2 11490.00	38.15	54.00	-15.85	45.64	38.00	18.59	64.08	0.00	100	360 AVERAGE	
Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																							
1 11490.00	47.90	74.00	-26.10	55.42	38.00	18.58	64.10	0.00	100	360 PEAK																																																							
2 11490.00	38.15	54.00	-15.85	45.64	38.00	18.59	64.08	0.00	100	360 AVERAGE																																																							






Mode	51																																																																																																																																								
	Band Edge - L																																																																																																																																								
	U-NII-3_5.725-5.85_802.11ax HE20_CH157_Full RU_5785MHz																																																																																																																																								
ANT	4																																																																																																																																								
Pol.	Horizontal						Fundamental																																																																																																																																		
Peak	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th><th></th></tr></thead><tbody><tr><td>1 5603.20</td><td>56.06</td><td>68.20</td><td>-12.14</td><td>38.77</td><td>34.51</td><td>12.52</td><td>29.74</td><td>0.00</td><td>100</td><td>110</td><td>PEAK</td></tr><tr><td>2 5651.60</td><td>54.68</td><td>69.39</td><td>-14.71</td><td>37.37</td><td>34.60</td><td>12.58</td><td>29.87</td><td>0.00</td><td>100</td><td>110</td><td>PEAK</td></tr><tr><td>3 5700.00</td><td>55.71</td><td>105.30</td><td>-49.59</td><td>38.46</td><td>34.60</td><td>12.65</td><td>30.00</td><td>0.00</td><td>100</td><td>110</td><td>PEAK</td></tr><tr><td>4 5720.00</td><td>52.80</td><td>110.90</td><td>-58.10</td><td>35.44</td><td>34.64</td><td>12.67</td><td>29.95</td><td>0.00</td><td>100</td><td>110</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB			1 5603.20	56.06	68.20	-12.14	38.77	34.51	12.52	29.74	0.00	100	110	PEAK	2 5651.60	54.68	69.39	-14.71	37.37	34.60	12.58	29.87	0.00	100	110	PEAK	3 5700.00	55.71	105.30	-49.59	38.46	34.60	12.65	30.00	0.00	100	110	PEAK	4 5720.00	52.80	110.90	-58.10	35.44	34.64	12.67	29.95	0.00	100	110	PEAK	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th><th></th></tr></thead><tbody><tr><td>1 5785.00</td><td>106.00</td><td>-----</td><td>-----</td><td>88.24</td><td>34.78</td><td>12.76</td><td>29.78</td><td>0.00</td><td>100</td><td>110</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB			1 5785.00	106.00	-----	-----	88.24	34.78	12.76	29.78	0.00	100	110	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																																	
1 5603.20	56.06	68.20	-12.14	38.77	34.51	12.52	29.74	0.00	100	110	PEAK																																																																																																																														
2 5651.60	54.68	69.39	-14.71	37.37	34.60	12.58	29.87	0.00	100	110	PEAK																																																																																																																														
3 5700.00	55.71	105.30	-49.59	38.46	34.60	12.65	30.00	0.00	100	110	PEAK																																																																																																																														
4 5720.00	52.80	110.90	-58.10	35.44	34.64	12.67	29.95	0.00	100	110	PEAK																																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																																	
1 5785.00	106.00	-----	-----	88.24	34.78	12.76	29.78	0.00	100	110	PEAK																																																																																																																														
Avg	Blank						 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th><th></th></tr></thead><tbody><tr><td>1 5785.00</td><td>98.01</td><td>-----</td><td>-----</td><td>88.25</td><td>34.78</td><td>12.76</td><td>29.78</td><td>0.00</td><td>100</td><td>110</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB			1 5785.00	98.01	-----	-----	88.25	34.78	12.76	29.78	0.00	100	110	AVERAGE																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																																	
1 5785.00	98.01	-----	-----	88.25	34.78	12.76	29.78	0.00	100	110	AVERAGE																																																																																																																														




Mode	51																																																																																													
	Band Edge - R																																																																																													
	U-NII-3_5.725-5.85_802.11ax HE20_CH157_Full RU_5785MHz																																																																																													
ANT	4																																																																																													
Pol.	Horizontal						Fundamental																																																																																							
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.40</td><td>54.35</td><td>112.27</td><td>-57.92</td><td>36.48</td><td>34.83</td><td>12.86</td><td>29.82</td><td>0.00</td><td>100</td><td>110</td><td>PEAK</td></tr><tr><td>2</td><td>5874.00</td><td>54.38</td><td>105.58</td><td>-51.20</td><td>36.38</td><td>34.94</td><td>12.90</td><td>29.84</td><td>0.00</td><td>100</td><td>110</td><td>PEAK</td></tr><tr><td>3</td><td>5924.00</td><td>54.05</td><td>68.94</td><td>-14.89</td><td>35.82</td><td>35.10</td><td>12.98</td><td>29.85</td><td>0.00</td><td>100</td><td>110</td><td>PEAK</td></tr><tr><td>4</td><td>5934.00</td><td>57.40</td><td>68.20</td><td>-10.80</td><td>39.14</td><td>35.10</td><td>13.00</td><td>29.84</td><td>0.00</td><td>100</td><td>110</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.40	54.35	112.27	-57.92	36.48	34.83	12.86	29.82	0.00	100	110	PEAK	2	5874.00	54.38	105.58	-51.20	36.38	34.94	12.90	29.84	0.00	100	110	PEAK	3	5924.00	54.05	68.94	-14.89	35.82	35.10	12.98	29.85	0.00	100	110	PEAK	4	5934.00	57.40	68.20	-10.80	39.14	35.10	13.00	29.84	0.00	100	110	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																				
1	5854.40	54.35	112.27	-57.92	36.48	34.83	12.86	29.82	0.00	100	110	PEAK																																																																																		
2	5874.00	54.38	105.58	-51.20	36.38	34.94	12.90	29.84	0.00	100	110	PEAK																																																																																		
3	5924.00	54.05	68.94	-14.89	35.82	35.10	12.98	29.85	0.00	100	110	PEAK																																																																																		
4	5934.00	57.40	68.20	-10.80	39.14	35.10	13.00	29.84	0.00	100	110	PEAK																																																																																		





Mode	51																																																																																																																																													
	Band Edge - L																																																																																																																																													
	U-NII-3_5.725-5.85_802.11ax HE20_CH157_Full RU_5785MHz																																																																																																																																													
ANT	4																																																																																																																																													
Pol.	Vertical						Fundamental																																																																																																																																							
Peak																																																																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5604.00</td><td>56.25</td><td>68.20</td><td>-11.95</td><td>38.96</td><td>34.51</td><td>12.52</td><td>29.74</td><td>0.00</td><td>368</td><td>48</td><td>PEAK</td></tr><tr><td>2</td><td>5658.80</td><td>54.82</td><td>68.80</td><td>-13.98</td><td>37.51</td><td>34.60</td><td>12.58</td><td>29.87</td><td>0.00</td><td>368</td><td>48</td><td>PEAK</td></tr><tr><td>3</td><td>5704.00</td><td>54.65</td><td>106.42</td><td>-51.77</td><td>37.38</td><td>34.61</td><td>12.65</td><td>29.99</td><td>0.00</td><td>368</td><td>48</td><td>PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>52.15</td><td>110.90</td><td>-58.75</td><td>34.79</td><td>34.64</td><td>12.67</td><td>29.95</td><td>0.00</td><td>368</td><td>48</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5604.00	56.25	68.20	-11.95	38.96	34.51	12.52	29.74	0.00	368	48	PEAK	2	5658.80	54.82	68.80	-13.98	37.51	34.60	12.58	29.87	0.00	368	48	PEAK	3	5704.00	54.65	106.42	-51.77	37.38	34.61	12.65	29.99	0.00	368	48	PEAK	4	5720.00	52.15	110.90	-58.75	34.79	34.64	12.67	29.95	0.00	368	48	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5785.00</td><td>103.80</td><td>-----</td><td>-----</td><td>86.09</td><td>34.76</td><td>12.75</td><td>29.80</td><td>0.00</td><td>368</td><td>48</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5785.00	103.80	-----	-----	86.09	34.76	12.75	29.80	0.00	368	48
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																				
1	5604.00	56.25	68.20	-11.95	38.96	34.51	12.52	29.74	0.00	368	48	PEAK																																																																																																																																		
2	5658.80	54.82	68.80	-13.98	37.51	34.60	12.58	29.87	0.00	368	48	PEAK																																																																																																																																		
3	5704.00	54.65	106.42	-51.77	37.38	34.61	12.65	29.99	0.00	368	48	PEAK																																																																																																																																		
4	5720.00	52.15	110.90	-58.75	34.79	34.64	12.67	29.95	0.00	368	48	PEAK																																																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																				
1	5785.00	103.80	-----	-----	86.09	34.76	12.75	29.80	0.00	368	48	PEAK																																																																																																																																		
Avg	Blank																																																																																																																																													
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5785.00</td><td>94.80</td><td>-----</td><td>-----</td><td>77.09</td><td>34.76</td><td>12.75</td><td>29.80</td><td>0.00</td><td>368</td><td>48</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5785.00	94.80	-----	-----	77.09	34.76	12.75	29.80	0.00	368	48	AVERAGE																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																				
1	5785.00	94.80	-----	-----	77.09	34.76	12.75	29.80	0.00	368	48	AVERAGE																																																																																																																																		






Mode	51																																																																																				
	Band Edge - R																																																																																				
	U-NII-3_5.725-5.85_802.11ax HE20_CH157_Full RU_5785MHz																																																																																				
ANT	4																																																																																				
Pol.	Vertical	Fundamental																																																																																			
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.40</td><td>53.20</td><td>112.27</td><td>-59.07</td><td>35.33</td><td>34.83</td><td>12.86</td><td>29.82</td><td>0.00</td><td>368</td><td>48</td><td>PEAK</td></tr><tr><td>2</td><td>5873.60</td><td>54.26</td><td>105.69</td><td>-51.43</td><td>36.26</td><td>34.94</td><td>12.90</td><td>29.84</td><td>0.00</td><td>368</td><td>48</td><td>PEAK</td></tr><tr><td>3</td><td>5922.80</td><td>54.53</td><td>69.83</td><td>-15.30</td><td>36.30</td><td>35.10</td><td>12.98</td><td>29.85</td><td>0.00</td><td>368</td><td>48</td><td>PEAK</td></tr><tr><td>4</td><td>5994.40</td><td>57.05</td><td>68.20</td><td>-11.15</td><td>38.64</td><td>35.10</td><td>13.10</td><td>29.79</td><td>0.00</td><td>368</td><td>48</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.40	53.20	112.27	-59.07	35.33	34.83	12.86	29.82	0.00	368	48	PEAK	2	5873.60	54.26	105.69	-51.43	36.26	34.94	12.90	29.84	0.00	368	48	PEAK	3	5922.80	54.53	69.83	-15.30	36.30	35.10	12.98	29.85	0.00	368	48	PEAK	4	5994.40	57.05	68.20	-11.15	38.64	35.10	13.10	29.79	0.00	368	48	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																											
1	5854.40	53.20	112.27	-59.07	35.33	34.83	12.86	29.82	0.00	368	48	PEAK																																																																									
2	5873.60	54.26	105.69	-51.43	36.26	34.94	12.90	29.84	0.00	368	48	PEAK																																																																									
3	5922.80	54.53	69.83	-15.30	36.30	35.10	12.98	29.85	0.00	368	48	PEAK																																																																									
4	5994.40	57.05	68.20	-11.15	38.64	35.10	13.10	29.79	0.00	368	48	PEAK																																																																									






Mode	51																																																																					
	Harmonic																																																																					
	U-NII-3_5.725-5.85_802.11ax HE20_CH157_Full RU_5785MHz																																																																					
ANT	4																																																																					
Pol.	Horizontal																																																																					
Peak Avg																																																																						
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 11570.00</td><td>48.31</td><td>74.00</td><td>-25.69</td><td>55.69</td><td>38.07</td><td>18.65</td><td>64.10</td><td>0.00</td><td>100</td><td>0</td><td>PEAK</td></tr><tr><td>2 11570.00</td><td>37.98</td><td>54.00</td><td>-16.02</td><td>45.34</td><td>38.08</td><td>18.66</td><td>64.10</td><td>0.00</td><td>100</td><td>0</td><td>AVERAGE</td></tr></table>													Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 11570.00	48.31	74.00	-25.69	55.69	38.07	18.65	64.10	0.00	100	0	PEAK	2 11570.00	37.98	54.00	-16.02	45.34	38.08	18.66	64.10	0.00	100	0	AVERAGE
			Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																										
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																												
1 11570.00	48.31	74.00	-25.69	55.69	38.07	18.65	64.10	0.00	100	0	PEAK																																																											
2 11570.00	37.98	54.00	-16.02	45.34	38.08	18.66	64.10	0.00	100	0	AVERAGE																																																											
Vertical																																																																						
																																																																						
<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 11570.00</td><td>47.54</td><td>74.00</td><td>-26.46</td><td>54.92</td><td>38.07</td><td>18.65</td><td>64.10</td><td>0.00</td><td>100</td><td>360</td><td>PEAK</td></tr><tr><td>2 11570.00</td><td>37.96</td><td>54.00</td><td>-16.04</td><td>45.32</td><td>38.08</td><td>18.66</td><td>64.10</td><td>0.00</td><td>100</td><td>360</td><td>AVERAGE</td></tr></table>													Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 11570.00	47.54	74.00	-26.46	54.92	38.07	18.65	64.10	0.00	100	360	PEAK	2 11570.00	37.96	54.00	-16.04	45.32	38.08	18.66	64.10	0.00	100	360	AVERAGE	
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																												
1 11570.00	47.54	74.00	-26.46	54.92	38.07	18.65	64.10	0.00	100	360	PEAK																																																											
2 11570.00	37.96	54.00	-16.04	45.32	38.08	18.66	64.10	0.00	100	360	AVERAGE																																																											





Mode	52																																																																																																																																																			
	Band Edge																																																																																																																																																			
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_Full RU_5825MHz																																																																																																																																																			
ANT	4																																																																																																																																																			
Pol.	Horizontal						Fundamental																																																																																																																																													
Peak																																																																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5850.00</td><td>75.90</td><td>122.30</td><td>-46.40</td><td>58.06</td><td>34.80</td><td>12.85</td><td>29.81</td><td>0.00</td><td>100</td><td>100</td><td>PEAK</td></tr><tr><td>2</td><td>5864.00</td><td>61.59</td><td>108.38</td><td>-46.79</td><td>43.66</td><td>34.88</td><td>12.88</td><td>29.83</td><td>0.00</td><td>100</td><td>100</td><td>PEAK</td></tr><tr><td>3</td><td>5922.00</td><td>55.90</td><td>70.42</td><td>-14.52</td><td>37.67</td><td>35.10</td><td>12.98</td><td>29.85</td><td>0.00</td><td>100</td><td>100</td><td>PEAK</td></tr><tr><td>4</td><td>5925.60</td><td>57.40</td><td>68.20</td><td>-10.80</td><td>39.17</td><td>35.10</td><td>12.98</td><td>29.85</td><td>0.00</td><td>100</td><td>100</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5850.00	75.90	122.30	-46.40	58.06	34.80	12.85	29.81	0.00	100	100	PEAK	2	5864.00	61.59	108.38	-46.79	43.66	34.88	12.88	29.83	0.00	100	100	PEAK	3	5922.00	55.90	70.42	-14.52	37.67	35.10	12.98	29.85	0.00	100	100	PEAK	4	5925.60	57.40	68.20	-10.80	39.17	35.10	12.98	29.85	0.00	100	100	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>105.77</td><td>-----</td><td>-----</td><td>87.94</td><td>34.80</td><td>12.82</td><td>29.79</td><td>0.00</td><td>100</td><td>100</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	5825.00	105.77	-----	-----	87.94	34.80	12.82	29.79	0.00	100	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																										
1	5850.00	75.90	122.30	-46.40	58.06	34.80	12.85	29.81	0.00	100	100	PEAK																																																																																																																																								
2	5864.00	61.59	108.38	-46.79	43.66	34.88	12.88	29.83	0.00	100	100	PEAK																																																																																																																																								
3	5922.00	55.90	70.42	-14.52	37.67	35.10	12.98	29.85	0.00	100	100	PEAK																																																																																																																																								
4	5925.60	57.40	68.20	-10.80	39.17	35.10	12.98	29.85	0.00	100	100	PEAK																																																																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																									
1	5825.00	105.77	-----	-----	87.94	34.80	12.82	29.79	0.00	100	100	PEAK																																																																																																																																								
Avg	Blank																																																																																																																																																			
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>97.51</td><td>-----</td><td>-----</td><td>79.68</td><td>34.80</td><td>12.81</td><td>29.78</td><td>0.00</td><td>100</td><td>100</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	5825.00	97.51	-----	-----	79.68	34.80	12.81	29.78	0.00	100	100	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																									
1	5825.00	97.51	-----	-----	79.68	34.80	12.81	29.78	0.00	100	100	AVERAGE																																																																																																																																								






Mode	52																																																																																																																																								
	Band Edge																																																																																																																																								
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_Full RU_5825MHz																																																																																																																																								
ANT	4																																																																																																																																								
Pol.	Vertical						Fundamental																																																																																																																																		
Peak																																																																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5854.00</td><td>60.10</td><td>111.36</td><td>-51.26</td><td>42.23</td><td>34.83</td><td>12.86</td><td>29.82</td><td>0.00</td><td>295</td><td>48</td><td>PEAK</td></tr><tr><td>2 5874.00</td><td>56.00</td><td>105.36</td><td>-49.36</td><td>37.99</td><td>34.95</td><td>12.90</td><td>29.84</td><td>0.00</td><td>295</td><td>48</td><td>PEAK</td></tr><tr><td>3 5924.00</td><td>55.30</td><td>68.35</td><td>-13.05</td><td>37.07</td><td>35.10</td><td>12.98</td><td>29.85</td><td>0.00</td><td>295</td><td>48</td><td>PEAK</td></tr><tr><td>4 5935.60</td><td>57.12</td><td>68.20</td><td>-11.08</td><td>38.86</td><td>35.10</td><td>13.00</td><td>29.84</td><td>0.00</td><td>295</td><td>48</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5854.00	60.10	111.36	-51.26	42.23	34.83	12.86	29.82	0.00	295	48	PEAK	2 5874.00	56.00	105.36	-49.36	37.99	34.95	12.90	29.84	0.00	295	48	PEAK	3 5924.00	55.30	68.35	-13.05	37.07	35.10	12.98	29.85	0.00	295	48	PEAK	4 5935.60	57.12	68.20	-11.08	38.86	35.10	13.00	29.84	0.00	295	48	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>102.10</td><td>-----</td><td>-----</td><td>84.27</td><td>34.80</td><td>12.81</td><td>29.78</td><td>0.00</td><td>295</td><td>48</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	102.10	-----	-----	84.27	34.80	12.81	29.78	0.00	295	48	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1 5854.00	60.10	111.36	-51.26	42.23	34.83	12.86	29.82	0.00	295	48	PEAK																																																																																																																														
2 5874.00	56.00	105.36	-49.36	37.99	34.95	12.90	29.84	0.00	295	48	PEAK																																																																																																																														
3 5924.00	55.30	68.35	-13.05	37.07	35.10	12.98	29.85	0.00	295	48	PEAK																																																																																																																														
4 5935.60	57.12	68.20	-11.08	38.86	35.10	13.00	29.84	0.00	295	48	PEAK																																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1 5825.00	102.10	-----	-----	84.27	34.80	12.81	29.78	0.00	295	48	PEAK																																																																																																																														
Avg	Blank																																																																																																																																								
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>93.26</td><td>-----</td><td>-----</td><td>75.43</td><td>34.80</td><td>12.81</td><td>29.78</td><td>0.00</td><td>295</td><td>48</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	93.26	-----	-----	75.43	34.80	12.81	29.78	0.00	295	48	AVERAGE																																																																																	
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1 5825.00	93.26	-----	-----	75.43	34.80	12.81	29.78	0.00	295	48	AVERAGE																																																																																																																														




Mode	52																																																					
	Harmonic																																																					
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_Full RU_5825MHz																																																					
ANT	4																																																					
Pol.	Horizontal																																																					
Peak Avg																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11650.00</td><td>46.80</td><td>74.00</td><td>-27.20</td><td>54.02</td><td>38.20</td><td>18.72</td><td>64.14</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11650.00	46.80	74.00	-27.20	54.02	38.20	18.72	64.14	0.00	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	11650.00	46.80	74.00	-27.20	54.02	38.20	18.72	64.14	0.00	--	PEAK																																											
Peak Avg																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11650.00</td><td>46.71</td><td>74.00</td><td>-27.29</td><td>53.93</td><td>38.20</td><td>18.72</td><td>64.14</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11650.00	46.71	74.00	-27.29	53.93	38.20	18.72	64.14	0.00	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	11650.00	46.71	74.00	-27.29	53.93	38.20	18.72	64.14	0.00	--	PEAK																																											





Mode	53																																																																																																																																									
	Band Edge - L																																																																																																																																									
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full RU_5755MHz																																																																																																																																									
ANT	4																																																																																																																																									
Pol.	Horizontal						Fundamental																																																																																																																																			
Peak																																																																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5646.19</td><td>57.78</td><td>68.20</td><td>-10.42</td><td>40.46</td><td>34.59</td><td>12.58</td><td>29.85</td><td>0.00</td><td>105</td><td>110</td><td>PEAK</td></tr><tr><td>2</td><td>5651.31</td><td>56.62</td><td>69.17</td><td>-12.55</td><td>39.31</td><td>34.60</td><td>12.58</td><td>29.87</td><td>0.00</td><td>105</td><td>110</td><td>PEAK</td></tr><tr><td>3</td><td>5718.42</td><td>80.90</td><td>110.46</td><td>-29.56</td><td>63.54</td><td>34.64</td><td>12.67</td><td>29.95</td><td>0.00</td><td>105</td><td>110</td><td>PEAK</td></tr><tr><td>4</td><td>5720.13</td><td>79.00</td><td>111.19</td><td>-32.19</td><td>61.64</td><td>34.64</td><td>12.67</td><td>29.95</td><td>0.00</td><td>105</td><td>110</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5646.19	57.78	68.20	-10.42	40.46	34.59	12.58	29.85	0.00	105	110	PEAK	2	5651.31	56.62	69.17	-12.55	39.31	34.60	12.58	29.87	0.00	105	110	PEAK	3	5718.42	80.90	110.46	-29.56	63.54	34.64	12.67	29.95	0.00	105	110	PEAK	4	5720.13	79.00	111.19	-32.19	61.64	34.64	12.67	29.95	0.00	105	110	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>103.87</td><td>-----</td><td>-----</td><td>86.25</td><td>34.73</td><td>12.73</td><td>29.84</td><td>0.00</td><td>105</td><td>110</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5755.00	103.87	-----	-----	86.25	34.73	12.73	29.84	0.00	105	110
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																
1	5646.19	57.78	68.20	-10.42	40.46	34.59	12.58	29.85	0.00	105	110	PEAK																																																																																																																														
2	5651.31	56.62	69.17	-12.55	39.31	34.60	12.58	29.87	0.00	105	110	PEAK																																																																																																																														
3	5718.42	80.90	110.46	-29.56	63.54	34.64	12.67	29.95	0.00	105	110	PEAK																																																																																																																														
4	5720.13	79.00	111.19	-32.19	61.64	34.64	12.67	29.95	0.00	105	110	PEAK																																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																
1	5755.00	103.87	-----	-----	86.25	34.73	12.73	29.84	0.00	105	110	PEAK																																																																																																																														
Avg	Blank																																																																																																																																									
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>95.20</td><td>-----</td><td>-----</td><td>77.66</td><td>34.70</td><td>12.71</td><td>29.87</td><td>0.00</td><td>105</td><td>110</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5755.00	95.20	-----	-----	77.66	34.70	12.71	29.87	0.00	105	110	AVERAGE																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																
1	5755.00	95.20	-----	-----	77.66	34.70	12.71	29.87	0.00	105	110	AVERAGE																																																																																																																														




Mode	53																																																																																													
	Band Edge - R																																																																																													
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full RU_5755MHz																																																																																													
ANT	4																																																																																													
Pol.	Horizontal						Fundamental																																																																																							
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.26</td><td>56.15</td><td>112.60</td><td>-56.45</td><td>38.28</td><td>34.83</td><td>12.86</td><td>29.82</td><td>0.00</td><td>105</td><td>110</td><td>PEAK</td></tr><tr><td>2</td><td>5873.95</td><td>55.68</td><td>105.59</td><td>-49.91</td><td>37.68</td><td>34.94</td><td>12.90</td><td>29.84</td><td>0.00</td><td>105</td><td>110</td><td>PEAK</td></tr><tr><td>3</td><td>5924.46</td><td>54.50</td><td>68.60</td><td>-14.10</td><td>36.27</td><td>35.10</td><td>12.98</td><td>29.85</td><td>0.00</td><td>105</td><td>110</td><td>PEAK</td></tr><tr><td>4</td><td>5949.03</td><td>57.71</td><td>68.20</td><td>-10.49</td><td>39.42</td><td>35.10</td><td>13.02</td><td>29.83</td><td>0.00</td><td>105</td><td>110</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.26	56.15	112.60	-56.45	38.28	34.83	12.86	29.82	0.00	105	110	PEAK	2	5873.95	55.68	105.59	-49.91	37.68	34.94	12.90	29.84	0.00	105	110	PEAK	3	5924.46	54.50	68.60	-14.10	36.27	35.10	12.98	29.85	0.00	105	110	PEAK	4	5949.03	57.71	68.20	-10.49	39.42	35.10	13.02	29.83	0.00	105	110	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																				
1	5854.26	56.15	112.60	-56.45	38.28	34.83	12.86	29.82	0.00	105	110	PEAK																																																																																		
2	5873.95	55.68	105.59	-49.91	37.68	34.94	12.90	29.84	0.00	105	110	PEAK																																																																																		
3	5924.46	54.50	68.60	-14.10	36.27	35.10	12.98	29.85	0.00	105	110	PEAK																																																																																		
4	5949.03	57.71	68.20	-10.49	39.42	35.10	13.02	29.83	0.00	105	110	PEAK																																																																																		





Mode	53																																																																																									
	Band Edge - L																																																																																									
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full RU_5755MHz																																																																																									
ANT	4																																																																																									
Pol.	Vertical																																																																																									
Peak																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5611.01</td><td>57.86</td><td>68.20</td><td>-10.34</td><td>40.57</td><td>34.52</td><td>12.53</td><td>29.76</td><td>0.00</td><td>374</td><td>51 PEAK</td></tr><tr><td>2</td><td>5650.84</td><td>55.75</td><td>68.83</td><td>-13.08</td><td>38.44</td><td>34.60</td><td>12.58</td><td>29.87</td><td>0.00</td><td>374</td><td>51 PEAK</td></tr><tr><td>3</td><td>5710.36</td><td>72.63</td><td>108.20</td><td>-35.57</td><td>55.32</td><td>34.62</td><td>12.66</td><td>29.97</td><td>0.00</td><td>374</td><td>51 PEAK</td></tr><tr><td>4</td><td>5720.28</td><td>77.27</td><td>111.54</td><td>-34.27</td><td>59.91</td><td>34.64</td><td>12.67</td><td>29.95</td><td>0.00</td><td>374</td><td>51 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5611.01	57.86	68.20	-10.34	40.57	34.52	12.53	29.76	0.00	374	51 PEAK	2	5650.84	55.75	68.83	-13.08	38.44	34.60	12.58	29.87	0.00	374	51 PEAK	3	5710.36	72.63	108.20	-35.57	55.32	34.62	12.66	29.97	0.00	374	51 PEAK	4	5720.28	77.27	111.54	-34.27	59.91	34.64	12.67	29.95	0.00	374	51 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5611.01	57.86	68.20	-10.34	40.57	34.52	12.53	29.76	0.00	374	51 PEAK																																																																															
2	5650.84	55.75	68.83	-13.08	38.44	34.60	12.58	29.87	0.00	374	51 PEAK																																																																															
3	5710.36	72.63	108.20	-35.57	55.32	34.62	12.66	29.97	0.00	374	51 PEAK																																																																															
4	5720.28	77.27	111.54	-34.27	59.91	34.64	12.67	29.95	0.00	374	51 PEAK																																																																															
Avg	Blank																																																																																									
																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5755.00</td><td>100.30</td><td>-----</td><td>-----</td><td>82.76</td><td>34.70</td><td>12.71</td><td>29.87</td><td>0.00</td><td>374</td><td>51 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5755.00	100.30	-----	-----	82.76	34.70	12.71	29.87	0.00	374	51 PEAK																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5755.00	100.30	-----	-----	82.76	34.70	12.71	29.87	0.00	374	51 PEAK																																																																															






Mode	53																																																																																
	Band Edge - R																																																																																
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full RU_5755MHz																																																																																
ANT	4																																																																																
Pol.	Vertical	Fundamental																																																																															
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.65</td><td>57.20</td><td>111.71</td><td>-54.51</td><td>39.33</td><td>34.83</td><td>12.86</td><td>29.82</td><td>0.00</td><td>374</td><td>51 PEAK</td></tr><tr><td>2</td><td>5878.83</td><td>56.19</td><td>106.47</td><td>-50.28</td><td>38.21</td><td>34.92</td><td>12.89</td><td>29.83</td><td>0.00</td><td>374</td><td>51 PEAK</td></tr><tr><td>3</td><td>5924.46</td><td>54.81</td><td>68.60</td><td>-13.79</td><td>36.58</td><td>35.10</td><td>12.98</td><td>29.85</td><td>0.00</td><td>374</td><td>51 PEAK</td></tr><tr><td>4</td><td>5946.49</td><td>56.85</td><td>68.20</td><td>-11.35</td><td>38.56</td><td>35.10</td><td>13.02</td><td>29.83</td><td>0.00</td><td>374</td><td>51 PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.65	57.20	111.71	-54.51	39.33	34.83	12.86	29.82	0.00	374	51 PEAK	2	5878.83	56.19	106.47	-50.28	38.21	34.92	12.89	29.83	0.00	374	51 PEAK	3	5924.46	54.81	68.60	-13.79	36.58	35.10	12.98	29.85	0.00	374	51 PEAK	4	5946.49	56.85	68.20	-11.35	38.56	35.10	13.02	29.83	0.00	374	51 PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																							
1	5854.65	57.20	111.71	-54.51	39.33	34.83	12.86	29.82	0.00	374	51 PEAK																																																																						
2	5878.83	56.19	106.47	-50.28	38.21	34.92	12.89	29.83	0.00	374	51 PEAK																																																																						
3	5924.46	54.81	68.60	-13.79	36.58	35.10	12.98	29.85	0.00	374	51 PEAK																																																																						
4	5946.49	56.85	68.20	-11.35	38.56	35.10	13.02	29.83	0.00	374	51 PEAK																																																																						




Mode	53																																																																																																														
	Harmonic																																																																																																														
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full RU_5755MHz																																																																																																														
ANT	4																																																																																																														
Pol.	Horizontal						Vertical																																																																																																								
Peak Avg																																																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>11510.00</td><td>46.96</td><td>74.00</td><td>-27.04</td><td>54.42</td><td>38.01</td><td>18.60</td><td>64.07</td><td>0.00</td><td>--</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11510.00	46.96	74.00	-27.04	54.42	38.01	18.60	64.07	0.00	--	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>11510.00</td><td>47.37</td><td>74.00</td><td>-26.63</td><td>54.83</td><td>38.01</td><td>18.60</td><td>64.07</td><td>0.00</td><td>100</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>11510.00</td><td>38.13</td><td>54.00</td><td>-15.87</td><td>45.61</td><td>38.00</td><td>18.59</td><td>64.07</td><td>0.00</td><td>100</td><td>360</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11510.00	47.37	74.00	-26.63	54.83	38.01	18.60	64.07	0.00	100	360	PEAK	2	11510.00	38.13	54.00	-15.87	45.61	38.00	18.59	64.07	0.00	100	360
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	11510.00	46.96	74.00	-27.04	54.42	38.01	18.60	64.07	0.00	--	PEAK																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	11510.00	47.37	74.00	-26.63	54.83	38.01	18.60	64.07	0.00	100	360	PEAK																																																																																																			
2	11510.00	38.13	54.00	-15.87	45.61	38.00	18.59	64.07	0.00	100	360	AVERAGE																																																																																																			






Mode	54																																																																																																																																									
	Band Edge - L																																																																																																																																									
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full RU_5795MHz																																																																																																																																									
ANT	4																																																																																																																																									
Pol.	Horizontal						Fundamental																																																																																																																																			
Peak																																																																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5610.00</td><td>56.59</td><td>68.20</td><td>-11.61</td><td>39.30</td><td>34.52</td><td>12.53</td><td>29.76</td><td>0.00</td><td>105</td><td>111</td><td>PEAK</td></tr><tr><td>2</td><td>5651.60</td><td>53.38</td><td>69.39</td><td>-16.01</td><td>36.07</td><td>34.60</td><td>12.58</td><td>29.87</td><td>0.00</td><td>105</td><td>111</td><td>PEAK</td></tr><tr><td>3</td><td>5700.80</td><td>56.94</td><td>105.52</td><td>-48.58</td><td>39.69</td><td>34.60</td><td>12.65</td><td>30.00</td><td>0.00</td><td>105</td><td>111</td><td>PEAK</td></tr><tr><td>4</td><td>5721.60</td><td>58.92</td><td>114.55</td><td>-55.63</td><td>41.56</td><td>34.64</td><td>12.67</td><td>29.95</td><td>0.00</td><td>105</td><td>111</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	56.59	68.20	-11.61	39.30	34.52	12.53	29.76	0.00	105	111	PEAK	2	5651.60	53.38	69.39	-16.01	36.07	34.60	12.58	29.87	0.00	105	111	PEAK	3	5700.80	56.94	105.52	-48.58	39.69	34.60	12.65	30.00	0.00	105	111	PEAK	4	5721.60	58.92	114.55	-55.63	41.56	34.64	12.67	29.95	0.00	105	111	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>104.22</td><td>-----</td><td>-----</td><td>86.43</td><td>34.79</td><td>12.76</td><td>29.76</td><td>0.00</td><td>105</td><td>111</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5795.00	104.22	-----	-----	86.43	34.79	12.76	29.76	0.00	105	111
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																
1	5610.00	56.59	68.20	-11.61	39.30	34.52	12.53	29.76	0.00	105	111	PEAK																																																																																																																														
2	5651.60	53.38	69.39	-16.01	36.07	34.60	12.58	29.87	0.00	105	111	PEAK																																																																																																																														
3	5700.80	56.94	105.52	-48.58	39.69	34.60	12.65	30.00	0.00	105	111	PEAK																																																																																																																														
4	5721.60	58.92	114.55	-55.63	41.56	34.64	12.67	29.95	0.00	105	111	PEAK																																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																
1	5795.00	104.22	-----	-----	86.43	34.79	12.76	29.76	0.00	105	111	PEAK																																																																																																																														
Avg	Blank																																																																																																																																									
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>95.30</td><td>-----</td><td>-----</td><td>77.51</td><td>34.79</td><td>12.76</td><td>29.76</td><td>0.00</td><td>105</td><td>111</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5795.00	95.30	-----	-----	77.51	34.79	12.76	29.76	0.00	105	111	AVERAGE																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																
1	5795.00	95.30	-----	-----	77.51	34.79	12.76	29.76	0.00	105	111	AVERAGE																																																																																																																														




Mode	54																																																																																													
	Band Edge - R																																																																																													
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full RU_5795MHz																																																																																													
ANT	4																																																																																													
Pol.	Horizontal						Fundamental																																																																																							
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.80</td><td>64.96</td><td>111.36</td><td>-46.40</td><td>47.09</td><td>34.83</td><td>12.86</td><td>29.82</td><td>0.00</td><td>105</td><td>111</td><td>PEAK</td></tr><tr><td>2</td><td>5868.80</td><td>63.18</td><td>109.27</td><td>-46.09</td><td>45.27</td><td>34.86</td><td>12.87</td><td>29.82</td><td>0.00</td><td>105</td><td>111</td><td>PEAK</td></tr><tr><td>3</td><td>5922.80</td><td>55.87</td><td>69.83</td><td>-13.96</td><td>37.64</td><td>35.10</td><td>12.98</td><td>29.85</td><td>0.00</td><td>105</td><td>111</td><td>PEAK</td></tr><tr><td>4</td><td>5948.40</td><td>56.60</td><td>68.20</td><td>-11.60</td><td>38.31</td><td>35.10</td><td>13.02</td><td>29.83</td><td>0.00</td><td>105</td><td>111</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.80	64.96	111.36	-46.40	47.09	34.83	12.86	29.82	0.00	105	111	PEAK	2	5868.80	63.18	109.27	-46.09	45.27	34.86	12.87	29.82	0.00	105	111	PEAK	3	5922.80	55.87	69.83	-13.96	37.64	35.10	12.98	29.85	0.00	105	111	PEAK	4	5948.40	56.60	68.20	-11.60	38.31	35.10	13.02	29.83	0.00	105	111	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																				
1	5854.80	64.96	111.36	-46.40	47.09	34.83	12.86	29.82	0.00	105	111	PEAK																																																																																		
2	5868.80	63.18	109.27	-46.09	45.27	34.86	12.87	29.82	0.00	105	111	PEAK																																																																																		
3	5922.80	55.87	69.83	-13.96	37.64	35.10	12.98	29.85	0.00	105	111	PEAK																																																																																		
4	5948.40	56.60	68.20	-11.60	38.31	35.10	13.02	29.83	0.00	105	111	PEAK																																																																																		





Mode	54																																																																																																																		
	Band Edge - L																																																																																																																		
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full RU_5795MHz																																																																																																																		
ANT	4																																																																																																																		
Pol.	Vertical						Fundamental																																																																																																												
Peak																																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5609.60</td><td>55.47</td><td>68.20</td><td>-12.73</td><td>38.18</td><td>34.52</td><td>12.53</td><td>29.76</td><td>0.00</td><td>369</td><td>50 PEAK</td></tr><tr><td>2</td><td>5658.80</td><td>54.83</td><td>68.80</td><td>-13.97</td><td>37.52</td><td>34.60</td><td>12.58</td><td>29.87</td><td>0.00</td><td>369</td><td>50 PEAK</td></tr><tr><td>3</td><td>5783.20</td><td>55.31</td><td>106.20</td><td>-50.89</td><td>38.04</td><td>34.61</td><td>12.65</td><td>29.99</td><td>0.00</td><td>369</td><td>50 PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>58.48</td><td>110.90</td><td>-52.42</td><td>41.12</td><td>34.64</td><td>12.67</td><td>29.95</td><td>0.00</td><td>369</td><td>50 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5609.60	55.47	68.20	-12.73	38.18	34.52	12.53	29.76	0.00	369	50 PEAK	2	5658.80	54.83	68.80	-13.97	37.52	34.60	12.58	29.87	0.00	369	50 PEAK	3	5783.20	55.31	106.20	-50.89	38.04	34.61	12.65	29.99	0.00	369	50 PEAK	4	5720.00	58.48	110.90	-52.42	41.12	34.64	12.67	29.95	0.00	369	50 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>100.10</td><td>-----</td><td>-----</td><td>82.28</td><td>34.80</td><td>12.77</td><td>29.75</td><td>0.00</td><td>369</td><td>50 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5795.00	100.10	-----	-----	82.28	34.80	12.77	29.75	0.00	369	50 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																									
1	5609.60	55.47	68.20	-12.73	38.18	34.52	12.53	29.76	0.00	369	50 PEAK																																																																																																								
2	5658.80	54.83	68.80	-13.97	37.52	34.60	12.58	29.87	0.00	369	50 PEAK																																																																																																								
3	5783.20	55.31	106.20	-50.89	38.04	34.61	12.65	29.99	0.00	369	50 PEAK																																																																																																								
4	5720.00	58.48	110.90	-52.42	41.12	34.64	12.67	29.95	0.00	369	50 PEAK																																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																									
1	5795.00	100.10	-----	-----	82.28	34.80	12.77	29.75	0.00	369	50 PEAK																																																																																																								
Avg	Blank																																																																																																																		
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>91.56</td><td>-----</td><td>-----</td><td>73.77</td><td>34.79</td><td>12.76</td><td>29.76</td><td>0.00</td><td>369</td><td>50 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5795.00	91.56	-----	-----	73.77	34.79	12.76	29.76	0.00	369	50 AVERAGE																																																																						
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																									
1	5795.00	91.56	-----	-----	73.77	34.79	12.76	29.76	0.00	369	50 AVERAGE																																																																																																								






Mode	54																																																																																													
	Band Edge - R																																																																																													
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full RU_5795MHz																																																																																													
ANT	4																																																																																													
Pol.	Vertical										Fundamental																																																																																			
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.40</td><td>59.58</td><td>112.27</td><td>-52.69</td><td>41.71</td><td>34.83</td><td>12.86</td><td>29.82</td><td>0.00</td><td>369</td><td>50</td><td>PEAK</td></tr><tr><td>2</td><td>5866.40</td><td>57.39</td><td>107.71</td><td>-50.32</td><td>39.44</td><td>34.90</td><td>12.88</td><td>29.83</td><td>0.00</td><td>369</td><td>50</td><td>PEAK</td></tr><tr><td>3</td><td>5924.80</td><td>55.18</td><td>68.35</td><td>-13.17</td><td>36.95</td><td>35.10</td><td>12.98</td><td>29.85</td><td>0.00</td><td>369</td><td>50</td><td>PEAK</td></tr><tr><td>4</td><td>5972.00</td><td>57.85</td><td>68.20</td><td>-10.35</td><td>39.50</td><td>35.10</td><td>13.06</td><td>29.81</td><td>0.00</td><td>369</td><td>50</td><td>PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.40	59.58	112.27	-52.69	41.71	34.83	12.86	29.82	0.00	369	50	PEAK	2	5866.40	57.39	107.71	-50.32	39.44	34.90	12.88	29.83	0.00	369	50	PEAK	3	5924.80	55.18	68.35	-13.17	36.95	35.10	12.98	29.85	0.00	369	50	PEAK	4	5972.00	57.85	68.20	-10.35	39.50	35.10	13.06	29.81	0.00	369	50	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																				
1	5854.40	59.58	112.27	-52.69	41.71	34.83	12.86	29.82	0.00	369	50	PEAK																																																																																		
2	5866.40	57.39	107.71	-50.32	39.44	34.90	12.88	29.83	0.00	369	50	PEAK																																																																																		
3	5924.80	55.18	68.35	-13.17	36.95	35.10	12.98	29.85	0.00	369	50	PEAK																																																																																		
4	5972.00	57.85	68.20	-10.35	39.50	35.10	13.06	29.81	0.00	369	50	PEAK																																																																																		




Mode	54																																																																					
	Harmonic																																																																					
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full RU_5795MHz																																																																					
ANT	4																																																																					
Pol.	Horizontal																																																																					
Peak Avg																																																																						
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 11590.00</td><td>47.85</td><td>74.00</td><td>-26.15</td><td>55.20</td><td>38.09</td><td>18.67</td><td>64.11</td><td>0.00</td><td>100</td><td>0</td><td>PEAK</td></tr><tr><td>2 11590.00</td><td>38.08</td><td>54.00</td><td>-15.92</td><td>45.43</td><td>38.09</td><td>18.67</td><td>64.11</td><td>0.00</td><td>100</td><td>0</td><td>AVERAGE</td></tr></table>													Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 11590.00	47.85	74.00	-26.15	55.20	38.09	18.67	64.11	0.00	100	0	PEAK	2 11590.00	38.08	54.00	-15.92	45.43	38.09	18.67	64.11	0.00	100	0	AVERAGE
			Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																										
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																												
1 11590.00	47.85	74.00	-26.15	55.20	38.09	18.67	64.11	0.00	100	0	PEAK																																																											
2 11590.00	38.08	54.00	-15.92	45.43	38.09	18.67	64.11	0.00	100	0	AVERAGE																																																											
Vertical																																																																						
																																																																						
<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 11590.00</td><td>47.73</td><td>74.00</td><td>-26.27</td><td>55.08</td><td>38.09</td><td>18.67</td><td>64.11</td><td>0.00</td><td>100</td><td>146</td><td>PEAK</td></tr><tr><td>2 11590.00</td><td>38.06</td><td>54.00</td><td>-15.94</td><td>45.41</td><td>38.09</td><td>18.67</td><td>64.11</td><td>0.00</td><td>100</td><td>146</td><td>AVERAGE</td></tr></table>													Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 11590.00	47.73	74.00	-26.27	55.08	38.09	18.67	64.11	0.00	100	146	PEAK	2 11590.00	38.06	54.00	-15.94	45.41	38.09	18.67	64.11	0.00	100	146	AVERAGE	
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																												
1 11590.00	47.73	74.00	-26.27	55.08	38.09	18.67	64.11	0.00	100	146	PEAK																																																											
2 11590.00	38.06	54.00	-15.94	45.41	38.09	18.67	64.11	0.00	100	146	AVERAGE																																																											






Mode	55																																																																																																																																														
	Band Edge - L																																																																																																																																														
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full RU_5775MHz																																																																																																																																														
ANT	4																																																																																																																																														
Pol.	Horizontal						Fundamental																																																																																																																																								
Peak																																																																																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5630.40</td><td>60.06</td><td>68.20</td><td>-8.14</td><td>42.75</td><td>34.56</td><td>12.56</td><td>29.81</td><td>0.00</td><td>112</td><td>111 PEAK</td></tr><tr><td>2</td><td>5651.20</td><td>58.26</td><td>69.09</td><td>-10.83</td><td>40.95</td><td>34.60</td><td>12.58</td><td>29.87</td><td>0.00</td><td>112</td><td>111 PEAK</td></tr><tr><td>3</td><td>5719.20</td><td>78.21</td><td>110.68</td><td>-32.47</td><td>60.85</td><td>34.64</td><td>12.67</td><td>29.95</td><td>0.00</td><td>112</td><td>111 PEAK</td></tr><tr><td>4</td><td>5721.20</td><td>78.35</td><td>113.64</td><td>-35.29</td><td>60.99</td><td>34.64</td><td>12.67</td><td>29.95</td><td>0.00</td><td>112</td><td>111 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5630.40	60.06	68.20	-8.14	42.75	34.56	12.56	29.81	0.00	112	111 PEAK	2	5651.20	58.26	69.09	-10.83	40.95	34.60	12.58	29.87	0.00	112	111 PEAK	3	5719.20	78.21	110.68	-32.47	60.85	34.64	12.67	29.95	0.00	112	111 PEAK	4	5721.20	78.35	113.64	-35.29	60.99	34.64	12.67	29.95	0.00	112	111 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>100.60</td><td>-----</td><td>-----</td><td>82.89</td><td>34.76</td><td>12.75</td><td>29.80</td><td>0.00</td><td>112</td><td>111 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5775.00	100.60	-----	-----	82.89	34.76	12.75	29.80	0.00	112
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																					
1	5630.40	60.06	68.20	-8.14	42.75	34.56	12.56	29.81	0.00	112	111 PEAK																																																																																																																																				
2	5651.20	58.26	69.09	-10.83	40.95	34.60	12.58	29.87	0.00	112	111 PEAK																																																																																																																																				
3	5719.20	78.21	110.68	-32.47	60.85	34.64	12.67	29.95	0.00	112	111 PEAK																																																																																																																																				
4	5721.20	78.35	113.64	-35.29	60.99	34.64	12.67	29.95	0.00	112	111 PEAK																																																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																					
1	5775.00	100.60	-----	-----	82.89	34.76	12.75	29.80	0.00	112	111 PEAK																																																																																																																																				
Avg	Blank																																																																																																																																														
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>91.58</td><td>-----</td><td>-----</td><td>73.90</td><td>34.75</td><td>12.74</td><td>29.81</td><td>0.00</td><td>112</td><td>111 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5775.00	91.58	-----	-----	73.90	34.75	12.74	29.81	0.00	112	111 AVERAGE																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																					
1	5775.00	91.58	-----	-----	73.90	34.75	12.74	29.81	0.00	112	111 AVERAGE																																																																																																																																				




Mode	55																																																																																													
	Band Edge - R																																																																																													
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full RU_5775MHz																																																																																													
ANT	4																																																																																													
Pol.	Horizontal										Fundamental																																																																																			
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.00</td><td>70.73</td><td>111.36</td><td>-40.63</td><td>52.06</td><td>34.83</td><td>12.86</td><td>29.82</td><td>0.00</td><td>112</td><td>111</td><td>PEAK</td></tr><tr><td>2</td><td>5859.60</td><td>69.50</td><td>109.61</td><td>-40.11</td><td>51.59</td><td>34.86</td><td>12.87</td><td>29.82</td><td>0.00</td><td>112</td><td>111</td><td>PEAK</td></tr><tr><td>3</td><td>5924.00</td><td>55.68</td><td>68.94</td><td>-13.26</td><td>37.45</td><td>35.10</td><td>12.98</td><td>29.85</td><td>0.00</td><td>112</td><td>111</td><td>PEAK</td></tr><tr><td>4</td><td>5945.20</td><td>56.97</td><td>68.20</td><td>-11.23</td><td>38.68</td><td>35.10</td><td>13.02</td><td>29.83</td><td>0.00</td><td>112</td><td>111</td><td>PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.00	70.73	111.36	-40.63	52.06	34.83	12.86	29.82	0.00	112	111	PEAK	2	5859.60	69.50	109.61	-40.11	51.59	34.86	12.87	29.82	0.00	112	111	PEAK	3	5924.00	55.68	68.94	-13.26	37.45	35.10	12.98	29.85	0.00	112	111	PEAK	4	5945.20	56.97	68.20	-11.23	38.68	35.10	13.02	29.83	0.00	112	111	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																				
1	5854.00	70.73	111.36	-40.63	52.06	34.83	12.86	29.82	0.00	112	111	PEAK																																																																																		
2	5859.60	69.50	109.61	-40.11	51.59	34.86	12.87	29.82	0.00	112	111	PEAK																																																																																		
3	5924.00	55.68	68.94	-13.26	37.45	35.10	12.98	29.85	0.00	112	111	PEAK																																																																																		
4	5945.20	56.97	68.20	-11.23	38.68	35.10	13.02	29.83	0.00	112	111	PEAK																																																																																		






Mode	55																																																																																																																																				
	Band Edge - L																																																																																																																																				
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full RU_5775MHz																																																																																																																																				
ANT	4																																																																																																																																				
Pol.	Vertical						Fundamental																																																																																																																														
Peak																																																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5638.00</td><td>56.96</td><td>68.20</td><td>-11.24</td><td>39.64</td><td>34.58</td><td>12.57</td><td>29.83</td><td>0.00</td><td>371</td><td>51 PEAK</td></tr><tr><td>2</td><td>5652.00</td><td>56.78</td><td>69.69</td><td>-12.91</td><td>39.46</td><td>34.60</td><td>12.59</td><td>29.87</td><td>0.00</td><td>371</td><td>51 PEAK</td></tr><tr><td>3</td><td>5702.40</td><td>69.02</td><td>105.97</td><td>-36.95</td><td>51.76</td><td>34.60</td><td>12.65</td><td>29.99</td><td>0.00</td><td>371</td><td>51 PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>71.00</td><td>110.90</td><td>-39.90</td><td>53.64</td><td>34.64</td><td>12.67</td><td>29.95</td><td>0.00</td><td>371</td><td>51 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5638.00	56.96	68.20	-11.24	39.64	34.58	12.57	29.83	0.00	371	51 PEAK	2	5652.00	56.78	69.69	-12.91	39.46	34.60	12.59	29.87	0.00	371	51 PEAK	3	5702.40	69.02	105.97	-36.95	51.76	34.60	12.65	29.99	0.00	371	51 PEAK	4	5720.00	71.00	110.90	-39.90	53.64	34.64	12.67	29.95	0.00	371	51 PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5775.00</td><td>96.15</td><td>-----</td><td>-----</td><td>78.36</td><td>34.79</td><td>12.76</td><td>29.76</td><td>0.00</td><td>371</td><td>51 PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5775.00	96.15	-----	-----	78.36	34.79	12.76	29.76	0.00	371	51 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																											
1	5638.00	56.96	68.20	-11.24	39.64	34.58	12.57	29.83	0.00	371	51 PEAK																																																																																																																										
2	5652.00	56.78	69.69	-12.91	39.46	34.60	12.59	29.87	0.00	371	51 PEAK																																																																																																																										
3	5702.40	69.02	105.97	-36.95	51.76	34.60	12.65	29.99	0.00	371	51 PEAK																																																																																																																										
4	5720.00	71.00	110.90	-39.90	53.64	34.64	12.67	29.95	0.00	371	51 PEAK																																																																																																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																											
1	5775.00	96.15	-----	-----	78.36	34.79	12.76	29.76	0.00	371	51 PEAK																																																																																																																										
Avg	Blank																																																																																																																																				
							<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5775.00</td><td>89.38</td><td>-----</td><td>-----</td><td>71.70</td><td>34.75</td><td>12.74</td><td>29.81</td><td>0.00</td><td>371</td><td>51 AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5775.00	89.38	-----	-----	71.70	34.75	12.74	29.81	0.00	371	51 AVERAGE																																																																															
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																											
1	5775.00	89.38	-----	-----	71.70	34.75	12.74	29.81	0.00	371	51 AVERAGE																																																																																																																										






Mode	55																																																																																													
	Band Edge - R																																																																																													
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full RU_5775MHz																																																																																													
ANT	4																																																																																													
Pol.	Vertical						Fundamental																																																																																							
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.80</td><td>66.34</td><td>111.36</td><td>-45.02</td><td>48.47</td><td>34.83</td><td>12.86</td><td>29.82</td><td>0.00</td><td>371</td><td>51</td><td>PEAK</td></tr><tr><td>2</td><td>5862.80</td><td>66.73</td><td>108.71</td><td>-41.98</td><td>48.80</td><td>34.88</td><td>12.88</td><td>29.83</td><td>0.00</td><td>371</td><td>51</td><td>PEAK</td></tr><tr><td>3</td><td>5924.80</td><td>54.96</td><td>68.35</td><td>-13.39</td><td>36.73</td><td>35.10</td><td>12.98</td><td>29.85</td><td>0.00</td><td>371</td><td>51</td><td>PEAK</td></tr><tr><td>4</td><td>5945.60</td><td>56.99</td><td>68.20</td><td>-11.21</td><td>38.70</td><td>35.10</td><td>13.02</td><td>29.83</td><td>0.00</td><td>371</td><td>51</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.80	66.34	111.36	-45.02	48.47	34.83	12.86	29.82	0.00	371	51	PEAK	2	5862.80	66.73	108.71	-41.98	48.80	34.88	12.88	29.83	0.00	371	51	PEAK	3	5924.80	54.96	68.35	-13.39	36.73	35.10	12.98	29.85	0.00	371	51	PEAK	4	5945.60	56.99	68.20	-11.21	38.70	35.10	13.02	29.83	0.00	371	51	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																				
1	5854.80	66.34	111.36	-45.02	48.47	34.83	12.86	29.82	0.00	371	51	PEAK																																																																																		
2	5862.80	66.73	108.71	-41.98	48.80	34.88	12.88	29.83	0.00	371	51	PEAK																																																																																		
3	5924.80	54.96	68.35	-13.39	36.73	35.10	12.98	29.85	0.00	371	51	PEAK																																																																																		
4	5945.60	56.99	68.20	-11.21	38.70	35.10	13.02	29.83	0.00	371	51	PEAK																																																																																		






Mode	55																																																																																																																													
	Harmonic																																																																																																																													
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full RU_5775MHz																																																																																																																													
ANT	4																																																																																																																													
Pol.	Horizontal						Vertical																																																																																																																							
Peak Avg																																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11550.00</td><td>47.46</td><td>74.00</td><td>-26.54</td><td>54.87</td><td>38.05</td><td>18.63</td><td>64.09</td><td>0.00</td><td>100</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>11550.00</td><td>38.00</td><td>54.00</td><td>-15.92</td><td>45.45</td><td>38.00</td><td>18.66</td><td>64.11</td><td>0.00</td><td>100</td><td>360</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11550.00	47.46	74.00	-26.54	54.87	38.05	18.63	64.09	0.00	100	360	PEAK	2	11550.00	38.00	54.00	-15.92	45.45	38.00	18.66	64.11	0.00	100	360	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11550.00</td><td>47.25</td><td>74.00</td><td>-26.75</td><td>54.66</td><td>38.05</td><td>18.63</td><td>64.09</td><td>0.00</td><td>100</td><td>0</td><td>PEAK</td></tr><tr><td>2</td><td>11550.00</td><td>38.05</td><td>54.00</td><td>-15.95</td><td>45.40</td><td>38.09</td><td>18.67</td><td>64.11</td><td>0.00</td><td>100</td><td>0</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11550.00	47.25	74.00	-26.75	54.66	38.05	18.63	64.09	0.00	100	0	PEAK	2	11550.00	38.05	54.00	-15.95	45.40	38.09	18.67	64.11	0.00	100	0	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	11550.00	47.46	74.00	-26.54	54.87	38.05	18.63	64.09	0.00	100	360	PEAK																																																																																																																		
2	11550.00	38.00	54.00	-15.92	45.45	38.00	18.66	64.11	0.00	100	360	AVERAGE																																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	11550.00	47.25	74.00	-26.75	54.66	38.05	18.63	64.09	0.00	100	0	PEAK																																																																																																																		
2	11550.00	38.05	54.00	-15.95	45.40	38.09	18.67	64.11	0.00	100	0	AVERAGE																																																																																																																		








Mode	56																																																																																																																																													
	Band Edge																																																																																																																																													
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_Partial_26/0RU_5745MHz																																																																																																																																													
ANT	4																																																																																																																																													
Pol.	Horizontal						Fundamental																																																																																																																																							
Peak																																																																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5606.00</td><td>55.81</td><td>68.20</td><td>-12.39</td><td>38.52</td><td>34.51</td><td>12.53</td><td>29.75</td><td>0.00</td><td>100</td><td>119</td><td>PEAK</td></tr><tr><td>2</td><td>5652.00</td><td>56.30</td><td>69.69</td><td>-13.39</td><td>38.98</td><td>34.60</td><td>12.59</td><td>29.87</td><td>0.00</td><td>100</td><td>119</td><td>PEAK</td></tr><tr><td>3</td><td>5704.00</td><td>71.87</td><td>106.65</td><td>-34.78</td><td>54.60</td><td>34.61</td><td>12.65</td><td>29.99</td><td>0.00</td><td>100</td><td>119</td><td>PEAK</td></tr><tr><td>4</td><td>5721.20</td><td>63.96</td><td>113.64</td><td>-49.68</td><td>46.60</td><td>34.64</td><td>12.67</td><td>29.95</td><td>0.00</td><td>100</td><td>119</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5606.00	55.81	68.20	-12.39	38.52	34.51	12.53	29.75	0.00	100	119	PEAK	2	5652.00	56.30	69.69	-13.39	38.98	34.60	12.59	29.87	0.00	100	119	PEAK	3	5704.00	71.87	106.65	-34.78	54.60	34.61	12.65	29.99	0.00	100	119	PEAK	4	5721.20	63.96	113.64	-49.68	46.60	34.64	12.67	29.95	0.00	100	119	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>114.50</td><td>-----</td><td>-----</td><td>97.03</td><td>34.68</td><td>12.69</td><td>29.90</td><td>0.00</td><td>100</td><td>119</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	114.50	-----	-----	97.03	34.68	12.69	29.90	0.00	100	119
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																				
1	5606.00	55.81	68.20	-12.39	38.52	34.51	12.53	29.75	0.00	100	119	PEAK																																																																																																																																		
2	5652.00	56.30	69.69	-13.39	38.98	34.60	12.59	29.87	0.00	100	119	PEAK																																																																																																																																		
3	5704.00	71.87	106.65	-34.78	54.60	34.61	12.65	29.99	0.00	100	119	PEAK																																																																																																																																		
4	5721.20	63.96	113.64	-49.68	46.60	34.64	12.67	29.95	0.00	100	119	PEAK																																																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																				
1	5745.00	114.50	-----	-----	97.03	34.68	12.69	29.90	0.00	100	119	PEAK																																																																																																																																		
Avg	Blank																																																																																																																																													
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>108.02</td><td>-----</td><td>-----</td><td>90.58</td><td>34.67</td><td>12.69</td><td>29.92</td><td>0.00</td><td>100</td><td>119</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	108.02	-----	-----	90.58	34.67	12.69	29.92	0.00	100	119	AVERAGE																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																				
1	5745.00	108.02	-----	-----	90.58	34.67	12.69	29.92	0.00	100	119	AVERAGE																																																																																																																																		






Mode	56																																																																																																																		
	Band Edge																																																																																																																		
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_Partial_26/0RU_5745MHz																																																																																																																		
ANT	4																																																																																																																		
Pol.	Vertical						Fundamental																																																																																																												
Peak																																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5631.20</td><td>56.49</td><td>68.20</td><td>-11.71</td><td>39.18</td><td>34.56</td><td>12.56</td><td>29.81</td><td>0.00</td><td>304</td><td>53 PEAK</td></tr><tr><td>2</td><td>5651.20</td><td>55.38</td><td>69.09</td><td>-13.71</td><td>38.07</td><td>34.60</td><td>12.58</td><td>29.87</td><td>0.00</td><td>304</td><td>53 PEAK</td></tr><tr><td>3</td><td>5783.20</td><td>65.61</td><td>106.20</td><td>-40.59</td><td>48.34</td><td>34.61</td><td>12.65</td><td>29.99</td><td>0.00</td><td>304</td><td>53 PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>68.97</td><td>110.90</td><td>-41.93</td><td>51.61</td><td>34.64</td><td>12.67</td><td>29.95</td><td>0.00</td><td>304</td><td>53 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5631.20	56.49	68.20	-11.71	39.18	34.56	12.56	29.81	0.00	304	53 PEAK	2	5651.20	55.38	69.09	-13.71	38.07	34.60	12.58	29.87	0.00	304	53 PEAK	3	5783.20	65.61	106.20	-40.59	48.34	34.61	12.65	29.99	0.00	304	53 PEAK	4	5720.00	68.97	110.90	-41.93	51.61	34.64	12.67	29.95	0.00	304	53 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>110.79</td><td>-----</td><td>-----</td><td>93.35</td><td>34.67</td><td>12.69</td><td>29.92</td><td>0.00</td><td>304</td><td>53 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5745.00	110.79	-----	-----	93.35	34.67	12.69	29.92	0.00	304	53 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																									
1	5631.20	56.49	68.20	-11.71	39.18	34.56	12.56	29.81	0.00	304	53 PEAK																																																																																																								
2	5651.20	55.38	69.09	-13.71	38.07	34.60	12.58	29.87	0.00	304	53 PEAK																																																																																																								
3	5783.20	65.61	106.20	-40.59	48.34	34.61	12.65	29.99	0.00	304	53 PEAK																																																																																																								
4	5720.00	68.97	110.90	-41.93	51.61	34.64	12.67	29.95	0.00	304	53 PEAK																																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																									
1	5745.00	110.79	-----	-----	93.35	34.67	12.69	29.92	0.00	304	53 PEAK																																																																																																								
Avg	Blank																																																																																																																		
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>104.68</td><td>-----</td><td>-----</td><td>87.24</td><td>34.67</td><td>12.69</td><td>29.92</td><td>0.00</td><td>304</td><td>53 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5745.00	104.68	-----	-----	87.24	34.67	12.69	29.92	0.00	304	53 AVERAGE																																																																						
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																									
1	5745.00	104.68	-----	-----	87.24	34.67	12.69	29.92	0.00	304	53 AVERAGE																																																																																																								






Mode	57																																																																																																																																					
	Band Edge																																																																																																																																					
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_Partial_26/8RU_5825MHz																																																																																																																																					
ANT	4																																																																																																																																					
Pol.	Horizontal						Fundamental																																																																																																																															
Peak																																																																																																																																						
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5854.00</td><td>52.78</td><td>111.36</td><td>-58.58</td><td>34.91</td><td>34.83</td><td>12.86</td><td>29.82</td><td>0.00</td><td>113</td><td>116 PEAK</td></tr><tr><td>2</td><td>5866.80</td><td>64.29</td><td>107.59</td><td>-43.30</td><td>46.34</td><td>34.90</td><td>12.88</td><td>29.83</td><td>0.00</td><td>113</td><td>116 PEAK</td></tr><tr><td>3</td><td>5924.00</td><td>54.73</td><td>68.35</td><td>-13.62</td><td>36.50</td><td>35.10</td><td>12.98</td><td>29.85</td><td>0.00</td><td>113</td><td>116 PEAK</td></tr><tr><td>4</td><td>5979.20</td><td>58.06</td><td>68.20</td><td>-10.14</td><td>39.70</td><td>35.10</td><td>13.07</td><td>29.81</td><td>0.00</td><td>113</td><td>116 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.00	52.78	111.36	-58.58	34.91	34.83	12.86	29.82	0.00	113	116 PEAK	2	5866.80	64.29	107.59	-43.30	46.34	34.90	12.88	29.83	0.00	113	116 PEAK	3	5924.00	54.73	68.35	-13.62	36.50	35.10	12.98	29.85	0.00	113	116 PEAK	4	5979.20	58.06	68.20	-10.14	39.70	35.10	13.07	29.81	0.00	113	116 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>111.92</td><td>-----</td><td>-----</td><td>94.08</td><td>34.80</td><td>12.83</td><td>29.79</td><td>0.00</td><td>113</td><td>116 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	111.92	-----	-----	94.08	34.80	12.83	29.79	0.00	113	116 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																												
1	5854.00	52.78	111.36	-58.58	34.91	34.83	12.86	29.82	0.00	113	116 PEAK																																																																																																																											
2	5866.80	64.29	107.59	-43.30	46.34	34.90	12.88	29.83	0.00	113	116 PEAK																																																																																																																											
3	5924.00	54.73	68.35	-13.62	36.50	35.10	12.98	29.85	0.00	113	116 PEAK																																																																																																																											
4	5979.20	58.06	68.20	-10.14	39.70	35.10	13.07	29.81	0.00	113	116 PEAK																																																																																																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																												
1	5825.00	111.92	-----	-----	94.08	34.80	12.83	29.79	0.00	113	116 PEAK																																																																																																																											
Avg	Blank																																																																																																																																					
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>107.17</td><td>-----</td><td>-----</td><td>89.33</td><td>34.80</td><td>12.83</td><td>29.79</td><td>0.00</td><td>113</td><td>116 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	107.17	-----	-----	89.33	34.80	12.83	29.79	0.00	113	116 AVERAGE																																																																															
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																												
1	5825.00	107.17	-----	-----	89.33	34.80	12.83	29.79	0.00	113	116 AVERAGE																																																																																																																											






Mode	57																																																																																																																															
	Band Edge																																																																																																																															
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_Partial_26/8RU_5825MHz																																																																																																																															
ANT	4																																																																																																																															
Pol.	Vertical						Fundamental																																																																																																																									
Peak																																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5854.00</td><td>54.20</td><td>111.36</td><td>-57.16</td><td>36.33</td><td>34.83</td><td>12.86</td><td>29.82</td><td>0.00</td><td>344</td><td>55 PEAK</td></tr><tr><td>2 5866.40</td><td>61.32</td><td>107.71</td><td>-46.39</td><td>43.37</td><td>34.90</td><td>12.88</td><td>29.83</td><td>0.00</td><td>344</td><td>55 PEAK</td></tr><tr><td>3 5924.00</td><td>54.94</td><td>68.35</td><td>-13.41</td><td>36.71</td><td>35.10</td><td>12.98</td><td>29.85</td><td>0.00</td><td>344</td><td>55 PEAK</td></tr><tr><td>4 5970.00</td><td>57.84</td><td>68.20</td><td>-10.36</td><td>39.49</td><td>35.10</td><td>13.06</td><td>29.81</td><td>0.00</td><td>344</td><td>55 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5854.00	54.20	111.36	-57.16	36.33	34.83	12.86	29.82	0.00	344	55 PEAK	2 5866.40	61.32	107.71	-46.39	43.37	34.90	12.88	29.83	0.00	344	55 PEAK	3 5924.00	54.94	68.35	-13.41	36.71	35.10	12.98	29.85	0.00	344	55 PEAK	4 5970.00	57.84	68.20	-10.36	39.49	35.10	13.06	29.81	0.00	344	55 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>109.19</td><td>-----</td><td>-----</td><td>91.35</td><td>34.80</td><td>12.83</td><td>29.79</td><td>0.00</td><td>344</td><td>55 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	109.19	-----	-----	91.35	34.80	12.83	29.79	0.00	344	55 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																						
1 5854.00	54.20	111.36	-57.16	36.33	34.83	12.86	29.82	0.00	344	55 PEAK																																																																																																																						
2 5866.40	61.32	107.71	-46.39	43.37	34.90	12.88	29.83	0.00	344	55 PEAK																																																																																																																						
3 5924.00	54.94	68.35	-13.41	36.71	35.10	12.98	29.85	0.00	344	55 PEAK																																																																																																																						
4 5970.00	57.84	68.20	-10.36	39.49	35.10	13.06	29.81	0.00	344	55 PEAK																																																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																						
1 5825.00	109.19	-----	-----	91.35	34.80	12.83	29.79	0.00	344	55 PEAK																																																																																																																						
Avg	Blank																																																																																																																															
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>103.32</td><td>-----</td><td>-----</td><td>85.48</td><td>34.80</td><td>12.83</td><td>29.79</td><td>0.00</td><td>344</td><td>55 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	103.32	-----	-----	85.48	34.80	12.83	29.79	0.00	344	55 AVERAGE																																																																											
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																						
1 5825.00	103.32	-----	-----	85.48	34.80	12.83	29.79	0.00	344	55 AVERAGE																																																																																																																						






Mode	58																																																																																																																																										
	Band Edge																																																																																																																																										
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_Partial_52/37RU_5745MHz																																																																																																																																										
ANT	4																																																																																																																																										
Pol.	Horizontal						Fundamental																																																																																																																																				
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5646.80</td><td>55.96</td><td>68.20</td><td>-12.24</td><td>38.65</td><td>34.59</td><td>12.58</td><td>29.86</td><td>0.00</td><td>100</td><td>118</td><td>PEAK</td></tr><tr><td>2</td><td>5652.00</td><td>54.95</td><td>69.69</td><td>-14.74</td><td>37.63</td><td>34.60</td><td>12.59</td><td>29.87</td><td>0.00</td><td>100</td><td>118</td><td>PEAK</td></tr><tr><td>3</td><td>5706.40</td><td>62.34</td><td>107.09</td><td>-44.75</td><td>45.06</td><td>34.61</td><td>12.65</td><td>29.98</td><td>0.00</td><td>100</td><td>118</td><td>PEAK</td></tr><tr><td>4</td><td>5720.80</td><td>68.94</td><td>112.72</td><td>-43.78</td><td>51.58</td><td>34.64</td><td>12.67</td><td>29.95</td><td>0.00</td><td>100</td><td>118</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5646.80	55.96	68.20	-12.24	38.65	34.59	12.58	29.86	0.00	100	118	PEAK	2	5652.00	54.95	69.69	-14.74	37.63	34.60	12.59	29.87	0.00	100	118	PEAK	3	5706.40	62.34	107.09	-44.75	45.06	34.61	12.65	29.98	0.00	100	118	PEAK	4	5720.80	68.94	112.72	-43.78	51.58	34.64	12.67	29.95	0.00	100	118	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>111.83</td><td>-----</td><td>-----</td><td>94.36</td><td>34.68</td><td>12.69</td><td>29.90</td><td>0.00</td><td>100</td><td>118</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	111.83	-----	-----	94.36	34.68	12.69	29.90	0.00	100	118	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	5646.80	55.96	68.20	-12.24	38.65	34.59	12.58	29.86	0.00	100	118	PEAK																																																																																																																															
2	5652.00	54.95	69.69	-14.74	37.63	34.60	12.59	29.87	0.00	100	118	PEAK																																																																																																																															
3	5706.40	62.34	107.09	-44.75	45.06	34.61	12.65	29.98	0.00	100	118	PEAK																																																																																																																															
4	5720.80	68.94	112.72	-43.78	51.58	34.64	12.67	29.95	0.00	100	118	PEAK																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	5745.00	111.83	-----	-----	94.36	34.68	12.69	29.90	0.00	100	118	PEAK																																																																																																																															
Avg	Blank						<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>104.37</td><td>-----</td><td>-----</td><td>86.93</td><td>34.67</td><td>12.69</td><td>29.92</td><td>0.00</td><td>100</td><td>118</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	104.37	-----	-----	86.93	34.67	12.69	29.92	0.00	100	118	AVERAGE																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	5745.00	104.37	-----	-----	86.93	34.67	12.69	29.92	0.00	100	118	AVERAGE																																																																																																																															






Mode	58																																																																																																																																				
	Band Edge																																																																																																																																				
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_Partial_52/37RU_5745MHz																																																																																																																																				
ANT	4																																																																																																																																				
Pol.	Vertical						Fundamental																																																																																																																														
Peak																																																																																																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5618.00</td><td>56.81</td><td>68.20</td><td>-11.39</td><td>39.51</td><td>34.54</td><td>12.54</td><td>29.78</td><td>0.00</td><td>323</td><td>53 PEAK</td></tr><tr><td>2</td><td>5651.20</td><td>55.21</td><td>69.09</td><td>-13.88</td><td>37.90</td><td>34.60</td><td>12.58</td><td>29.87</td><td>0.00</td><td>323</td><td>53 PEAK</td></tr><tr><td>3</td><td>5704.00</td><td>60.07</td><td>106.42</td><td>-46.35</td><td>42.80</td><td>34.61</td><td>12.65</td><td>29.99</td><td>0.00</td><td>323</td><td>53 PEAK</td></tr><tr><td>4</td><td>5723.20</td><td>63.83</td><td>118.20</td><td>-54.37</td><td>46.45</td><td>34.65</td><td>12.67</td><td>29.94</td><td>0.00</td><td>323</td><td>53 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5618.00	56.81	68.20	-11.39	39.51	34.54	12.54	29.78	0.00	323	53 PEAK	2	5651.20	55.21	69.09	-13.88	37.90	34.60	12.58	29.87	0.00	323	53 PEAK	3	5704.00	60.07	106.42	-46.35	42.80	34.61	12.65	29.99	0.00	323	53 PEAK	4	5723.20	63.83	118.20	-54.37	46.45	34.65	12.67	29.94	0.00	323	53 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>108.59</td><td>-----</td><td>-----</td><td>91.12</td><td>34.68</td><td>12.69</td><td>29.90</td><td>0.00</td><td>323</td><td>53 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	108.59	-----	-----	91.12	34.68	12.69	29.90	0.00	323
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																											
1	5618.00	56.81	68.20	-11.39	39.51	34.54	12.54	29.78	0.00	323	53 PEAK																																																																																																																										
2	5651.20	55.21	69.09	-13.88	37.90	34.60	12.58	29.87	0.00	323	53 PEAK																																																																																																																										
3	5704.00	60.07	106.42	-46.35	42.80	34.61	12.65	29.99	0.00	323	53 PEAK																																																																																																																										
4	5723.20	63.83	118.20	-54.37	46.45	34.65	12.67	29.94	0.00	323	53 PEAK																																																																																																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																											
1	5745.00	108.59	-----	-----	91.12	34.68	12.69	29.90	0.00	323	53 PEAK																																																																																																																										
Avg	Blank																																																																																																																																				
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>100.48</td><td>-----</td><td>-----</td><td>83.04</td><td>34.67</td><td>12.69</td><td>29.92</td><td>0.00</td><td>323</td><td>53 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	100.48	-----	-----	83.04	34.67	12.69	29.92	0.00	323	53 AVERAGE																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																											
1	5745.00	100.48	-----	-----	83.04	34.67	12.69	29.92	0.00	323	53 AVERAGE																																																																																																																										






Mode	59																																																																																																																																									
	Band Edge																																																																																																																																									
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_Partial_52/40RU_5825MHz																																																																																																																																									
ANT	4																																																																																																																																									
Pol.	Horizontal						Fundamental																																																																																																																																			
Peak																																																																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5853.60</td><td>62.57</td><td>114.09</td><td>-51.52</td><td>44.70</td><td>34.82</td><td>12.86</td><td>29.81</td><td>0.00</td><td>112</td><td>117</td><td>PEAK</td></tr><tr><td>2</td><td>5863.20</td><td>60.66</td><td>108.60</td><td>-47.94</td><td>42.73</td><td>34.88</td><td>12.88</td><td>29.83</td><td>0.00</td><td>112</td><td>117</td><td>PEAK</td></tr><tr><td>3</td><td>5924.40</td><td>55.98</td><td>68.64</td><td>-12.66</td><td>37.75</td><td>35.10</td><td>12.98</td><td>29.85</td><td>0.00</td><td>112</td><td>117</td><td>PEAK</td></tr><tr><td>4</td><td>5935.20</td><td>58.53</td><td>68.20</td><td>-9.67</td><td>40.27</td><td>35.10</td><td>13.00</td><td>29.84</td><td>0.00</td><td>112</td><td>117</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5853.60	62.57	114.09	-51.52	44.70	34.82	12.86	29.81	0.00	112	117	PEAK	2	5863.20	60.66	108.60	-47.94	42.73	34.88	12.88	29.83	0.00	112	117	PEAK	3	5924.40	55.98	68.64	-12.66	37.75	35.10	12.98	29.85	0.00	112	117	PEAK	4	5935.20	58.53	68.20	-9.67	40.27	35.10	13.00	29.84	0.00	112	117	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>111.25</td><td>-----</td><td>-----</td><td>93.42</td><td>34.80</td><td>12.82</td><td>29.79</td><td>0.00</td><td>112</td><td>117</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	111.25	-----	-----	93.42	34.80	12.82	29.79	0.00	112	117
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																
1	5853.60	62.57	114.09	-51.52	44.70	34.82	12.86	29.81	0.00	112	117	PEAK																																																																																																																														
2	5863.20	60.66	108.60	-47.94	42.73	34.88	12.88	29.83	0.00	112	117	PEAK																																																																																																																														
3	5924.40	55.98	68.64	-12.66	37.75	35.10	12.98	29.85	0.00	112	117	PEAK																																																																																																																														
4	5935.20	58.53	68.20	-9.67	40.27	35.10	13.00	29.84	0.00	112	117	PEAK																																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																
1	5825.00	111.25	-----	-----	93.42	34.80	12.82	29.79	0.00	112	117	PEAK																																																																																																																														
Avg	Blank																																																																																																																																									
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>103.74</td><td>-----</td><td>-----</td><td>85.91</td><td>34.80</td><td>12.82</td><td>29.79</td><td>0.00</td><td>112</td><td>117</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	103.74	-----	-----	85.91	34.80	12.82	29.79	0.00	112	117	AVERAGE																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																
1	5825.00	103.74	-----	-----	85.91	34.80	12.82	29.79	0.00	112	117	AVERAGE																																																																																																																														






Mode	59																																																																																																																																			
	Band Edge																																																																																																																																			
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_Partial_52/40RU_5825MHz																																																																																																																																			
ANT	4																																																																																																																																			
Pol.	Vertical						Fundamental																																																																																																																													
Peak																																																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5854.00</td><td>53.42</td><td>111.36</td><td>-57.94</td><td>35.55</td><td>34.83</td><td>12.86</td><td>29.82</td><td>0.00</td><td>345</td><td>56 PEAK</td></tr><tr><td>2</td><td>5873.60</td><td>55.30</td><td>105.69</td><td>-50.39</td><td>37.30</td><td>34.94</td><td>12.90</td><td>29.84</td><td>0.00</td><td>345</td><td>56 PEAK</td></tr><tr><td>3</td><td>5924.00</td><td>55.49</td><td>68.94</td><td>-13.45</td><td>37.26</td><td>35.10</td><td>12.98</td><td>29.85</td><td>0.00</td><td>345</td><td>56 PEAK</td></tr><tr><td>4</td><td>5980.40</td><td>57.93</td><td>68.20</td><td>-10.27</td><td>39.56</td><td>35.10</td><td>13.08</td><td>29.81</td><td>0.00</td><td>345</td><td>56 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.00	53.42	111.36	-57.94	35.55	34.83	12.86	29.82	0.00	345	56 PEAK	2	5873.60	55.30	105.69	-50.39	37.30	34.94	12.90	29.84	0.00	345	56 PEAK	3	5924.00	55.49	68.94	-13.45	37.26	35.10	12.98	29.85	0.00	345	56 PEAK	4	5980.40	57.93	68.20	-10.27	39.56	35.10	13.08	29.81	0.00	345	56 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>107.58</td><td>-----</td><td>-----</td><td>89.75</td><td>34.80</td><td>12.82</td><td>29.79</td><td>0.00</td><td>345</td><td>56 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	107.58	-----	-----	89.75	34.80	12.82	29.79	0.00	345
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1	5854.00	53.42	111.36	-57.94	35.55	34.83	12.86	29.82	0.00	345	56 PEAK																																																																																																																									
2	5873.60	55.30	105.69	-50.39	37.30	34.94	12.90	29.84	0.00	345	56 PEAK																																																																																																																									
3	5924.00	55.49	68.94	-13.45	37.26	35.10	12.98	29.85	0.00	345	56 PEAK																																																																																																																									
4	5980.40	57.93	68.20	-10.27	39.56	35.10	13.08	29.81	0.00	345	56 PEAK																																																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1	5825.00	107.58	-----	-----	89.75	34.80	12.82	29.79	0.00	345	56 PEAK																																																																																																																									
Avg	Blank																																																																																																																																			
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>100.55</td><td>-----</td><td>-----</td><td>82.71</td><td>34.80</td><td>12.83</td><td>29.79</td><td>0.00</td><td>345</td><td>56 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	100.55	-----	-----	82.71	34.80	12.83	29.79	0.00	345	56 AVERAGE																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1	5825.00	100.55	-----	-----	82.71	34.80	12.83	29.79	0.00	345	56 AVERAGE																																																																																																																									






Mode	60																																																																																																																							
	Band Edge																																																																																																																							
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_Partial_106/53RU_5745MHz																																																																																																																							
ANT	4																																																																																																																							
Pol.	Horizontal						Fundamental																																																																																																																	
Peak																																																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5614.00</td><td>57.27</td><td>68.20</td><td>-10.93</td><td>39.97</td><td>34.53</td><td>12.54</td><td>29.77</td><td>0.00</td><td>100</td><td>117</td><td>PEAK</td></tr><tr><td>2</td><td>5658.00</td><td>53.99</td><td>68.20</td><td>-14.21</td><td>36.67</td><td>34.60</td><td>12.58</td><td>29.86</td><td>0.00</td><td>100</td><td>117</td><td>PEAK</td></tr><tr><td>3</td><td>5714.40</td><td>62.99</td><td>109.33</td><td>-46.34</td><td>45.66</td><td>34.63</td><td>12.66</td><td>29.96</td><td>0.00</td><td>100</td><td>117</td><td>PEAK</td></tr><tr><td>4</td><td>5720.40</td><td>63.11</td><td>111.81</td><td>-48.70</td><td>45.75</td><td>34.64</td><td>12.67</td><td>29.95</td><td>0.00</td><td>100</td><td>117</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5614.00	57.27	68.20	-10.93	39.97	34.53	12.54	29.77	0.00	100	117	PEAK	2	5658.00	53.99	68.20	-14.21	36.67	34.60	12.58	29.86	0.00	100	117	PEAK	3	5714.40	62.99	109.33	-46.34	45.66	34.63	12.66	29.96	0.00	100	117	PEAK	4	5720.40	63.11	111.81	-48.70	45.75	34.64	12.67	29.95	0.00	100	117	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>109.94</td><td>-----</td><td>-----</td><td>92.50</td><td>34.67</td><td>12.69</td><td>29.92</td><td>0.00</td><td>100</td><td>117</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5745.00	109.94	-----	-----	92.50	34.67	12.69	29.92	0.00	100	117	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																														
1	5614.00	57.27	68.20	-10.93	39.97	34.53	12.54	29.77	0.00	100	117	PEAK																																																																																																												
2	5658.00	53.99	68.20	-14.21	36.67	34.60	12.58	29.86	0.00	100	117	PEAK																																																																																																												
3	5714.40	62.99	109.33	-46.34	45.66	34.63	12.66	29.96	0.00	100	117	PEAK																																																																																																												
4	5720.40	63.11	111.81	-48.70	45.75	34.64	12.67	29.95	0.00	100	117	PEAK																																																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																														
1	5745.00	109.94	-----	-----	92.50	34.67	12.69	29.92	0.00	100	117	PEAK																																																																																																												
Avg	Blank																																																																																																																							
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>101.09</td><td>-----</td><td>-----</td><td>83.62</td><td>34.68</td><td>12.69</td><td>29.90</td><td>0.00</td><td>100</td><td>117</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5745.00	101.09	-----	-----	83.62	34.68	12.69	29.90	0.00	100	117	AVERAGE																																																																										
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																														
1	5745.00	101.09	-----	-----	83.62	34.68	12.69	29.90	0.00	100	117	AVERAGE																																																																																																												





Mode	60																																																																																																																														
	Band Edge																																																																																																																														
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_Partial_106/53RU_5745MHz																																																																																																																														
ANT	4																																																																																																																														
Pol.	Vertical					Fundamental																																																																																																																									
Peak																																																																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5609.20</td><td>56.47</td><td>68.20</td><td>-11.73</td><td>39.17</td><td>34.52</td><td>12.53</td><td>29.75</td><td>0.00</td><td>322</td><td>53 PEAK</td></tr><tr><td>2 5658.00</td><td>54.09</td><td>68.20</td><td>-14.11</td><td>36.77</td><td>34.60</td><td>12.58</td><td>29.86</td><td>0.00</td><td>322</td><td>53 PEAK</td></tr><tr><td>3 5706.80</td><td>57.46</td><td>107.21</td><td>-49.75</td><td>40.18</td><td>34.61</td><td>12.65</td><td>29.98</td><td>0.00</td><td>322</td><td>53 PEAK</td></tr><tr><td>4 5720.00</td><td>61.00</td><td>110.90</td><td>-49.90</td><td>43.64</td><td>34.64</td><td>12.67</td><td>29.95</td><td>0.00</td><td>322</td><td>53 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5609.20	56.47	68.20	-11.73	39.17	34.52	12.53	29.75	0.00	322	53 PEAK	2 5658.00	54.09	68.20	-14.11	36.77	34.60	12.58	29.86	0.00	322	53 PEAK	3 5706.80	57.46	107.21	-49.75	40.18	34.61	12.65	29.98	0.00	322	53 PEAK	4 5720.00	61.00	110.90	-49.90	43.64	34.64	12.67	29.95	0.00	322	53 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5745.00</td><td>105.52</td><td>-----</td><td>-----</td><td>88.08</td><td>34.67</td><td>12.69</td><td>29.92</td><td>0.00</td><td>322</td><td>53 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5745.00	105.52	-----	-----	88.08	34.67	12.69	29.92	0.00	322	53 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																					
1 5609.20	56.47	68.20	-11.73	39.17	34.52	12.53	29.75	0.00	322	53 PEAK																																																																																																																					
2 5658.00	54.09	68.20	-14.11	36.77	34.60	12.58	29.86	0.00	322	53 PEAK																																																																																																																					
3 5706.80	57.46	107.21	-49.75	40.18	34.61	12.65	29.98	0.00	322	53 PEAK																																																																																																																					
4 5720.00	61.00	110.90	-49.90	43.64	34.64	12.67	29.95	0.00	322	53 PEAK																																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																					
1 5745.00	105.52	-----	-----	88.08	34.67	12.69	29.92	0.00	322	53 PEAK																																																																																																																					
Avg	Blank																																																																																																																														
						<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5745.00</td><td>97.94</td><td>-----</td><td>-----</td><td>88.47</td><td>34.68</td><td>12.69</td><td>29.90</td><td>0.00</td><td>322</td><td>53 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5745.00	97.94	-----	-----	88.47	34.68	12.69	29.90	0.00	322	53 AVERAGE																																																																											
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																					
1 5745.00	97.94	-----	-----	88.47	34.68	12.69	29.90	0.00	322	53 AVERAGE																																																																																																																					







Mode	61																																																																																																																		
	Band Edge																																																																																																																		
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_Partial_106/54RU_5825MHz																																																																																																																		
ANT	4																																																																																																																		
Pol.	Horizontal						Fundamental																																																																																																												
Peak																																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5854.00</td><td>58.30</td><td>111.36</td><td>-53.06</td><td>40.43</td><td>34.83</td><td>12.86</td><td>29.82</td><td>0.00</td><td>109</td><td>116 PEAK</td></tr><tr><td>2</td><td>5870.00</td><td>56.61</td><td>106.70</td><td>-50.09</td><td>38.63</td><td>34.92</td><td>12.89</td><td>29.83</td><td>0.00</td><td>109</td><td>116 PEAK</td></tr><tr><td>3</td><td>5924.00</td><td>55.94</td><td>68.35</td><td>-12.41</td><td>37.71</td><td>35.10</td><td>12.98</td><td>29.85</td><td>0.00</td><td>109</td><td>116 PEAK</td></tr><tr><td>4</td><td>5926.00</td><td>58.30</td><td>68.20</td><td>-9.90</td><td>40.06</td><td>35.10</td><td>12.99</td><td>29.85</td><td>0.00</td><td>109</td><td>116 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5854.00	58.30	111.36	-53.06	40.43	34.83	12.86	29.82	0.00	109	116 PEAK	2	5870.00	56.61	106.70	-50.09	38.63	34.92	12.89	29.83	0.00	109	116 PEAK	3	5924.00	55.94	68.35	-12.41	37.71	35.10	12.98	29.85	0.00	109	116 PEAK	4	5926.00	58.30	68.20	-9.90	40.06	35.10	12.99	29.85	0.00	109	116 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>109.00</td><td>-----</td><td>-----</td><td>91.25</td><td>34.80</td><td>12.82</td><td>29.79</td><td>0.00</td><td>109</td><td>116 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5825.00	109.00	-----	-----	91.25	34.80	12.82	29.79	0.00	109	116 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																									
1	5854.00	58.30	111.36	-53.06	40.43	34.83	12.86	29.82	0.00	109	116 PEAK																																																																																																								
2	5870.00	56.61	106.70	-50.09	38.63	34.92	12.89	29.83	0.00	109	116 PEAK																																																																																																								
3	5924.00	55.94	68.35	-12.41	37.71	35.10	12.98	29.85	0.00	109	116 PEAK																																																																																																								
4	5926.00	58.30	68.20	-9.90	40.06	35.10	12.99	29.85	0.00	109	116 PEAK																																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																									
1	5825.00	109.00	-----	-----	91.25	34.80	12.82	29.79	0.00	109	116 PEAK																																																																																																								
Avg	Blank																																																																																																																		
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>101.21</td><td>-----</td><td>-----</td><td>83.38</td><td>34.80</td><td>12.82</td><td>29.79</td><td>0.00</td><td>109</td><td>116 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5825.00	101.21	-----	-----	83.38	34.80	12.82	29.79	0.00	109	116 AVERAGE																																																																						
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																									
1	5825.00	101.21	-----	-----	83.38	34.80	12.82	29.79	0.00	109	116 AVERAGE																																																																																																								







Mode	61																																																																																							
	Band Edge																																																																																							
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_Partial_106/54RU_5825MHz																																																																																							
ANT	4																																																																																							
Pol.	Vertical																																																																																							
Peak																																																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5854.00</td><td>56.49</td><td>111.36</td><td>-54.87</td><td>38.62</td><td>34.83</td><td>12.86</td><td>29.82</td><td>0.00</td><td>314</td><td>54 PEAK</td></tr><tr><td>2 5874.40</td><td>54.93</td><td>105.47</td><td>-50.54</td><td>36.92</td><td>34.95</td><td>12.90</td><td>29.84</td><td>0.00</td><td>314</td><td>54 PEAK</td></tr><tr><td>3 5924.40</td><td>54.91</td><td>68.64</td><td>-13.73</td><td>36.68</td><td>35.10</td><td>12.98</td><td>29.85</td><td>0.00</td><td>314</td><td>54 PEAK</td></tr><tr><td>4 5996.80</td><td>56.63</td><td>68.20</td><td>-11.57</td><td>38.22</td><td>35.10</td><td>13.10</td><td>29.79</td><td>0.00</td><td>314</td><td>54 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5854.00	56.49	111.36	-54.87	38.62	34.83	12.86	29.82	0.00	314	54 PEAK	2 5874.40	54.93	105.47	-50.54	36.92	34.95	12.90	29.84	0.00	314	54 PEAK	3 5924.40	54.91	68.64	-13.73	36.68	35.10	12.98	29.85	0.00	314	54 PEAK	4 5996.80	56.63	68.20	-11.57	38.22	35.10	13.10	29.79	0.00	314	54 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1 5854.00	56.49	111.36	-54.87	38.62	34.83	12.86	29.82	0.00	314	54 PEAK																																																																														
2 5874.40	54.93	105.47	-50.54	36.92	34.95	12.90	29.84	0.00	314	54 PEAK																																																																														
3 5924.40	54.91	68.64	-13.73	36.68	35.10	12.98	29.85	0.00	314	54 PEAK																																																																														
4 5996.80	56.63	68.20	-11.57	38.22	35.10	13.10	29.79	0.00	314	54 PEAK																																																																														
Avg	Blank																																																																																							
																																																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5825.00</td><td>106.89</td><td>-----</td><td>-----</td><td>89.06</td><td>34.80</td><td>12.82</td><td>29.79</td><td>0.00</td><td>314</td><td>54 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	106.89	-----	-----	89.06	34.80	12.82	29.79	0.00	314	54 PEAK																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1 5825.00	106.89	-----	-----	89.06	34.80	12.82	29.79	0.00	314	54 PEAK																																																																														





Mode	62																																																																																																														
	Band Edge																																																																																																														
	U-NII-1_5.15-5.25_802.11ax HE20_CH36_Full RU_5180MHz																																																																																																														
ANT	4																																																																																																														
Pol.	Horizontal						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.85</td><td>62.77</td><td>74.00</td><td>-11.23</td><td>46.51</td><td>34.10</td><td>12.03</td><td>29.87</td><td>0.00</td><td>103</td><td>238</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.85	62.77	74.00	-11.23	46.51	34.10	12.03	29.87	0.00	103	238	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>105.74</td><td>-----</td><td>-----</td><td>89.38</td><td>34.19</td><td>12.05</td><td>29.88</td><td>0.00</td><td>103</td><td>238</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	105.74	-----	-----	89.38	34.19	12.05	29.88	0.00	103	238
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5149.85	62.77	74.00	-11.23	46.51	34.10	12.03	29.87	0.00	103	238	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5180.00	105.74	-----	-----	89.38	34.19	12.05	29.88	0.00	103	238	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.65</td><td>50.02</td><td>54.00</td><td>-3.98</td><td>33.76</td><td>34.10</td><td>12.03</td><td>29.87</td><td>0.00</td><td>103</td><td>238</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.65	50.02	54.00	-3.98	33.76	34.10	12.03	29.87	0.00	103	238	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>97.20</td><td>-----</td><td>-----</td><td>80.80</td><td>34.22</td><td>12.06</td><td>29.88</td><td>0.00</td><td>103</td><td>238</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	97.20	-----	-----	80.80	34.22	12.06	29.88	0.00	103	238
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5149.65	50.02	54.00	-3.98	33.76	34.10	12.03	29.87	0.00	103	238	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5180.00	97.20	-----	-----	80.80	34.22	12.06	29.88	0.00	103	238	AVERAGE																																																																																																			







Mode	62																																																																																																		
	Band Edge																																																																																																		
	U-NII-1_5.15-5.25_802.11ax HE20_CH36_Full RU_5180MHz																																																																																																		
ANT	4																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.45</td><td>57.36</td><td>74.00</td><td>-16.64</td><td>41.10</td><td>34.10</td><td>12.03</td><td>29.87</td><td>0.00</td><td>372</td><td>53</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.45	57.36	74.00	-16.64	41.10	34.10	12.03	29.87	0.00	372	53	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>102.95</td><td>-----</td><td>-----</td><td>86.59</td><td>34.19</td><td>12.05</td><td>29.88</td><td>0.00</td><td>372</td><td>53</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	102.95	-----	-----	86.59	34.19	12.05	29.88	0.00	372	53
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5149.45	57.36	74.00	-16.64	41.10	34.10	12.03	29.87	0.00	372	53	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5180.00	102.95	-----	-----	86.59	34.19	12.05	29.88	0.00	372	53	PEAK																																																																																							
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.85</td><td>47.95</td><td>54.00</td><td>-6.05</td><td>31.69</td><td>34.10</td><td>12.03</td><td>29.87</td><td>0.00</td><td>372</td><td>53</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.85	47.95	54.00	-6.05	31.69	34.10	12.03	29.87	0.00	372	53	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>97.59</td><td>-----</td><td>-----</td><td>87.85</td><td>32.27</td><td>8.14</td><td>30.67</td><td>0.00</td><td>372</td><td>53</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	97.59	-----	-----	87.85	32.27	8.14	30.67	0.00	372	53
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5149.85	47.95	54.00	-6.05	31.69	34.10	12.03	29.87	0.00	372	53	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5180.00	97.59	-----	-----	87.85	32.27	8.14	30.67	0.00	372	53	AVERAGE																																																																																							





Mode	62																																																																																																	
	Harmonic																																																																																																	
	U-NII-1_5.15-5.25_802.11ax HE20_CH36_Full RU_5180MHz																																																																																																	
ANT	4																																																																																																	
Pol.	Horizontal						Vertical																																																																																											
Peak Avg																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10360.00</td><td>45.84</td><td>68.20</td><td>-22.36</td><td>56.27</td><td>37.47</td><td>17.54</td><td>65.44</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10360.00	45.84	68.20	-22.36	56.27	37.47	17.54	65.44	0.00	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10360.00</td><td>46.59</td><td>68.20</td><td>-21.61</td><td>57.05</td><td>37.46</td><td>17.53</td><td>65.45</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10360.00	46.59	68.20	-21.61	57.05	37.46	17.53	65.45	0.00	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	10360.00	45.84	68.20	-22.36	56.27	37.47	17.54	65.44	0.00	--	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	10360.00	46.59	68.20	-21.61	57.05	37.46	17.53	65.45	0.00	--	PEAK																																																																																							







Mode	62																																																																																																		
	Band Edge - L																																																																																																		
	2400-2483.5_2400-2483.5_Bluetooth-LE_GFSK_CH19_2440MHz																																																																																																		
ANT	3																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2378.77</td><td>55.29</td><td>74.00</td><td>-18.71</td><td>39.87</td><td>32.07</td><td>8.04</td><td>30.69</td><td>6.00</td><td>138</td><td>302</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2378.77	55.29	74.00	-18.71	39.87	32.07	8.04	30.69	6.00	138	302	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2440.00</td><td>105.38</td><td>-----</td><td>-----</td><td>89.62</td><td>32.28</td><td>8.15</td><td>30.67</td><td>6.00</td><td>138</td><td>302</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2440.00	105.38	-----	-----	89.62	32.28	8.15	30.67	6.00	138	302
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2378.77	55.29	74.00	-18.71	39.87	32.07	8.04	30.69	6.00	138	302	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2440.00	105.38	-----	-----	89.62	32.28	8.15	30.67	6.00	138	302	PEAK																																																																																							
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2382.67</td><td>43.79</td><td>54.00</td><td>-10.21</td><td>28.34</td><td>32.10</td><td>8.04</td><td>30.69</td><td>6.00</td><td>138</td><td>302</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2382.67	43.79	54.00	-10.21	28.34	32.10	8.04	30.69	6.00	138	302	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2440.00</td><td>104.21</td><td>-----</td><td>-----</td><td>88.45</td><td>32.28</td><td>8.15</td><td>30.67</td><td>6.00</td><td>138</td><td>302</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2440.00	104.21	-----	-----	88.45	32.28	8.15	30.67	6.00	138	302
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2382.67	43.79	54.00	-10.21	28.34	32.10	8.04	30.69	6.00	138	302	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2440.00	104.21	-----	-----	88.45	32.28	8.15	30.67	6.00	138	302	AVERAGE																																																																																							





Mode	62																																																					
	Band Edge - R																																																					
	2400-2483.5_2400-2483.5_Bluetooth-LE_GFSK_CH19_2440MHz																																																					
ANT	3																																																					
Pol.	Horizontal										Fundamental																																											
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2498.38</td><td>55.59</td><td>74.00</td><td>-18.41</td><td>39.58</td><td>32.40</td><td>8.26</td><td>30.65</td><td>6.00</td><td>138</td><td>302 PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2498.38	55.59	74.00	-18.41	39.58	32.40	8.26	30.65	6.00	138	302 PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	2498.38	55.59	74.00	-18.41	39.58	32.40	8.26	30.65	6.00	138	302 PEAK																																											
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2485.30</td><td>44.70</td><td>54.00</td><td>-9.30</td><td>28.74</td><td>32.37</td><td>8.24</td><td>30.65</td><td>6.00</td><td>138</td><td>302 AVERAGE</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2485.30	44.70	54.00	-9.30	28.74	32.37	8.24	30.65	6.00	138	302 AVERAGE	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	2485.30	44.70	54.00	-9.30	28.74	32.37	8.24	30.65	6.00	138	302 AVERAGE																																											





Mode	62																																																										
	Band Edge - L																																																										
	2400-2483.5_2400-2483.5_Bluetooth-LE_GFSK_CH19_2440MHz																																																										
ANT	3																																																										
Pol.	Vertical						Fundamental																																																				
Peak																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>2387.22</td><td>54.77</td><td>74.00</td><td>-19.23</td><td>39.29</td><td>32.12</td><td>8.05</td><td>30.69</td><td>6.00</td><td>387</td><td>58 PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	2387.22	54.77	74.00	-19.23	39.29	32.12	8.05	30.69	6.00	387
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																	
1	2387.22	54.77	74.00	-19.23	39.29	32.12	8.05	30.69	6.00	387	58 PEAK																																																
Peak																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>2440.00</td><td>102.43</td><td>-----</td><td>-----</td><td>86.67</td><td>32.28</td><td>8.15</td><td>30.67</td><td>6.00</td><td>387</td><td>58 PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	2440.00	102.43	-----	-----	86.67	32.28	8.15	30.67	6.00	387
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																	
1	2440.00	102.43	-----	-----	86.67	32.28	8.15	30.67	6.00	387	58 PEAK																																																
Avg																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>2377.21</td><td>43.72</td><td>54.00</td><td>-10.28</td><td>28.32</td><td>32.06</td><td>8.03</td><td>30.69</td><td>6.00</td><td>387</td><td>58 AVERAGE</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	2377.21	43.72	54.00	-10.28	28.32	32.06	8.03	30.69	6.00	387
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																	
1	2377.21	43.72	54.00	-10.28	28.32	32.06	8.03	30.69	6.00	387	58 AVERAGE																																																
Avg																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>2440.00</td><td>101.32</td><td>-----</td><td>-----</td><td>85.56</td><td>32.28</td><td>8.15</td><td>30.67</td><td>6.00</td><td>387</td><td>58 AVERAGE</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	2440.00	101.32	-----	-----	85.56	32.28	8.15	30.67	6.00	387
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																	
1	2440.00	101.32	-----	-----	85.56	32.28	8.15	30.67	6.00	387	58 AVERAGE																																																



Mode	62																																																							
	Band Edge - R																																																							
	2400-2483.5_2400-2483.5_Bluetooth-LE_GFSK_CH19_2440MHz																																																							
ANT	3																																																							
Pol.	Vertical						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2495.56</td><td>55.60</td><td>74.00</td><td>-18.40</td><td>39.60</td><td>32.39</td><td>8.26</td><td>30.65</td><td>6.00</td><td>387</td><td>58</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2495.56	55.60	74.00	-18.40	39.60	32.39	8.26	30.65	6.00	387	58	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	2495.56	55.60	74.00	-18.40	39.60	32.39	8.26	30.65	6.00	387	58	PEAK																																												
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2495.74</td><td>44.43</td><td>54.00</td><td>-9.57</td><td>28.43</td><td>32.39</td><td>8.26</td><td>30.65</td><td>6.00</td><td>387</td><td>58</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2495.74	44.43	54.00	-9.57	28.43	32.39	8.26	30.65	6.00	387	58	AVERAGE	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	2495.74	44.43	54.00	-9.57	28.43	32.39	8.26	30.65	6.00	387	58	AVERAGE																																												




Mode	62																																																																																																									
	Harmonic																																																																																																									
	2400-2483.5_2400-2483.5_Bluetooth-LE_GFSK_CH19_2440MHz																																																																																																									
ANT	3																																																																																																									
Pol.	Horizontal								Vertical																																																																																																	
Peak Avg																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>4880.00</td><td>53.79</td><td>74.00</td><td>-20.21</td><td>73.21</td><td>34.14</td><td>11.69</td><td>65.25</td></tr><tr><td>2</td><td>4880.00</td><td>50.59</td><td>54.00</td><td>-3.41</td><td>70.01</td><td>34.14</td><td>11.69</td><td>65.25</td></tr></table>									Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	4880.00	53.79	74.00	-20.21	73.21	34.14	11.69	65.25	2	4880.00	50.59	54.00	-3.41	70.01	34.14	11.69	65.25	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>4880.00</td><td>50.37</td><td>74.00</td><td>-23.63</td><td>69.79</td><td>34.14</td><td>11.69</td><td>65.25</td></tr><tr><td>2</td><td>4880.00</td><td>46.69</td><td>54.00</td><td>-7.31</td><td>66.11</td><td>34.14</td><td>11.69</td><td>65.25</td></tr></table>									Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	4880.00	50.37	74.00	-23.63	69.79	34.14	11.69	65.25	2	4880.00	46.69	54.00	-7.31	66.11	34.14	11.69	65.25
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																		
1	4880.00	53.79	74.00	-20.21	73.21	34.14	11.69	65.25																																																																																																		
2	4880.00	50.59	54.00	-3.41	70.01	34.14	11.69	65.25																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																		
1	4880.00	50.37	74.00	-23.63	69.79	34.14	11.69	65.25																																																																																																		
2	4880.00	46.69	54.00	-7.31	66.11	34.14	11.69	65.25																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>4880.00</td><td>53.79</td><td>74.00</td><td>-20.21</td><td>73.21</td><td>34.14</td><td>11.69</td><td>65.25</td></tr><tr><td>2</td><td>4880.00</td><td>50.59</td><td>54.00</td><td>-3.41</td><td>70.01</td><td>34.14</td><td>11.69</td><td>65.25</td></tr></table>									Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	4880.00	53.79	74.00	-20.21	73.21	34.14	11.69	65.25	2	4880.00	50.59	54.00	-3.41	70.01	34.14	11.69	65.25	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>4880.00</td><td>50.37</td><td>74.00</td><td>-23.63</td><td>69.79</td><td>34.14</td><td>11.69</td><td>65.25</td></tr><tr><td>2</td><td>4880.00</td><td>46.69</td><td>54.00</td><td>-7.31</td><td>66.11</td><td>34.14</td><td>11.69</td><td>65.25</td></tr></table>									Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	4880.00	50.37	74.00	-23.63	69.79	34.14	11.69	65.25	2	4880.00	46.69	54.00	-7.31	66.11	34.14	11.69	65.25
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																		
1	4880.00	53.79	74.00	-20.21	73.21	34.14	11.69	65.25																																																																																																		
2	4880.00	50.59	54.00	-3.41	70.01	34.14	11.69	65.25																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																		
1	4880.00	50.37	74.00	-23.63	69.79	34.14	11.69	65.25																																																																																																		
2	4880.00	46.69	54.00	-7.31	66.11	34.14	11.69	65.25																																																																																																		

Note: For all plots above, the over limit line signals are Fundamental signal which can be ignored

Appendix D. Duty Cycle Plots


Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
802.11a	96.97	1.391	0.719	0.75KHz
802.11ax HE20	95.89	1.014	0.986	1KHz
802.11ax HE40	92.46	0.533	1.875	2KHz
802.11ax HE80	86.84	0.287	3.485	3.6KHz

802.11a






802.11ax HE20



802.11ax HE40





802.11ax HE80

