



March 6, 2007

Supplement to SAR Test Report for Motorola portable cellular phone (FCC ID IHDT56FQ1)

Prepared by:

Steven Hauswirth

Motorola Personal Communications Sector Product Safety Laboratory

Libertyville, Illinois

Summary of FCC request for additional information.

There has been a request for additional information in the filing to add simultaneous transmitting Wi-Fi to FCC ID IHDT56FQ1. The requested information is addressed below.

1. If not in filing already, please explain why "EVDO + WiFi" SAR is not reported

Response: EV-DO and Wi-Fi are capable of transmitting simultaneously. An updated table for EV-DO body worn SAR performance has been provided below.

f (MHz)	Description	Conducted Output Power (dBm)	Body Worn – EVDO Rev O Mode			
			Back of phone 25 mm away from phantom			
			Measured (W/kg)	Drift (dB)	Extrapolated (W/kg)	Simulate Temp (°C)
Digital 800MHz	Channel 1013	26.13				
	Channel 384	26.11	1.39	-0.03	1.4	20.9
	Channel 777	25.84				
Digital 1900MHz	Channel 25	25.1	0.75	-0.06	0.76	20
	Channel 600	25.09	0.86	-0.19	0.9	20.6
	Channel 1175	25.12	1.06	-0.24	1.12	20
WiFi	Channel 1	9.19				
	Channel 6	9.15	0.0474	-3.05	0.1	20
	Channel 11	8.99				
CDMA + WiFi	Highest Summation of extrapolated SAR Values			1.13		

Table 10: SAR measurement results for the portable cellular telephone FCC ID IHDT56FQ1 at highest possible output power. Measured against the body.