





LTE Band 41 / 10MHz / QPSK

Lowest Band Edge / 1 RB




Date: 22 MAY 2015 16:48:00

Highest Band Edge / 1 RB




Date: 22 MAY 2015 16:52:39

Lowest Band Edge / Full RB



Date: 22 MAY 2015 16:50:20

Highest Band Edge / Full RB




Date: 24 MAY 2015 08:22:33




LTE Band 41 / 10MHz / 16QAM

Lowest Band Edge / 1 RB




Date: 22 MAY 2015 16:49:10

Highest Band Edge / 1 RB




Date: 22 MAY 2015 16:53:48

Lowest Band Edge / Full RB



Date: 22 MAY 2015 16:51:29

Highest Band Edge / Full RB




Date: 22 MAY 2015 16:56:08




LTE Band 41 / 15MHz / QPSK

Lowest Band Edge / 1 RB




Date: 22 MAY 2015 16:57:17

Highest Band Edge / 1 RB




Date: 22 MAY 2015 17:01:56

Lowest Band Edge / Full RB



Date: 22 MAY 2015 16:59:37

Highest Band Edge / Full RB




Date: 22 MAY 2015 17:04:15




LTE Band 41 / 15MHz / 16QAM

Lowest Band Edge / 1 RB




Date: 22 MAY 2015 16:58:27

Highest Band Edge / 1 RB




Date: 22 MAY 2015 17:03:06

Lowest Band Edge / Full RB



Date: 22 MAY 2015 17:00:46

Highest Band Edge / Full RB




Date: 22 MAY 2015 17:05:25




LTE Band 41 / 20MHz / QPSK

Lowest Band Edge / 1 RB




Date: 22 MAY 2015 17:06:35

Highest Band Edge / 1 RB




Date: 22 MAY 2015 17:11:13

Lowest Band Edge / Full RB



Date: 22 MAY 2015 17:08:54

Highest Band Edge / Full RB




Date: 22 MAY 2015 17:14:43




LTE Band 41 / 20MHz / 16QAM

Lowest Band Edge / 1 RB




Date: 22 MAY 2015 17:07:45

Highest Band Edge / 1 RB




Date: 22 MAY 2015 17:12:23

Lowest Band Edge / Full RB



Date: 22 MAY 2015 17:10:04


Highest Band Edge / Full RB



Date: 22 MAY 2015 17:13:33



Conducted Spurious Emission







LTE Band 41 / 5MHz

Highest Channel / QPSK

Highest Channel / 16QAM





Date: 4 JUN 2015 15:14:02

Date: 4 JUN 2015 15:15:12

LTE Band 41 / 10MHz

Lowest Channel / QPSK

Lowest Channel / 16QAM



Date: 4 JUN 2015 15:16:23



Date: 4 JUN 2015 15:17:33



LTE Band 41 / 10MHz

Middle Channel / QPSK

Middle Channel / 16QAM





Date: 4 JUN 2015 15:18:43

Date: 4 JUN 2015 15:19:53

Highest Channel / QPSK

Highest Channel / 16QAM



Date: 4 JUN 2015 15:21:03



Date: 4 JUN 2015 15:22:13



LTE Band 41 / 15MHz

Lowest Channel / QPSK

Lowest Channel / 16QAM





Date: 4 JUN 2015 15:23:24

Date: 4 JUN 2015 15:24:34

Middle Channel / QPSK

Middle Channel / 16QAM




Date: 4 JUN 2015 15:25:44

Date: 4 JUN 2015 15:26:55




LTE Band 41 / 15MHz

Highest Channel / QPSK



Date: 4 JUN 2015 15:28:05


Highest Channel / 16QAM



Date: 4 JUN 2015 15:29:15


LTE Band 41 / 20MHz

Lowest Channel / QPSK



Date: 4 JUN 2015 15:30:25

Lowest Channel / 16QAM





Date: 4 JUN 2015 15:31:35



LTE Band 41 / 20MHz

Middle Channel / QPSK

Middle Channel / 16QAM





Date: 4 JUN 2015 15:32:45

Date: 4 JUN 2015 15:33:55

Highest Channel / QPSK

Highest Channel / 16QAM



Date: 4 JUN 2015 15:35:06

Date: 4 JUN 2015 15:36:16



Frequency Stability

Test Conditions		LTE Band 41 (QPSK) / Middle Channel	Limit
Temperature (°C)	Voltage (Volt)	BW 10MHz	Note 2.
		Deviation (ppm)	Result
50	Normal Voltage	0.0022	PASS
40	Normal Voltage	0.0004	
30	Normal Voltage	0.0012	
20(Ref.)	Normal Voltage	0.0000	
10	Normal Voltage	0.0017	
0	Normal Voltage	0.0016	
-10	Normal Voltage	0.0002	
-20	Normal Voltage	0.0012	
-30	Normal Voltage	0.0024	
20	Maximum Voltage	0.0021	
20	Normal Voltage	0.0000	
20	Battery End Point	0.0004	

Note:

1. Normal Voltage = 3.95V. ; Battery End Point (BEP) = 3.55 V. ; Maximum Voltage =4.35 V
2. Note: The frequency fundamental emissions stay within the authorized frequency block based on the frequency deviation measured is small.



Appendix B. Test Results of Radiated Test

ERP/EIRP

LTE Band 25 / 1.4MHz							
Channel	Modulation	RB		Horizontal		Vertical	
		Size	Offset	EIRP(dBm)	EIRP(W)	EIRP(dBm)	EIRP(W)
Lowest	QPSK	1	0	20.55	0.1135	24.31	0.2698
Middle		1	0	21.04	0.1271	24.91	0.3097
Highest		1	0	21.90	0.1549	25.58	0.3614
Lowest	16QAM	1	0	18.64	0.0731	22.06	0.1607
Middle		1	0	18.87	0.0771	22.61	0.1824
Highest		1	0	19.63	0.0918	23.37	0.2173
Limit	EIRP < 2W			Result		PASS	

LTE Band 25 / 3MHz							
Channel	Modulation	RB		Horizontal		Vertical	
		Size	Offset	EIRP(dBm)	EIRP(W)	EIRP(dBm)	EIRP(W)
Lowest	QPSK	1	0	20.86	0.1219	24.35	0.2723
Middle		1	0	20.88	0.1225	24.77	0.2999
Highest		1	0	21.85	0.1531	25.48	0.3532
Lowest	16QAM	1	0	18.32	0.0679	22.03	0.1596
Middle		1	0	19.03	0.0800	22.71	0.1866
Highest		1	0	19.63	0.0918	23.43	0.2203
Limit	EIRP < 2W			Result		PASS	

LTE Band 25 / 5MHz							
Channel	Modulation	RB		Horizontal		Vertical	
		Size	Offset	EIRP(dBm)	EIRP(W)	EIRP(dBm)	EIRP(W)
Lowest	QPSK	1	0	20.85	0.1216	24.40	0.2754
Middle		1	0	21.11	0.1291	24.97	0.3141
Highest		1	0	21.78	0.1507	25.50	0.3548
Lowest	16QAM	1	0	18.55	0.0716	22.09	0.1618
Middle		1	0	18.63	0.0729	22.28	0.1690
Highest		1	0	19.78	0.0951	23.40	0.2188
Limit	EIRP < 2W			Result		PASS	



LTE Band 25 / 10MHz							
Channel	Modulation	RB		Horizontal		Vertical	
		Size	Offset	EIRP(dBm)	EIRP(W)	EIRP(dBm)	EIRP(W)
Lowest	QPSK	1	0	21.01	0.1262	24.45	0.2786
Middle		1	0	21.03	0.1268	25.09	0.3228
Highest		1	0	21.58	0.1439	25.68	0.3698
Lowest	16QAM	1	0	18.24	0.0667	22.14	0.1637
Middle		1	0	18.97	0.0789	22.75	0.1884
Highest		1	0	19.83	0.0962	23.52	0.2249
Limit	EIRP < 2W			Result		PASS	

LTE Band 25 / 15MHz							
Channel	Modulation	RB		Horizontal		Vertical	
		Size	Offset	EIRP(dBm)	EIRP(W)	EIRP(dBm)	EIRP(W)
Lowest	QPSK	1	0	20.85	0.1216	24.55	0.2851
Middle		1	0	21.05	0.1274	24.80	0.3020
Highest		1	0	21.90	0.1549	25.64	0.3664
Lowest	16QAM	1	0	18.90	0.0776	22.38	0.1730
Middle		1	0	19.08	0.0809	22.85	0.1928
Highest		1	0	19.78	0.0951	23.65	0.2317
Limit	EIRP < 2W			Result		PASS	

LTE Band 25 / 20MHz							
Channel	Modulation	RB		Horizontal		Vertical	
		Size	Offset	EIRP(dBm)	EIRP(W)	EIRP(dBm)	EIRP(W)
Lowest	QPSK	1	0	21.03	0.1268	24.60	0.2884
Middle		1	0	21.36	0.1368	25.09	0.3228
Highest		1	0	21.46	0.1400	25.39	0.3459
Lowest	16QAM	1	0	18.77	0.0753	22.18	0.1652
Middle		1	0	19.19	0.0830	22.91	0.1954
Highest		1	0	19.61	0.0914	23.47	0.2223
Limit	EIRP < 2W			Result		PASS	



LTE Band 26 / 1.4MHz							
Channel	Modulation	RB		Horizontal		Vertical	
		Size	Offset	ERP(dBm)	ERP(W)	ERP(dBm)	ERP(W)
Lowest	QPSK	1	0	11.97	0.0157	20.60	0.1148
Middle		1	0	12.66	0.0185	20.68	0.1169
Highest		1	0	13.67	0.0233	20.59	0.1146
Lowest	16QAM	1	0	9.12	0.0082	18.50	0.0708
Middle		1	0	10.05	0.0101	18.75	0.0750
Highest		1	0	11.10	0.0129	18.60	0.0724
Limit	ERP < 7W			Result		PASS	

LTE Band 26 / 3MHz							
Channel	Modulation	RB		Horizontal		Vertical	
		Size	Offset	ERP(dBm)	ERP(W)	ERP(dBm)	ERP(W)
Lowest	QPSK	1	0	12.08	0.0161	20.63	0.1156
Middle		1	0	12.79	0.0190	20.69	0.1172
Highest		1	0	13.79	0.0239	20.71	0.1178
Lowest	16QAM	1	0	9.21	0.0083	18.55	0.0716
Middle		1	0	10.20	0.0105	18.74	0.0748
Highest		1	0	11.21	0.0132	18.85	0.0767
Limit	ERP < 7W			Result		PASS	

LTE Band 26 / 5MHz							
Channel	Modulation	RB		Horizontal		Vertical	
		Size	Offset	ERP(dBm)	ERP(W)	ERP(dBm)	ERP(W)
Lowest	QPSK	1	0	12.22	0.0167	20.59	0.1146
Middle		1	0	12.79	0.0190	20.70	0.1175
Highest		1	0	13.84	0.0242	20.58	0.1143
Lowest	16QAM	1	0	9.64	0.0092	18.32	0.0679
Middle		1	0	9.87	0.0097	18.50	0.0708
Highest		1	0	10.61	0.0115	18.50	0.0708
Limit	ERP < 7W			Result		PASS	



LTE Band 26 / 10MHz							
Channel	Modulation	RB		Horizontal		Vertical	
		Size	Offset	ERP(dBm)	ERP(W)	ERP(dBm)	ERP(W)
Lowest	QPSK	1	0	11.78	0.0151	20.57	0.1140
Middle		1	0	12.59	0.0182	20.65	0.1161
Highest		1	0	13.06	0.0202	20.64	0.1159
Lowest	16QAM	1	0	9.19	0.0083	18.49	0.0706
Middle		1	0	9.89	0.0097	18.65	0.0733
Highest		1	0	10.71	0.0118	18.62	0.0728
Limit	ERP < 7W			Result		PASS	

LTE Band 26 / 15MHz							
Channel	Modulation	RB		Horizontal		Vertical	
		Size	Offset	ERP(dBm)	ERP(W)	ERP(dBm)	ERP(W)
Lowest	QPSK	1	0	12.17	0.0165	20.72	0.1180
Middle		1	0	12.50	0.0178	20.82	0.1208
Highest		1	0	12.80	0.0191	20.88	0.1225
Lowest	16QAM	1	0	9.40	0.0087	18.64	0.0731
Middle		1	0	9.86	0.0097	18.80	0.0759
Highest		1	0	10.86	0.0122	19.45	0.0881
Limit	ERP < 7W			Result		PASS	



LTE Band 4 / 1.4MHz							
Channel	Modulation	RB		Horizontal		Vertical	
		Size	Offset	EIRP(dBm)	EIRP(W)	EIRP(dBm)	EIRP(W)
Lowest	QPSK	1	0	20.06	0.1014	25.24	0.3342
Middle		1	0	20.34	0.1081	25.76	0.3767
Highest		1	0	20.86	0.1219	25.79	0.3793
Lowest	16QAM	1	0	17.96	0.0625	23.21	0.2094
Middle		1	0	18.37	0.0687	23.80	0.2399
Highest		1	0	19.06	0.0805	23.88	0.2443
Limit	EIRP < 1W			Result		PASS	

LTE Band 4 / 3MHz							
Channel	Modulation	RB		Horizontal		Vertical	
		Size	Offset	EIRP(dBm)	EIRP(W)	EIRP(dBm)	EIRP(W)
Lowest	QPSK	1	0	20.01	0.1002	25.03	0.3184
Middle		1	0	20.17	0.1040	25.48	0.3532
Highest		1	0	20.81	0.1205	25.78	0.3784
Lowest	16QAM	1	0	18.05	0.0638	23.24	0.2109
Middle		1	0	18.46	0.0701	23.79	0.2393
Highest		1	0	18.77	0.0753	23.81	0.2404
Limit	EIRP < 1W			Result		PASS	

LTE Band 4 / 5MHz							
Channel	Modulation	RB		Horizontal		Vertical	
		Size	Offset	EIRP(dBm)	EIRP(W)	EIRP(dBm)	EIRP(W)
Lowest	QPSK	1	0	19.98	0.0995	25.14	0.3266
Middle		1	0	20.02	0.1005	25.45	0.3508
Highest		1	0	20.41	0.1099	25.54	0.3581
Lowest	16QAM	1	0	18.02	0.0634	23.35	0.2163
Middle		1	0	18.32	0.0679	23.81	0.2404
Highest		1	0	18.67	0.0736	23.71	0.2350
Limit	EIRP < 1W			Result		PASS	



LTE Band 4/ 10MHz							
Channel	Modulation	RB		Horizontal		Vertical	
		Size	Offset	EIRP(dBm)	EIRP(W)	EIRP(dBm)	EIRP(W)
Lowest	QPSK	1	0	20.20	0.1047	25.48	0.3532
Middle		1	0	20.19	0.1045	25.64	0.3664
Highest		1	0	20.57	0.1140	25.56	0.3597
Lowest	16QAM	1	0	18.15	0.0653	23.25	0.2113
Middle		1	0	18.35	0.0684	23.85	0.2427
Highest		1	0	18.62	0.0728	23.78	0.2388
Limit	EIRP < 1W			Result		PASS	

LTE Band 4 / 15MHz							
Channel	Modulation	RB		Horizontal		Vertical	
		Size	Offset	EIRP(dBm)	EIRP(W)	EIRP(dBm)	EIRP(W)
Lowest	QPSK	1	0	20.12	0.1028	25.39	0.3459
Middle		1	0	20.18	0.1042	25.65	0.3673
Highest		1	0	20.54	0.1132	25.83	0.3828
Lowest	16QAM	1	0	18.26	0.0670	23.43	0.2203
Middle		1	0	18.68	0.0738	24.12	0.2582
Highest		1	0	18.48	0.0705	23.91	0.2460
Limit	EIRP < 1W			Result		PASS	

LTE Band 4 / 20MHz							
Channel	Modulation	RB		Horizontal		Vertical	
		Size	Offset	EIRP(dBm)	EIRP(W)	EIRP(dBm)	EIRP(W)
Lowest	QPSK	1	0	20.23	0.1054	25.23	0.3334
Middle		1	0	20.40	0.1096	25.77	0.3776
Highest		1	0	20.37	0.1089	25.80	0.3802
Lowest	16QAM	1	0	18.26	0.0670	23.41	0.2193
Middle		1	0	18.70	0.0741	24.05	0.2541
Highest		1	0	18.53	0.0713	23.94	0.2477
Limit	EIRP < 1W			Result		PASS	



LTE Band 12 / 1.4MHz							
Channel	Modulation	RB		Horizontal		Vertical	
		Size	Offset	ERP(dBm)	ERP(W)	ERP(dBm)	ERP(W)
Lowest	QPSK	1	0	9.15	0.0082	17.85	0.0610
Middle		1	0	13.82	0.0241	22.05	0.1603
Highest		1	0	15.22	0.0333	22.56	0.1803
Lowest	16QAM	1	0	9.19	0.0083	17.91	0.0618
Middle		1	0	11.37	0.0137	19.62	0.0916
Highest		1	0	13.33	0.0215	20.80	0.1202
Limit	ERP < 3W			Result		PASS	

LTE Band 12 / 3MHz							
Channel	Modulation	RB		Horizontal		Vertical	
		Size	Offset	ERP(dBm)	ERP(W)	ERP(dBm)	ERP(W)
Lowest	QPSK	1	0	11.14	0.0130	19.37	0.0865
Middle		1	0	13.83	0.0242	22.00	0.1585
Highest		1	0	15.09	0.0323	22.32	0.1706
Lowest	16QAM	1	0	9.85	0.0097	18.57	0.0719
Middle		1	0	11.50	0.0141	19.64	0.0920
Highest		1	0	13.34	0.0216	20.77	0.1194
Limit	ERP < 3W			Result		PASS	

LTE Band 12 / 5MHz							
Channel	Modulation	RB		Horizontal		Vertical	
		Size	Offset	ERP(dBm)	ERP(W)	ERP(dBm)	ERP(W)
Lowest	QPSK	1	0	12.41	0.0174	20.85	0.1216
Middle		1	0	13.58	0.0228	21.52	0.1419
Highest		1	0	15.26	0.0336	22.55	0.1799
Lowest	16QAM	1	0	8.62	0.0073	17.33	0.0541
Middle		1	0	10.44	0.0111	19.20	0.0832
Highest		1	0	11.96	0.0157	20.02	0.1005
Limit	ERP < 3W			Result		PASS	



LTE Band 12 / 10MHz							
Channel	Modulation	RB		Horizontal		Vertical	
		Size	Offset	ERP(dBm)	ERP(W)	ERP(dBm)	ERP(W)
Lowest	QPSK	1	0	9.39	0.0087	17.88	0.0614
Middle		1	0	12.17	0.0165	20.95	0.1245
Highest		1	0	13.40	0.0219	21.92	0.1556
Lowest	16QAM	1	0	10.18	0.0104	18.86	0.0769
Middle		1	0	11.10	0.0129	19.60	0.0912
Highest		1	0	11.87	0.0154	19.87	0.0971
Limit	ERP < 3W			Result		PASS	



LTE Band 41 / 5MHz							
Channel	Modulation	RB		Horizontal		Vertical	
		Size	Offset	EIRP(dBm)	EIRP(W)	EIRP(dBm)	EIRP(W)
Lowest	QPSK	1	0	18.73	0.0746	23.93	0.2472
Middle		1	0	19.48	0.0887	24.05	0.2541
Highest		1	0	18.69	0.0740	24.05	0.2541
Lowest	16QAM	1	0	16.84	0.0483	22.07	0.1611
Middle		1	0	17.67	0.0585	22.46	0.1762
Highest		1	0	17.74	0.0594	22.68	0.1854
Limit	EIRP < 2W			Result		PASS	

LTE Band 41 / 10MHz							
Channel	Modulation	RB		Horizontal		Vertical	
		Size	Offset	EIRP(dBm)	EIRP(W)	EIRP(dBm)	EIRP(W)
Lowest	QPSK	1	0	18.64	0.0731	24.22	0.2642
Middle		1	0	19.25	0.0841	24.52	0.2831
Highest		1	0	19.28	0.0847	24.80	0.3020
Lowest	16QAM	1	0	17.40	0.0550	22.06	0.1607
Middle		1	0	17.47	0.0558	22.73	0.1875
Highest		1	0	17.65	0.0582	23.03	0.2009
Limit	EIRP < 2W			Result		PASS	

LTE Band 41 / 15MHz							
Channel	Modulation	RB		Horizontal		Vertical	
		Size	Offset	EIRP(dBm)	EIRP(W)	EIRP(dBm)	EIRP(W)
Lowest	QPSK	1	0	18.44	0.0698	23.80	0.2399
Middle		1	0	19.44	0.0879	24.55	0.2851
Highest		1	0	19.58	0.0908	24.96	0.3133
Lowest	16QAM	1	0	17.19	0.0524	22.26	0.1683
Middle		1	0	17.33	0.0541	22.35	0.1718
Highest		1	0	17.63	0.0579	23.15	0.2065
Limit	EIRP < 2W			Result		PASS	



LTE Band 41 / 20MHz							
Channel	Modulation	RB		Horizontal		Vertical	
		Size	Offset	EIRP(dBm)	EIRP(W)	EIRP(dBm)	EIRP(W)
Lowest	QPSK	1	0	18.27	0.0671	23.73	0.2360
Middle		1	0	19.22	0.0836	24.42	0.2767
Highest		1	0	19.75	0.0944	25.24	0.3342
Lowest	16QAM	1	0	17.12	0.0515	22.35	0.1718
Middle		1	0	17.24	0.0530	22.36	0.1722
Highest		1	0	17.75	0.0596	23.21	0.2094
Limit	EIRP < 2W			Result		PASS	



Radiated Spurious Emission

LTE Band 25 / 1.4MHz / QPSK / RB Size 1 Offset 0									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	3700	-42.66	-13	-29.66	-61.24	-49.23	1.67	8.24	H
	5550	-52.41	-13	-39.41	-75.76	-59.48	2.65	9.72	H
	7400	-47.58	-13	-34.58	-76.67	-56.72	2.46	11.60	H
	3700	-43.61	-13	-30.61	-61.81	-50.18	1.67	8.24	V
	5550	-52.65	-13	-39.65	-74.58	-59.72	2.65	9.72	V
	7400	-48.48	-13	-35.48	-76.49	-57.62	2.46	11.60	V
Middle	3763	-41.49	-13	-28.49	-60.37	-48.12	1.69	8.32	H
	5639	-50.43	-13	-37.43	-74.39	-57.48	2.71	9.76	H
	7520	-48.20	-13	-35.20	-77.13	-57.59	2.42	11.81	H
	3763	-44.73	-13	-31.73	-62.75	-51.36	1.69	8.32	V
	5639	-51.37	-13	-38.37	-73.44	-58.42	2.71	9.76	V
	7520	-48.44	-13	-35.44	-77.06	-57.83	2.42	11.81	V
Highest	3826	-40.55	-13	-27.55	-59.94	-47.23	1.71	8.39	H
	5744	-49.24	-13	-36.24	-73.53	-56.27	2.77	9.80	H
	7652	-47.41	-13	-34.41	-76.39	-56.92	2.38	11.89	H
	3826	-38.32	-13	-25.32	-56.73	-45	1.71	8.39	V
	5744	-50.15	-13	-37.15	-74.09	-57.18	2.77	9.80	V
	7652	-48.08	-13	-35.08	-76.59	-57.59	2.38	11.89	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 25 / 3MHz / QPSK / RB Size 1 Offset 0									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	3700	-42.45	-13	-29.45	-61.05	-49.02	1.67	8.24	H
	5550	-52.75	-13	-39.75	-75.76	-59.82	2.65	9.72	H
	7400	-47.86	-13	-34.86	-76.64	-57	2.46	11.60	H
	3700	-43.63	-13	-30.63	-62.3	-50.2	1.67	8.24	V
	5550	-51.62	-13	-38.62	-73.59	-58.69	2.65	9.72	V
	7400	-48.58	-13	-35.58	-76.48	-57.72	2.46	11.60	V
Middle	3756	-41.50	-13	-28.50	-60.56	-48.12	1.68	8.31	H
	5639	-49.75	-13	-36.75	-73.32	-56.8	2.71	9.76	H
	7517	-47.87	-13	-34.87	-76.83	-57.26	2.42	11.81	H
	3756	-43.85	-13	-30.85	-61.95	-50.47	1.68	8.31	V
	5639	-51.40	-13	-38.40	-73.62	-58.45	2.71	9.76	V
	7517	-48.30	-13	-35.30	-77	-57.69	2.42	11.81	V
Highest	3826	-39.60	-13	-26.60	-59.27	-46.28	1.71	8.39	H
	5739	-51.23	-13	-38.23	-75.5	-58.26	2.76	9.80	H
	7652	-48.90	-13	-35.90	-76.56	-58.41	2.38	11.89	H
	3826	-38.68	-13	-25.68	-56.89	-45.36	1.71	8.39	V
	5739	-51.72	-13	-38.72	-75.07	-58.75	2.76	9.80	V
	7652	-48.97	-13	-35.97	-76.74	-58.48	2.38	11.89	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 25 / 5MHz / QPSK / RB Size 1 Offset 0									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	3700	-42.03	-13	-29.03	-60.8	-48.6	1.67	8.24	H
	5550	-52.79	-13	-39.79	-75.9	-59.86	2.65	9.72	H
	7400	-47.14	-13	-34.14	-76.47	-56.28	2.46	11.60	H
	3700	-42.71	-13	-29.71	-61.4	-49.28	1.67	8.24	V
	5550	-52.54	-13	-39.54	-74.83	-59.61	2.65	9.72	V
	7400	-48.86	-13	-35.86	-76.47	-58	2.46	11.60	V
Middle	3756	-41.20	-13	-28.20	-60.49	-47.82	1.68	8.31	H
	5632	-50.40	-13	-37.40	-74.19	-57.45	2.70	9.75	H
	7512	-47.73	-13	-34.73	-76.62	-57.11	2.43	11.81	H
	3756	-44.13	-13	-31.13	-62.92	-50.75	1.68	8.31	V
	5632	-51.13	-13	-38.13	-73.61	-58.18	2.70	9.75	V
	7512	-48.65	-13	-35.65	-76.58	-58.03	2.43	11.81	V
Highest	3819	-42.52	-13	-29.52	-62.11	-49.2	1.70	8.38	H
	5730	-50.26	-13	-37.26	-75.11	-57.29	2.76	9.79	H
	7640	-48.13	-13	-35.13	-76.71	-57.63	2.38	11.88	H
	3819	-40.58	-13	-27.58	-59.16	-47.26	1.70	8.38	V
	5730	-51.73	-13	-38.73	-74.45	-58.76	2.76	9.79	V
	7640	-48.19	-13	-35.19	-76.84	-57.69	2.38	11.88	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 25 / 10MHz / QPSK / RB Size 1 Offset 0									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	3700	-41.69	-13	-28.69	-60.48	-48.26	1.67	8.24	H
	5555	-50.79	-13	-37.79	-74.58	-57.86	2.66	9.72	H
	7410	-47.73	-13	-34.73	-76.51	-56.89	2.46	11.62	H
	3700	-42.45	-13	-29.45	-61.15	-49.02	1.67	8.24	V
	5555	-52.61	-13	-39.61	-75	-59.68	2.66	9.72	V
	7410	-48.53	-13	-35.53	-76.37	-57.69	2.46	11.62	V
Middle	3749	-41.66	-13	-28.66	-60.58	-48.28	1.68	8.30	H
	5625	-49.67	-13	-36.67	-73.44	-56.72	2.70	9.75	H
	7500	-47.72	-13	-34.72	-76.29	-57.09	2.43	11.80	H
	3749	-43.69	-13	-30.69	-62.59	-50.31	1.68	8.30	V
	5625	-52.77	-13	-39.77	-74.29	-59.82	2.70	9.75	V
	7500	-48.24	-13	-35.24	-76.63	-57.61	2.43	11.80	V
Highest	3812	-40.22	-13	-27.22	-60.06	-46.89	1.70	8.37	H
	5716	-49.04	-13	-36.04	-73.11	-56.08	2.75	9.79	H
	7624	-47.69	-13	-34.69	-75.81	-57.18	2.39	11.87	H
	3812	-44.57	-13	-31.57	-62.87	-51.24	1.70	8.37	V
	5716	-51.20	-13	-38.20	-74.04	-58.24	2.75	9.79	V
	7624	-48.65	-13	-35.65	-76.28	-58.14	2.39	11.87	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 25 / 15MHz / QPSK / RB Size 1 Offset 0									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	3700	-41.64	-13	-28.64	-60.07	-48.21	1.67	8.24	H
	5555	-53.21	-13	-40.21	-76.72	-60.28	2.66	9.72	H
	7400	-47.98	-13	-34.98	-76.59	-57.12	2.46	11.60	H
	3700	-41.43	-13	-28.43	-59.99	-48	1.67	8.24	V
	5555	-51.56	-13	-38.56	-73.35	-58.63	2.66	9.72	V
	7400	-48.47	-13	-35.47	-76.52	-57.61	2.46	11.60	V
Middle	3749	-41.90	-13	-28.90	-60.98	-48.52	1.68	8.30	H
	5618	-51.37	-13	-38.37	-74.85	-58.42	2.69	9.75	H
	7498	-47.35	-13	-34.35	-76.35	-56.72	2.43	11.80	H
	3749	-43.52	-13	-30.52	-62.25	-50.14	1.68	8.30	V
	5618	-52.43	-13	-39.43	-74.78	-59.48	2.69	9.75	V
	7498	-48.51	-13	-35.51	-76.46	-57.88	2.43	11.80	V
Highest	3805	-42.25	-13	-29.25	-62.27	-48.92	1.70	8.37	H
	5702	-49.44	-13	-36.44	-73.8	-56.48	2.74	9.78	H
	7605	-48.18	-13	-35.18	-76.63	-57.65	2.40	11.86	H
	3805	-45.47	-13	-32.47	-63.91	-52.14	1.70	8.37	V
	5702	-51.59	-13	-38.59	-74.48	-58.63	2.74	9.78	V
	7605	-48.36	-13	-35.36	-76.41	-57.83	2.40	11.86	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 25 / 20MHz / QPSK / RB Size 1 Offset 0									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	3700	-42.71	-13	-29.71	-61.21	-49.28	1.67	8.24	H
	5555	-51.40	-13	-38.40	-75.13	-58.47	2.66	9.72	H
	7400	-47.75	-13	-34.75	-76.53	-56.89	2.46	11.60	H
	3700	-42.12	-13	-29.12	-60.99	-48.69	1.67	8.24	V
	5555	-51.35	-13	-38.35	-73.37	-58.42	2.66	9.72	V
	7400	-48.34	-13	-35.34	-76.5	-57.48	2.46	11.60	V
Middle	3742	-42.65	-13	-29.65	-61.02	-49.26	1.68	8.29	H
	5613	-52.32	-13	-39.32	-75.8	-59.38	2.69	9.75	H
	7484	-47.90	-13	-34.90	-76.55	-57.23	2.43	11.77	H
	3742	-45.21	-13	-32.21	-64.49	-51.82	1.68	8.29	V
	5613	-53.62	-13	-40.62	-75.6	-60.68	2.69	9.75	V
	7484	-47.77	-13	-34.77	-76.08	-57.1	2.43	11.77	V
Highest	3791	-46.47	-13	-33.47	-65.47	-53.12	1.70	8.35	H
	5688	-50.96	-13	-37.96	-74.74	-58	2.73	9.78	H
	7582	-48.41	-13	-35.41	-76.78	-57.86	2.40	11.85	H
	3791	-44.61	-13	-31.61	-62.71	-51.26	1.70	8.35	V
	5688	-52.57	-13	-39.57	-74.95	-59.61	2.73	9.78	V
	7582	-48.71	-13	-35.71	-76.81	-58.16	2.40	11.85	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 26 / 1.4MHz / QPSK / RB Size 1 Offset 0									
Channel	Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	1648	-58.24	-13	-45.24	-67.82	-60	0.98	4.89	H
	2472	-60.30	-13	-47.30	-73.39	-62.18	1.28	5.32	H
	3296	-55.88	-13	-42.88	-72.53	-59.29	1.54	7.10	H
	1648	-57.88	-13	-44.88	-65.46	-59.64	0.98	4.89	V
	2472	-54.78	-13	-41.78	-70.19	-56.66	1.28	5.32	V
	3296	-57.72	-13	-44.72	-73.14	-61.13	1.54	7.10	V
Middle	1672	-61.18	-13	-48.18	-70.54	-62.86	0.99	4.82	H
	2512	-61.40	-13	-48.40	-74.67	-63.37	1.29	5.41	H
	3344	-58.97	-13	-45.97	-75.14	-62.58	1.56	7.31	H
	1672	-62.89	-13	-49.89	-70.15	-64.57	0.99	4.82	V
	2512	-57.91	-13	-44.91	-73.24	-59.88	1.29	5.41	V
	3344	-60.41	-13	-47.41	-75.61	-64.02	1.56	7.31	V
Highest	1696	-60.52	-13	-47.52	-70	-62.12	1.00	4.75	H
	2544	-61.52	-13	-48.52	-75.23	-63.5	1.30	5.44	H
	3392	-59.87	-13	-46.87	-76.36	-63.67	1.57	7.52	H
	1696	-58.67	-13	-45.67	-66.43	-60.27	1.00	4.75	V
	2544	-58.24	-13	-45.24	-73.61	-60.22	1.30	5.44	V
	3392	-60.20	-13	-47.20	-75.99	-64	1.57	7.52	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 26 / 3MHz / QPSK / RB Size 1 Offset 0									
Channel	Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	1648	-57.70	-13	-44.70	-67.35	-59.46	0.98	4.89	H
	2472	-60.13	-13	-47.13	-73.19	-62.01	1.28	5.32	H
	3296	-55.69	-13	-42.69	-72.23	-59.1	1.54	7.10	H
	1648	-57.98	-13	-44.98	-65.63	-59.74	0.98	4.89	V
	2472	-56.27	-13	-43.27	-71.57	-58.15	1.28	5.32	V
	3296	-56.47	-13	-43.47	-71.88	-59.88	1.54	7.10	V
Middle	1672	-61.84	-13	-48.84	-71.14	-63.52	0.99	4.82	H
	2504	-61.81	-13	-48.81	-74.83	-63.77	1.29	5.40	H
	3336	-59.50	-13	-46.50	-75.84	-63.08	1.55	7.28	H
	1672	-63.01	-13	-50.01	-70.36	-64.69	0.99	4.82	V
	2504	-58.52	-13	-45.52	-73.86	-60.48	1.29	5.40	V
	3336	-60.48	-13	-47.48	-75.79	-64.06	1.55	7.28	V
Highest	1696	-62.04	-13	-49.04	-71.52	-63.64	1.00	4.75	H
	2542	-62.35	-13	-49.35	-76.07	-64.33	1.30	5.43	H
	3385	-60.44	-13	-47.44	-76.8	-64.22	1.57	7.49	H
	1696	-65.24	-13	-52.24	-73	-66.84	1.00	4.75	V
	2542	-60.33	-13	-47.33	-75.7	-62.31	1.30	5.43	V
	3385	-61.04	-13	-48.04	-76.69	-64.82	1.57	7.49	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 26 / 5MHz / QPSK / RB Size 1 Offset 0									
Channel	Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	1648	-57.47	-13	-44.47	-67.1	-59.23	0.98	4.89	H
	2472	-59.64	-13	-46.64	-72.67	-61.52	1.28	5.32	H
	3296	-56.74	-13	-43.74	-73.28	-60.15	1.54	7.10	H
	1648	-56.76	-13	-43.76	-64.47	-58.52	0.98	4.89	V
	2472	-55.24	-13	-42.24	-70.48	-57.12	1.28	5.32	V
	3296	-57.61	-13	-44.61	-73.08	-61.02	1.54	7.10	V
Middle	1672	-60.88	-13	-47.88	-70.28	-62.56	0.99	4.82	H
	2504	-61.75	-13	-48.75	-74.79	-63.71	1.29	5.40	H
	3336	-59.28	-13	-46.28	-75.58	-62.86	1.55	7.28	H
	1672	-63.14	-13	-50.14	-70.31	-64.82	0.99	4.82	V
	2504	-57.77	-13	-44.77	-73.1	-59.73	1.29	5.40	V
	3336	-60.38	-13	-47.38	-75.64	-63.96	1.55	7.28	V
Highest	1688	-58.56	-13	-45.56	-67.86	-60.19	1.00	4.77	H
	2536	-61.17	-13	-48.17	-74.67	-63.15	1.30	5.43	H
	3376	-59.36	-13	-46.36	-75.69	-63.1	1.57	7.45	H
	1688	-60.19	-13	-47.19	-67.29	-61.82	1.00	4.77	V
	2536	-58.15	-13	-45.15	-73.51	-60.13	1.30	5.43	V
	3376	-60.17	-13	-47.17	-75.83	-63.91	1.57	7.45	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 26 / 10MHz / QPSK / RB Size 1 Offset 0									
Channel	Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	1648	-56.02	-13	-43.02	-65.68	-57.78	0.98	4.89	H
	2472	-59.30	-13	-46.30	-72.36	-61.18	1.28	5.32	H
	3296	-55.69	-13	-42.69	-72.23	-59.1	1.54	7.10	H
	1648	-55.86	-13	-42.86	-63.57	-57.62	0.98	4.89	V
	2472	-55.83	-13	-42.83	-71.13	-57.71	1.28	5.32	V
	3296	-57.70	-13	-44.70	-73.2	-61.11	1.54	7.10	V
Middle	1664	-59.07	-13	-46.07	-68.5	-60.78	0.98	4.84	H
	2496	-56.16	-13	-43.16	-69.19	-58.11	1.29	5.39	H
	3328	-58.71	-13	-45.71	-75.07	-62.25	1.55	7.24	H
	1664	-61.12	-13	-48.12	-68.6	-62.83	0.98	4.84	V
	2496	-50.82	-13	-37.82	-66.09	-52.77	1.29	5.39	V
	3328	-60.15	-13	-47.15	-75.46	-63.69	1.55	7.24	V
Highest	1680	-58.37	-13	-45.37	-67.72	-60.02	0.99	4.80	H
	2520	-61.31	-13	-48.31	-74.57	-63.28	1.30	5.42	H
	3360	-58.69	-13	-45.69	-75.06	-62.36	1.56	7.38	H
	1680	-57.50	-13	-44.50	-64.7	-59.15	0.99	4.80	V
	2520	-57.90	-13	-44.90	-73.24	-59.87	1.30	5.42	V
	3360	-60.07	-13	-47.07	-75.48	-63.74	1.56	7.38	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 26 / 15MHz / QPSK / RB Size 1 Offset 0									
Channel	Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	1648	-55.79	-13	-42.79	-65.35	-57.55	0.98	4.89	H
	2472	-60.27	-13	-47.27	-73.31	-62.15	1.28	5.32	H
	3296	-57.48	-13	-44.48	-74.02	-60.89	1.54	7.10	H
	1648	-55.56	-13	-42.56	-63.27	-57.32	0.98	4.89	V
	2472	-55.88	-13	-42.88	-71.15	-57.76	1.28	5.32	V
	3296	-57.71	-13	-44.71	-73.22	-61.12	1.54	7.10	V
Middle	1664	-57.91	-13	-44.91	-67.46	-59.62	0.98	4.84	H
	2488	-62.12	-13	-49.12	-75.19	-64.05	1.29	5.36	H
	3320	-58.99	-13	-45.99	-75.36	-62.5	1.55	7.21	H
	1664	-59.82	-13	-46.82	-67.16	-61.53	0.98	4.84	V
	2488	-58.94	-13	-45.94	-74.35	-60.87	1.29	5.36	V
	3320	-60.12	-13	-47.12	-75.49	-63.63	1.55	7.21	V
Highest	1672	-60.86	-13	-47.86	-70.18	-62.54	0.99	4.82	H
	2504	-61.59	-13	-48.59	-74.63	-63.55	1.29	5.40	H
	3336	-59.21	-13	-46.21	-75.51	-62.79	1.55	7.28	H
	1672	-62.19	-13	-49.19	-69.28	-63.871	0.99	4.82	V
	2504	-58.58	-13	-45.58	-73.9	-60.54	1.29	5.40	V
	3336	-60.34	-13	-47.34	-75.64	-63.92	1.55	7.28	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 4 / 1.4MHz / QPSK / RB Size 1 Offset 0									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	3420	-44.65	-13	-31.65	-61.22	-50.72	1.58	7.65	H
	5132	-44.57	-13	-31.57	-67.36	-51.86	2.41	9.70	H
	6840	-49.63	-13	-36.63	-76.55	-57.6	2.64	10.61	H
	3420	-44.48	-13	-31.48	-60.63	-50.55	1.58	7.65	V
	5132	-43.34	-13	-30.34	-65.28	-50.63	2.41	9.70	V
	6840	-50.43	-13	-37.43	-76.97	-58.4	2.64	10.61	V
Middle	3464	-44.43	-13	-31.43	-61.44	-50.68	1.59	7.84	H
	5196	-35.49	-13	-22.49	-58.23	-42.74	2.45	9.70	H
	6928	-49.30	-13	-36.30	-76.55	-57.4	2.61	10.71	H
	3464	-44.80	-13	-31.80	-61.75	-51.05	1.59	7.84	V
	5196	-31.91	-13	-18.91	-54.17	-39.16	2.45	9.70	V
	6928	-49.26	-13	-36.26	-76.34	-57.36	2.61	10.71	V
Highest	3508	-50.06	-13	-37.06	-67.48	-56.46	1.61	8.01	H
	5260	-31.49	-13	-18.49	-54.26	-38.7	2.49	9.70	H
	7016	-48.57	-13	-35.57	-76.14	-56.82	2.59	10.83	H
	3508	-45.51	-13	-32.51	-63.12	-51.91	1.61	8.01	V
	5260	-26.83	-13	-13.83	-49.75	-34.04	2.49	9.70	V
	7016	-48.46	-13	-35.46	-76.05	-56.71	2.59	10.83	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 4 / 3MHz / QPSK / RB Size 1 Offset 0									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	3420	-44.23	-13	-31.23	-60.8	-50.3	1.58	7.65	H
	5132	-46.02	-13	-33.02	-68.8	-53.31	2.41	9.70	H
	6840	-50.17	-13	-37.17	-77.07	-58.14	2.64	10.61	H
	3420	-45.35	-13	-32.35	-61.48	-51.42	1.58	7.65	V
	5132	-44.11	-13	-31.11	-66.05	-51.4	2.41	9.70	V
	6840	-50.53	-13	-37.53	-77.08	-58.5	2.64	10.61	V
Middle	3464	-44.54	-13	-31.54	-61.54	-50.79	1.59	7.84	H
	5192	-35.70	-13	-22.70	-58.44	-42.95	2.45	9.70	H
	6928	-50.02	-13	-37.02	-77.29	-58.12	2.61	10.71	H
	3464	-45.65	-13	-32.65	-62.56	-51.9	1.59	7.84	V
	5192	-32.83	-13	-19.83	-55.08	-40.08	2.45	9.70	V
	6928	-49.91	-13	-36.91	-76.96	-58.01	2.61	10.71	V
Highest	3504	-49.54	-13	-36.54	-66.84	-55.94	1.61	8.00	H
	5256	-33.48	-13	-20.48	-56.12	-40.7	2.48	9.70	H
	7008	-48.77	-13	-35.77	-76.28	-57	2.59	10.82	H
	3504	-47.65	-13	-34.65	-65.13	-54.05	1.61	8.00	V
	5256	-29.12	-13	-16.12	-52.04	-36.34	2.48	9.70	V
	7008	-49.05	-13	-36.05	-76.51	-57.28	2.59	10.82	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 4 / 5MHz / QPSK / RB Size 1 Offset 0									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	3420	-45.01	-13	-32.01	-61.65	-51.08	1.58	7.65	H
	5130	-47.65	-13	-34.65	-70.46	-54.94	2.41	9.70	H
	6840	-50.83	-13	-37.83	-77.75	-58.8	2.64	10.61	H
	3420	-46.79	-13	-33.79	-62.94	-52.86	1.58	7.65	V
	5130	-44.64	-13	-31.64	-66.58	-51.93	2.41	9.70	V
	6840	-51.33	-13	-38.33	-77.87	-59.3	2.64	10.61	V
Middle	3460	-45.62	-13	-32.62	-62.62	-51.85	1.59	7.82	H
	5192	-35.75	-13	-22.75	-58.51	-43	2.45	9.70	H
	6920	-49.81	-13	-36.81	-77.03	-57.9	2.62	10.70	H
	3460	-46.73	-13	-33.73	-63.66	-52.96	1.59	7.82	V
	5192	-32.84	-13	-19.84	-55.11	-40.09	2.45	9.70	V
	6920	-50.35	-13	-37.35	-77.32	-58.44	2.62	10.70	V
Highest	3500	-49.20	-13	-36.20	-66.48	-55.6	1.60	8.00	H
	5252	-34.96	-13	-21.96	-57.61	-42.18	2.48	9.70	H
	7000	-49.49	-13	-36.49	-77.01	-57.7	2.59	10.80	H
	3500	-50.10	-13	-37.10	-67.54	-56.5	1.60	8.00	V
	5252	-31.24	-13	-18.24	-54.17	-38.46	2.48	9.70	V
	7000	-49.79	-13	-36.79	-77.25	-58	2.59	10.80	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 4 / 10MHz / QPSK / RB Size 1 Offset 0									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	3420	-44.36	-13	-31.36	-60.93	-50.43	1.58	7.65	H
	5132	-47.60	-13	-34.60	-70.4	-54.89	2.41	9.70	H
	6840	-50.64	-13	-37.64	-77.55	-58.61	2.64	10.61	H
	3420	-47.34	-13	-34.34	-63.47	-53.41	1.58	7.65	V
	5132	-45.53	-13	-32.53	-67.47	-52.82	2.41	9.70	V
	6840	-50.66	-13	-37.66	-77.2	-58.63	2.64	10.61	V
Middle	3456	-45.91	-13	-32.91	-62.79	-52.13	1.59	7.81	H
	5184	-34.45	-13	-21.45	-57.19	-41.71	2.44	9.70	H
	6912	-50.18	-13	-37.18	-77.38	-58.26	2.62	10.69	H
	3456	-47.38	-13	-34.38	-64.04	-53.6	1.59	7.81	V
	5184	-30.44	-13	-17.44	-52.59	-37.7	2.44	9.70	V
	6912	-50.35	-13	-37.35	-77.3	-58.43	2.62	10.69	V
Highest	3492	-46.98	-13	-33.98	-64.26	-53.34	1.60	7.96	H
	5236	-47.89	-13	-34.89	-70.59	-55.12	2.47	9.70	H
	6984	-49.81	-13	-36.81	-77.26	-58	2.60	10.78	H
	3492	-48.24	-13	-35.24	-65.67	-54.6	1.60	7.96	V
	5236	-45.51	-13	-32.51	-68.21	-52.74	2.47	9.70	V
	6984	-50.04	-13	-37.04	-77.41	-58.23	2.60	10.78	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 4 / 15MHz / QPSK / RB Size 1 Offset 0									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	3420	-45.19	-13	-32.19	-61.78	-51.26	1.58	7.65	H
	5132	-45.74	-13	-32.74	-68.57	-53.03	2.41	9.70	H
	6840	-50.08	-13	-37.08	-77.03	-58.05	2.64	10.61	H
	3420	-44.42	-13	-31.42	-60.56	-50.49	1.58	7.65	V
	5132	-43.39	-13	-30.39	-65.33	-50.68	2.41	9.70	V
	6840	-50.06	-13	-37.06	-76.63	-58.03	2.64	10.61	V
Middle	3452	-49.72	-13	-36.72	-66.59	-55.92	1.59	7.79	H
	5176	-34.10	-13	-21.10	-56.85	-41.36	2.44	9.70	H
	6904	-49.47	-13	-36.47	-76.59	-57.53	2.62	10.68	H
	3452	-49.63	-13	-36.63	-66.31	-55.83	1.59	7.79	V
	5176	-31.46	-13	-18.46	-53.65	-38.72	2.44	9.70	V
	6904	-49.75	-13	-36.75	-76.62	-57.81	2.62	10.68	V
Highest	3480	-43.80	-13	-30.80	-60.96	-50.11	1.60	7.91	H
	5224	-42.35	-13	-29.35	-65.09	-49.58	2.47	9.70	H
	6960	-48.99	-13	-35.99	-76.41	-57.14	2.60	10.75	H
	3480	-43.99	-13	-30.99	-61.2	-50.3	1.60	7.91	V
	5224	-40.71	-13	-27.71	-63.18	-47.94	2.47	9.70	V
	6960	-49.27	-13	-36.27	-76.52	-57.42	2.60	10.75	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 4 / 20MHz / QPSK / RB Size 1 Offset 0									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	3424	-44.21	-13	-31.21	-60.93	-50.3	1.58	7.67	H
	5132	-44.79	-13	-31.79	-67.62	-52.08	2.41	9.70	H
	6848	-49.57	-13	-36.57	-76.5	-57.55	2.64	10.62	H
	3424	-46.06	-13	-33.06	-62.46	-52.15	1.58	7.67	V
	5132	-43.24	-13	-30.24	-65.19	-50.53	2.41	9.70	V
	6848	-50.12	-13	-37.12	-76.68	-58.1	2.64	10.62	V
Middle	3448	-51.87	-13	-38.87	-68.75	-58.05	1.59	7.77	H
	5172	-38.74	-13	-25.74	-61.48	-46	2.44	9.70	H
	6896	-49.56	-13	-36.56	-76.67	-57.61	2.62	10.68	H
	3448	-52.24	-13	-39.24	-68.88	-58.42	1.59	7.77	V
	5172	-33.34	-13	-20.34	-55.41	-40.6	2.44	9.70	V
	6896	-49.98	-13	-36.98	-76.83	-58.03	2.62	10.68	V
Highest	3472	-44.64	-13	-31.64	-61.64	-50.92	1.60	7.88	H
	5208	-37.11	-13	-24.11	-59.83	-44.35	2.46	9.70	H
	6944	-49.28	-13	-36.28	-76.59	-57.4	2.61	10.73	H
	3472	-44.39	-13	-31.39	-61.32	-50.67	1.60	7.88	V
	5208	-35.26	-13	-22.26	-57.72	-42.5	2.46	9.70	V
	6944	-49.39	-13	-36.39	-76.54	-57.51	2.61	10.73	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 12 / 1.4MHz / QPSK / RB Size 1 Offset 0									
Channel	Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	3424	-44.21	-13	-31.21	-60.93	-50.3	1.58	7.67	H
	5132	-44.79	-13	-31.79	-67.62	-52.08	2.41	9.70	H
	6848	-49.57	-13	-36.57	-76.5	-57.55	2.64	10.62	H
	3424	-46.06	-13	-33.06	-62.46	-52.15	1.58	7.67	V
	5132	-43.24	-13	-30.24	-65.19	-50.53	2.41	9.70	V
	6848	-50.12	-13	-37.12	-76.68	-58.1	2.64	10.62	V
Middle	3448	-51.87	-13	-38.87	-68.75	-58.05	1.59	7.77	H
	5172	-38.74	-13	-25.74	-61.48	-46	2.44	9.70	H
	6896	-49.56	-13	-36.56	-76.67	-57.61	2.62	10.68	H
	3448	-52.24	-13	-39.24	-68.88	-58.42	1.59	7.77	V
	5172	-33.34	-13	-20.34	-55.41	-40.6	2.44	9.70	V
	6896	-49.98	-13	-36.98	-76.83	-58.03	2.62	10.68	V
Highest	3472	-44.64	-13	-31.64	-61.64	-50.92	1.60	7.88	H
	5208	-37.11	-13	-24.11	-59.83	-44.35	2.46	9.70	H
	6944	-49.28	-13	-36.28	-76.59	-57.4	2.61	10.73	H
	3472	-44.39	-13	-31.39	-61.32	-50.67	1.60	7.88	V
	5208	-35.26	-13	-22.26	-57.72	-42.5	2.46	9.70	V
	6944	-49.39	-13	-36.39	-76.54	-57.51	2.61	10.73	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 12 / 3MHz / QPSK / RB Size 1 Offset 0									
Channel	Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	1400	-61.20	-13.00	-48.20	-72.08	-62.86	0.87	4.68	H
	2096	-58.74	-13.00	-45.74	-70.91	-59.61	1.16	4.19	H
	2800	-58.17	-13.00	-45.17	-74.05	-60.28	1.38	5.64	H
	1400	-61.23	-13.00	-48.23	-71.04	-62.89	0.87	4.68	V
	2096	-56.99	-13.00	-43.99	-69.97	-57.86	1.16	4.19	V
	2800	-56.50	-13.00	-43.50	-73.22	-58.61	1.38	5.64	V
Middle	1416	-61.35	-13.00	-48.35	-71.43	-63.10	0.87	4.78	H
	2120	-58.94	-13.00	-45.94	-71.89	-59.88	1.17	4.26	H
	2832	-59.40	-13.00	-46.40	-74.94	-61.52	1.39	5.67	H
	1416	-61.50	-13.00	-48.50	-71.10	-63.25	0.87	4.78	V
	2120	-57.67	-13.00	-44.67	-71.12	-58.61	1.17	4.26	V
	2832	-58.27	-13.00	-45.27	-75.05	-60.39	1.39	5.67	V
Highest	1424	-60.58	-13.00	-47.58	-69.51	-62.38	0.88	4.83	H
	2136	-57.63	-13.00	-44.63	-70.71	-58.61	1.18	4.31	H
	2848	-57.47	-13.00	-44.47	-73.30	-59.60	1.40	5.68	H
	1424	-60.58	-13.00	-47.58	-69.57	-62.38	0.88	4.83	V
	2136	-55.04	-13.00	-42.04	-69.16	-56.02	1.18	4.31	V
	2848	-56.25	-13.00	-43.25	-72.47	-58.38	1.40	5.68	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 12 / 5MHz / QPSK / RB Size 1 Offset 0									
Channel	Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	1400	-61.23	-13.00	-48.23	-71.76	-62.89	0.87	4.68	H
	2096	-58.81	-13.00	-45.81	-70.72	-59.68	1.16	4.19	H
	2800	-59.41	-13.00	-46.41	-74.83	-61.52	1.38	5.64	H
	1400	-61.41	-13.00	-48.41	-71.07	-63.07	0.87	4.68	V
	2096	-57.34	-13.00	-44.34	-70.12	-58.21	1.16	4.19	V
	2800	-57.52	-13.00	-44.52	-73.91	-59.63	1.38	5.64	V
Middle	1408	-61.57	-13.00	-48.57	-71.56	-63.28	0.87	4.73	H
	2112	-59.67	-13.00	-46.67	-72.64	-60.59	1.17	4.24	H
	2816	-60.27	-13.00	-47.27	-75.56	-62.38	1.39	5.65	H
	1408	-62.10	-13.00	-49.10	-71.96	-63.81	0.87	4.73	V
	2112	-57.29	-13.00	-44.29	-71.19	-58.21	1.17	4.24	V
	2816	-59.43	-13.00	-46.43	-75.66	-61.54	1.39	5.65	V
Highest	1424	-60.78	-13.00	-47.78	-70.74	-62.58	0.88	4.83	H
	2136	-58.61	-13.00	-45.61	-71.48	-59.59	1.18	4.31	H
	2848	-58.05	-13.00	-45.05	-74.16	-60.18	1.40	5.68	H
	1424	-60.68	-13.00	-47.68	-69.48	-62.48	0.88	4.83	V
	2136	-54.38	-13.00	-41.38	-68.97	-55.36	1.18	4.31	V
	2848	-57.13	-13.00	-44.13	-73.26	-59.26	1.40	5.68	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 12 / 10MHz / QPSK / RB Size 1 Offset 0									
Channel	Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	1400	-61.48	-13.00	-48.48	-71.61	-63.14	0.87	4.68	H
	2096	-58.16	-13.00	-45.16	-70.68	-59.03	1.16	4.19	H
	2800	-58.31	-13.00	-45.31	-73.90	-60.42	1.38	5.64	H
	1400	-61.48	-13.00	-48.48	-70.50	-63.14	0.87	4.68	V
	2096	-56.07	-13.00	-43.07	-69.45	-56.94	1.16	4.19	V
	2800	-57.16	-13.00	-44.16	-74.06	-59.27	1.38	5.64	V
Middle	1408	-62.70	-13.00	-49.70	-72.83	-64.41	0.87	4.73	H
	2112	-60.33	-13.00	-47.33	-72.77	-61.25	1.17	4.24	H
	2814	-59.37	-13.00	-46.37	-74.86	-61.48	1.39	5.65	H
	1408	-62.47	-13.00	-49.47	-71.90	-64.18	0.87	4.73	V
	2112	-58.41	-13.00	-45.41	-71.73	-59.33	1.17	4.24	V
	2814	-58.27	-13.00	-45.27	-74.43	-60.38	1.39	5.65	V
Highest	1416	-60.65	-13.00	-47.65	-70.98	-62.40	0.87	4.78	H
	2120	-58.69	-13.00	-45.69	-71.05	-59.63	1.17	4.26	H
	2824	-59.73	-13.00	-46.73	-74.49	-61.85	1.39	5.66	H
	1416	-61.14	-13.00	-48.14	-70.58	-62.89	0.87	4.78	V
	2120	-55.87	-13.00	-42.87	-69.49	-56.81	1.17	4.26	V
	2824	-57.49	-13.00	-44.49	-73.91	-59.61	1.39	5.66	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 41 / 5MHz / QPSK / RB Size 1 Offset 0									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	4992	-52.79	-25	-27.79	-75.3	-60.14	2.33	9.68	H
	7488	-43.52	-25	-18.52	-72.04	-52.86	2.43	11.78	H
	9984	-45.11	-25	-20.11	-76.62	-54.63	2.69	12.21	H
	4992	-53.23	-25	-28.23	-74.66	-60.58	2.33	9.68	V
	7488	-44.54	-25	-19.54	-73.07	-53.88	2.43	11.78	V
	9984	-46.76	-25	-21.76	-76.21	-56.28	2.69	12.21	V
Middle	5184	-52.02	-25	-27.02	-74.79	-59.28	2.44	9.70	H
	7776	-38.63	-25	-13.63	-66.91	-48.26	2.34	11.97	H
	10368	-44.58	-25	-19.58	-76.54	-54.23	2.69	12.35	H
	5184	-53.56	-25	-28.56	-75.27	-60.82	2.44	9.70	V
	7776	-41.64	-25	-16.64	-69.36	-51.27	2.34	11.97	V
	10368	-45.81	-25	-20.81	-76.58	-55.46	2.69	12.35	V
Highest	5368	-52.67	-25	-27.67	-75.89	-59.82	2.55	9.70	H
	8052	-39.45	-25	-14.45	-69.92	-49.31	2.28	12.14	H
	10736	-45.52	-25	-20.52	-76.98	-55.28	2.69	12.45	H
	5368	-54.10	-25	-29.10	-77.63	-61.25	2.55	9.70	V
	8052	-38.35	-25	-13.35	-66.22	-48.21	2.28	12.14	V
	10736	-46.38	-25	-21.38	-77.39	-56.14	2.69	12.45	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 41 / 10MHz / QPSK / RB Size 1 Offset 0									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	4992	-52.51	-25	-27.51	-75.3	-59.86	2.33	9.68	H
	7488	-40.46	-25	-15.46	-69.43	-49.8	2.43	11.78	H
	9984	-42.55	-25	-17.55	-74.03	-52.07	2.69	12.21	H
	4992	-54.23	-25	-29.23	-75.92	-61.58	2.33	9.68	V
	7488	-46.69	-25	-21.69	-74.59	-56.03	2.43	11.78	V
	9984	-45.69	-25	-20.69	-75.47	-55.21	2.69	12.21	V
Middle	5176	-52.49	-25	-27.49	-75.09	-59.75	2.44	9.70	H
	7764	-44.42	-25	-19.42	-73.01	-54.03	2.34	11.96	H
	10352	-44.56	-25	-19.56	-76.42	-54.21	2.69	12.34	H
	5176	-52.42	-25	-27.42	-74.7	-59.68	2.44	9.70	V
	7764	-47.62	-25	-22.62	-75.17	-57.23	2.34	11.96	V
	10352	-45.35	-25	-20.35	-76.16	-55	2.69	12.34	V
Highest	5360	-53.12	-25	-28.12	-76.42	-60.28	2.54	9.70	H
	8040	-43.35	-25	-18.35	-73.3	-53.21	2.28	12.13	H
	10720	-45.64	-25	-20.64	-77.55	-55.39	2.69	12.44	H
	5360	-53.31	-25	-28.31	-75.99	-60.47	2.54	9.70	V
	8040	-39.76	-25	-14.76	-67.72	-49.62	2.28	12.13	V
	10720	-46.63	-25	-21.63	-77.57	-56.38	2.69	12.44	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 41 / 15MHz / QPSK / RB Size 1 Offset 0									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	4992	-52.11	-25	-27.11	-75.28	-59.46	2.33	9.68	H
	7488	-44.31	-25	-19.31	-72.89	-53.65	2.43	11.78	H
	9984	-45.09	-25	-20.09	-77.16	-54.61	2.69	12.21	H
	4992	-54.41	-25	-29.41	-76.29	-61.76	2.33	9.68	V
	7488	-44.14	-25	-19.14	-72.82	-53.48	2.43	11.78	V
	9984	-44.74	-25	-19.74	-74.77	-54.26	2.69	12.21	V
Middle	5172	-49.23	-25	-24.23	-71.86	-56.49	2.44	9.70	H
	7764	-36.60	-25	-11.60	-65.27	-46.21	2.34	11.96	H
	10344	-45.36	-25	-20.36	-77.02	-55	2.69	12.34	H
	5172	-53.12	-25	-28.12	-75.2	-60.38	2.44	9.70	V
	7764	-44.25	-25	-19.25	-72.04	-53.86	2.34	11.96	V
	10344	-46.14	-25	-21.14	-76.95	-55.78	2.69	12.34	V
Highest	5352	-53.11	-25	-28.11	-76.26	-60.27	2.54	9.70	H
	8028	-39.36	-25	-14.36	-69.41	-49.21	2.27	12.12	H
	10704	-45.73	-25	-20.73	-77.76	-55.48	2.69	12.44	H
	5352	-51.53	-25	-26.53	-74.93	-58.69	2.54	9.70	V
	8028	-38.11	-25	-13.11	-66.3	-47.96	2.27	12.12	V
	10704	-46.53	-25	-21.53	-77.91	-56.28	2.69	12.44	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 41 / 20MHz / QPSK / RB Size 1 Offset 0									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	4992	-52.47	-25	-27.47	-75.15	-59.82	2.33	9.68	H
	7488	-39.87	-25	-14.87	-68.74	-49.21	2.43	11.78	H
	9984	-43.65	-25	-18.65	-74.59	-53.17	2.69	12.21	H
	4992	-54.23	-25	-29.23	-75.94	-61.58	2.33	9.68	V
	7488	-43.14	-25	-18.14	-71.74	-52.48	2.43	11.78	V
	9984	-45.26	-25	-20.26	-75.31	-54.78	2.69	12.21	V
Middle	5168	-51.93	-25	-26.93	-74.82	-59.2	2.43	9.70	H
	7752	-40.40	-25	-15.40	-68.74	-50	2.35	11.95	H
	10336	-45.53	-25	-20.53	-77.2	-55.17	2.69	12.33	H
	5168	-52.69	-25	-27.69	-74.85	-59.96	2.43	9.70	V
	7752	-41.66	-25	-16.66	-69.51	-51.26	2.35	11.95	V
	10336	-46.25	-25	-21.25	-76.89	-55.89	2.69	12.33	V
Highest	5344	-53.12	-25	-28.12	-77.02	-60.28	2.54	9.70	H
	8016	-40.73	-25	-15.73	-70.93	-50.57	2.27	12.11	H
	10688	-45.94	-25	-20.94	-77.84	-55.69	2.69	12.44	H
	5344	-53.23	-25	-28.23	-76.31	-60.39	2.54	9.70	V
	8016	-37.75	-25	-12.75	-65.43	-47.59	2.27	12.11	V
	10688	-46.53	-25	-21.53	-77.64	-56.28	2.69	12.44	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



Appendix C. Original Report

Please refer to Sporton report number FG542019B as below.