



LTE Band 2 / 5MHz / QPSK / RB Size 1 Offset 0									
Channel	Frequency ( MHz )	EIRP ( dBm )	Limit ( dBm )	Over Limit ( dB )	SPA Reading (dBm)	S.G. Power ( dBm )	TX Cable loss ( dB )	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	3700	-42.53	-13	-29.53	-61.95	-49.1	1.67	8.24	H
	5548	-42.83	-13	-29.83	-67.7	-49.9	2.65	9.72	H
	7400	-52.66	-13	-39.66	-79.17	-61.8	2.46	11.60	H
	3700	-40.63	-13	-27.63	-61.13	-47.2	1.67	8.24	V
	5548	-42.33	-13	-29.33	-68.18	-49.4	2.65	9.72	V
	7400	-50.76	-13	-37.76	-79	-59.9	2.46	11.60	V
Middle	3756	-47.68	-13	-34.68	-67.26	-54.3	1.68	8.31	H
	5632	-45.05	-13	-32.05	-69.87	-52.1	2.70	9.75	H
	7508	-51.82	-13	-38.82	-78.93	-61.2	2.43	11.80	H
	3756	-46.18	-13	-33.18	-66.54	-52.8	1.68	8.31	V
	5632	-43.55	-13	-30.55	-69.55	-50.6	2.70	9.75	V
	7510	-50.22	-13	-37.22	-78.95	-59.6	2.43	11.81	V
Highest	3812	-43.98	-13	-30.98	-64.84	-48.5	1.70	8.37	H
	5716	-40.61	-13	-27.61	-65.63	-45.5	2.75	9.79	H
	7620	-51.47	-13	-38.47	-79.07	-58.8	2.39	11.87	H
	3812	-44.38	-13	-31.38	-65.54	-48.9	1.70	8.37	V
	5716	-40.31	-13	-27.31	-66.21	-45.2	2.75	9.79	V
	7620	-49.77	-13	-36.77	-79.2	-57.1	2.39	11.87	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 2 / 10MHz / QPSK / RB Size 1 Offset 0									
Channel	Frequency ( MHz )	EIRP ( dBm )	Limit ( dBm )	Over Limit ( dB )	SPA Reading (dBm)	S.G. Power ( dBm )	TX Cable loss ( dB )	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	3700	-42.13	-13	-29.13	-61.67	-48.7	1.67	8.24	H
	5548	-42.53	-13	-29.53	-67.48	-49.6	2.65	9.72	H
	7400	-52.46	-13	-39.46	-79.04	-61.6	2.46	11.60	H
	3700	-41.63	-13	-28.63	-61.92	-48.2	1.67	8.24	V
	5548	-40.03	-13	-27.03	-65.89	-47.1	2.65	9.72	V
	7400	-50.96	-13	-37.96	-79.09	-60.1	2.46	11.60	V
Middle	3749	-47.68	-13	-34.68	-67.28	-54.3	1.68	8.30	H
	5625	-40.65	-13	-27.65	-65.71	-47.7	2.70	9.75	H
	7501	-52.13	-13	-39.13	-79.24	-61.5	2.43	11.80	H
	3749	-46.98	-13	-33.98	-67.29	-53.6	1.68	8.30	V
	5625	-40.55	-13	-27.55	-66.27	-47.6	2.70	9.75	V
	7500	-50.73	-13	-37.73	-79.24	-60.1	2.43	11.80	V
Highest	3798	-44.59	-13	-31.59	-65.59	-49.1	1.70	8.36	H
	5702	-41.71	-13	-28.71	-66.65	-46.6	2.74	9.78	H
	7600	-51.79	-13	-38.79	-79.3	-59.1	2.40	11.86	H
	3798	-46.69	-13	-33.69	-68.4	-51.2	1.70	8.36	V
	5702	-40.51	-13	-27.51	-66.5	-45.4	2.74	9.78	V
	7600	-50.39	-13	-37.39	-79.41	-57.7	2.40	11.86	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 2 / 15MHz / QPSK / RB Size 1 Offset 0									
Channel	Frequency ( MHz )	EIRP ( dBm )	Limit ( dBm )	Over Limit ( dB )	SPA Reading (dBm)	S.G. Power ( dBm )	TX Cable loss ( dB )	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	3700	-43.23	-13	-30.23	-62.33	-49.8	1.67	8.24	H
	5555	-42.03	-13	-29.03	-66.85	-49.1	2.66	9.72	H
	7400	-52.66	-13	-39.66	-79.22	-61.8	2.46	11.60	H
	3700	-42.63	-13	-29.63	-62.61	-49.2	1.67	8.24	V
	5555	-40.53	-13	-27.53	-66.39	-47.6	2.66	9.72	V
	7400	-51.06	-13	-38.06	-79.14	-60.2	2.46	11.60	V
Middle	3749	-46.88	-13	-33.88	-66.5	-53.5	1.68	8.30	H
	5618	-41.15	-13	-28.15	-66.06	-48.2	2.69	9.75	H
	7490	-52.25	-13	-39.25	-79.21	-61.6	2.43	11.78	H
	3749	-46.38	-13	-33.38	-66.78	-53	1.68	8.30	V
	5618	-40.65	-13	-27.65	-66.62	-47.7	2.69	9.75	V
	7490	-50.95	-13	-37.95	-79.11	-60.3	2.43	11.78	V
Highest	3791	-43.60	-13	-30.60	-63.49	-48.1	1.70	8.35	H
	5688	-42.61	-13	-29.61	-67.19	-47.5	2.73	9.78	H
	7580	-51.81	-13	-38.81	-79.25	-59.1	2.40	11.85	H
	3791	-43.10	-13	-30.10	-64.21	-47.6	1.70	8.35	V
	5688	-41.31	-13	-28.31	-67.31	-46.2	2.73	9.78	V
	7580	-50.61	-13	-37.61	-79.56	-57.9	2.40	11.85	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 2 / 20MHz / QPSK / RB Size 1 Offset 0									
Channel	Frequency ( MHz )	EIRP ( dBm )	Limit ( dBm )	Over Limit ( dB )	SPA Reading (dBm)	S.G. Power ( dBm )	TX Cable loss ( dB )	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	3700	-42.53	-13	-29.53	-61.75	-49.1	1.67	8.24	H
	5555	-42.03	-13	-29.03	-66.96	-49.1	2.66	9.72	H
	7400	-52.36	-13	-39.36	-78.75	-61.5	2.46	11.60	H
	3700	-39.23	-13	-26.23	-59.55	-45.8	1.67	8.24	V
	5555	-41.33	-13	-28.33	-67.1	-48.4	2.66	9.72	V
	7400	-50.46	-13	-37.46	-78.57	-59.6	2.46	11.60	V
Middle	3742	-45.49	-13	-32.49	-65.08	-52.1	1.68	8.29	H
	5611	-42.04	-13	-29.04	-67	-49.1	2.69	9.74	H
	7480	-52.58	-13	-39.58	-79.51	-61.9	2.44	11.76	H
	3742	-46.99	-13	-33.99	-67.962	-53.6	1.68	8.29	V
	5611	-41.14	-13	-28.14	-66.88	-48.2	2.69	9.74	V
	7480	-50.88	-13	-37.88	-79.32	-60.2	2.44	11.76	V
Highest	3784	-40.60	-13	-27.60	-61.18	-45.1	1.69	8.34	H
	5674	-41.91	-13	-28.91	-66.82	-46.8	2.73	9.77	H
	7560	-51.92	-13	-38.92	-79.22	-59.2	2.41	11.84	H
	3784	-39.10	-13	-26.10	-60.04	-43.6	1.69	8.34	V
	5674	-41.81	-13	-28.81	-67.89	-46.7	2.73	9.77	V
	7560	-50.22	-13	-37.22	-79.26	-57.5	2.41	11.84	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 5 / 1.4MHz / QPSK / RB Size 1 Offset 0									
Channel	Frequency ( MHz )	ERP ( dBm )	Limit ( dBm )	Over Limit ( dB )	SPA Reading (dBm)	S.G. Power ( dBm )	TX Cable loss ( dB )	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	1648	-63.44	-13	-50.44	-74.44	-65.2	0.98	4.89	H
	2472	-59.42	-13	-46.42	-75.79	-61.3	1.28	5.32	H
	3296	-56.99	-13	-43.99	-74.36	-60.4	1.54	7.10	H
	1648	-61.54	-13	-48.54	-73.34	-63.3	0.98	4.89	V
	2472	-57.72	-13	-44.72	-75.5	-59.6	1.28	5.32	V
	3296	-55.79	-13	-42.79	-74.86	-59.2	1.54	7.10	V
Middle	1672	-62.52	-13	-49.52	-73.9	-64.2	0.99	4.82	H
	2504	-59.14	-13	-46.14	-75.89	-61.1	1.29	5.40	H
	3344	-54.59	-13	-41.59	-71.99	-58.2	1.56	7.31	H
	1672	-57.92	-13	-44.92	-70.16	-59.6	0.99	4.82	V
	2504	-57.34	-13	-44.34	-75.51	-59.3	1.29	5.40	V
	3344	-54.49	-13	-41.49	-73.35	-58.1	1.56	7.31	V
Highest	1696	-61.50	-13	-48.50	-72.94	-63.1	1.00	4.75	H
	2544	-59.72	-13	-46.72	-76.41	-61.7	1.30	5.44	H
	3392	-55.30	-13	-42.30	-72.9	-59.1	1.57	7.52	H
	1696	-57.20	-13	-44.20	-69.55	-58.8	1.00	4.75	V
	2543	-58.02	-13	-45.02	-76.12	-60	1.30	5.43	V
	3392	-54.00	-13	-41.00	-73.14	-57.8	1.57	7.52	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 5 / 3MHz / QPSK / RB Size 1 Offset 0									
Channel	Frequency ( MHz )	ERP ( dBm )	Limit ( dBm )	Over Limit ( dB )	SPA Reading (dBm)	S.G. Power ( dBm )	TX Cable loss ( dB )	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	1648	-63.44	-13	-50.44	-74.49	-65.2	0.98	4.89	H
	2472	-59.62	-13	-46.62	-76.23	-61.5	1.28	5.32	H
	3296	-56.99	-13	-43.99	-74.73	-60.4	1.54	7.10	H
	1648	-60.94	-13	-47.94	-72.87	-62.7	0.98	4.89	V
	2472	-57.72	-13	-44.72	-75.58	-59.6	1.28	5.32	V
	3296	-55.69	-13	-42.69	-74.62	-59.1	1.54	7.10	V
Middle	1672	-60.92	-13	-47.92	-72.47	-62.6	0.99	4.82	H
	2505	-59.74	-13	-46.74	-76.34	-61.7	1.29	5.40	H
	3344	-55.49	-13	-42.49	-73.02	-59.1	1.56	7.31	H
	1672	-57.82	-13	-44.82	-69.78	-59.5	0.99	4.82	V
	2504	-57.64	-13	-44.64	-75.74	-59.6	1.29	5.40	V
	3344	-54.59	-13	-41.59	-73.53	-58.2	1.56	7.31	V
Highest	1688	-63.97	-13	-50.97	-75.3	-65.6	1.00	4.77	H
	2536	-59.62	-13	-46.62	-76.29	-61.6	1.30	5.43	H
	3384	-56.33	-13	-43.33	-73.53	-60.1	1.57	7.49	H
	1688	-62.17	-13	-49.17	-74.1	-63.8	1.00	4.77	V
	2536	-58.12	-13	-45.12	-76.31	-60.1	1.30	5.43	V
	3384	-55.33	-13	-42.33	-74.07	-59.1	1.57	7.49	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 5 / 5MHz / QPSK / RB Size 1 Offset 0									
Channel	Frequency ( MHz )	ERP ( dBm )	Limit ( dBm )	Over Limit ( dB )	SPA Reading (dBm)	S.G. Power ( dBm )	TX Cable loss ( dB )	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	1648	-63.74	-13	-50.74	-74.59	-65.5	0.98	4.89	H
	2472	-59.92	-13	-46.92	-76.27	-61.8	1.28	5.32	H
	3296	-57.19	-13	-44.19	-74.35	-60.6	1.54	7.10	H
	1648	-61.14	-13	-48.14	-73	-62.9	0.98	4.89	V
	2472	-57.42	-13	-44.42	-75.18	-59.3	1.28	5.32	V
	3296	-55.89	-13	-42.89	-74.97	-59.3	1.54	7.10	V
Middle	1668	-62.91	-13	-49.91	-74.11	-64.6	0.99	4.83	H
	2504	-59.44	-13	-46.44	-76.1	-61.4	1.29	5.40	H
	3336	-54.62	-13	-41.62	-71.94	-58.2	1.55	7.28	H
	1668	-58.51	-13	-45.51	-70.41	-60.2	0.99	4.83	V
	2504	-58.14	-13	-45.14	-76.05	-60.1	1.29	5.40	V
	3336	-55.02	-13	-42.02	-74.05	-58.6	1.55	7.28	V
Highest	1688	-63.97	-13	-50.97	-75.32	-65.6	1.00	4.77	H
	2532	-59.83	-13	-46.83	-76.52	-61.8	1.30	5.43	H
	3376	-55.96	-13	-42.96	-73.54	-59.7	1.57	7.45	H
	1688	-63.07	-13	-50.07	-75.07	-64.7	1.00	4.77	V
	2532	-57.53	-13	-44.53	-75.59	-59.5	1.30	5.43	V
	3376	-55.46	-13	-42.46	-74.53	-59.2	1.57	7.45	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 5 / 10MHz / QPSK / RB Size 1 Offset 0									
Channel	Frequency ( MHz )	ERP ( dBm )	Limit ( dBm )	Over Limit ( dB )	SPA Reading (dBm)	S.G. Power ( dBm )	TX Cable loss ( dB )	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	1648	-63.64	-13	-50.64	-74.75	-65.4	0.98	4.89	H
	2472	-60.22	-13	-47.22	-76.44	-62.1	1.28	5.32	H
	3296	-56.69	-13	-43.69	-74.19	-60.1	1.54	7.10	H
	1648	-60.74	-13	-47.74	-72.62	-62.5	0.98	4.89	V
	2472	-57.22	-13	-44.22	-75.08	-59.1	1.28	5.32	V
	3296	-55.69	-13	-42.69	-74.68	-59.1	1.54	7.10	V
Middle	1663	-63.09	-13	-50.09	-74.27	-64.8	0.98	4.84	H
	2495	-59.65	-13	-46.65	-76.27	-61.6	1.29	5.39	H
	3328	-54.76	-13	-41.76	-72.17	-58.3	1.55	7.24	H
	1664	-58.29	-13	-45.29	-70.41	-60	0.98	4.84	V
	2496	-57.15	-13	-44.15	-74.93	-59.1	1.29	5.39	V
	3328	-53.26	-13	-40.26	-72.48	-56.8	1.55	7.24	V
Highest	1680	-62.85	-13	-49.85	-74.17	-64.5	0.99	4.80	H
	2517	-59.93	-13	-46.93	-76.44	-61.9	1.30	5.41	H
	3360	-56.13	-13	-43.13	-73.79	-59.8	1.56	7.38	H
	1680	-60.95	-13	-47.95	-72.93	-62.6	0.99	4.80	V
	2520	-58.43	-13	-45.43	-76.49	-60.4	1.30	5.42	V
	3360	-55.43	-13	-42.43	-74.35	-59.1	1.56	7.38	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 12 / 1.4MHz / QPSK / RB Size 1 Offset 0									
Channel	Frequency ( MHz )	ERP ( dBm )	Limit ( dBm )	Over Limit ( dB )	SPA Reading (dBm)	S.G. Power ( dBm )	TX Cable loss ( dB )	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	1400	-63.51	-13.00	-50.51	-73.18	-65.17	0.87	4.68	H
	2096	-61.75	-13.00	-48.75	-75.23	-62.62	1.16	4.19	H
	2792	-60.57	-13.00	-47.57	-76.58	-62.67	1.38	5.63	H
	1400	-62.29	-13.00	-49.29	-71.94	-63.95	0.87	4.68	V
	2096	-59.46	-13.00	-46.46	-74.37	-60.33	1.16	4.19	V
	2792	-60.52	-13.00	-47.52	-76.42	-62.62	1.38	5.63	V
Middle	1416	-64.14	-13.00	-51.14	-74.02	-65.89	0.87	4.78	H
	2120	-59.17	-13.00	-46.17	-72.55	-60.11	1.17	4.26	H
	2824	-60.25	-13.00	-47.25	-76.38	-62.37	1.39	5.66	H
	1416	-62.00	-13.00	-49.00	-71.95	-63.75	0.87	4.78	V
	2120	-57.98	-13.00	-44.98	-73.22	-58.92	1.17	4.26	V
	2824	-58.71	-13.00	-45.71	-76.03	-60.83	1.39	5.66	V
Highest	1432	-63.97	-13.00	-50.97	-73.49	-65.82	0.88	4.88	H
	2144	-59.32	-13.00	-46.32	-72.84	-60.32	1.18	4.33	H
	2856	-59.75	-13.00	-46.75	-75.95	-61.88	1.40	5.68	H
	1432	-61.97	-13.00	-48.97	-71.66	-63.82	0.88	4.88	V
	2144	-57.11	-13.00	-44.11	-71.88	-58.11	1.18	4.33	V
	2856	-57.72	-13.00	-44.72	-75.14	-59.85	1.40	5.68	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 12 / 3MHz / QPSK / RB Size 1 Offset 0									
Channel	Frequency ( MHz )	ERP ( dBm )	Limit ( dBm )	Over Limit ( dB )	SPA Reading (dBm)	S.G. Power ( dBm )	TX Cable loss ( dB )	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	1400	-65.05	-13.00	-52.05	-74.82	-66.71	0.87	4.68	H
	2096	-61.76	-13.00	-48.76	-76.26	-62.63	1.16	4.19	H
	2792	-60.22	-13.00	-47.22	-76.30	-62.32	1.38	5.63	H
	1400	-64.74	-13.00	-51.74	-74.59	-66.40	0.87	4.68	V
	2096	-60.84	-13.00	-47.84	-75.81	-61.71	1.16	4.19	V
	2792	-59.55	-13.00	-46.55	-76.81	-61.65	1.38	5.63	V
Middle	1416	-64.67	-13.00	-51.67	-74.55	-66.42	0.87	4.78	H
	2120	-61.77	-13.00	-48.77	-75.16	-62.71	1.17	4.26	H
	2824	-60.37	-13.00	-47.37	-76.50	-62.49	1.39	5.66	H
	1416	-63.71	-13.00	-50.71	-73.66	-65.46	0.87	4.78	V
	2120	-59.32	-13.00	-46.32	-74.74	-60.26	1.17	4.26	V
	2842	-60.31	-13.00	-47.31	-76.64	-62.44	1.40	5.67	V
Highest	1424	-65.11	-13.00	-52.11	-74.36	-66.91	0.88	4.83	H
	2136	-62.88	-13.00	-49.88	-76.30	-63.86	1.18	4.31	H
	2856	-60.51	-13.00	-47.51	-76.67	-62.64	1.40	5.68	H
	1424	-63.96	-13.00	-50.96	-74.05	-65.76	0.88	4.83	V
	2136	-61.54	-13.00	-48.54	-76.32	-62.52	1.18	4.31	V
	2856	-58.66	-13.00	-45.66	-76.66	-60.79	1.40	5.68	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 12 / 5MHz / QPSK / RB Size 1 Offset 0									
Channel	Frequency ( MHz )	ERP ( dBm )	Limit ( dBm )	Over Limit ( dB )	SPA Reading (dBm)	S.G. Power ( dBm )	TX Cable loss ( dB )	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	1400	-63.72	-13.00	-50.72	-73.49	-65.38	0.87	4.68	H
	2096	-59.89	-13.00	-46.89	-73.44	-60.76	1.16	4.19	H
	2800	-60.04	-13.00	-47.04	-76.03	-62.15	1.38	5.64	H
	1400	-61.51	-13.00	-48.51	-71.26	-63.17	0.87	4.68	V
	2096	-58.55	-13.00	-45.55	-73.88	-59.42	1.16	4.19	V
	2800	-58.62	-13.00	-45.62	-75.89	-60.73	1.38	5.64	V
Middle	1408	-64.46	-13.00	-51.46	-73.91	-66.17	0.87	4.73	H
	2112	-57.03	-13.00	-44.03	-71.39	-57.95	1.17	4.24	H
	2824	-60.21	-13.00	-47.21	-76.34	-62.33	1.39	5.66	H
	1408	-64.56	-13.00	-51.56	-73.27	-66.27	0.87	4.73	V
	2112	-57.03	-13.00	-44.03	-73.44	-57.95	1.17	4.24	V
	2824	-58.76	-13.00	-45.76	-76.03	-60.88	1.39	5.66	V
Highest	1424	-65.12	-13.00	-52.12	-74.46	-66.92	0.88	4.83	H
	2136	-60.36	-13.00	-47.36	-73.60	-61.34	1.18	4.31	H
	2848	-59.84	-13.00	-46.84	-76.04	-61.97	1.40	5.68	H
	1424	-63.33	-13.00	-50.33	-73.12	-65.13	0.88	4.83	V
	2136	-56.49	-13.00	-43.49	-71.68	-57.47	1.18	4.31	V
	2848	-58.25	-13.00	-45.25	-75.59	-60.38	1.40	5.68	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 12 / 10MHz / QPSK / RB Size 1 Offset 0									
Channel	Frequency ( MHz )	ERP ( dBm )	Limit ( dBm )	Over Limit ( dB )	SPA Reading (dBm)	S.G. Power ( dBm )	TX Cable loss ( dB )	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	1400	-62.66	-13.00	-49.66	-72.16	-64.32	0.87	4.68	H
	2096	-57.75	-13.00	-44.75	-72.58	-58.62	1.16	4.19	H
	2800	-58.52	-13.00	-45.52	-75.79	-60.63	1.38	5.64	H
	1400	-62.31	-13.00	-49.31	-72.16	-63.97	0.87	4.68	V
	2096	-57.39	-13.00	-44.39	-72.58	-58.26	1.16	4.19	V
	2800	-58.52	-13.00	-45.52	-75.79	-60.63	1.38	5.64	V
Middle	1408	-64.45	-13.00	-51.45	-74.19	-66.16	0.87	4.73	H
	2112	-61.89	-13.00	-48.89	-75.39	-62.81	1.17	4.24	H
	2808	-60.20	-13.00	-47.20	-76.32	-62.31	1.39	5.65	H
	1408	-64.50	-13.00	-51.50	-73.91	-66.21	0.87	4.73	V
	2112	-59.93	-13.00	-46.93	-75.36	-60.85	1.17	4.24	V
	2808	-58.52	-13.00	-45.52	-75.83	-60.63	1.39	5.65	V
Highest	1416	-64.13	-13.00	-51.13	-74.01	-65.88	0.87	4.78	H
	2120	-59.28	-13.00	-46.28	-72.87	-60.22	1.17	4.26	H
	2824	-59.79	-13.00	-46.79	-75.92	-61.91	1.39	5.66	H
	1416	-62.18	-13.00	-49.18	-72.13	-63.93	0.87	4.78	V
	2120	-58.42	-13.00	-45.42	-73.39	-59.36	1.17	4.26	V
	2824	-58.83	-13.00	-45.83	-76.15	-60.95	1.39	5.66	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 17 / 5MHz / QPSK / RB Size 1 Offset 0									
Channel	Frequency ( MHz )	ERP ( dBm )	Limit ( dBm )	Over Limit ( dB )	SPA Reading (dBm)	S.G. Power ( dBm )	TX Cable loss ( dB )	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	1408	-60.09	-13	-47.09	-70.20	-61.80	0.87	4.73	H
	2112	-60.48	-13	-47.48	-74.44	-61.40	1.17	4.24	H
	2816	-59.39	-13	-46.39	-76.40	-61.50	1.39	5.65	H
	1408	-60.79	-13	-47.79	-71.19	-62.50	0.87	4.73	V
	2112	-58.88	-13	-45.88	-74.20	-59.80	1.17	4.24	V
	2816	-58.69	-13	-45.69	-76.60	-60.80	1.39	5.65	V
Middle	1416	-60.85	-13	-47.85	-71.24	-62.60	0.87	4.78	H
	2120	-59.16	-13	-46.16	-73.28	-60.10	1.17	4.26	H
	2832	-59.28	-13	-46.28	-76.25	-61.40	1.39	5.67	H
	1416	-61.35	-13	-48.35	-71.91	-63.10	0.87	4.78	V
	2120	-55.66	-13	-42.66	-71.37	-56.60	1.17	4.26	V
	2830	-58.38	-13	-45.38	-76.48	-60.50	1.39	5.66	V
Highest	1424	-61.90	-13	-48.90	-72.29	-63.70	0.88	4.83	H
	2136	-60.52	-13	-47.52	-74.50	-61.50	1.18	4.31	H
	2848	-59.27	-13	-46.27	-76.08	-61.40	1.40	5.68	H
	1424	-62.50	-13	-49.50	-73.02	-64.30	0.88	4.83	V
	2136	-58.12	-13	-45.12	-73.87	-59.10	1.18	4.31	V
	2848	-57.47	-13	-44.47	-76.08	-59.60	1.40	5.68	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 17 / 10MHz / QPSK / RB Size 1 Offset 0									
Channel	Frequency ( MHz )	ERP ( dBm )	Limit ( dBm )	Over Limit ( dB )	SPA Reading (dBm)	S.G. Power ( dBm )	TX Cable loss ( dB )	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	1408	-61.79	-13	-48.79	-71.90	-63.50	0.87	4.73	H
	2112	-60.48	-13	-47.48	-74.43	-61.40	1.17	4.24	H
	2816	-59.39	-13	-46.39	-76.18	-61.50	1.39	5.65	H
	1408	-60.89	-13	-47.89	-71.25	-62.60	0.87	4.73	V
	2112	-58.78	-13	-45.78	-74.00	-59.70	1.17	4.24	V
	2816	-58.49	-13	-45.49	-76.55	-60.60	1.39	5.65	V
Middle	1408	-63.09	-13	-50.09	-73.29	-64.80	0.87	4.73	H
	2112	-61.18	-13	-48.18	-75.10	-62.10	1.17	4.24	H
	2820	-59.49	-13	-46.49	-76.50	-61.60	1.39	5.66	H
	1410	-61.88	-13	-48.88	-72.28	-63.60	0.87	4.74	V
	2115	-58.08	-13	-45.08	-73.54	-59.00	1.17	4.25	V
	2820	-58.29	-13	-45.29	-76.11	-60.40	1.39	5.66	V
Highest	1416	-61.85	-13	-48.85	-72.02	-63.60	0.87	4.78	H
	2118	-61.87	-13	-48.87	-75.47	-62.80	1.17	4.25	H
	2824	-59.28	-13	-46.28	-76.16	-61.40	1.39	5.66	H
	1416	-61.75	-13	-48.75	-71.89	-63.50	0.87	4.78	V
	2120	-57.96	-13	-44.96	-73.54	-58.90	1.17	4.26	V
	2824	-58.08	-13	-45.08	-75.90	-60.20	1.39	5.66	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.