



Spot Check Evaluation

Reviewed by: Joseph Lin / Supervisor

Approved by: Jones Tsai / Manager



SPORTON INTERNATIONAL INC.

No. 52, Hwa Ya 1st Rd., Hwa Ya Technology Park, Kwei-Shan District, Tao Yuan City, Taiwan, R.O.C.



TABLE OF CONTENTS

REVISION HISTORY.....	3
1. INTRODUCTION SECTION.....	4
2. DIFFERENCE SECTION	5
3. SPOT CHECK VERIFICATION DATA SECTION	6
4. REFERENCE DETAIL SECTION	8



1. Introduction Section

The original model (FCC ID: IHDT56WB4) and the variant model (FCC ID: IHDT56WB3) has identical PCB layout, antenna, SW implementation for Bluetooth/Wi-Fi/NFC/GPS. Based on their similarity, the FCC Part 15C (equipment class: DTS, DSS, DXX) .Part 15E (equipment class: NII) test data issued test data of IHDT56WB3 references the test data of IHDT56WB4

The applicant takes full responsibility that the test data as referenced in this report represent compliance for this FCC ID (FCC ID: IHDT56WB3).



2. Difference Section

The original model (FCC ID: IHDT56WB4) and the variant model (FCC ID: IHDT56WB3) has identical PCB layout, antenna, SW implementation for Bluetooth/Wi-Fi/NFC/GPS. The details of similarity and difference can be found in the Operating Description.

Cellular transmitter RF components are different in IHDT56WB3 to support capability for different cellular bands.

The product specification is outlined in the following table:

FCC ID		IHDT56WB4	IHDT56WB3	
Wireless Tech	Mode	Frequency (MHz)		
GSM	GSM Voice GPRS (GMSK) EDGE (8PSK)	Multi-Slot Class 12 DTM: No	850/1900	850/1900
UMTS	AMR/RCM12.2Kbps HSDPA/HSUPA/DC-HSDPA		B5/B4/B2	B5/B4/B2
CDMA	SO32/SO55/RTAP153.6Kbps/ RETAP 4096Bits		-	BC0/BC1/BC10
LTE (FDD)	QPSK 16QAM 64QAM	B2/B4/B5/B7/B12/B17/ B25/B26/B30/B38/B41/ B66	B2/B4/B5/B7/B12/B17/B 25/B26//B30/B38/B41/ B66	
Wi-Fi	11b/11g/11n(HT20)		2412-2462	
	11a/11n(HT20)/11n(HT40)		5180-5240	
	11ac (VHT20)/11ac (VHT40)		5260-5320	
	11ac (VHT80)		5500-5720 5745-5825	
Bluetooth	V5.0		2402-2480 MHz	
NFC	ASK		13.56 MHz	



3. Spot Check Verification Data Section

Summary of the spot check:

Test Item	Mode	IHDT56WB4 Worst Result	IHDT56WB3 Worst Result	Difference (dB)	
Average Conducted Power (dBm)	802.11b	18.90	18.59	0.31	
	802.11g	18.58	18.41	0.17	
	11n HT20	18.62	18.33	0.29	
	11ac VHT20	18.58	18.38	0.2	
	BT (1Mbps)	14.81	15.76	-0.95	
	BT (2Mbps)	9.22	10.20	-0.98	
	BT (3Mbps)	9.25	10.24	-0.99	
	BT-LE(1Mbps)	9.18	9.54	-0.36	
	BT-LE(2Mbps)	9.15	9.43	-0.28	
	11a, 5.2GHz	20.99	20.74	0.25	
	11n HT20, 5.2GHz	20.98	20.62	0.36	
	11n HT40, 5.2GHz	20.42	19.93	0.49	
	11ac VHT20, 5.2GHz	20.99	20.72	0.27	
	11ac VHT40, 5.2GHz	20.49	20.43	0.06	
	11ac VHT80, 5.2GHz	18.40	18.33	0.07	
	11a, 5.3GHz	21.17	20.78	0.39	
	11n HT20, 5.3GHz	21.19	20.76	0.43	
	11n HT40, 5.3GHz	20.27	19.78	0.49	
	11ac VHT20, 5.3GHz	21.22	20.76	0.46	
	11ac VHT40, 5.3GHz	20.31	20.16	0.15	
	11ac VHT80, 5.3GHz	16.97	16.73	0.24	
	11a, 5.5GHz	21.34	20.84	0.5	
	11n HT20, 5.5GHz	21.29	20.81	0.48	
	11n HT40, 5.5GHz	20.58	20.48	0.1	
	11ac VHT20, 5.5GHz	21.41	20.91	0.5	
	11ac VHT40, 5.5GHz	20.60	20.55	0.05	
	11ac VHT80, 5.5GHz	21.14	20.73	0.41	
	11a, 5.8GHz	21.07	20.92	0.15	
	11n HT20, 5.8GHz	21.06	20.84	0.22	
	11n HT40, 5.8GHz	20.50	20.25	0.25	
11ac VHT20, 5.8GHz	21.20	20.88	0.32		
11ac VHT40, 5.8GHz	20.52	20.19	0.33		
11ac VHT80, 5.8GHz	21.21	21.12	0.09		
	IMEI of test sample	353311080000163 353311080000700	353312080019096		
	Test date	2017/04/01~2017/04/26	2017/05/04~2017/05/05		
Radiated Spurious Emission (Band Edge. Harmonic) (dBuV/m)	802.11b	53.18	53.18	0	
	802.11n-HT20	53.70	52.14	1.56	
	BT (3Mbps)	55.60	57.10	-1.5	
	BT-LE(1Mbps)	43.15	43.27	-0.12	
	BT-LE(2Mbps)	44.33	44.85	-0.52	
	11n HT40, 5.2GHz	53.31	53.87	-0.56	
	11n HT40, 5.3GHz	53.02	53.87	-0.85	
	11n HT80, 5.5GHz	53.73	53.36	0.37	
	11a, 5.8GHz	44.94	45.03	0.09	
		IMEI of test sample	353311080000163 353311080000221	353312080019096	
		Test date	2017/04/08~2017/04/26	2017/05/05~2017/05/07	



Conclusion:

Radiated spurious emission test against the variant model for non-cellular part based on the worst-case condition from the original model was performed in this filing to demonstrate the test data from original model remains representative for the variant model.

Based on the spot check test result (power levels measured are within 1dB, and the worst case of RSE spot check verification based on the worst condition from the original model is within 3dB, and are compliance with the limits), the test data from the original model is representative for the variant model.

The unwanted, harmonics, radiated spurious emission is reported peak measurement only due to spurious lower than 20dB than the limit, 74dBuv/m,



4. Reference detail Section

Rule Part	Equipment Class	Wireless Technology	Frequency Band (MHz)	Reference FCC ID	Type Grant/ Permissive Change	Reference Report Title	Reference Application	Reference Report Sections
15C	DTS	Bluetooth – LE Wii-Fi	2400~2483.5	IHDT56WB4	Original Grant	FCC RF Test Report	IHDT56WB3	Part 15C (FR733129B, FR733129C)
	DSS	Bluetooth	2400~2483.5	IHDT56WB4	Original Grant	FCC RF Test Report	IHDT56WB3	Part 15C (FR733129A)
15E	NII	Wi-Fi	5150~5250 5250~5350 5470~5725 5725~5850	IHDT56WB4	Original Grant	FCC RF Test Report	IHDT56WB3	Part 15E (FR733129E, FR733129F, FZ733129)

End of this report