



# FCC RF Test Report

**APPLICANT** : Motorola Mobility LLC  
**EQUIPMENT** : Mobile Cellular Phone  
**BRAND NAME** : Motorola  
**MODEL NAME** : XT1924-6, XT1924-8  
**FCC ID** : IHDT56XA1  
**STANDARD** : 47 CFR Part 2, 22(H), 24(E), 27(L), 27(M),  
27(F), 27(H)  
**CLASSIFICATION** : PCS Licensed Transmitter Held to Ear (PCE)

The product was received on Dec. 29, 2017 and completely tested on Feb. 12, 2018. We, Sporton International (Kunshan) Inc., would like to declare that the tested sample has been evaluated in accordance with the test procedures given in ANSI/TIA-603-E and the testing has shown the tested sample to be in compliance with the applicable technical standards. This report contains data that were produced under subcontract by Laboratory SPORTON INTERNATIONAL INC.

The test results in this report apply exclusively to the tested model / sample. Without written approval of Sporton International (Kunshan) Inc., the test report shall not be reproduced except in full.



Approved by: James Huang / Manager

**Sporton International (Kunshan) Inc.**

**No.3-2 Ping-Xiang Rd, Kunshan Development Zone Kunshan City Jiangsu Province 215335  
China**



TABLE OF CONTENTS

REVISION HISTORY ..... 3
SUMMARY OF TEST RESULT ..... 4
1 GENERAL DESCRIPTION ..... 6
1.1 Applicant ..... 6
1.2 Manufacturer ..... 6
1.3 Product Feature of Equipment Under Test ..... 6
1.4 Product Specification of Equipment Under Test ..... 7
1.5 Specification of Accessory ..... 8
1.6 Modification of EUT ..... 9
1.7 Maximum ERP/EIRP Power, Frequency Tolerance, and Emission Designator ..... 9
1.8 Testing Location ..... 16
1.9 Applicable Standards ..... 17
2 TEST CONFIGURATION OF EQUIPMENT UNDER TEST ..... 18
2.1 Test Mode ..... 18
2.2 Connection Diagram of Test System ..... 22
2.3 Support Unit used in test configuration and system ..... 22
2.4 Measurement Results Explanation Example ..... 23
2.5 Frequency List of Low/Middle/High Channels ..... 24
3 CONDUCTED TEST ITEMS ..... 30
3.1 Measuring Instruments ..... 30
3.2 Test Setup ..... 30
3.3 Test Result of Conducted Test ..... 30
3.4 Conducted Output Power and ERP/EIRP ..... 31
3.5 Peak-to-Average Ratio ..... 32
3.6 Occupied Bandwidth ..... 33
3.7 Conducted Band Edge ..... 34
3.8 Conducted Spurious Emission ..... 36
3.9 Frequency Stability ..... 37
4 RADIATED TEST ITEMS ..... 38
4.1 Measuring Instruments ..... 38
4.2 Test Setup ..... 38
4.3 Test Result of Radiated Test ..... 38
4.4 Radiated Spurious Emission ..... 39
5 LIST OF MEASURING EQUIPMENT ..... 41
6 UNCERTAINTY OF EVALUATION ..... 43
APPENDIX A. TEST RESULTS OF CONDUCTED TEST
APPENDIX B. TEST RESULTS OF RADIATED TEST
APPENDIX C. TEST SETUP PHOTOGRAPHS



### REVISION HISTORY

REPORT NO.	VERSION	DESCRIPTION	ISSUED DATE
FG7D2903-01B	Rev. 01	Initial issue of report	Feb. 17, 2018



**SUMMARY OF TEST RESULT**

Report Section	FCC Rule	Description	Limit	Result	Remark
3.4	§2.1046	Conducted Output Power	Reporting Only	PASS	-
	§22.913(a)(2)	Effective Radiated Power (Band 5) (Band 26)	ERP < 7 Watt		
	§27.50(b)(10) §27.50(c)(10)	Effective Radiated Power (Band 12) (Band 13) (Band 17)	ERP < 3 Watt		
	§24.232(c) §27.50(h)(2)	Equivalent Isotropic Radiated Power (Band 2)(Band 25) (Band 7) (Band 38) (Band 41)	EIRP < 2Watt		
	§27.50(d)(4)	Equivalent Isotropic Radiated Power (Band 4) (Band 66)	EIRP < 1Watt		
3.5	§24.232(d)	Peak-to-Average Ratio	<13 dB	PASS	-
3.6	§2.1049	Occupied Bandwidth	Reporting Only	PASS	-
3.7	§2.1051 §22.917(a) §24.238(a) §27.53(c)(2)(4) §27.53(g) §27.53(h)	Conducted Band Edge Measurement (Band 2) (Band 4) (Band 5) (Band 12) (Band 13) (Band 17) (Band 25) (Band 26) (Band 66)	< 43+10log <sub>10</sub> (P[Watts])	PASS	-
	§27.53(m)(4)	Conducted Band Edge Measurement (Band 7) (Band 38) (Band 41)	§27.53(m)(4)		
3.8	§2.1051 §22.917(a) §24.238(a) §27.53(c)(2) §27.53(g) §27.53(h)	Conducted Spurious Emission (Band 2) (Band 4) (Band 5) (Band 12) (Band 13) (Band 17) (Band 25) (Band 26) (Band 66)	< 43+10log <sub>10</sub> (P[Watts])	PASS	-
	§2.1051 §27.53(m)(4)	Conducted Spurious Emission (Band 7) (Band 38) (Band 41)	< 55+10log <sub>10</sub> (P[Watts])		
3.9	§2.1055 §22.355	Frequency Stability Temperature & Voltage	< 2.5 ppm for Part 22	PASS	-
	§2.1055 §24.235 §27.54		Within Authorized Band		



Report Section	FCC Rule	Description	Limit	Result	Remark
4.4	§2.1053 §22.917(a) §24.238(a) §27.53(c)(2) §27.53(f) §27.53(g) §27.53(h)	Radiated Spurious Emission (Band 2) (Band 4) (Band 5) (Band 12) (Band 13) (Band 17) (Band 25) (Band 26) (Band 66)	$< 43+10\log_{10}(P[\text{Watts}])$	PASS	Under limit 19.73 dB at 7776.000 MHz
	§2.1053 §27.53(m)(4)	Radiated Spurious Emission (Band 7) (Band 38) (Band 41)	$< 55+10\log_{10}(P[\text{Watts}])$		



# 1 General Description

## 1.1 Applicant

Motorola Mobility LLC  
222 W,Merchandise Mart Plaza, Chicago IL 60654 USA

## 1.2 Manufacturer

Motorola Mobility LLC  
222 W,Merchandise Mart Plaza, Chicago IL 60654 USA

## 1.3 Product Feature of Equipment Under Test

Product Feature	
Equipment	Mobile Cellular Phone
Brand Name	Motorola
Model Name	XT1924-6, XT1924-8
FCC ID	IHDT56XA1
EUT supports Radios application	CDMA/EV-DO/GSM/GPRS/EGPRS/WCDMA/HSPA/ DC-HSDPA/HSPA+(16QAM uplink is not supported)/LTE WLAN 2.4GHz 802.11b/g/n HT20 WLAN 5GHz 802.11a/n HT20/HT40 Bluetooth v3.0 + EDR/Bluetooth v4.0 LE / Bluetooth v4.1 LE /Bluetooth v4.2 LE
IMEI Code	Conducted: 351892090019394 for B4/5/7/12/38/41/66 351892090018982 for B13 351892090018859 for B2 Radiation: 351892090020350
HW Version	DVT 1B
SW Version	hannah-userdebug 8.0.0 OPP27.66 1466 intcfg,test-keys
EUT Stage	Identical Prototype



### 1.4 Product Specification of Equipment Under Test

Standards-related Product Specification	
<b>Tx Frequency</b>	LTE Band 2 : 1850.7 MHz ~ 1909.3 MHz LTE Band 4 : 1710.7 MHz ~ 1754.3 MHz LTE Band 5 : 824.7 MHz ~ 848.3 MHz LTE Band 7 : 2502.5 MHz ~ 2567.5 MHz LTE Band 12 : 699.7 MHz ~ 715.3 MHz LTE Band 13 : 779.5 MHz ~ 784.5 MHz LTE Band 17 : 706.5 MHz ~ 713.5 MHz LTE Band 25 : 1850.7MHz ~ 1914.3 MHz LTE Band 26 : 824.7MHz ~ 848.3 MHz LTE Band 38 : 2572.5MHz ~ 2617.5MHz LTE Band 41 : 2498.5 MHz ~ 2687.5 MHz LTE Band 66 : 1710.7 MHz ~ 1779.3 MHz
<b>Rx Frequency</b>	LTE Band 2 : 1930.7 MHz ~ 1989.3 MHz LTE Band 4 : 2110.7 MHz ~ 2154.3 MHz LTE Band 5 : 869.7 MHz ~ 893.3 MHz LTE Band 7 : 2622.5MHz ~ 2687.5 MHz LTE Band 12 : 729.7 MHz ~ 745.3 MHz LTE Band 13 : 748.5 MHz ~ 753.5 MHz LTE Band 17 : 736.5 MHz ~ 743.5 MHz LTE Band 25 : 1930.7MHz ~ 1994.3 MHz LTE Band 26 : 869.7MHz ~ 893.3MHz LTE Band 38 : 2572.5MHz ~ 2617.5MHz LTE Band 41 : 2498.5 MHz ~ 2687.5 MHz LTE Band 66 : 2110.7 MHz~ 2179.3 MHz
<b>Bandwidth</b>	LTE Band 2 : 1.4MHz / 3MHz / 5MHz / 10MHz / 15MHz / 20MHz LTE Band 4 : 1.4MHz / 3MHz / 5MHz / 10MHz / 15MHz / 20MHz LTE Band 5 : 1.4MHz / 3MHz / 5MHz / 10MHz LTE Band 7 : 5MHz / 10MHz / 15MHz / 20MHz LTE Band 12 : 1.4MHz / 3MHz / 5MHz / 10MHz LTE Band 13 : 5MHz / 10MHz LTE Band 17 : 5MHz / 10MHz LTE Band 25 : 1.4MHz / 3MHz / 5MHz / 10MHz / 15MHz / 20MHz LTE Band 26 : 1.4MHz / 3MHz / 5MHz / 10MHz / 15MHz LTE Band 38 : 5MHz / 10MHz / 15MHz / 20MHz LTE Band 41 : 5MHz / 10MHz / 15MHz / 20MHz LTE Band 66 : 1.4MHz / 3MHz / 5MHz / 10MHz / 15MHz / 20MHz
<b>Maximum Output Power to Antenna</b>	LTE Band 2 : 23.60 dBm LTE Band 4 : 23.74 dBm LTE Band 5 : 23.69 dBm LTE Band 7 : 24.21 dBm LTE Band 13 : 23.70 dBm LTE Band 12 : 23.78 dBm LTE Band 17 : 23.66 dBm LTE Band 25 : 23.58 dBm LTE Band 26 : 23.91 dBm LTE Band 38 : 22.62 dBm LTE Band 41 : 25.00 dBm LTE Band 66 : 23.72 dBm

<b>Antenna Gain</b>	LTE Band 2 : -0.3 dBi
	LTE Band 4 : -1.1 dBi
	LTE Band 5 : -2.7 dBi
	LTE Band 7 : 0.3 dBi
	LTE Band 12 : -3.8 dBi
	LTE Band 13 : -2.4 dBi
	LTE Band 17 : -3.8 dBi
	LTE Band 25 : -0.3 dBi
	LTE Band 26 : -2.7 dBi
	LTE Band 38 : 0.4 dBi
LTE Band 41 : 0.4 dBi	
LTE Band 66 : -0.8 dBi	
<b>Type of Modulation</b>	QPSK / 16QAM / 64QAM

### 1.5 Specification of Accessory

Specification of Accessory			
<b>AC Adapter 1</b>	<b>Brand Name</b>	Motorola (Salom)	<b>Model Name</b>   SPN5970A SC-22
	<b>Power Rating</b>	I/P: 100-240 Vac, 500mA, O/P: 5 Vdc,3000mA or 9Vdc,1600mA or 12Vdc,1200mA	
<b>AC Adapter 2</b>	<b>Brand Name</b>	Motorola (Chenyang)	<b>Model Name</b>   SPN5993A SC-22
	<b>Power Rating</b>	I/P: 100-240 Vac, 500mA, O/P: 5 Vdc,3000mA or 9Vdc,1600mA or 12Vdc,1200mA	
<b>Earphone</b>	<b>Brand Name</b>	Motorola (NEW Leaders)	<b>Model Name</b>   NLD-EM300V-01SF
	<b>Signal Line</b>	1.25 meter, non-shielded cable, without ferrite core	
<b>Battery</b>	<b>Brand Name</b>	Motorola (Amperex)	<b>Model Name</b>   HE50
	<b>Power Rating</b>	3.8Vdc,4850/5000mAh	<b>Type</b>   Li-ion
<b>USB Cable (Black/White)</b>	<b>Brand Name</b>	Motorola (SaiBao)	<b>Model Name</b>   SLQ-A081A
	<b>Signal Line</b>	1.02 meter, shielded cable, without ferrite core	





### 1.6 Modification of EUT

No modifications are made to the EUT during all test items.

### 1.7 Maximum ERP/EIRP Power, Frequency Tolerance, and Emission Designator

LTE Band 2		QPSK			16QAM		
BW (MHz)	Frequency Range (MHz)	Emission Designator (99%OBW)	Frequency Tolerance (ppm)	Maximum EIRP(W)	Emission Designator (99%OBW)	Frequency Tolerance (ppm)	Maximum EIRP(W)
1.4	1850.7 ~ 1909.3	1M09G7D	-	0.1905	1M10W7D	-	0.1675
3	1851.5 ~ 1908.5	2M73G7D	-	0.1919	2M72W7D	-	0.1742
5	1852.5 ~ 1907.5	4M51G7D	-	0.1963	4M49W7D	-	0.1698
10	1855.0 ~ 1905.0	9M07G7D	0.0022	0.2118	9M09W7D	-	0.1750
15	1857.5 ~ 1902.5	13M5G7D	-	0.2084	13M5W7D	-	0.1786
20	1860.0 ~ 1900.0	18M6G7D	-	0.2138	18M4W7D	-	0.1754
LTE Band 2		64QAM					
BW (MHz)	Frequency Range (MHz)	Emission Designator (99%OBW)	Frequency Tolerance (ppm)	Maximum EIRP(W)			
1.4	1850.7 ~ 1909.3	1M10W7D	-	0.1469			
3	1851.5 ~ 1908.5	2M73W7D	-	0.1442			
5	1852.5 ~ 1907.5	4M50W7D	-	0.1469			
10	1855.0 ~ 1905.0	9M03W7D	-	0.1390			
15	1857.5 ~ 1902.5	13M4W7D	-	0.1279			
20	1860.0 ~ 1900.0	18M5W7D	-	0.1387			
LTE Band 25		QPSK			16QAM		
BW (MHz)	Frequency Range (MHz)	Emission Designator (99%OBW)	Frequency Tolerance (ppm)	Maximum EIRP(W)	Emission Designator (99%OBW)	Frequency Tolerance (ppm)	Maximum EIRP(W)
1.4	1850.7 ~ 1914.3	1M10G7D	-	0.1986	1M10W7D	-	0.1718
3	1851.5 ~ 1913.5	2M73G7D	-	0.1986	2M72W7D	-	0.1660
5	1852.5 ~ 1912.5	4M50G7D	-	0.2089	4M49W7D	-	0.1858
10	1855.0 ~ 1910.0	9M05G7D	0.0026	0.2113	9M05W7D	-	0.1816
15	1857.5 ~ 1907.5	13M4G7D	-	0.2032	13M5W7D	-	0.1722
20	1860.0 ~ 1905.0	18M3G7D	-	0.2128	18M5W7D	-	0.1702



LTE Band 25		64QAM					
BW (MHz)	Frequency Range (MHz)	Emission Designator (99%OBW)	Frequency Tolerance (ppm)	Maximum EIRP(W)			
1.4	1850.7 ~ 1914.3	1M10W7D	-	0.1202			
3	1851.5 ~ 1913.5	2M73W7D	-	0.1197			
5	1852.5 ~ 1912.5	4M50W7D	-	0.1222			
10	1855.0 ~ 1910.0	9M05W7D	-	0.1268			
15	1857.5 ~ 1907.5	13M5W7D	-	0.1432			
20	1860.0 ~ 1905.0	18M4W7D	-	0.1416			
LTE Band 4		QPSK			16QAM		
BW (MHz)	Frequency Range (MHz)	Emission Designator (99%OBW)	Frequency Tolerance (ppm)	Maximum EIRP(W)	Emission Designator (99%OBW)	Frequency Tolerance (ppm)	Maximum EIRP(W)
1.4	1710.7 ~ 1754.3	1M09G7D	-	0.1592	1M10W7D	-	0.1462
3	1711.5 ~ 1753.5	2M72G7D	-	0.1592	2M74W7D	-	0.1390
5	1712.5 ~ 1752.5	4M51G7D	-	0.1563	4M49W7D	-	0.1449
10	1715.0 ~ 1750.0	9M05G7D	0.0038	0.1791	9M01W7D	-	0.1452
15	1717.5 ~ 1747.5	13M5G7D	-	0.1603	13M5W7D	-	0.1419
20	1720.0 ~ 1745.0	18M3G7D	-	0.1837	18M5W7D	-	0.1406
LTE Band 4		64QAM					
BW (MHz)	Frequency Range (MHz)	Emission Designator (99%OBW)	Frequency Tolerance (ppm)	Maximum EIRP(W)			
1.4	1710.7 ~ 1754.3	1M09W7D	-	0.1026			
3	1711.5 ~ 1753.5	2M73W7D	-	0.1042			
5	1712.5 ~ 1752.5	4M48W7D	-	0.0979			
10	1715.0 ~ 1750.0	9M03W7D	-	0.1119			
15	1717.5 ~ 1747.5	13M4W7D	-	0.0957			
20	1720.0 ~ 1745.0	18M4W7D	-	0.0910			



LTE Band 5		QPSK			16QAM		
BW (MHz)	Frequency Range (MHz)	Emission Designator (99%OBW)	Frequency Tolerance (ppm)	Maximum ERP(W)	Emission Designator (99%OBW)	Frequency Tolerance (ppm)	Maximum ERP(W)
1.4	824.7 ~ 848.3	1M09G7D	-	0.0729	1M10W7D	-	0.0589
3	825.5 ~ 847.5	2M72G7D	-	0.0711	2M73W7D	-	0.0604
5	826.5 ~ 846.5	4M49G7D	-	0.0714	4M50W7D	-	0.0605
10	829.0 ~ 844.0	9M05G7D	0.0080	0.0766	9M07W7D	-	0.0649
LTE Band 5		64QAM					
BW (MHz)	Frequency Range (MHz)	Emission Designator (99%OBW)	Frequency Tolerance (ppm)	Maximum ERP(W)			
1.4	824.7 ~ 848.3	1M10G7D	-	0.0701			
3	825.5 ~ 847.5	2M73G7D	-	0.0701			
5	826.5 ~ 846.5	4M50G7D	-	0.0701			
10	829.0 ~ 844.0	9M01G7D	-	0.0764			
LTE Band 7		QPSK			16QAM		
BW (MHz)	Frequency Range (MHz)	Emission Designator (99%OBW)	Frequency Tolerance (ppm)	Maximum EIRP(W)	Emission Designator (99%OBW)	Frequency Tolerance (ppm)	Maximum EIRP(W)
5	2502.5 ~ 2567.5	4M50G7D	-	0.2449	4M50W7D	-	0.2193
10	2505.0 ~ 2565.0	9M03G7D	0.0032	0.2600	9M03W7D	-	0.2244
15	2507.5 ~ 2562.5	13M5G7D	-	0.2630	13M5W7D	-	0.2244
20	2510.0 ~ 2560.0	18M4G7D	-	0.2825	18M5W7D	-	0.2312
LTE Band 7		64QAM					
BW (MHz)	Frequency Range (MHz)	Emission Designator (99%OBW)	Frequency Tolerance (ppm)	Maximum EIRP(W)			
5	2502.5 ~ 2567.5	4M50W7D	-	0.1614			
10	2505.0 ~ 2565.0	9M05W7D	-	0.1660			
15	2507.5 ~ 2562.5	13M5W7D	-	0.1614			
20	2510.0 ~ 2560.0	18M4W7D	-	0.1702			



LTE Band 12		QPSK			16QAM		
BW (MHz)	Frequency Range (MHz)	Emission Designator (99%OBW)	Frequency Tolerance (ppm)	Maximum ERP(W)	Emission Designator (99%OBW)	Frequency Tolerance (ppm)	Maximum ERP(W)
1.4	699.7 ~ 715.3	1M10G7D	-	0.0550	1M10W7D	-	0.0453
3	700.5 ~ 714.5	2M73G7D	-	0.0560	2M72W7D	-	0.0471
5	701.5 ~ 713.5	4M50G7D	-	0.0562	4M52W7D	-	0.0486
10	704.0 ~ 711.0	9M01G7D	0.0106	0.0607	9M03W7D	-	0.0507
LTE Band 12		64QAM					
BW (MHz)	Frequency Range (MHz)	Emission Designator (99%OBW)	Frequency Tolerance (ppm)	Maximum ERP(W)			
1.4	699.7 ~ 715.3	1M09W7D	-	0.0619			
3	700.5 ~ 714.5	2M73W7D	-	0.0646			
5	701.5 ~ 713.5	4M50W7D	-	0.0628			
10	704.0 ~ 711.0	9M07W7D	-	0.0656			
LTE Band 13		QPSK			16QAM		
BW (MHz)	Frequency Range (MHz)	Emission Designator (99%OBW)	Frequency Tolerance (ppm)	Maximum ERP(W)	Emission Designator (99%OBW)	Frequency Tolerance (ppm)	Maximum ERP(W)
5	779.5 ~ 784.5	4M50G7D	-	0.0818	4M48W7D	-	0.0698
10	782.0	9M01G7D	0.0074	0.0822	8M99W7D	-	0.0693
LTE Band 13		64QAM					
BW (MHz)	Frequency Range (MHz)	Emission Designator (99%OBW)	Frequency Tolerance (ppm)	Maximum ERP(W)			
5	779.5 ~ 784.5	4M50W7D	-	0.0869			
10	782.0	9M01W7D	-	0.0904			
LTE Band 17		QPSK			16QAM		
BW (MHz)	Frequency Range (MHz)	Emission Designator (99%OBW)	Frequency Tolerance (ppm)	Maximum ERP(W)	Emission Designator (99%OBW)	Frequency Tolerance (ppm)	Maximum ERP(W)
5	706.5 ~ 713.5	4M50G7D	-	0.0574	4M52W7D	-	0.0497
10	709.0 ~ 711.0	9M13G7D	0.0066	0.0590	9M05W7D	-	0.0500
LTE Band 17		64QAM					
BW (MHz)	Frequency Range (MHz)	Emission Designator (99%OBW)	Frequency Tolerance (ppm)	Maximum ERP(W)			
5	706.5 ~ 713.5	4M51W7D	-	0.0569			
10	709.0 ~ 711.0	9M03W7D	-	0.0604			



LTE Band 26		QPSK			16QAM		
BW (MHz)	Frequency Range (MHz)	Emission Designator (99%OBW)	Frequency Tolerance (ppm)	Maximum ERP(W)	Emission Designator (99%OBW)	Frequency Tolerance (ppm)	Maximum ERP(W)
1.4	824.7 ~ 848.3	1M10G7D	-	0.0703	1M10W7D	-	0.0574
3	825.5 ~ 847.5	2M72G7D	-	0.0714	2M73W7D	-	0.0586
5	826.5 ~ 846.5	4M51G7D	-	0.0721	4M49W7D	-	0.0569
10	829.0 ~ 844.0	9M81G7D	0.0081	0.0752	9M85W7D	-	0.0614
15	831.5 ~ 841.5	13M5G7D	-	0.0805	13M5W7D	-	0.0535
CH26765	821.5	13M4G7D	-	0.0811	13M4W7D	-	0.0538
LTE Band 26		64QAM					
BW (MHz)	Frequency Range (MHz)	Emission Designator (99%OBW)	Frequency Tolerance (ppm)	Maximum ERP(W)			
1.4	824.7 ~ 848.3	1M10W7D	-	0.0486			
3	825.5 ~ 847.5	2M73W7D	-	0.0405			
5	826.5 ~ 846.5	4M51W7D	-	0.0407			
10	829.0 ~ 844.0	9M07W7D	-	0.0470			
15	831.5 ~ 841.5	13M5W7D	-	0.0451			
CH26765	821.5	13M4W7D	-	0.0454			
LTE Band 38		QPSK			16QAM		
BW (MHz)	Frequency Range (MHz)	Emission Designator (99%OBW)	Frequency Tolerance (ppm)	Maximum EIRP(W)	Emission Designator (99%OBW)	Frequency Tolerance (ppm)	Maximum EIRP(W)
5	2572.5 ~ 2617.5	4M50G7D	-	0.1914	4M51W7D	-	0.1507
10	2575.0 ~ 2615.0	9M11G7D	0.0018	0.2000	9M03W7D	-	0.1679
15	2577.5 ~ 2612.5	13M5G7D	-	0.1928	13M5W7D	-	0.1671
20	2580.0 ~ 2610.0	18M3G7D	-	0.2004	18M3W7D	-	0.1734
LTE Band 38		64QAM					
BW (MHz)	Frequency Range (MHz)	Emission Designator (99%OBW)	Frequency Tolerance (ppm)	Maximum EIRP(W)			
5	2572.5 ~ 2617.5	4M49W7D	-	0.1059			
10	2575.0 ~ 2615.0	9M07W7D	-	0.1069			
15	2577.5 ~ 2612.5	13M5W7D	-	0.1019			
20	2580.0 ~ 2610.0	18M4W7D	-	0.1000			



LTE Band 41		QPSK			16QAM		
BW (MHz)	Frequency Range (MHz)	Emission Designator (99%OBW)	Frequency Tolerance (ppm)	Maximum EIRP(W)	Emission Designator (99%OBW)	Frequency Tolerance (ppm)	Maximum EIRP(W)
5	2498.5 ~ 2687.5	4M51G7D	-	0.3467	4M49W7D	-	0.1923
10	2501.0 ~ 2685.0	9M05G7D	0.0017	0.3467	9M03W7D	-	0.2104
15	2503.5 ~ 2682.5	13M5G7D	-	0.3467	13M5W7D	-	0.2133
20	2506.0 ~ 2680.0	18M4G7D	-	0.3334	18M4W7D	-	0.1954
LTE Band 41		64QAM					
BW (MHz)	Frequency Range (MHz)	Emission Designator (99%OBW)	Frequency Tolerance (ppm)	Maximum EIRP(W)			
5	2498.5 ~ 2687.5	4M48W7D	-	0.1702			
10	2501.0 ~ 2685.0	9M03W7D	-	0.1738			
15	2503.5 ~ 2682.5	13M5W7D	-	0.1726			
20	2506.0 ~ 2680.0	18M5W7D	-	0.1660			
LTE Band 66		QPSK			16QAM		
BW (MHz)	Frequency Range (MHz)	Emission Designator (99%OBW)	Frequency Tolerance (ppm)	Maximum EIRP(W)	Emission Designator (99%OBW)	Frequency Tolerance (ppm)	Maximum EIRP(W)
1.4	1710.7 ~ 1779.3	1M10G7D	-	0.1656	1M09W7D	-	0.1413
3	1711.5 ~ 1778.5	2M72G7D	-	0.1570	2M75W7D	-	0.1479
5	1712.5 ~ 1777.5	4M50G7D	-	0.1641	4M50W7D	-	0.1384
10	1715.0 ~ 1775.0	8M99G7D	0.0035	0.1884	9M03W7D	-	0.1483
15	1717.5 ~ 1772.5	13M4G7D	-	0.1884	13M5W7D	-	0.1611
20	1720.0 ~ 1770.0	18M5G7D	-	0.1959	18M5W7D	-	0.1648
LTE Band 66		64QAM					
BW (MHz)	Frequency Range (MHz)	Emission Designator (99%OBW)	Frequency Tolerance (ppm)	Maximum EIRP(W)			
1.4	1710.7 ~ 1779.3	1M10W7D	-	0.1086			
3	1711.5 ~ 1778.5	2M72W7D	-	0.1054			
5	1712.5 ~ 1777.5	4M51W7D	-	0.1052			
10	1715.0 ~ 1775.0	9M03W7D	-	0.1208			
15	1717.5 ~ 1772.5	13M6W7D	-	0.1197			
20	1720.0 ~ 1770.0	18M4W7D	-	0.1271			



LTE Band 41 CA	QPSK			16QAM		
BW (MHz)	Emission Designator (99%OBW)	Frequency Tolerance (ppm)	Maximum EIRP(W)	Emission Designator (99%OBW)	Frequency Tolerance (ppm)	Maximum EIRP(W)
5MHz+20MHz	23M1G7D	-	0.2606	23M2W7D	-	0.2296
10MHz+20MHz	27M9G7D	-	0.2535	27M8W7D	-	0.2301
15MHz+15MHz	28M5G7D	-	0.2404	28M5W7D	-	0.2339
15MHz+20MHz	32M7G7D	-	0.2360	32M7W7D	-	0.2410
20MHz+5MHz	23M3G7D	-	0.2600	23M3W7D	-	0.2438
20MHz+10MHz	27M9G7D	-	0.2547	27M9W7D	-	0.2360
20MHz+15MHz	32M8G7D	-	0.2600	32M6W7D	-	0.2547
20MHz+20MHz	37M3G7D	0.0000	0.2307	37M4W7D	-	0.2443
LTE Band 41 CA	64QAM					
BW (MHz)	Emission Designator (99%OBW)	Frequency Tolerance (ppm)	Maximum EIRP(W)			
5MHz+20MHz	23M2W7D	-	0.1626			
10MHz+20MHz	27M8W7D	-	0.1633			
15MHz+15MHz	28M4W7D	-	0.1343			
15MHz+20MHz	32M6W7D	-	0.1690			
20MHz+5MHz	23M2W7D	-	0.1585			
20MHz+10MHz	27M9W7D	-	0.1355			
20MHz+15MHz	32M6W7D	-	0.1371			
20MHz+20MHz	37M3W7D	-	0.1517			



### 1.8 Testing Location

Sporton International (Kunshan) Inc. is accredited to ISO 17025 by National Voluntary Laboratory Accreditation Program (NVLAP code: 600155-0) and the FCC designation No. is CN5013.

<b>Test Site</b>	Sporton International (Kunshan) Inc.	
<b>Test Site Location</b>	No.3-2 Ping-Xiang Rd, Kunshan Development Zone Kunshan City Jiangsu Province 215335 China TEL : +86-512-57900158 FAX : +86-512-57900958	
<b>Test Site No.</b>	<b>Sporton Site No.</b>	<b>FCC Test Firm Registration No.</b>
	TH01-KS	630927

Sporton International (Shenzhen) Inc. is accredited to ISO 17025 by National Voluntary Laboratory Accreditation Program (NVLAP code: 600156-0) and the FCC designation Nois CN5019.

<b>Test Site</b>	Sporton International (Shenzhen) Inc.	
<b>Test Site Location</b>	No. 3 Bldg the third floor of south, Shahe River west, Fengzeyuan Warehouse, Nanshan District Shenzhen City Guangdong Province 518055 China TEL: +86-755-3320-2398	
<b>Test Site No.</b>	<b>Sporton Site No.</b>	<b>FCC Test Firm Registration No.</b>
	03CH01-SZ	577730

Sporton Lab is accredited to ISO 17025 by Taiwan Accreditation Foundation (TAF code : 1190) and the FCC designation No. TW1007 under the FCC 2.948(e) by Mutual Recognition Agreement (MRA) in FCC Test.

<b>Test Site</b>	SPORTON INTERNATIONAL INC.	
<b>Test Site Location</b>	No. 52, Hwa Ya 1 <sup>st</sup> Rd., Hwa Ya Technology Park, Kwei-Shan District, Tao Yuan City, Taiwan, R.O.C. TEL: +886-3-327-3456 FAX: +886-3-328-4978	
<b>Test Site No.</b>	<b>Sporton Site No.</b>	
	03CH12-HY	

**Note:**

1. The test site complies with ANSI C63.4 2014 requirement.
2. Test data subcontracted: radiated spurious emissions only in section 4.5 of this report.





## 1.9 Applicable Standards

According to the specifications of the manufacturer, the EUT must comply with the requirements of the following standards:

- ♦ 47 CFR Part 2, 22(H), 24(E), 27(L), 27(M), 27(F), 27(H)
- ♦ ANSI/TIA-603-E
- ♦ FCC KDB 971168 D01 Power Meas License Digital Systems v03
- ♦ FCC KDB 412172 D01 Determining ERP and EIRP v01r01

**Remark:**

1. All test items were verified and recorded according to the standards and without any deviation during the test.
2. This EUT has also been tested and complied with the requirements of FCC Part 15, Subpart B, recorded in a separate test report.



## 2 Test Configuration of Equipment Under Test

### 2.1 Test Mode

Antenna port conducted and radiated test items listed below are performed according to KDB 971168 D01 Power Meas License Digital Systems v03 with maximum output power.

Radiated measurements are performed by rotating the EUT in three different orthogonal test planes to find the maximum emission.

Test Items	Band	Bandwidth (MHz)						Modulation			RB #			Test Channel		
		1.4	3	5	10	15	20	QPSK	16QAM	64QAM	1	Half	Full	L	M	H
Max. Output Power	2	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v
	4	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v
	5	v	v	v	v	-	-	v	v	v	v	v	v	v	v	v
	7	-	-	v	v	v	v	v	v	v	v	v	v	v	v	v
	38	-	-	v	v	v	v	v	v	v	v	v	v	v	v	v
	12	v	v	v	v	-	-	v	v	v	v	v	v	v	v	v
	13	-	-	v		-	-	v	v	v	v	v	v	v	v	v
	13	-	-		v	-	-	v	v	v	v	v	v		v	
	17	-	-	v	v	-	-	v	v	v	v	v	v	v	v	v
	25	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v
	26	v	v	v	v	v	-	v	v	v	v	v	v	v	v	v
	41	-	-	v	v	v	v	v	v	v	v	v	v	v	v	v
66	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v	
Peak-to-Average Ratio	2						v	v	v	v	v		v	v	v	v
	4						v	v	v	v	v		v	v	v	v
	5				v	-	-	v	v	v	v		v	v	v	v
	7	-	-				v	v	v	v	v		v	v	v	v
	38	-	-				v	v	v	v	v		v	v	v	v
	12				v	-	-	v	v	v	v		v	v	v	v
	13	-	-		v	-	-	v	v	v	v		v		v	
	17	-	-		v	-	-	v	v	v	v		v	v	v	v
	25						v	v	v	v	v		v	v	v	v
	26					v	-	v	v	v	v		v	v	v	v
	41	-	-				v	v	v	v	v		v	v	v	v
	66						v	v	v	v	v		v	v	v	v



Test Items	Band	Bandwidth (MHz)						Modulation			RB #			Test Channel		
		1.4	3	5	10	15	20	QPSK	16QAM	64QAM	1	Half	Full	L	M	H
26dB and 99% Bandwidth	2	v	v	v	v	v	v	v	v	v			v	v	v	v
	4	v	v	v	v	v	v	v	v	v			v	v	v	v
	5	v	v	v	v	-	-	v	v	v			v	v	v	v
	7	-	-	v	v	v	v	v	v	v			v	v	v	v
	38	-	-	v	v	v	v	v	v	v			v	v	v	v
	12	v	v	v	v	-	-	v	v	v			v	v	v	v
	13	-	-	v		-	-	v	v	v			v	v	v	v
	13	-	-		v	-	-	v	v	v			v		v	
	17	-	-	v	v	-	-	v	v	v			v	v	v	v
	25	v	v	v	v	v	v	v	v	v			v	v	v	v
	26	v	v	v	v	v	-	v	v	v			v	v	v	v
	41	-	-	v	v	v	v	v	v	v			v	v	v	v
66	v	v	v	v	v	v	v	v	v			v	v	v	v	
Conducted Band Edge	2	v	v	v	v	v	v	v	v	v	v		v	v		v
	4	v	v	v	v	v	v	v	v	v	v		v	v		v
	5	v	v	v	v	-	-	v	v	v	v		v	v		v
	7	-	-	v	v	v	v	v	v	v	v		v	v		v
	38	-	-	v	v	v	v	v	v	v	v		v	v		v
	12	v	v	v	v	-	-	v	v	v	v		v	v		v
	13	-	-	v		-	-	v	v	v	v		v	v		v
	13	-	-		v	-	-	v	v	v	v		v		v	
	17	-	-	v	v	-	-	v	v	v	v		v	v		v
	25	v	v	v	v	v	v	v	v	v	v		v	v		v
	26	v	v	v	v	v	-	v	v	v	v		v	v		v
	41	-	-	v	v	v	v	v	v	v	v		v	v		v
66	v	v	v	v	v	v	v	v	v	v		v	v		v	




Test Items	Band	Bandwidth (MHz)						Modulation			RB #			Test Channel		
		1.4	3	5	10	15	20	QPSK	16QAM	64QAM	1	Half	Full	L	M	H
Conducted Spurious Emission	2	v	v	v	v	v	v	v	v	v	v			v	v	v
	4	v	v	v	v	v	v	v	v	v	v			v	v	v
	5	v	v	v	v	-	-	v	v	v	v			v	v	v
	7	-	-	v	v	v	v	v	v	v	v			v	v	v
	38	-	-	v	v	v	v	v	v	v	v			v	v	v
	12	v	v	v	v	-	-	v	v	v	v			v	v	v
	13	-	-	v		-	-	v	v	v	v			v	v	v
	13	-	-		v	-	-	v	v	v	v				v	
	17	-	-	v	v	-	-	v	v	v	v			v	v	v
	25	v	v	v	v	v	v	v	v	v	v			v	v	v
	26	v	v	v	v	v	-	v	v	v	v			v	v	v
	41	-	-	v	v	v	v	v	v	v	v			v	v	v
66	v	v	v	v	v	v	v	v	v	v			v	v	v	
Frequency Stability	2				v			v					v		v	
	4				v			v					v		v	
	5				v	-	-	v					v		v	
	7	-	-		v			v					v		v	
	38	-	-		v			v					v		v	
	12				v	-	-	v					v		v	
	13	-	-		v	-	-	v					v		v	
	17	-	-		v	-	-	v					v		v	
	25				v			v					v		v	
	26				v		-	v					v		v	
	41	-	-		v			v					v		v	
	66				v			v					v		v	



Test Items	Band	Bandwidth (MHz)						Modulation			RB #			Test Channel		
		1.4	3	5	10	15	20	QPSK	16QAM	64QAM	1	Half	Full	L	M	H
E.R.P./ E.I.R.P.	2	v	v	v	v	v	v	v	v	v	v			v	v	v
	4	v	v	v	v	v	v	v	v	v	v			v	v	v
	5	v	v	v	v	-	-	v	v	v	v			v	v	v
	7	-	-	v	v	v	v	v	v	v	v			v	v	v
	38	-	-	v	v	v	v	v	v	v	v			v	v	v
	12	v	v	v	v	-	-	v	v	v	v			v	v	v
	13	-	-	v		-	-	v	v	v	v			v	v	v
	13	-	-		v	-	-	v	v	v	v				v	
	17	-	-	v	v	-	-	v	v	v	v			v	v	v
	25	v	v	v	v	v	v	v	v	v	v			v	v	v
	26	v	v	v	v	v	-	v	v	v	v			v	v	v
	41	-	-	v	v	v	v	v	v	v	v			v	v	v
	66	v	v	v	v	v	v	v	v	v	v			v	v	v
Radiated Spurious Emission	2	v	v	v	v	v	v				v			v	v	v
	4	v	v	v	v	v	v				v			v	v	v
	5	v	v	v	v	-	-	v			v			v	v	v
	7	-	-	v	v	v	v				v			v	v	v
	38	-	-	v	v	v	v				v			v	v	v
	12	v	v	v	v	-	-	v			v			v	v	v
	13	-	-	v		-	-	v			v			v	v	v
	13				v			v			v				v	
	17	-	-	v	v	-	-	v			v			v	v	v
	25	v	v	v	v	v	v				v			v	v	v
	26	v	v	v	v	v	-	v			v			v	v	v
	41	-	-	v	v	v	v				v			v	v	v
	66	v	v	v	v	v	v				v			v	v	v
Note	<p>1. The mark "v" means that this configuration is chosen for testing</p> <p>2. The mark "-" means that this bandwidth is not supported.</p> <p>3. The device is investigated from 30MHz to 10 times of fundamental signal for radiated spurious emission test under different RB size/offset and modulations in exploratory test. Subsequently, only the worst case emissions are reported.</p>															

## 2.2 Connection Diagram of Test System



## 2.3 Support Unit used in test configuration and system

Item	Equipment	Trade Name	Model No.	FCC ID	Data Cable	Power Cord
1.	Power Supply	GW	GPS-3030D	N/A	N/A	Unshielded, 1.8 m
2.	LTE Base Station	Anritsu	MT8820C	N/A	N/A	Unshielded, 1.8 m



## 2.4 Measurement Results Explanation Example

For all conducted test items:

The offset level is set in the spectrum analyzer to compensate the RF cable loss between EUT conducted output port and spectrum analyzer. With the offset compensation, the spectrum analyzer reading level is exactly the EUT RF output level.

The spectrum analyzer offset is derived from RF cable loss.

*Offset = RF cable loss.*

Following shows an offset computation example with cable loss 5.0 dB.

Example :

$$\begin{aligned} \text{Offset(dB)} &= \text{RF cable loss(dB)}. \\ &= 5.0 \text{ (dB)} \end{aligned}$$



### 2.5 Frequency List of Low/Middle/High Channels

LTE Band 2 Channel and Frequency List				
BW [MHz]	Channel/Frequency(MHz)	Lowest	Middle	Highest
20	Channel	18700	18900	19100
	Frequency	1860	1880	1900
15	Channel	18675	18900	19125
	Frequency	1857.5	1880	1902.5
10	Channel	18650	18900	19150
	Frequency	1855	1880	1905
5	Channel	18625	18900	19175
	Frequency	1852.5	1880	1907.5
3	Channel	18615	18900	19185
	Frequency	1851.5	1880	1908.5
1.4	Channel	18607	18900	19193
	Frequency	1850.7	1880	1909.3

LTE Band 4 Channel and Frequency List				
BW [MHz]	Channel/Frequency(MHz)	Lowest	Middle	Highest
20	Channel	20050	20175	20300
	Frequency	1720	1732.5	1745
15	Channel	20025	20175	20325
	Frequency	1717.5	1732.5	1747.5
10	Channel	20000	20175	20350
	Frequency	1715	1732.5	1750
5	Channel	19975	20175	20375
	Frequency	1712.5	1732.5	1752.5
3	Channel	19965	20175	20385
	Frequency	1711.5	1732.5	1753.5
1.4	Channel	19957	20175	20393
	Frequency	1710.7	1732.5	1754.3





LTE Band 5 Channel and Frequency List				
BW [MHz]	Channel/Frequency(MHz)	Lowest	Middle	Highest
10	Channel	20450	20525	20600
	Frequency	829	836.5	844
5	Channel	20425	20525	20625
	Frequency	826.5	836.5	846.5
3	Channel	20415	20525	20635
	Frequency	825.5	836.5	847.5
1.4	Channel	20407	20525	20643
	Frequency	824.7	836.5	848.3

LTE Band 7 Channel and Frequency List				
BW [MHz]	Channel/Frequency(MHz)	Lowest	Middle	Highest
20	Channel	20850	21100	21350
	Frequency	2510	2535	2560
15	Channel	20825	21100	21375
	Frequency	2507.5	2535	2562.5
10	Channel	20800	21100	21400
	Frequency	2505	2535	2565
5	Channel	20775	21100	21425
	Frequency	2502.5	2535	2567.5



LTE Band 12 Channel and Frequency List				
BW [MHz]	Channel/Frequency(MHz)	Lowest	Middle	Highest
10	Channel	23060	23095	23130
	Frequency	704	707.5	711
5	Channel	23035	23095	23155
	Frequency	701.5	707.5	713.5
3	Channel	23025	23095	23165
	Frequency	700.5	707.5	714.5
1.4	Channel	23017	23095	23173
	Frequency	699.7	707.5	715.3

LTE Band 13 Channel and Frequency List				
BW [MHz]	Channel/Frequency(MHz)	Lowest	Middle	Highest
10	Channel	-	23230	-
	Frequency	-	782	-
5	Channel	23205	23230	23255
	Frequency	779.5	782	784.5

LTE Band 17 Channel and Frequency List				
BW [MHz]	Channel/Frequency(MHz)	Lowest	Middle	Highest
10	Channel	23780	23790	23800
	Frequency	709	710	711
5	Channel	23755	23790	23825
	Frequency	706.5	710	713.5



LTE Band 25 Channel and Frequency List				
BW [MHz]	Channel/Frequency(MHz)	Lowest	Middle	Highest
20	Channel	26140	26340	26590
	Frequency	1860	1880	1905
15	Channel	26115	26340	26615
	Frequency	1857.5	1880	1907.5
10	Channel	26090	26340	26640
	Frequency	1855	1880	1910
5	Channel	26065	26340	26665
	Frequency	1852.5	1880	1912.5
3	Channel	26055	26340	26675
	Frequency	1851.5	1880	1913.5
1.4	Channel	26047	26340	26683
	Frequency	1850.7	1880	1914.3

LTE Band 26 Channel and Frequency List				
BW [MHz]	Channel/Frequency(MHz)	Lowest	Middle	Highest
15	Channel	26865	26915	26965
	Frequency	831.5	836.5	841.5
10	Channel	26840	26915	26990
	Frequency	829	836.5	844
5	Channel	26815	26915	27015
	Frequency	826.5	836.5	846.5
3	Channel	26805	26915	27025
	Frequency	825.5	836.5	847.5
1.4	Channel	26797	26915	27033
	Frequency	824.7	836.5	848.3



LTE Band 38 Channel and Frequency List				
BW [MHz]	Channel/Frequency(MHz)	Lowest	Middle	Highest
20	Channel	37850	38000	38150
	Frequency	2580	2595	2610
15	Channel	37825	38000	38175
	Frequency	2577.5	2595	2612.5
10	Channel	37800	38000	38200
	Frequency	2575	2595	2615
5	Channel	37775	38000	38225
	Frequency	2572.5	2595	2617.5

LTE Band 41 Channel and Frequency List				
BW [MHz]	Channel/Frequency(MHz)	Lowest	Middle	Highest
20	Channel	39750	40620	41490
	Frequency	2506	2593	2680
15	Channel	39725	40620	41515
	Frequency	2503.5	2593	2682.5
10	Channel	39700	40620	41540
	Frequency	2501	2593	2685
5	Channel	39675	40620	41565
	Frequency	2498.5	2593	2687.5



LTE Band 66 Channel and Frequency List				
BW [MHz]	Channel/Frequency(MHz)	Lowest	Middle	Highest
20	Channel	132072	132322	132572
	Frequency	1720	1745	1770
15	Channel	132047	132322	132597
	Frequency	1717.5	1745	1772.5
10	Channel	132022	132322	132622
	Frequency	1715	1745	1775
5	Channel	131997	132322	132647
	Frequency	1712.5	1745	1777.5
3	Channel	131987	132322	132657
	Frequency	1711.5	1745	1778.5
1.4	Channel	131979	132322	132665
	Frequency	1710.7	1745	1779.3


### 3 Conducted Test Items

#### 3.1 Measuring Instruments


See list of measuring instruments of this test report.

#### 3.2 Test Setup


##### 3.2.1 Conducted Output Power



##### 3.2.2 Peak-to-Average Ratio, Occupied Bandwidth ,Conducted Band-Edge and Conducted Spurious Emission



##### 3.2.3 Frequency Stability



### 3.3 Test Result of Conducted Test

Please refer to Appendix A.



### 3.4 Conducted Output Power and ERP/EIRP

#### 3.4.1 Description of the Conducted Output Power Measurement and ERP/EIRP Measurement

A system simulator was used to establish communication with the EUT. Its parameters were set to force the EUT transmitting at maximum output power. The measured power in the radio frequency on the transmitter output terminals shall be reported.

The ERP of mobile transmitters must not exceed 7 Watts for LTE Band 5, and Band 26.

The ERP of mobile transmitters must not exceed 3 Watts for LTE Band 12, Band 13 and Band 17..

The EIRP of mobile transmitters must not exceed 2 Watts for LTE Band 2 and Band 25 and Band 7 and Band 38 and Band 41.

The EIRP of mobile transmitters must not exceed 1 Watts for LTE Band 4 and Band 66.

According to KDB 412172 D01 Power Approach,

$EIRP = P_T + G_T - L_C$ ,  $ERP = EIRP - 2.15$ , where

$P_T$  = transmitter output power in dBm

$G_T$  = gain of the transmitting antenna in dBi

$L_C$  = signal attenuation in the connecting cable between the transmitter and antenna in dB

#### 3.4.2 Test Procedures

1. The transmitter output port was connected to the system simulator.
2. Set EUT at maximum power through the system simulator.
3. Select lowest, middle, and highest channels for each band and different modulation.
4. Measure and record the power level from the system simulator.



## 3.5 Peak-to-Average Ratio

### 3.5.1 Description of the PAR Measurement

Power Complementary Cumulative Distribution Function (CCDF) curves provide a means for characterizing the power peaks of a digitally modulated signal on a statistical basis. A CCDF curve depicts the probability of the peak signal amplitude exceeding the average power level. Most contemporary measurement instrumentation include the capability to produce CCDF curves for an input signal provided that the instrument's resolution bandwidth can be set wide enough to accommodate the entire input signal bandwidth. In measuring transmissions in this band using an average power technique, the peak-to-average ratio (PAR) of the transmission may not exceed 13 dB.

### 3.5.2 Test Procedures

1. The testing follows FCC KDB 971168 v03 Section 5.7.1.
2. The EUT was connected to spectrum and system simulator via a power divider.
3. Set the CCDF (Complementary Cumulative Distribution Function) option in spectrum analyzer.
4. The highest RF powers were measured and recorded the maximum PAPR level associated with a probability of 0.1 %.
5. Record the deviation as Peak to Average Ratio.

971168 D01 Power Meas License Digital Systems v03





### **3.6 Occupied Bandwidth**

#### **3.6.1 Description of Occupied Bandwidth Measurement**

The occupied bandwidth is the width of a frequency band such that, below the lower and above the upper frequency limits, the mean powers emitted are each equal to a specified percentage 0.5% of the total mean transmitted power.

The 26 dB emission bandwidth is defined as the frequency range between two points, one above and one below the carrier frequency, at which the spectral density of the emission is attenuated 26 dB below the maximum in-band spectral density of the modulated signal. Spectral density (power per unit bandwidth) is to be measured with a detector of resolution bandwidth equal to approximately 1.0% of the emission bandwidth.

#### **3.6.2 Test Procedures**

1. The testing follows FCC KDB 971168 v03 Section 4.1 and 4.2.
2. The EUT was connected to spectrum analyzer and system simulator via a power divider.
3. The spectrum analyzer center frequency is set to the nominal EUT channel center frequency. The span range for the spectrum analyzer shall be between two and five times the anticipated OBW.
4. The nominal resolution bandwidth (RBW) shall be in the range of 1 to 5 % of the anticipated OBW, and the VBW shall be at least 3 times the RBW.
5. Set the detection mode to peak, and the trace mode to max hold.
6. Determine the reference value: Set the EUT to transmit a modulated signal. Allow the trace to stabilize. Set the spectrum analyzer marker to the highest level of the displayed trace.  
(this is the reference value)
7. Determine the “-26 dB down amplitude” as equal to (Reference Value – X).
8. Place two markers, one at the lowest and the other at the highest frequency of the envelope of the spectral display such that each marker is at or slightly below the “-X dB down amplitude” determined in step 6. If a marker is below this “-X dB down amplitude” value it shall be placed as close as possible to this value. The OBW is the positive frequency difference between the two markers.
9. Use the 99 % power bandwidth function of the spectrum analyzer and report the measured bandwidth.



### 3.7 Conducted Band Edge

#### 3.7.1 Description of Conducted Band Edge Measurement

22.917(a)

For operations in the 824 – 849 MHz band, the FCC limit is  $43 + 10\log_{10}(P[\text{Watts}])$  dB below the transmitter power  $P(\text{Watts})$  in a 100kHz bandwidth. However, in the 1MHz bands immediately outside and adjacent to the licensee's frequency block, a resolution bandwidth of at least one percent of the emission bandwidth of the fundamental emission of the transmitter may be employed.

24.238 (a)

For operations in the 1850-1910 and 1930-1990 MHz band, the FCC limit is  $43 + 10\log_{10}(P[\text{Watts}])$  dB below the transmitter power  $P(\text{Watts})$  in a 1MHz bandwidth. However, in the 1 MHz bands immediately outside and adjacent to the frequency block a resolution bandwidth of at least one percent of the emission bandwidth of the fundamental emission of the transmitter may be employed.

27.53 (c)

For operations in the 776-788 MHz band, the FCC limit is  $43 + 10\log_{10}(P[\text{Watts}])$  dB below the transmitter power  $P(\text{Watts})$  in a 100 kHz bandwidth. However, in the 100 kHz bands immediately outside and adjacent to the frequency block, a resolution bandwidth of at least 30 kHz may be employed. In addition, the power of any unwanted emissions in any 6.25 kHz bandwidth for all frequencies between 763-775 MHz and 793-806 MHz shall be attenuated below the transmitter power,  $P$  (dBW), by at least  $65 + 10 \log_{10} p(\text{watts})$ , dB, for mobile and portable equipment.

27.53 (g)

For operations in the 698 -746 MHz band, the FCC limit is  $43 + 10\log_{10}(P[\text{Watts}])$  dB below the transmitter power  $P(\text{Watts})$  in a 100 kHz bandwidth. However, in the 100 kilohertz bands immediately outside and adjacent to a licensee's frequency block, a resolution bandwidth of at least 30 kHz may be employed.

27.53 (h)

For operations in the 1710 – 1755 MHz band, the FCC limit is  $43 + 10\log_{10}(P[\text{Watts}])$  dB below the transmitter power  $P(\text{Watts})$  in a 1 MHz bandwidth. However, in the 1MHz bands immediately outside and adjacent to the licensee's frequency block, a resolution bandwidth of at least one percent of the emission bandwidth of the fundamental emission of the transmitter may be employed.



27.53(m)(4)

For mobile digital stations, the attenuation factor shall be not less than  $40 + 10 \log (P)$  dB on all frequencies between the channel edge and 5 megahertz from the channel edge,  $43 + 10 \log (P)$  dB on all frequencies between 5 megahertz and X megahertz from the channel edge, and  $55 + 10 \log (P)$  dB on all frequencies more than X megahertz from the channel edge, where X is the greater of 6 megahertz or the actual emission bandwidth as defined in paragraph (m)(6) of this section. In addition, the attenuation factor shall not be less that  $43 + 10 \log (P)$  dB on all frequencies between 2490.5 MHz and 2496 MHz and  $55 + 10 \log (P)$  dB at or below 2490.5 MHz. Mobile Satellite Service licensees operating on frequencies below 2495 MHz may also submit a documented interference complaint against BRS licensees operating on channel BRS Channel 1 on the same terms and conditions as adjacent channel BRS or EBS licensees.

### 3.7.2 Test Procedures

1. The testing follows FCC KDB 971168 v03 Section 6.0.
2. The EUT was connected to spectrum analyzer and system simulator via a power divider.
3. The band edges of low and high channels for the highest RF powers were measured.
4. Set RBW  $\geq 1\%$  EBW in the 1MHz band immediately outside and adjacent to the band edge.
5. Beyond the 1 MHz band from the band edge, RBW=1MHz was used.
6. Set spectrum analyzer with RMS detector.
7. The RF fundamental frequency should be excluded against the limit line in the operating frequency band.
8. Checked that all the results comply with the emission limit line.

Example:

The limit line is derived from  $43 + 10\log(P)$ dB below the transmitter power P(Watts)  
=  $P(W) - [43 + 10\log(P)]$  (dB)  
=  $[30 + 10\log(P)]$  (dBm) -  $[43 + 10\log(P)]$  (dB) = -13dBm.

9. For LTE Band 7, 38, 41, the other 40 dB, and 55 dB have additionally applied same calculation above.



### 3.8 Conducted Spurious Emission

#### 3.8.1 Description of Conducted Spurious Emission Measurement

The power of any emission outside of the authorized operating frequency ranges must be lower than the transmitter power (P) by a factor of at least  $43 + 10 \log (P)$  dB.

For Band 7,38,41:

The power of any emission outside of the authorized operating frequency ranges must be lower than the transmitter power (P) by a factor of at least  $55 + 10 \log (P)$  dB.

It is measured by means of a calibrated spectrum analyzer and scanned from 30 MHz up to a frequency including its 10<sup>th</sup> harmonic.

#### 3.8.2 Test Procedures

1. The testing follows FCC KDB 971168 v03 Section 6.0.
2. The EUT was connected to spectrum analyzer and system simulator via a power divider.
3. The RF output of EUT was connected to the spectrum analyzer by RF cable and attenuator. The path loss was compensated to the results for each measurement.
4. The middle channel for the highest RF power within the transmitting frequency was measured.
5. The conducted spurious emission for the whole frequency range was taken.
6. Make the measurement with the spectrum analyzer's RBW = 1MHz, VBW = 3MHz.
7. Set spectrum analyzer with RMS detector.
8. Taking the record of maximum spurious emission.
9. The RF fundamental frequency should be excluded against the limit line in the operating frequency band.
10. The limit line is derived from  $43 + 10\log(P)$ dB below the transmitter power P(Watts)  
 $= P(W) - [43 + 10\log(P)]$  (dB)  
 $= [30 + 10\log(P)]$  (dBm) -  $[43 + 10\log(P)]$  (dB)  
 $= -13$ dBm.
11. For Band 7, 38, 41  
The limit line is derived from  $55 + 10\log(P)$ dB below the transmitter power P(Watts)  
 $= P(W) - [55 + 10\log(P)]$  (dB)  
 $= [30 + 10\log(P)]$  (dBm) -  $[55 + 10\log(P)]$  (dB)  
 $= -25$ dBm.



## 3.9 Frequency Stability

### 3.9.1 Description of Frequency Stability Measurement

The frequency stability shall be measured by variation of ambient temperature and variation of primary supply voltage to ensure that the fundamental emission stays within the authorized frequency block. The frequency stability of the transmitter shall be maintained within  $\pm 0.00025\%$  ( $\pm 2.5\text{ppm}$ ) of the center frequency.

### 3.9.2 Test Procedures for Temperature Variation

1. The testing follows FCC KDB 971168 v03 Section 9.0.
2. The EUT was set up in the thermal chamber and connected with the system simulator.
3. With power OFF, the temperature was decreased to  $-30^{\circ}\text{C}$  and the EUT was stabilized before testing. Power was applied and the maximum change in frequency was recorded within one minute.
4. With power OFF, the temperature was raised in  $10^{\circ}\text{C}$  step up to  $50^{\circ}\text{C}$ . The EUT was stabilized at each step for at least half an hour. Power was applied and the maximum frequency change was recorded within one minute.

### 3.9.3 Test Procedures for Voltage Variation

1. The testing follows FCC KDB 971168 v03 Section 9.0.
2. The EUT was placed in a temperature chamber at  $20\pm 5^{\circ}\text{C}$  and connected with the system simulator.
3. The power supply voltage to the EUT was varied from 85% to 115% of the nominal value measured at the input to the EUT.
4. The variation in frequency was measured for the worst case.


## 4 Radiated Test Items

### 4.1 Measuring Instruments


See list of measuring instruments of this test report.

### 4.2 Test Setup

#### 4.2.1 For radiated test from 30MHz to 1GHz



#### 4.2.2 For radiated test above 1GHz



### 4.3 Test Result of Radiated Test

Please refer to Appendix B.



## 4.4 Radiated Spurious Emission

### 4.4.1 Description of Radiated Spurious Emission

The radiated spurious emission was measured by substitution method according to ANSI/TIA-603-E. The power of any emission outside of the authorized operating frequency ranges must be attenuated below the transmitter power (P) by a factor of at least  $43 + 10 \log (P)$  dB.

For Band 7, 38, 41

The power of any emission outside of the authorized operating frequency ranges must be attenuated below the transmitter power (P) by a factor of at least  $55 + 10 \log (P)$  dB.

For LTE Band 12,13,17

For operations in the 746-758 MHz, 775-788 MHz, and 805-806 MHz bands, emissions in the band 1559-1610 MHz shall be limited to  $-70$  dBW/MHz equivalent isotropically radiated power (EIRP) for wideband signals, and  $-80$  dBW EIRP for discrete emissions of less than 700 Hz bandwidth.

The spectrum is scanned from 30 MHz up to a frequency including its 10th harmonic.



#### 4.4.2 Test Procedures

1. The testing follows FCC KDB 971168 v03 Section 5.8 and ANSI/TIA-603-E Section 2.2.12.
2. The EUT was placed on a turntable with 0.8 meter height for frequency below 1GHz and 1.5 meter height for frequency above 1GHz respectively above ground.
3. The EUT was set 3 meters from the receiving antenna mounted on the antenna tower.
4. The table was rotated 360 degrees to determine the position of the highest spurious emission.
5. The height of the receiving antenna is varied between 1m to 4m to search the maximum spurious emission for both horizontal and vertical polarizations.
6. During the measurement, the system simulator parameters were set to force the EUT transmitting at maximum output power.
7. Make the measurement with the spectrum analyzer's RBW = 1MHz, VBW = 3MHz, taking the record of maximum spurious emission.
8. A horn antenna was substituted in place of the EUT and was driven by a signal generator.
9. Tune the output power of signal generator to the same emission level with EUT maximum spurious emission.
10.  $EIRP \text{ (dBm)} = S.G. \text{ Power} - Tx \text{ Cable Loss} + Tx \text{ Antenna Gain}$
11.  $ERP \text{ (dBm)} = EIRP - 2.15$
12. The RF fundamental frequency should be excluded against the limit line in the operating frequency band.  
The limit line is derived from  $43 + 10\log(P)\text{dB}$  below the transmitter power  $P(\text{Watts})$   
 $= P(\text{W}) - [43 + 10\log(P)] \text{ (dB)}$   
 $= [30 + 10\log(P)] \text{ (dBm)} - [43 + 10\log(P)] \text{ (dB)}$   
 $= -13\text{dBm}$ .
13. For Band 7, 38, 41:  
The limit line is derived from  $55 + 10\log(P)\text{dB}$  below the transmitter power  $P(\text{Watts})$   
 $EIRP \text{ (dBm)} = S.G. \text{ Power} - Tx \text{ Cable Loss} + Tx \text{ Antenna Gain}$   
 $ERP \text{ (dBm)} = EIRP - 2.15$





## 5 List of Measuring Equipment

Instrument	Manufacturer	Model No.	Serial No.	Characteristics	Calibration Date	Test Date	Due Date	Remark
Spectrum Analyzer	R&S	FSV40	101040	10Hz~40GHz	Aug. 08, 2017	Jan. 08, 2018~ Feb. 12, 2018	Aug. 07, 2018	Conducted (TH01-KS)
Thermal Chamber	Ten Billion	TTC-B3S	TBN-960502	-40~+150°C	Oct. 13, 2016	Jan. 08, 2018~ Feb. 12, 2018	Oct. 12, 2017	Conducted (TH01-KS)
Radio communication analyzer	Anritsu	MT8820C	6201300652	2G/3G/LTE_ full band	Aug. 08, 2017	Jan. 08, 2018~ Feb. 12, 2018	Aug. 07, 2018	Conducted (TH01-KS)
Amplifier	MITEQ	TTA1840-35-HG	1871923	18GHz~40GHz,VS WR : 2.5:1 max	Jul. 18, 2017	Jan. 22, 2018 ~ Feb. 05, 2018	Jul. 17, 2018	Radiation (03CH12-HY)
Bilog Antenna	TESEQ	CBL 6111D&N-6-	35414&AT-N0 602	30MHz~1GHz	Oct. 14, 2017	Jan. 22, 2018 ~ Feb. 05, 2018	Oct. 13, 2018	Radiation (03CH12-HY)
EMI Test Receiver	Rohde & Schwarz	ESU26	100390	20Hz~26.5GHz	Dec. 25, 2017	Jan. 22, 2018 ~ Feb. 05, 2018	Dec. 24, 2018	Radiation (03CH12-HY)
Horn Antenna	SCHWARZBECK	BBHA 9120D	9120D-1328	1GHz ~ 18GHz	Oct. 20, 2017	Jan. 22, 2018 ~ Feb. 05, 2018	Oct. 19, 2018	Radiation (03CH12-HY)
Hygrometer	TECPEL	DTM-303B	TP140349	N/A	Oct. 12, 2017	Jan. 22, 2018 ~ Feb. 05, 2018	Oct. 11, 2018	Radiation (03CH12-HY)
Preamplifier	COM-POWER	PA-103	161075	10MHz~1GHz	Mar. 23, 2017	Jan. 22, 2018 ~ Feb. 05, 2018	Mar. 22, 2018	Radiation (03CH12-HY)
Preamplifier	Keysight	83017A	MY53270148	1GHz~26.5GHz	Jan. 15, 2018	Jan. 22, 2018 ~ Feb. 05, 2018	Jan. 14, 2019	Radiation (03CH12-HY)
Controller	EMEC	EM1000	N/A	Control Turn table & Ant Mast	N/A	Jan. 22, 2018 ~ Feb. 05, 2018	N/A	Radiation (03CH12-HY)
Antenna Mast	EMEC	AM-BS-450 0-B	N/A	1m~4m	N/A	Jan. 22, 2018 ~ Feb. 05, 2018	N/A	Radiation (03CH12-HY)
Turn Table	EMEC	TT2000	N/A	0~360 Degree	N/A	Jan. 22, 2018 ~ Feb. 05, 2018	N/A	Radiation (03CH12-HY)
SHF-EHF Horn Antenna	SCHWARZBECK	BBHA 9170	BBHA917057 6	18GHz ~ 40GHz	Apr. 27, 2017	Jan. 22, 2018 ~ Feb. 05, 2018	Apr. 26, 2018	Radiation (03CH12-HY)
Spectrum Analyzer	Keysight	N9010A	MY55370526	10Hz~44GHz	Mar. 15, 2017	Jan. 22, 2018 ~ Feb. 05, 2018	Mar. 14, 2018	Radiation (03CH12-HY)
Signal Generator	Rohde & Schwarz	SMF100A	101107	100kHz~40GHz	May. 22, 2017	Jan. 22, 2018 ~ Feb. 05, 2018	May. 21, 2018	Radiation (03CH12-HY)
Horn Antenna	SCHWARZBECK	BBHA 9120 D	BBHA 9120 D 1212	1GHz ~ 18GHz	Mar. 17, 2017	Jan. 22, 2018 ~ Feb. 05, 2018	Mar. 16, 2018	Radiation (03CH12-HY)
SHF-EHF Horn Antenna	SCHWARZBECK	BBHA 9170	BBHA917058 4	18GHz- 40GHz	Nov. 27, 2017	Jan. 22, 2018 ~ Feb. 05, 2018	Nov. 26, 2018	Radiation (03CH12-HY)
EMI Test Receiver&SA	Agilent	N9038A	MY52260185	20Hz~26.5GHz	Apr. 20, 2017	Jan. 22, 2018 ~ Feb. 05, 2018	Apr. 19, 2018	Radiation (03CH01-SZ)
HF Amplifier	KEYSIGHT	83017A	MY53270104	0.5GHz~26.5Ghz	Oct.19, 2017	Jan. 22, 2018 ~ Feb. 05, 2018	Oct 18, 2018	Radiation (03CH01-SZ)
Bilog Antenna	TeseQ	CBL6112D	35407	30MHz-2GHz	May. 10, 2017	Jan. 22, 2018 ~ Feb. 05, 2018	May. 09, 2018	Radiation (03CH01-SZ)
Double Ridge Horn Antenna	ETS Lindgren	3117	119436	1GHz~18GHz	Jul. 28, 2017	Jan. 22, 2018 ~ Feb. 05, 2018	Jul. 27, 2018	Radiation (03CH01-SZ)
SHF-EHF Horn	com-power	AH-840	101071	18Ghz-40GHz	Jun.16, 2017	Jan. 22, 2018 ~ Feb. 05, 2018	Jun.15, 2018	Radiation (03CH01-SZ)



LF Amplifier	Burgeon	BPA-530	102209	0.01~3000Mhz	Apr. 20, 2017	Jan. 22, 2018 ~ Feb. 05, 2018	Apr. 19, 2018	Radiation (03CH01-SZ)
HF Amplifier	MITEQ	AMF-7D-00 101800-30- 1000	1707137	1GHz~18GHz	Oct.19, 2017	Jan. 22, 2018 ~ Feb. 05, 2018	Oct 18, 2018	Radiation (03CH01-SZ)
HF Amplifier	MITEQ	TTA1840-35 -HG	1871923	18GHz~40GHz	Jul.18.2017	Jan. 22, 2018 ~ Feb. 05, 2018	Jul.17.2018	Radiation (03CH01-SZ)
AC Power Source	Chroma	61601	61601000198 5	N/A	NCR	Jan. 22, 2018 ~ Feb. 05, 2018	NCR	Radiation (03CH01-SZ)
Turn Table	EM	EM1000	N/A	0~360 degree	NCR	Jan. 22, 2018 ~ Feb. 05, 2018	NCR	Radiation (03CH01-SZ)
Antenna Mast	EM	EM1000	N/A	1 m~4 m	NCR	Jan. 22, 2018 ~ Feb. 05, 2018	NCR	Radiation (03CH01-SZ)

NCR: No Calibration Required



## 6 Uncertainty of Evaluation

### For 03CH12-HY

#### Uncertainty of Radiated Emission Measurement (30 MHz ~ 1000 MHz)

Measuring Uncertainty for a Level of Confidence of 95% (U = 2Uc(y))	3.4 dB
---	--------

#### Uncertainty of Radiated Emission Measurement (1 GHz ~ 18 GHz)

Measuring Uncertainty for a Level of Confidence of 95% (U = 2Uc(y))	3.7dB
---	-------

#### Uncertainty of Radiated Emission Measurement (18 GHz ~ 40 GHz)

Measuring Uncertainty for a Level of Confidence of 95% (U = 2Uc(y))	4.0dB
---	-------

### For 03CH01-SZ

#### Uncertainty of Radiated Emission Measurement (30 MHz ~ 1000 MHz)

Measuring Uncertainty for a Level of Confidence of 95% (U = 2Uc(y))	2.5 dB
---	--------

#### Uncertainty of Radiated Emission Measurement (1 GHz ~ 18 GHz)

Measuring Uncertainty for a Level of Confidence of 95% (U = 2Uc(y))	3.5dB
---	-------

#### Uncertainty of Radiated Emission Measurement (18 GHz ~ 40 GHz)

Measuring Uncertainty for a Level of Confidence of 95% (U = 2Uc(y))	4.0dB
---	-------



## **Appendix A. Test Results of Conducted Test**

### **Conducted Output Power(Average power)**



LTE Band 2 Maximum Average Power [dBm]						
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest
20	1	0	QPSK	23.31	23.60	23.50
20	1	49		23.53	23.05	23.06
20	1	99		23.33	23.44	23.44
20	50	0		22.18	22.26	22.22
20	50	24		21.97	22.11	22.09
20	50	50		22.13	22.16	22.21
20	100	0		22.22	22.33	22.28
20	1	0	16-QAM	22.50	22.74	22.64
20	1	49		22.24	22.30	22.31
20	1	99		22.39	22.70	22.63
20	50	0		21.19	21.13	21.24
20	50	24		21.05	21.14	21.04
20	50	50		21.05	21.17	21.24
20	100	0		21.17	21.20	21.30
20	1	0	64-QAM	21.68	21.72	21.15
20	1	49		21.32	21.38	21.15
20	1	99		21.53	21.35	21.35
20	50	0		20.38	20.16	20.25
20	50	24		20.21	20.18	20.21
20	50	50		20.18	20.15	20.35
20	100	0		20.24	20.16	20.15



15	1	0	QPSK	23.40	23.32	23.15
15	1	37		23.15	22.96	22.93
15	1	74		23.16	23.49	23.47
15	36	0		22.04	22.45	22.28
15	36	20		22.01	22.13	22.06
15	36	39		22.13	22.23	22.20
15	75	0		22.02	22.18	22.15
15	1	0	16-QAM	22.57	22.82	22.60
15	1	37		22.29	22.34	22.36
15	1	74		22.24	22.73	22.76
15	36	0		21.11	21.17	21.20
15	36	20		21.03	21.10	21.11
15	36	39		21.11	21.20	21.17
15	75	0		21.14	21.18	21.21
15	1	0	64-QAM	21.37	21.31	20.67
15	1	37		20.69	20.43	20.73
15	1	74		21.28	21.32	20.87
15	36	0		19.81	19.68	19.33
15	36	20		19.7	19.46	19.35
15	36	39		19.65	19.52	19.41
15	75	0		19.79	19.55	19.39



LTE Band 2 Maximum Average Power [dBm]						
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest
10	1	0	QPSK	23.56	23.46	23.12
10	1	25		23.00	23.12	23.09
10	1	49		23.55	23.50	23.44
10	25	0		22.07	22.21	22.26
10	25	12		22.06	22.24	22.21
10	25	25		22.09	22.20	22.32
10	50	0		22.14	22.29	22.25
10	1	0	16-QAM	22.54	22.71	22.61
10	1	25		22.19	22.32	22.34
10	1	49		22.60	22.73	22.66
10	25	0		21.11	21.20	21.26
10	25	12		21.10	21.21	21.26
10	25	25		21.09	21.15	21.33
10	50	0		21.18	21.29	21.29
10	1	0	64-QAM	20.26	20.05	20.13
10	1	25		21.05	21.18	20.8
10	1	49		21.73	21.46	21.55
10	25	0		20.35	20.09	19.91
10	25	12		20.24	19.96	19.83
10	25	25		20.29	20.09	19.79
10	50	0		20.25	20.08	19.85



5	1	0	QPSK	23.05	23.10	22.95
5	1	12		22.89	22.99	23.10
5	1	24		22.88	23.14	23.23
5	12	0		22.04	22.23	22.11
5	12	7		22.02	22.12	22.03
5	12	13		21.95	22.11	22.10
5	25	0		22.05	22.16	22.16
5	1	0	16-QAM	22.39	22.60	22.53
5	1	12		22.26	22.33	22.38
5	1	24		22.19	22.31	22.36
5	12	0		21.06	21.18	21.19
5	12	7		21.05	21.16	21.06
5	12	13		21.00	21.10	21.09
5	25	0		20.98	21.15	21.16
5	1	0	64-QAM	20.58	20.37	20.14
5	1	12		20.97	20.93	20.49
5	1	24		21.97	21.74	21.48
5	12	0		20.8	20.58	20.37
5	12	7		20.72	20.46	20.17
5	12	13		20.73	20.37	20.1
5	25	0		20.72	20.47	20.18





LTE Band 2 Maximum Average Power [dBm]						
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest
3	1	0	QPSK	22.89	23.01	23.10
3	1	8		23.05	23.08	23.13
3	1	14		22.98	23.08	23.06
3	8	0		22.00	22.17	22.13
3	8	4		21.97	22.13	22.14
3	8	7		21.94	22.08	22.11
3	15	0		21.95	22.12	22.14
3	1	0	16-QAM	22.22	22.50	22.42
3	1	8		22.32	22.28	22.40
3	1	14		22.17	22.33	22.71
3	8	0		21.00	21.24	21.17
3	8	4		21.01	21.19	21.16
3	8	7		20.96	21.14	21.14
3	15	0		20.94	21.13	21.10
3	1	0	64-QAM	20.3	20.23	20.21
3	1	8		20.67	20.85	20.58
3	1	14		21.89	21.67	21.6
3	8	0		20.77	20.5	20.21
3	8	4		20.74	20.48	20.18
3	8	7		20.59	20.36	20.03
3	15	0		20.7	20.48	20.21



1.4	1	0	QPSK	22.93	23.05	22.88
1.4	1	3		22.92	23.10	23.05
1.4	1	5		22.81	23.00	23.05
1.4	3	0		22.90	23.05	23.00
1.4	3	1		22.94	23.06	23.10
1.4	3	3		22.95	23.10	23.09
1.4	6	0		21.86	22.04	22.05
1.4	1	0	16-QAM	22.24	22.35	22.54
1.4	1	3		22.26	22.47	22.32
1.4	1	5		22.24	22.30	22.36
1.4	3	0		21.96	22.06	22.06
1.4	3	1		21.96	22.14	22.16
1.4	3	3		21.98	22.15	22.18
1.4	6	0		21.00	21.16	21.09
1.4	1	0	64-QAM	20.58	20.37	20.14
1.4	1	3		20.97	20.93	20.49
1.4	1	5		21.97	21.74	21.48
1.4	3	0		20.8	20.58	20.37
1.4	3	1		20.72	20.46	20.17
1.4	3	3		20.73	20.37	20.1
1.4	6	0		20.72	20.47	20.18



LTE Band 4 Maximum Average Power [dBm]						
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest
20	1	0	QPSK	23.39	23.49	23.11
20	1	49		23.74	23.15	23.15
20	1	99		23.27	23.11	23.10
20	50	0		22.37	22.29	22.14
20	50	24		22.26	22.23	22.04
20	50	50		22.18	22.24	21.90
20	100	0		22.31	22.16	22.18
20	1	0	16-QAM	22.50	22.58	22.39
20	1	49		22.34	22.42	22.14
20	1	99		22.36	22.34	22.17
20	50	0		21.40	21.25	21.19
20	50	24		21.30	21.20	21.05
20	50	50		21.21	21.10	21.00
20	100	0		21.30	21.24	21.04
20	1	0	64-QAM	20.69	20.33	20.58
20	1	49		20.39	20.6	20.43
20	1	99		20.6	20.69	20.4
20	50	0		19.41	19.5	19.34
20	50	24		19.42	19.47	19.24
20	50	50		19.25	19.31	19.1
20	100	0		19.29	19.32	19.29



15	1	0	QPSK	23.15	22.98	22.86
15	1	37		23.09	22.98	22.74
15	1	74		23.15	23.07	22.83
15	36	0		22.39	22.30	22.10
15	36	20		22.34	22.25	22.02
15	36	39		22.25	22.18	21.89
15	75	0		22.28	22.25	21.98
15	1	0	16-QAM	22.58	22.62	22.40
15	1	37		22.32	22.34	22.05
15	1	74		22.48	22.35	22.20
15	36	0		21.42	21.36	21.13
15	36	20		21.30	21.22	20.98
15	36	39		21.26	21.17	20.86
15	75	0		21.34	21.20	20.99
15	1	0	64-QAM	20.91	20.77	20.55
15	1	37		20.15	20.41	20.1
15	1	74		20.57	20.47	20.41
15	36	0		19.48	19.53	19.37
15	36	20		19.4	19.43	19.19
15	36	39		19.25	19.3	19.13
15	75	0		19.31	19.36	19.26



LTE Band 4 Maximum Average Power [dBm]						
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest
10	1	0	QPSK	23.50	23.45	23.15
10	1	25		23.34	22.86	23.07
10	1	49		23.54	23.48	23.63
10	25	0		22.16	22.08	22.12
10	25	12		22.13	22.00	22.06
10	25	25		22.21	22.00	22.11
10	50	0		22.18	21.97	22.15
10	1	0	16-QAM	22.62	22.56	22.54
10	1	25		22.34	22.23	22.30
10	1	49		22.67	22.64	22.72
10	25	0		21.19	21.04	21.17
10	25	12		21.14	21.03	21.05
10	25	25		21.16	20.99	21.18
10	50	0		21.19	21.16	21.16
10	1	0	64-QAM	20.91	20.83	20.77
10	1	25		20.63	20.66	20.54
10	1	49		21.56	21.59	21.39
10	25	0		20.13	20.06	19.97
10	25	12		19.99	19.99	19.8
10	25	25		20.17	20.04	19.93
10	50	0		20.02	19.98	19.88



5	1	0	QPSK	22.57	22.88	22.53
5	1	12		23.04	22.87	23.03
5	1	24		23.01	22.89	23.01
5	12	0		22.07	22.02	21.98
5	12	7		22.04	21.95	21.98
5	12	13		22.02	21.92	22.04
5	25	0		22.05	21.96	22.13
5	1	0	16-QAM	22.71	22.34	22.40
5	1	12		22.18	22.14	22.26
5	1	24		22.28	22.26	22.30
5	12	0		21.09	21.06	21.10
5	12	7		21.09	20.99	21.03
5	12	13		21.09	20.99	21.10
5	25	0		21.09	20.97	21.09
5	1	0	64-QAM	20.7	20.64	20.56
5	1	12		20.13	20.15	20.1
5	1	24		21.01	20.95	20.83
5	12	0		20.11	19.97	19.9
5	12	7		20.05	20.02	19.88
5	12	13		19.98	19.88	19.74
5	25	0		20.03	19.87	19.86



LTE Band 4 Maximum Average Power [dBm]						
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest
3	1	0	QPSK	22.93	22.86	22.75
3	1	8		22.97	22.92	23.11
3	1	14		23.12	22.89	22.92
3	8	0		22.09	21.93	22.06
3	8	4		22.11	21.95	22.06
3	8	7		22.03	21.92	21.97
3	15	0		22.04	21.91	22.02
3	1	0	16-QAM	22.20	22.24	22.42
3	1	8		22.13	22.18	22.38
3	1	14		22.53	22.26	22.24
3	8	0		21.10	21.04	21.17
3	8	4		21.10	21.05	21.12
3	8	7		21.07	21.02	21.11
3	15	0		21.07	21.00	21.08
3	1	0	64-QAM	20.57	20.47	20.54
3	1	8		20.22	20.25	20.09
3	1	14		21.16	21.28	20.89
3	8	0		20.03	20.02	19.88
3	8	4		19.98	19.88	19.8
3	8	7		19.94	19.89	19.7
3	15	0		19.88	19.89	19.76



1.4	1	0	QPSK	23.01	22.72	22.99
1.4	1	3		22.94	22.85	23.07
1.4	1	5		22.89	22.88	22.95
1.4	3	0		22.96	22.90	22.94
1.4	3	1		23.12	22.95	23.00
1.4	3	3		23.04	22.90	23.01
1.4	6	0		21.97	21.88	22.01
1.4	1	0	16-QAM	22.15	22.20	22.25
1.4	1	3		22.75	22.28	22.46
1.4	1	5		22.37	22.17	22.50
1.4	3	0		22.05	22.00	22.03
1.4	3	1		21.99	22.00	22.04
1.4	3	3		22.02	21.97	22.06
1.4	6	0		21.14	20.94	21.08
1.4	1	0	64-QAM	20.56	20.45	20.3
1.4	1	3		20.16	20	20.04
1.4	1	5		21.05	21.11	20.85
1.4	3	0		21.21	21.13	20.79
1.4	3	1		21.07	21.2	20.79
1.4	3	3		21.15	20.9	20.78
1.4	6	0		19.98	19.83	19.75





LTE Band 5 Maximum Average Power [dBm]						
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest
10	1	0	QPSK	23.18	23.12	23.35
10	1	25		23.34	23.19	23.53
10	1	49		23.66	23.56	23.69
10	25	0		22.41	22.29	22.39
10	25	12		22.45	22.34	22.31
10	25	25		22.50	22.34	22.54
10	50	0		22.45	22.39	22.40
10	1	0	16-QAM	22.78	22.69	22.83
10	1	25		22.73	22.60	22.53
10	1	49		22.97	22.84	22.79
10	25	0		21.44	21.30	21.43
10	25	12		21.48	21.33	21.39
10	25	25		21.45	21.33	21.42
10	50	0		21.49	21.48	21.40
10	1	0	64-QAM	20.57	20.64	20.63
10	1	25		20.5	20.98	20.41
10	1	49		21.53	21.53	21.46
10	25	0		20.17	20.11	20.15
10	25	12		20.17	20.06	20.09
10	25	25		20.22	20.07	20.15
10	50	0		20.29	20.19	20.17



5	1	0	QPSK	22.90	22.98	23.05
5	1	12		23.04	23.14	23.20
5	1	24		23.26	23.18	23.39
5	12	0		22.41	22.28	22.38
5	12	7		22.31	22.18	22.36
5	12	13		22.33	22.10	22.32
5	25	0		22.42	22.19	22.34
5	1	0	16-QAM	22.61	22.55	22.57
5	1	12		22.67	22.44	22.55
5	1	24		22.62	22.50	22.51
5	12	0		21.40	21.26	21.36
5	12	7		21.35	21.26	21.35
5	12	13		21.31	21.15	21.33
5	25	0		21.32	21.30	21.39
5	1	0	64-QAM	20.39	20.48	20.56
5	1	12		20.06	20.06	20.34
5	1	24		20.91	21.16	21.14
5	12	0		20.15	19.92	19.99
5	12	7		20.14	19.91	20.12
5	12	13		20.07	19.77	20.14
5	25	0		19.99	19.99	20.16



LTE Band 5 Maximum Average Power [dBm]						
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest
3	1	0	QPSK	22.86	22.84	22.76
3	1	8		23.37	23.24	23.21
3	1	14		23.24	23.12	23.15
3	8	0		22.24	22.17	22.24
3	8	4		22.28	22.21	22.22
3	8	7		22.27	22.06	22.22
3	15	0		22.30	22.22	22.25
3	1	0	16-QAM	22.52	22.51	22.66
3	1	8		22.65	22.51	22.39
3	1	14		22.52	22.38	22.40
3	8	0		21.33	21.22	21.26
3	8	4		21.43	21.24	21.29
3	8	7		21.35	21.17	21.31
3	15	0		21.34	21.18	21.22
3	1	0	64-QAM	20.51	20.4	20.57
3	1	8		20.14	20.17	20.15
3	1	14		21.16	21.07	21.06
3	8	0		20.05	19.93	20.13
3	8	4		20.02	19.92	20.16
3	8	7		20.06	19.84	20.04
3	15	0		20.1	19.86	19.97



1.4	1	0	QPSK	23.26	23.46	23.48
1.4	1	3		23.29	23.13	23.16
1.4	1	5		23.19	23.03	23.14
1.4	3	0		23.25	23.19	23.30
1.4	3	1		23.27	23.24	23.20
1.4	3	3		23.29	23.17	23.27
1.4	6	0		22.23	22.16	22.18
1.4	1	0	16-QAM	22.53	22.39	22.45
1.4	1	3		22.55	22.35	22.54
1.4	1	5		22.45	22.29	22.46
1.4	3	0		22.27	22.18	22.20
1.4	3	1		22.32	22.21	22.21
1.4	3	3		22.26	22.25	22.23
1.4	6	0		21.26	21.18	21.29
1.4	1	0	64-QAM	20.55	20.47	20.49
1.4	1	3		20.97	20.78	21.03
1.4	1	5		21.14	20.98	21.16
1.4	3	0		21.06	20.93	21.1
1.4	3	1		21.06	20.95	21.15
1.4	3	3		21.16	20.98	21.11
1.4	6	0		20.05	19.8	20.07



LTE Band 7 Maximum Average Power [dBm]						
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest
20	1	0	QPSK	23.16	23.21	23.19
20	1	49		23.88	23.85	23.59
20	1	99		24.21	24.20	24.04
20	50	0		23.04	22.91	22.82
20	50	24		22.97	22.83	22.73
20	50	50		22.92	22.84	22.75
20	100	0		23.00	22.91	22.77
20	1	0	16-QAM	23.34	23.26	23.28
20	1	49		23.21	23.08	23.00
20	1	99		23.23	23.30	22.98
20	50	0		22.01	21.92	21.80
20	50	24		21.96	21.93	21.73
20	50	50		21.99	21.89	21.80
20	100	0		21.99	21.88	21.81
20	1	0	64-QAM	21.15	21.13	21.25
20	1	49		21.35	21.25	21.19
20	1	99		21.83	22.01	21.97
20	50	0		20.86	20.67	20.67
20	50	24		20.83	20.63	20.70
20	50	50		20.67	20.68	20.61
20	100	0		20.67	20.65	20.71



15	1	0	QPSK	23.89	23.57	23.75
15	1	37		23.80	23.83	23.58
15	1	74		23.89	23.78	23.90
15	36	0		22.88	22.86	22.73
15	36	20		22.88	22.79	22.71
15	36	39		22.85	22.82	22.70
15	75	0		22.87	22.76	22.74
15	1	0	16-QAM	23.09	23.07	23.05
15	1	37		23.11	23.00	22.89
15	1	74		23.21	23.14	23.01
15	36	0		21.92	21.85	21.79
15	36	20		21.86	21.83	21.78
15	36	39		21.88	21.84	21.76
15	75	0		21.87	21.85	21.74
15	1	0	64-QAM	21.02	21.04	21.05
15	1	37		20.62	20.61	20.59
15	1	74		21.69	21.74	21.78
15	36	0		20.64	20.68	20.67
15	36	20		20.66	20.60	20.73
15	36	39		20.62	20.60	20.72
15	75	0		20.56	20.58	20.67



LTE Band 7 Maximum Average Power [dBm]						
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest
10	1	0	QPSK	23.71	23.80	23.66
10	1	25		23.85	23.80	23.45
10	1	49		23.77	23.64	23.81
10	25	0		22.68	22.74	22.62
10	25	12		22.62	22.63	22.56
10	25	25		22.63	22.68	22.60
10	50	0		22.62	22.74	22.59
10	1	0	16-QAM	23.02	23.21	23.09
10	1	25		22.83	22.91	22.65
10	1	49		23.05	23.21	22.86
10	25	0		21.68	21.69	21.57
10	25	12		21.58	21.63	21.50
10	25	25		21.63	21.62	21.53
10	50	0		21.62	21.64	21.51
10	1	0	64-QAM	21.15	20.98	21.00
10	1	25		20.76	20.81	20.61
10	1	49		21.63	21.61	21.90
10	25	0		20.64	20.65	20.71
10	25	12		20.71	20.67	20.68
10	25	25		20.64	20.56	20.69
10	50	0		20.60	20.60	20.68



5	1	0	QPSK	23.39	23.58	23.41
5	1	12		23.53	23.59	23.41
5	1	24		23.49	23.57	23.54
5	12	0		22.59	22.62	22.54
5	12	7		22.55	22.65	22.5
5	12	13		22.56	22.62	22.5
5	25	0		22.55	22.61	22.5
5	1	0	16-QAM	22.86	22.99	22.85
5	1	12		22.74	22.85	22.75
5	1	24		22.86	23.11	22.73
5	12	0		21.58	21.66	21.53
5	12	7		21.58	21.62	21.53
5	12	13		21.55	21.65	21.5
5	25	0		21.54	21.53	21.49
5	1	0	64-QAM	21.02	21.04	21.05
5	1	12		20.62	20.61	21.49
5	1	24		21.69	21.74	21.78
5	12	0		20.64	20.68	20.67
5	12	7		20.66	20.6	20.73
5	12	13		20.62	20.6	20.72
5	25	0		20.56	20.58	20.67





LTE Band 12 Maximum Average Power [dBm]						
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest
10	1	0	QPSK	23.78	23.58	23.60
10	1	25		23.27	23.23	23.50
10	1	49		23.44	23.56	23.65
10	25	0		22.53	22.44	22.41
10	25	12		22.35	22.47	22.38
10	25	25		22.29	22.44	22.50
10	50	0		22.34	22.34	22.40
10	1	0	16-QAM	23.00	22.76	22.95
10	1	25		22.65	22.84	22.61
10	1	49		22.75	22.97	22.94
10	25	0		21.48	21.33	21.48
10	25	12		21.41	21.25	21.28
10	25	25		21.37	21.34	21.32
10	50	0		21.45	21.28	21.48
10	1	0	64-QAM	20.15	20.33	20.25
10	1	25		21.35	21.25	21.19
10	1	49		21.83	21.01	21.97
10	25	0		20.86	20.67	20.67
10	25	12		20.83	20.63	20.7
10	25	25		20.67	20.68	20.61
10	50	0		20.67	20.65	20.71



5	1	0	QPSK	23.16	22.66	23.45
5	1	12		23.09	22.72	22.98
5	1	24		23.03	23.25	23.10
5	12	0		21.62	22.07	22.33
5	12	7		21.99	22.28	22.02
5	12	13		22.15	22.32	22.05
5	25	0		22.24	22.29	22.35
5	1	0	16-QAM	22.25	22.43	22.82
5	1	12		22.28	22.38	22.23
5	1	24		22.56	22.72	22.39
5	12	0		21.35	21.36	21.33
5	12	7		21.23	21.34	21.02
5	12	13		21.15	21.21	21.29
5	25	0		21.32	21.28	21.36
5	1	0	64-QAM	20.02	20.04	20.15
5	1	12		20.62	20.61	20.49
5	1	24		21.69	21.74	21.78
5	12	0		20.64	20.68	20.67
5	12	7		20.66	20.6	20.73
5	12	13		20.62	20.6	20.72
5	25	0		20.56	20.56	20.67



LTE Band 12 Maximum Average Power [dBm]						
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest
3	1	0	QPSK	22.99	23.36	23.43
3	1	8		22.92	23.08	23.06
3	1	14		23.01	23.10	23.19
3	8	0		22.02	22.10	22.27
3	8	4		22.01	22.22	22.28
3	8	7		21.99	22.11	22.29
3	15	0		21.95	22.21	22.27
3	1	0	16-QAM	22.20	22.38	22.57
3	1	8		22.24	22.38	22.68
3	1	14		22.33	22.33	22.52
3	8	0		21.07	21.18	21.36
3	8	4		21.06	21.28	21.34
3	8	7		20.98	21.21	21.37
3	15	0		21.04	21.22	21.27
3	1	0	64-QAM	20.03	20.08	20
3	1	8		20.76	20.81	20.61
3	1	14		21.63	21.61	21.9
3	8	0		20.64	20.65	20.71
3	8	4		20.71	20.67	20.68
3	8	7		20.64	20.56	20.69
3	15	0		20.6	20.6	20.68



1.4	1	0	QPSK	23.35	23.26	23.35
1.4	1	3		22.85	22.93	23.35
1.4	1	5		23.26	23.05	23.28
1.4	3	0		23.01	23.16	23.26
1.4	3	1		23.11	23.19	23.26
1.4	3	3		23.14	23.20	23.24
1.4	6	0		22.01	22.17	22.24
1.4	1	0	16-QAM	22.25	22.26	22.42
1.4	1	3		22.35	22.43	22.51
1.4	1	5		22.29	22.36	22.48
1.4	3	0		22.00	22.13	22.30
1.4	3	1		22.07	22.18	22.33
1.4	3	3		22.11	22.21	22.26
1.4	6	0		21.11	21.28	21.23
1.4	1	0	64-QAM	20.57	20.57	20.58
1.4	1	3		20.82	20.54	20.41
1.4	1	5		21.62	21.69	21.72
1.4	3	0		21.55	21.53	21.66
1.4	3	1		21.62	21.62	21.68
1.4	3	3		21.62	21.7	21.68
1.4	6	0		20.61	20.5	20.65



LTE Band 13 Maximum Average Power [dBm]						
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest
10	1	0	QPSK		23.70	
10	1	25			23.38	
10	1	49			23.65	
10	25	0			22.53	
10	25	12			22.43	
10	25	25			22.40	
10	50	0			22.65	
10	1	0	16-QAM		22.96	
10	1	25			22.90	
10	1	49			22.63	
10	25	0			21.32	
10	25	12			21.52	
10	25	25			21.51	
10	50	0			21.63	
10	1	0	64-QAM		21.04	
10	1	25			21.76	
10	1	49			21.96	
10	25	0			20.64	
10	25	12			20.53	
10	25	25			20.58	
10	50	0			20.78	



5	1	0	QPSK	23.68	23.62	23.61
5	1	12		23.55	23.65	23.20
5	1	24		23.67	23.14	23.19
5	12	0		22.49	22.33	22.36
5	12	7		22.77	22.38	22.39
5	12	13		22.65	22.34	22.27
5	25	0		22.50	22.38	22.38
5	1	0	16-QAM	22.99	22.95	22.76
5	1	12		22.83	22.86	22.82
5	1	24		22.78	22.81	22.54
5	12	0		21.50	21.58	21.33
5	12	7		21.76	21.40	21.43
5	12	13		21.64	21.39	21.38
5	25	0		21.53	21.34	21.56
5	1	0	64-QAM	20.57	20.97	20.82
5	1	12		20.53	20.52	20.57
5	1	24		21.74	21.74	21.79
5	12	0		20.61	20.5	20.37
5	12	7		20.7	20.54	20.38
5	12	13		20.66	20.43	20.4
5	25	0		20.66	20.59	20.44



LTE Band 17 Maximum Average Power [dBm]						
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest
10	1	0	QPSK	23.51	23.66	23.42
10	1	25		23.24	23.21	23.26
10	1	49		23.42	23.46	23.41
10	25	0		22.41	22.45	22.27
10	25	12		22.29	22.40	22.38
10	25	25		22.34	22.38	22.29
10	50	0		22.41	22.36	22.38
10	1	0	16-QAM	22.93	22.94	22.88
10	1	25		22.52	22.44	22.56
10	1	49		22.73	22.92	22.82
10	25	0		21.42	21.44	21.33
10	25	12		21.28	21.34	21.33
10	25	25		21.32	21.32	21.32
10	50	0		21.38	21.41	21.34
10	1	0	64-QAM	20.78	20.67	20.6
10	1	25		20.22	20.48	20.74
10	1	49		21.56	21.54	21.61
10	25	0		20.2	20.22	20.13
10	25	12		20.13	20.06	20.14
10	25	25		20.24	20.27	20.3
10	50	0		20.28	20.31	20.2



5	1	0	QPSK	23.49	23.51	23.54
5	1	12		22.99	23.04	23.08
5	1	24		23.38	23.14	23.40
5	12	0		22.44	22.37	22.11
5	12	7		22.44	22.42	22.38
5	12	13		22.42	22.35	22.35
5	25	0		22.73	22.31	22.45
5	1	0	16-QAM	22.79	22.65	22.64
5	1	12		22.85	22.79	22.90
5	1	24		22.91	22.60	22.62
5	12	0		21.56	21.31	21.65
5	12	7		21.37	21.43	21.42
5	12	13		21.45	21.29	21.46
5	25	0		21.29	21.38	21.57
5	1	0	64-QAM	20.32	20.35	20.35
5	1	12		20.03	20.02	20.07
5	1	24		21.35	21.33	21.22
5	12	0		20.09	20.09	20.09
5	12	7		20.07	19.99	20.15
5	12	13		20.04	20.13	20.07
5	25	0		20.09	20.13	20.09





LTE Band 25 Maximum Average Power [dBm]						
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest
20	1	0	QPSK	23.45	23.34	23.58
20	1	49		23.16	23.09	23.27
20	1	99		23.13	23.08	23.10
20	50	0		22.06	22.28	22.38
20	50	24		22.12	22.15	22.30
20	50	50		22.07	22.25	22.28
20	100	0		22.18	22.24	22.40
20	1	0	16-QAM	22.39	22.58	22.61
20	1	49		22.10	22.39	22.49
20	1	99		22.00	22.31	22.27
20	50	0		21.10	21.22	21.33
20	50	24		21.13	21.18	21.29
20	50	50		21.06	21.26	21.44
20	100	0		21.16	21.16	21.38
20	1	0	64-QAM	21.39	21.45	20.9
20	1	49		21.5	21.81	21.45
20	1	99		21.64	21.75	21.5
20	50	0		20.98	20.9	20.52
20	50	24		20.85	20.73	20.45
20	50	50		20.82	20.71	20.4
20	100	0		20.86	20.81	20.54



15	1	0	QPSK	23.18	23.28	23.38
15	1	37		22.59	22.83	23.37
15	1	74		22.93	23.25	23.05
15	36	0		22.17	22.27	22.31
15	36	20		22.08	22.19	22.36
15	36	39		22.15	22.37	22.59
15	75	0		22.15	22.27	22.37
15	1	0	16-QAM	22.37	22.51	22.66
15	1	37		22.15	22.41	22.45
15	1	74		22.28	22.50	22.44
15	36	0		21.19	21.17	21.24
15	36	20		21.07	21.24	21.30
15	36	39		21.11	21.34	21.40
15	75	0		21.15	21.16	21.42
15	1	0	64-QAM	21.37	21.36	20.96
15	1	37		21.12	21.86	21.23
15	1	74		20.96	20.12	21.53
15	36	0		20.99	20.84	20.59
15	36	20		20.96	20.85	20.52
15	36	39		20.86	20.92	20.59
15	75	0		21	20.88	20.61



LTE Band 25 Maximum Average Power [dBm]						
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest
10	1	0	QPSK	23.10	23.55	23.50
10	1	25		23.29	23.39	23.46
10	1	49		23.53	23.54	22.92
10	25	0		22.42	22.47	22.44
10	25	12		22.42	22.41	22.48
10	25	25		22.41	22.35	22.55
10	50	0		22.42	22.44	22.49
10	1	0	16-QAM	22.39	22.76	22.89
10	1	25		22.46	22.57	22.58
10	1	49		22.73	22.82	22.17
10	25	0		21.45	21.52	21.46
10	25	12		21.37	21.44	21.44
10	25	25		21.50	21.39	21.53
10	50	0		21.40	21.45	21.56
10	1	0	64-QAM	20.41	20.29	20
10	1	25		20.93	20.88	20.59
10	1	49		21.33	21.08	20.82
10	25	0		20.03	19.88	19.5
10	25	12		19.97	19.76	19.47
10	25	25		20.03	19.75	19.42
10	50	0		20.03	19.79	19.45



5	1	0	QPSK	22.89	23.50	23.45
5	1	12		22.82	23.30	23.04
5	1	24		23.34	23.31	22.92
5	12	0		22.87	22.36	22.46
5	12	7		22.84	22.37	22.95
5	12	13		22.35	22.32	22.92
5	25	0		22.42	22.36	22.38
5	1	0	16-QAM	22.95	22.84	22.99
5	1	12		22.91	22.55	22.93
5	1	24		22.47	22.66	22.90
5	12	0		21.90	21.43	21.49
5	12	7		21.86	21.40	21.49
5	12	13		21.35	21.35	21.90
5	25	0		21.31	21.42	21.44
5	1	0	64-QAM	20.22	20.12	20.66
5	1	12		20.75	20.4	20.23
5	1	24		21.17	20.72	20.42
5	12	0		20.01	19.75	19.43
5	12	7		19.97	19.72	19.36
5	12	13		19.9	19.71	19.4
5	25	0		20	19.77	19.43



LTE Band 25 Maximum Average Power [dBm]						
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest
3	1	0	QPSK	22.82	23.28	22.97
3	1	8		22.88	23.26	23.04
3	1	14		22.73	23.20	22.85
3	8	0		22.84	22.47	22.90
3	8	4		22.80	22.45	22.85
3	8	7		22.78	22.44	22.88
3	15	0		22.80	22.43	22.86
3	1	0	16-QAM	22.20	22.50	22.20
3	1	8		22.11	22.45	22.20
3	1	14		22.05	22.48	22.14
3	8	0		21.87	21.42	21.94
3	8	4		21.88	21.42	21.90
3	8	7		21.87	21.41	21.90
3	15	0		21.81	21.46	21.87
3	1	0	64-QAM	20.17	20.86	20.71
3	1	8		20.59	20.48	20.95
3	1	14		21.08	20.85	20.52
3	8	0		20.04	19.76	19.43
3	8	4		20.01	19.75	19.39
3	8	7		19.92	19.69	19.39
3	15	0		19.99	19.74	19.36



1.4	1	0	QPSK	22.88	23.27	22.96
1.4	1	3		22.85	23.20	22.81
1.4	1	5		22.77	23.28	22.89
1.4	3	0		22.81	22.45	22.88
1.4	3	1		22.82	22.40	22.90
1.4	3	3		22.78	22.45	22.94
1.4	6	0		22.77	22.40	22.83
1.4	1	0	16-QAM	22.25	22.65	22.19
1.4	1	3		22.28	22.61	22.22
1.4	1	5		22.28	22.56	22.18
1.4	3	0		22.60	22.31	22.15
1.4	3	1		22.45	22.40	22.25
1.4	3	3		22.12	22.42	22.55
1.4	6	0		21.35	21.37	21.50
1.4	1	0	64-QAM	20.04	20.96	20.63
1.4	1	3		20.59	20.57	20.23
1.4	1	5		21.05	20.74	20.58
1.4	3	0		21.02	20.8	20.47
1.4	3	1		21.1	20.83	20.48
1.4	3	3		21.03	20.85	20.47
1.4	6	0		19.94	19.76	19.36



LTE Band 26 Maximum Average Power [dBm]						
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest
15	1	0	QPSK	22.98	23.02	23.05
15	1	37		23.49	23.19	23.15
15	1	74		23.91	23.88	23.68
15	36	0		22.79	22.81	22.7
15	36	20		22.6	22.56	22.46
15	36	39		22.54	22.34	22.25
15	75	0		22.86	22.61	22.51
15	1	0	16-QAM	22.09	22.06	22.06
15	1	37		22.04	22.04	22.06
15	1	74		22.13	22.1	22.12
15	36	0		21.92	21.8	21.84
15	36	20		21.57	21.51	21.4
15	36	39		21.54	21.29	21.21
15	75	0		21.7	21.58	21.6
15	1	0	64-QAM	21.39	20.97	21.32
15	1	37		20.98	21.35	21.35
15	1	74		21.33	21.27	21.29
15	36	0		20.41	20.22	20.2
15	36	20		20.94	20.95	20.73
15	36	39		20.07	20.09	20.7
15	75	0		20.32	20.03	20.08



LTE Band 26 Maximum Average Power [dBm]						
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest
10	1	0	QPSK	23.51	23.61	23.60
10	1	25		23.09	23.07	23.15
10	1	49		23.60	23.42	23.49
10	25	0		22.18	22.25	22.23
10	25	12		22.20	22.20	22.18
10	25	25		22.19	22.24	22.13
10	50	0		22.26	22.24	22.23
10	1	0	16-QAM	22.60	22.73	22.60
10	1	25		22.35	22.46	22.39
10	1	49		22.73	22.72	22.55
10	25	0		21.19	21.28	21.25
10	25	12		21.21	21.26	21.18
10	25	25		21.13	21.23	21.19
10	50	0		21.20	21.23	21.19
10	1	0	64-QAM	20.35	20.17	20.16
10	1	25		20.65	19.98	20.71
10	1	49		21.57	20.83	20.84
10	25	0		19.77	19.7	19.6
10	25	12		19.93	19.65	19.71
10	25	25		19.73	19.61	19.71
10	50	0		19.78	19.59	19.88





5	1	0	QPSK	23.42	23.43	23.37
5	1	12		22.91	22.93	22.91
5	1	24		23.12	23.07	23.00
5	12	0		22.11	22.10	22.10
5	12	7		22.10	22.15	22.10
5	12	13		22.10	22.08	22.11
5	25	0		22.11	22.16	22.13
5	1	0	16-QAM	22.34	22.40	22.24
5	1	12		22.32	22.39	22.23
5	1	24		22.33	22.38	22.21
5	12	0		21.17	21.13	21.17
5	12	7		21.14	21.14	21.14
5	12	13		21.13	21.11	21.10
5	25	0		21.11	21.14	21.07
5	1	0	64-QAM	20.07	20.86	20.47
5	1	12		20.47	20.45	20.53
5	1	24		20.95	20.56	20.62
5	12	0		19.59	19.54	19.6
5	12	7		19.58	19.63	19.58
5	12	13		19.59	19.53	19.51
5	25	0		19.75	19.48	19.52



LTE Band 26 Maximum Average Power [dBm]						
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest
3	1	0	QPSK	23.39	23.36	23.37
3	1	8		22.87	22.98	22.82
3	1	14		23.05	22.99	22.94
3	8	0		22.13	22.11	22.08
3	8	4		22.12	22.10	22.06
3	8	7		22.10	22.15	22.03
3	15	0		22.12	22.09	22.10
3	1	0	16-QAM	22.41	22.34	22.53
3	1	8		22.40	22.41	22.18
3	1	14		22.35	22.28	22.33
3	8	0		21.14	21.17	21.09
3	8	4		21.14	21.17	21.11
3	8	7		21.14	21.20	21.12
3	15	0		21.13	21.12	21.11
3	1	0	64-QAM	20.1	20.92	20.86
3	1	8		20.54	20.36	20.48
3	1	14		20.78	20.6	20.7
3	8	0		19.67	19.54	19.61
3	8	4		19.66	19.49	19.61
3	8	7		19.59	19.5	19.55
3	15	0		19.59	19.49	19.51



1.4	1	0	QPSK	23.01	23.32	23.27
1.4	1	3		23.05	22.96	22.95
1.4	1	5		23.02	23.08	22.91
1.4	3	0		23.08	23.06	23.02
1.4	3	1		23.14	23.12	23.06
1.4	3	3		23.12	23.14	23.10
1.4	6	0		22.07	22.07	21.98
1.4	1	0	16-QAM	22.31	22.33	22.28
1.4	1	3		22.38	22.43	22.24
1.4	1	5		22.29	22.44	22.28
1.4	3	0		22.06	22.11	22.02
1.4	3	1		22.16	22.14	22.00
1.4	3	3		22.11	22.12	22.05
1.4	6	0		21.13	21.13	21.11
1.4	1	0	64-QAM	20.95	20.95	20.93
1.4	1	3		20.5	20.43	20.31
1.4	1	5		21.69	21.53	21.61
1.4	3	0		21.61	21.59	21.46
1.4	3	1		21.72	21.6	21.62
1.4	3	3		21.66	21.58	21.62
1.4	6	0		20.54	20.41	20.55



LTE Band 38 Maximum Average Power [dBm]						
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest
20	1	0	QPSK	22.38	22.30	22.02
20	1	49		22.16	22.20	21.97
20	1	99		22.62	22.32	22.11
20	50	0		21.41	21.05	21.16
20	50	24		21.36	21.14	21.02
20	50	50		21.47	21.15	21.06
20	100	0		21.28	21.16	21.05
20	1	0	16-QAM	21.55	21.81	21.35
20	1	49		21.33	21.60	21.22
20	1	99		21.99	21.97	21.31
20	50	0		20.09	20.19	19.99
20	50	24		20.26	20.19	19.74
20	50	50		20.40	19.92	19.77
20	100	0		20.18	20.16	19.89
20	1	0	64-QAM	19.59	19.60	19.56
20	1	49		19.37	19.14	19.07
20	1	99		19.46	19.34	19.18
20	50	0		18.48	18.40	18.35
20	50	24		18.50	18.35	18.35
20	50	50		18.54	18.35	18.31
20	100	0		18.69	18.56	18.47



15	1	0	QPSK	22.30	22.13	22.05
15	1	37		22.24	21.97	21.90
15	1	74		22.45	21.99	21.94
15	36	0		21.30	21.16	20.80
15	36	20		21.28	21.15	20.95
15	36	39		21.07	21.20	20.85
15	75	0		21.30	21.17	20.93
15	1	0	16-QAM	21.72	21.83	21.15
15	1	37		21.43	21.23	21.31
15	1	74		21.47	20.97	21.34
15	36	0		20.25	20.12	19.97
15	36	20		20.23	20.10	19.96
15	36	39		20.19	19.99	19.74
15	75	0		20.31	20.07	19.96
15	1	0	64-QAM	19.68	19.46	19.50
15	1	37		19.23	19.28	19.21
15	1	74		19.44	19.16	19.08
15	36	0		18.46	18.33	18.15
15	36	20		18.66	18.34	18.29
15	36	39		18.64	18.38	18.20
15	75	0		18.68	18.36	18.31



LTE Band 38 Maximum Average Power [dBm]						
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest
10	1	0	QPSK	22.50	22.32	22.15
10	1	25		22.27	22.09	21.96
10	1	49		22.59	22.61	22.20
10	25	0		21.40	21.26	21.03
10	25	12		21.29	21.11	20.88
10	25	25		21.37	21.10	20.88
10	50	0		21.32	21.20	20.97
10	1	0	16-QAM	21.59	21.44	21.29
10	1	25		21.38	21.41	21.00
10	1	49		21.65	21.85	21.26
10	25	0		20.32	20.25	20.04
10	25	12		20.31	20.01	19.99
10	25	25		20.39	20.17	19.98
10	50	0		20.36	20.21	20.05
10	1	0	64-QAM	19.79	19.62	19.61
10	1	25		19.20	19.83	19.89
10	1	49		19.66	19.38	19.31
10	25	0		18.41	18.34	18.22
10	25	12		18.50	18.39	18.23
10	25	25		18.56	18.45	18.30
10	50	0		18.57	18.35	18.28



5	1	0	QPSK	22.20	22.42	22.20
5	1	12		22.15	22.07	21.79
5	1	24		22.07	22.09	21.64
5	12	0		21.29	21.21	20.98
5	12	7		21.31	21.15	20.89
5	12	13		21.20	21.10	20.83
5	25	0		21.13	21.18	20.92
5	1	0	16-QAM	21.26	21.27	21.07
5	1	12		21.27	21.15	20.93
5	1	24		21.38	21.20	20.97
5	12	0		20.35	20.18	19.94
5	12	7		20.27	20.12	19.94
5	12	13		20.21	20.12	19.87
5	25	0		20.35	20.11	19.93
5	1	0	64-QAM	19.59	19.41	19.42
5	1	12		19.85	19.68	19.60
5	1	24		19.37	19.16	19.03
5	12	0		18.52	18.31	18.19
5	12	7		18.55	18.32	18.19
5	12	13		18.50	18.35	18.27
5	25	0		18.50	18.36	18.15



LTE Band 41 Maximum Average Power [dBm]						
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest
20	1	0	QPSK	24.71	24.76	24.83
20	1	49		24.75	24.10	24.31
20	1	99		24.60	24.36	24.70
20	50	0		22.41	22.35	22.16
20	50	24		22.32	22.26	22.16
20	50	50		22.34	22.26	22.09
20	100	0		22.46	22.24	22.23
20	1	0	16-QAM	22.37	22.51	22.33
20	1	49		22.26	22.15	22.14
20	1	99		22.49	22.31	22.41
20	50	0		21.52	21.34	21.19
20	50	24		21.41	21.06	21.28
20	50	50		21.48	21.40	21.21
20	100	0		21.47	21.25	21.19
20	1	0	64-QAM	21.2	21.68	21.8
20	1	49		21.07	21.55	21.36
20	1	99		21.68	21.43	21.44
20	50	0		20.68	20.44	20.58
20	50	24		20.54	20.31	20.53
20	50	50		20.67	20.37	20.5
20	100	0		20.89	20.51	20.72





15	1	0	QPSK	24.44	24.53	24.39
15	1	37		24.71	25.00	24.51
15	1	74		24.91	24.93	24.39
15	36	0		22.32	22.24	22.25
15	36	20		22.32	22.13	22.08
15	36	39		22.35	22.18	22.11
15	75	0		22.35	22.30	22.16
15	1	0	16-QAM	22.51	22.72	22.50
15	1	37		22.36	22.28	22.12
15	1	74		22.89	22.31	22.20
15	36	0		21.39	21.38	21.92
15	36	20		21.25	21.23	21.17
15	36	39		21.33	21.20	21.01
15	75	0		21.44	21.37	21.27
15	1	0	64-QAM	21.21	21.97	21.95
15	1	37		21.06	21.37	21.23
15	1	74		21.9	21.55	21.43
15	36	0		20.75	20.4	20.67
15	36	20		20.61	20.31	20.49
15	36	39		20.58	20.4	20.4
15	75	0		20.88	20.44	20.6



LTE Band 41 Maximum Average Power [dBm]						
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest
10	1	0	QPSK	24.69	24.42	24.95
10	1	25		24.69	24.45	24.36
10	1	49		24.96	25.00	24.53
10	25	0		22.60	22.21	22.29
10	25	12		22.45	22.33	22.15
10	25	25		22.44	22.31	22.15
10	50	0		22.45	22.37	22.20
10	1	0	16-QAM	22.82	22.55	22.55
10	1	25		22.62	22.52	22.17
10	1	49		22.83	22.36	22.51
10	25	0		21.51	21.34	21.30
10	25	12		21.55	21.40	21.18
10	25	25		21.53	21.15	21.26
10	50	0		21.66	21.37	21.23
10	1	0	64-QAM	21.24	21.83	21.84
10	1	25		21.91	21.55	21.2
10	1	49		22	21.73	21.69
10	25	0		20.73	20.62	20.71
10	25	12		20.73	20.57	20.66
10	25	25		20.76	20.61	20.77
10	50	0		20.81	20.55	20.61



5	1	0	QPSK	24.37	25.00	24.71
5	1	12		24.73	24.20	24.19
5	1	24		24.98	24.82	24.56
5	12	0		22.50	22.29	22.22
5	12	7		22.38	22.07	22.16
5	12	13		22.37	22.19	22.15
5	25	0		22.28	22.37	22.18
5	1	0	16-QAM	22.41	22.42	22.26
5	1	12		22.17	22.15	22.03
5	1	24		22.44	22.31	22.14
5	12	0		21.43	21.24	21.17
5	12	7		21.36	21.27	21.01
5	12	13		21.38	21.15	21.12
5	25	0		21.36	21.34	21.30
5	1	0	64-QAM	21.91	21.62	21.75
5	1	12		21.29	21.13	21
5	1	24		21.53	21.36	21.38
5	12	0		20.65	20.41	20.64
5	12	7		20.76	20.47	20.63
5	12	13		20.71	20.4	20.21
5	25	0		20.69	20.62	20.45



LTE Band 66 Maximum Average Power [dBm]						
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest
20	1	0	QPSK	23.39	23.29	23.13
20	1	49		23.14	22.93	23.05
20	1	99		23.72	23.66	23.36
20	50	0		22.35	22.15	22.09
20	50	24		22.28	22.06	22.05
20	50	50		22.32	22.10	21.98
20	100	0		22.34	22.17	22.15
20	1	0	16-QAM	22.64	22.42	22.40
20	1	49		22.39	22.24	22.18
20	1	99		22.97	22.69	22.63
20	50	0		21.45	21.13	21.09
20	50	24		21.33	21.17	21.00
20	50	50		21.32	21.19	21.08
20	100	0		21.28	21.10	21.03
20	1	0	64-QAM	20.48	20.33	20.6
20	1	49		21.18	20.97	20.99
20	1	99		21.69	21.79	21.84
20	50	0		20.26	20.13	20.15
20	50	24		20.23	20.11	20.08
20	50	50		20.2	20.21	20.16
20	100	0		20.22	20.24	20.24



15	1	0	QPSK	23.28	23.55	23.48
15	1	37		23.00	23.30	23.17
15	1	74		23.34	23.35	23.40
15	36	0		22.54	22.14	22.14
15	36	20		22.39	22.08	21.99
15	36	39		22.25	22.06	22.00
15	75	0		22.42	22.16	22.05
15	1	0	16-QAM	22.87	22.63	22.67
15	1	37		22.39	22.17	22.13
15	1	74		22.61	22.44	22.48
15	36	0		21.53	21.16	21.15
15	36	20		21.35	21.08	21.05
15	36	39		21.23	21.08	21.01
15	75	0		21.41	21.13	21.15
15	1	0	64-QAM	20.81	20.7	20.79
15	1	37		21.12	20.94	20.75
15	1	74		21.53	21.58	21.32
15	36	0		20.4	20.15	20.29
15	36	20		20.17	20.09	20.08
15	36	39		20.12	20.1	20.08
15	75	0		20.26	20.24	20.11



LTE Band 66 Maximum Average Power [dBm]						
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest
10	1	0	QPSK	22.98	23.12	23.19
10	1	25		23.20	23.10	22.80
10	1	49		23.55	23.55	23.26
10	25	0		22.04	21.98	21.75
10	25	12		22.11	21.99	21.76
10	25	25		22.17	22.00	21.82
10	50	0		22.07	21.98	21.77
10	1	0	16-QAM	21.96	22.23	21.95
10	1	25		22.17	22.07	21.95
10	1	49		22.51	22.46	22.42
10	25	0		21.03	20.97	20.82
10	25	12		21.09	21.01	20.77
10	25	25		21.07	21.02	20.85
10	50	0		21.15	20.91	20.73
10	1	0	64-QAM	20.92	20.76	20.86
10	1	25		21.04	21.08	21.17
10	1	49		21.43	21.62	21.42
10	25	0		19.94	19.93	19.89
10	25	12		20.04	20.07	19.93
10	25	25		20	19.97	19.97
10	50	0		19.97	20.03	19.84



5	1	0	QPSK	22.80	22.65	22.95
5	1	12		22.71	22.91	22.73
5	1	24		22.79	22.74	22.74
5	12	0		21.77	21.88	21.81
5	12	7		21.70	21.85	21.72
5	12	13		21.75	21.77	21.74
5	25	0		21.77	21.84	21.74
5	1	0	16-QAM	22.17	22.12	22.21
5	1	12		21.84	21.96	21.91
5	1	24		22.03	22.03	22.10
5	12	0		20.78	20.87	20.91
5	12	7		20.72	20.82	20.81
5	12	13		20.69	20.76	20.79
5	25	0		20.66	20.80	20.75
5	1	0	64-QAM	20.47	20.41	20.42
5	1	12		20.73	20.72	20.86
5	1	24		21.02	21.02	20.91
5	12	0		19.97	19.96	19.84
5	12	7		19.93	20.01	19.86
5	12	13		19.89	19.93	19.85
5	25	0		19.9	19.98	19.92



LTE Band 66 Maximum Average Power [dBm]						
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest
3	1	0	QPSK	22.50	22.70	22.66
3	1	8		22.71	22.75	22.76
3	1	14		22.56	22.64	22.67
3	8	0		21.72	21.80	21.76
3	8	4		21.68	21.79	21.76
3	8	7		21.65	21.75	21.73
3	15	0		21.64	21.75	21.68
3	1	0	16-QAM	22.44	22.50	22.10
3	1	8		22.26	22.18	22.09
3	1	14		21.79	21.99	21.92
3	8	0		20.77	20.84	20.90
3	8	4		20.72	20.82	20.83
3	8	7		20.69	20.75	20.88
3	15	0		20.67	20.77	20.71
3	1	0	64-QAM	20.33	20.21	20.24
3	1	8		20.81	20.76	20.93
3	1	14		20.98	21.03	20.76
3	8	0		19.93	19.9	19.9
3	8	4		19.91	19.93	19.88
3	8	7		19.89	19.95	19.77
3	15	0		19.88	19.97	19.89





1.4	1	0	QPSK	22.99	22.86	22.92
1.4	1	3		22.69	22.71	22.76
1.4	1	5		22.53	22.72	22.70
1.4	3	0		22.68	22.69	22.68
1.4	3	1		22.66	22.66	22.82
1.4	3	3		22.72	22.82	22.78
1.4	6	0		21.65	21.71	21.66
1.4	1	0	16-QAM	22.30	21.92	22.11
1.4	1	3		21.92	22.02	22.00
1.4	1	5		21.80	22.00	22.02
1.4	3	0		21.72	21.76	21.72
1.4	3	1		21.72	21.71	21.82
1.4	3	3		21.65	21.78	21.79
1.4	6	0		20.67	20.78	20.76
1.4	1	0	64-QAM	20.25	20.26	20.36
1.4	1	3		20.8	20.93	20.81
1.4	1	5		21.16	20.99	20.87
1.4	3	0		20.87	21.04	20.88
1.4	3	1		20.91	21.12	21.03
1.4	3	3		20.93	21.06	20.87
1.4	6	0		19.88	19.92	19.84



LTE CA

CA_41C								
Combination 20MHz+20MHz (100RB+100RB)								
PCC Channel	SCC Channel	Modulation	PCC		SCC		Total RB Size	Measured Power (dBm)
			RB Size	RB offset	RB Size	RB offset		
39750	39948	QPSK	0	0	1	99	1	22.97
			1	0	0	0	1	22.80
			100	0	0	0	100	22.01
			100	0	100	0	200	21,65
			1	0	1	99	2	15.25
			1	0	1	0	2	19.55
			1	99	1	0	2	23.23
			100	0	1	99	101	20.45
		16QAM	0	0	1	99	1	22.98
			1	0	0	0	1	22.13
			100	0	0	0	100	21.10
			100	0	100	0	200	21.47
			1	0	1	99	2	16.21
			1	0	1	0	2	20.58
			1	99	1	0	2	23.48
			100	0	1	99	101	21.01
		64QAM	0	0	1	99	1	21.05
			1	0	0	0	1	20.97
			100	0	0	0	100	20.82
			100	0	100	0	200	20.98
			1	0	1	99	2	15.71
			1	0	1	0	2	19.51
			1	99	1	0	2	21.06
			100	0	1	99	101	20.53



40521	40719	QPSK	0	0	1	99	1	22.54
			1	0	0	0	1	22.33
			100	0	0	0	100	21.37
			100	0	100	0	200	21.43
			1	0	1	99	2	15.92
			1	0	1	0	2	18.95
			1	99	1	0	2	22.94
			100	0	1	99	101	20.84
		16QAM	0	0	1	99	1	22.00
			1	0	0	0	1	21.92
			100	0	0	0	100	20.28
			100	0	100	0	200	21.26
			1	0	1	99	2	16.64
			1	0	1	0	2	20.30
			1	99	1	0	2	23.45
			100	0	1	99	101	20.48
		64QAM	0	0	1	99	1	21.41
			1	0	0	0	1	20.55
			100	0	0	0	100	19.35
			100	0	100	0	200	20.34
			1	0	1	99	2	15.44
			1	0	1	0	2	19.11
			1	99	1	0	2	20.39
			100	0	1	99	101	20.14



41292	41490	QPSK	0	0	1	99	1	22.50
			1	0	0	0	1	22.45
			100	0	0	0	100	21.82
			100	0	100	0	200	21.22
			1	0	1	99	2	15.34
			1	0	1	0	2	19.77
			1	99	1	0	2	22.97
			100	0	1	99	101	20.77
		16QAM	0	0	1	99	1	22.72
			1	0	0	0	1	22.45
			100	0	0	0	100	20.05
			100	0	100	0	200	20.84
			1	0	1	99	2	16.15
			1	0	1	0	2	19.94
			1	99	1	0	2	23.04
			100	0	1	99	101	20.38
		64QAM	0	0	1	99	1	20.95
			1	0	0	0	1	20.51
			100	0	0	0	100	19.14
			100	0	100	0	200	20.41
			1	0	1	99	2	16.1
			1	0	1	0	2	19.16
			1	99	1	0	2	20.23
			100	0	1	99	101	19.48



CA_41C								
Combination 20MHz+15MHz (100RB+75RB)								
PCC Channel	SCC Channel	Modulation	PCC		SCC		Total RB Size	Measured Power (dBm)
			RB Size	RB offset	RB Size	RB offset		
39750	39921	QPSK	1	99	1	0	2	23.75
		16QAM	1	99	1	0	2	23.66
		64QAM	1	99	1	0	2	20.97
40546	40717	QPSK	1	99	1	0	2	23.17
		16QAM	1	99	1	0	2	23.14
		64QAM	1	99	1	0	2	20.55
41341	41512	QPSK	1	99	1	0	2	23.01
		16QAM	1	99	1	0	2	22.92
		64QAM	1	99	1	0	2	20.60
Combination 15MHz+20MHz (75RB+100RB)								
PCC Channel	SCC Channel	Modulation	PCC		SCC		Total RB Size	Measured Power (dBm)
			RB Size	RB offset	RB Size	RB offset		
39728	39899	QPSK	1	74	1	0	2	23.33
		16QAM	1	74	1	0	2	23.42
		64QAM	1	74	1	0	2	21.88
40523	40694	QPSK	1	74	1	0	2	23.22
		16QAM	1	74	1	0	2	22.75
		64QAM	1	74	1	0	2	21.24
41319	41490	QPSK	1	74	1	0	2	23.16
		16QAM	1	74	1	0	2	22.50
		64QAM	1	74	1	0	2	21.30



Combination 20MHz+10MHz (100RB+50RB)								
PCC	SCC	Modulation	PCC		SCC		Total RB Size	Measured Power (dBm)
Channel	Channel		RB Size	RB offset	RB Size	RB offset		
39750	39894	QPSK	1	99	1	0	2	23.66
		16QAM	1	99	1	0	2	23.33
		64QAM	1	99	1	0	2	20.92
40571	40715	QPSK	1	99	1	0	2	23.26
		16QAM	1	99	1	0	2	23.15
		64QAM	1	99	1	0	2	20.55
41391	41535	QPSK	1	99	1	0	2	23.14
		16QAM	1	99	1	0	2	23.06
		64QAM	1	99	1	0	2	20.21
Combination 10MHz+20MHz (50RB+100RB)								
PCC	SCC	Modulation	PCC		SCC		Total RB Size	Measured Power (dBm)
Channel	Channel		RB Size	RB offset	RB Size	RB offset		
39705	39849	QPSK	1	49	1	0	2	23.64
		16QAM	1	49	1	0	2	23.22
		64QAM	1	49	1	0	2	21.73
40526	40670	QPSK	1	49	1	0	2	23.19
		16QAM	1	49	1	0	2	22.92
		64QAM	1	49	1	0	2	21.35
41346	41490	QPSK	1	49	1	0	2	22.99
		16QAM	1	49	1	0	2	22.63
		64QAM	1	49	1	0	2	21.44



Combination 20MHz+5MHz (100RB+25RB)								
PCC	SCC	Modulation	PCC		SCC		Total RB Size	Measured Power (dBm)
Channel	Channel		RB Size	RB offset	RB Size	RB offset		
39750	39867	QPSK	1	99	1	0	2	23.75
		16QAM	1	99	1	0	2	23.47
		64QAM	1	99	1	0	2	21.6
40595	40712	QPSK	1	99	1	0	2	23.21
		16QAM	1	99	1	0	2	22.71
		64QAM	1	99	1	0	2	20.36
41440	41557	QPSK	1	99	1	0	2	23.18
		16QAM	1	99	1	0	2	23.14
		64QAM	1	99	1	0	2	20.48
Combination 5MHz+20MHz (25RB+100RB)								
PCC	SCC	Modulation	PCC		SCC		Total RB Size	Measured Power (dBm)
Channel	Channel		RB Size	RB offset	RB Size	RB offset		
39683	39800	QPSK	1	24	1	0	2	23.76
		16QAM	1	24	1	0	2	23.21
		64QAM	1	24	1	0	2	21.71
40528	40645	QPSK	1	24	1	0	2	23.13
		16QAM	1	24	1	0	2	23.17
		64QAM	1	24	1	0	2	20.33
41373	41490	QPSK	1	24	1	0	2	22.91
		16QAM	1	24	1	0	2	22.72
		64QAM	1	24	1	0	2	21.13



Combination 15MHz+15MHz (75RB+75RB)								
PCC	SCC	Modulation	PCC		SCC		Total RB Size	Measured Power (dBm)
Channel	Channel		RB Size	RB offset	RB Size	RB offset		
39725	39875	QPSK	1	74	1	0	2	23.41
		16QAM	1	74	1	0	2	23.29
		64QAM	1	74	1	0	2	20.88
40545	40695	QPSK	1	74	1	0	2	23.04
		16QAM	1	74	1	0	2	23.05
		64QAM	1	74	1	0	2	20.41
41365	41515	QPSK	1	74	1	0	2	23.21
		16QAM	1	74	1	0	2	23.08
		64QAM	1	74	1	0	2	20.55





**ERP/EIRP**

LTE Band 2 (G <sub>T</sub> - L <sub>C</sub> = -0.3 dB) QPSK									
Bandwidth	1.4M			3M			5M		
Channel	18607	18900	19193	18615	18900	19185	18625	18900	19175
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Frequency	1850.7	1880	1909.3	1851.5	1880	1908.5	1852.5	1880	1907.5
(MHz)									
Conducted Power (dBm)	22.92	23.10	23.05	23.05	23.08	23.13	22.88	23.14	23.23
Conducted Power (Watts)	0.1959	0.2042	0.2018	0.2018	0.2032	0.2056	0.1941	0.2061	0.2104
EIRP(dBm)	22.62	22.80	22.75	22.75	22.78	22.83	22.58	22.84	22.93
EIRP(Watts)	0.1828	0.1905	0.1884	0.1884	0.1897	0.1919	0.1811	0.1923	0.1963

LTE Band 2 (G <sub>T</sub> - L <sub>C</sub> = -0.3 dB) QPSK									
Bandwidth	10M			15M			20M		
Channel	18650	18900	19150	18675	18900	19125	18650	18900	19100
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Frequency	1855	1880	1905	1857.5	1880	1902.5	1860	1880	1900
(MHz)									
Conducted Power (dBm)	23.56	23.46	23.12	23.16	23.49	23.47	23.31	23.60	23.50
Conducted Power (Watts)	0.2270	0.2218	0.2051	0.2070	0.2234	0.2223	0.2143	0.2291	0.2239
EIRP(dBm)	23.26	23.16	22.82	22.86	23.19	23.17	23.01	23.30	23.20
EIRP(Watts)	0.2118	0.2070	0.1914	0.1932	0.2084	0.2075	0.2000	0.2138	0.2089



LTE Band 2 (G <sub>T</sub> - L <sub>C</sub> = -0.3 dB) 16QAM									
Bandwidth	1.4M			3M			5M		
Channel	18607	18900	19193	18615	18900	19185	18625	18900	19175
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Frequency (MHz)	1850.7	1880	1909.3	1851.5	1880	1908.5	1852.5	1880	1907.5
Conducted Power (dBm)	22.24	22.35	22.54	22.17	22.33	22.71	22.39	22.60	22.53
Conducted Power (Watts)	0.1675	0.1718	0.1795	0.1648	0.1710	0.1866	0.1734	0.1820	0.1791
EIRP(dBm)	21.94	22.05	22.24	21.87	22.03	22.41	22.09	22.30	22.23
EIRP(Watts)	0.1563	0.1603	0.1675	0.1538	0.1596	0.1742	0.1618	0.1698	0.1671

LTE Band 2 (G <sub>T</sub> - L <sub>C</sub> = -0.3 dB) 16QAM									
Bandwidth	10M			15M			20M		
Channel	18650	18900	19150	18675	18900	19125	18650	18900	19100
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Frequency (MHz)	1855	1880	1905	1857.5	1880	1902.5	1860	1880	1900
Conducted Power (dBm)	22.60	22.73	22.66	22.57	22.82	22.60	22.50	22.74	22.64
Conducted Power (Watts)	0.1820	0.1875	0.1845	0.1807	0.1914	0.1820	0.1778	0.1879	0.1837
EIRP(dBm)	22.30	22.43	22.36	22.27	22.52	22.30	22.20	22.44	22.34
EIRP(Watts)	0.1698	0.1750	0.1722	0.1687	0.1786	0.1698	0.1660	0.1754	0.1714



LTE Band 2 (G <sub>T</sub> - L <sub>C</sub> = -0.3 dB) 64QAM									
Bandwidth	1.4M			3M			5M		
Channel	18607	18900	19193	18615	18900	19185	18625	18900	19175
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Frequency (MHz)	1850.7	1880	1909.3	1851.5	1880	1908.5	1852.5	1880	1907.5
Conducted Power (dBm)	21.97	21.74	21.48	21.89	21.67	21.60	21.97	21.74	21.48
Conducted Power (Watts)	0.1574	0.1493	0.1406	0.1545	0.1469	0.1445	0.1574	0.1493	0.1406
EIRP(dBm)	21.67	21.44	21.18	21.59	21.37	21.30	21.67	21.44	21.18
EIRP(Watts)	0.1469	0.1393	0.1312	0.1442	0.1371	0.1349	0.1469	0.1393	0.1312

LTE Band 2 (G <sub>T</sub> - L <sub>C</sub> = -0.3 dB) 64QAM									
Bandwidth	10M			15M			20M		
Channel	18650	18900	19150	18675	18900	19125	18650	18900	19100
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Frequency (MHz)	1855	1880	1905	1857.5	1880	1902.5	1860	1880	1900
Conducted Power (dBm)	21.73	21.46	21.55	21.37	21.31	20.67	21.68	21.72	21.15
Conducted Power (Watts)	0.1489	0.1400	0.1429	0.1371	0.1352	0.1167	0.1472	0.1486	0.1303
EIRP(dBm)	21.43	21.16	21.25	21.07	21.01	20.37	21.38	21.42	20.85
EIRP(Watts)	0.1390	0.1306	0.1334	0.1279	0.1262	0.1089	0.1374	0.1387	0.1216



LTE Band 4 (G <sub>T</sub> - L <sub>C</sub> = -1.1 dB) QPSK									
Bandwidth	1.4M			3M			5M		
Channel	19957	20175	20393	19965	20175	20385	19975	20175	20375
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Frequency	1710.7	1732.5	1754.3	1711.5	1732.5	1753.5	1712.5	1732.5	1752.5
(MHz)									
Conducted Power (dBm)	23.12	22.95	23.00	23.12	22.89	22.92	23.04	22.87	23.03
Conducted Power (Watts)	0.2051	0.1972	0.1995	0.2051	0.1945	0.1959	0.2014	0.1936	0.2009
EIRP(dBm)	22.02	21.85	21.90	22.02	21.79	21.82	21.94	21.77	21.93
EIRP(Watts)	0.1592	0.1531	0.1549	0.1592	0.1510	0.1521	0.1563	0.1503	0.1560

LTE Band 4 (G <sub>T</sub> - L <sub>C</sub> = -1.1 dB) QPSK									
Bandwidth	10M			15M			20M		
Channel	20000	20175	20350	20025	20175	20325	20050	20175	20300
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Frequency	1715	1732.5	1750	1717.5	1732.5	1747.5	1720	1732.5	1745
(MHz)									
Conducted Power (dBm)	23.54	23.48	23.63	23.15	22.98	22.86	23.74	23.15	23.15
Conducted Power (Watts)	0.2259	0.2228	0.2307	0.2065	0.1986	0.1932	0.2366	0.2065	0.2065
EIRP(dBm)	22.44	22.38	22.53	22.05	21.88	21.76	22.64	22.05	22.05
EIRP(Watts)	0.1754	0.1730	0.1791	0.1603	0.1542	0.1500	0.1837	0.1603	0.1603



LTE Band 4 ( $G_T - L_C = -1.1$ dB) 16QAM									
Bandwidth	1.4M			3M			5M		
Channel	19957	20175	20393	19965	20175	20385	19975	20175	20375
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Frequency	1710.7	1732.5	1754.3	1711.5	1732.5	1753.5	1712.5	1732.5	1752.5
(MHz)									
Conducted Power (dBm)	22.75	22.28	22.46	22.53	22.26	22.24	22.71	22.34	22.40
Conducted Power (Watts)	0.1884	0.1690	0.1762	0.1791	0.1683	0.1675	0.1866	0.1714	0.1738
EIRP(dBm)	21.65	21.18	21.36	21.43	21.16	21.14	21.61	21.24	21.30
EIRP(Watts)	0.1462	0.1312	0.1368	0.1390	0.1306	0.1300	0.1449	0.1330	0.1349

LTE Band 4 ( $G_T - L_C = -1.1$ dB) 16QAM									
Bandwidth	10M			15M			20M		
Channel	20000	20175	20350	20025	20175	20325	20050	20175	20300
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Frequency	1715	1732.5	1750	1717.5	1732.5	1747.5	1720	1732.5	1745
(MHz)									
Conducted Power (dBm)	22.67	22.64	22.72	22.58	22.62	22.40	22.50	22.58	22.39
Conducted Power (Watts)	0.1849	0.1837	0.1871	0.1811	0.1828	0.1738	0.1778	0.1811	0.1734
EIRP(dBm)	21.57	21.54	21.62	21.48	21.52	21.30	21.40	21.48	21.29
EIRP(Watts)	0.1435	0.1426	0.1452	0.1406	0.1419	0.1349	0.1380	0.1406	0.1346



LTE Band 4 ( $G_T - L_C = -1.1$ dB) 64QAM									
Bandwidth	1.4M			3M			5M		
Channel	19957	20175	20393	19965	20175	20385	19975	20175	20375
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Frequency (MHz)	1710.7	1732.5	1754.3	1711.5	1732.5	1753.5	1712.5	1732.5	1752.5
Conducted Power (dBm)	21.21	21.13	20.79	21.16	21.28	20.89	21.01	20.95	20.83
Conducted Power (Watts)	0.1321	0.1297	0.1199	0.1306	0.1343	0.1227	0.1262	0.1245	0.1211
EIRP(dBm)	20.11	20.03	19.69	20.06	20.18	19.79	19.91	19.85	19.73
EIRP(Watts)	0.1026	0.1007	0.0931	0.1014	0.1042	0.0953	0.0979	0.0966	0.0940

LTE Band 4 ( $G_T - L_C = -1.1$ dB) 64QAM									
Bandwidth	10M			15M			20M		
Channel	20000	20175	20350	20025	20175	20325	20050	20175	20300
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Frequency (MHz)	1715	1732.5	1750	1717.5	1732.5	1747.5	1720	1732.5	1745
Conducted Power (dBm)	21.56	21.59	21.39	20.91	20.77	20.55	20.69	20.33	20.58
Conducted Power (Watts)	0.1432	0.1442	0.1377	0.1233	0.1194	0.1135	0.1172	0.1079	0.1143
EIRP(dBm)	20.46	20.49	20.29	19.81	19.67	19.45	19.59	19.23	19.48
EIRP(Watts)	0.1112	0.1119	0.1069	0.0957	0.0927	0.0881	0.0910	0.0838	0.0887



LTE Band 5 ( $G_T - L_C = -2.7$ dB) QPSK									
Bandwidth	1.4M			3M			5M		
Channel	20407	20525	20643	20415	20525	20635	20425	20525	20625
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Frequency (MHz)	824.7	836.5	848.3	825.5	836.5	847.5	826.5	836.5	846.5
Conducted Power (dBm)	23.26	23.46	23.48	23.37	23.24	23.21	23.26	23.18	23.39
Conducted Power (Watts)	0.2118	0.2218	0.2228	0.2173	0.2109	0.2094	0.2118	0.2080	0.2183
ERP(dBm)	18.41	18.61	18.63	18.52	18.39	18.36	18.41	18.33	18.54
ERP(Watts)	0.0693	0.0726	0.0729	0.0711	0.0690	0.0685	0.0693	0.0681	0.0714

LTE Band 5 ( $G_T - L_C = -2.7$ dB) QPSK			
Bandwidth	10M		
Channel	20450	20525	20600
	(Low)	(Mid)	(High)
Frequency (MHz)	829	836.5	844
Conducted Power (dBm)	23.66	23.56	23.69
Conducted Power (Watts)	0.2323	0.2270	0.2339
ERP(dBm)	18.81	18.71	18.84
ERP(Watts)	0.0760	0.0743	0.0766



LTE Band 5 (G <sub>T</sub> - L <sub>C</sub> = -2.7 dB) 16QAM									
Bandwidth	1.4M			3M			5M		
Channel	20407	20525	20643	20415	20525	20635	20425	20525	20625
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Frequency	824.7	836.5	848.3	825.5	836.5	847.5	826.5	836.5	846.5
(MHz)									
Conducted Power (dBm)	22.55	22.35	22.54	22.52	22.51	22.66	22.67	22.44	22.55
Conducted Power (Watts)	0.1799	0.1718	0.1795	0.1786	0.1782	0.1845	0.1849	0.1754	0.1799
ERP(dBm)	17.70	17.50	17.69	17.67	17.66	17.81	17.82	17.59	17.70
ERP(Watts)	0.0589	0.0562	0.0587	0.0585	0.0583	0.0604	0.0605	0.0574	0.0589

LTE Band 5 (G <sub>T</sub> - L <sub>C</sub> = -2.7 dB) 16QAM			
Bandwidth	10M		
Channel	20450	20525	20600
	(Low)	(Mid)	(High)
Frequency	829	836.5	844
(MHz)			
Conducted Power (dBm)	22.97	22.84	22.79
Conducted Power (Watts)	0.1982	0.1923	0.1901
ERP(dBm)	18.12	17.99	17.94
ERP(Watts)	0.0649	0.0630	0.0622





LTE Band 5 (G <sub>T</sub> - L <sub>C</sub> = -2.7 dB) 64QAM									
Bandwidth	1.4M			3M			5M		
Channel	20407	20525	20643	20415	20525	20635	20425	20525	20625
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Frequency (MHz)	824.7	836.5	848.3	825.5	836.5	847.5	826.5	836.5	846.5
Conducted Power (dBm)	21.16	20.98	21.11	21.16	21.07	21.06	20.91	21.16	21.14
Conducted Power (Watts)	0.1306	0.1253	0.1291	0.1306	0.1279	0.1276	0.1233	0.1306	0.1300
ERP(dBm)	18.46	18.28	18.41	18.46	18.37	18.36	18.21	18.46	18.44
ERP(Watts)	0.0701	0.0673	0.0693	0.0701	0.0687	0.0685	0.0662	0.0701	0.0698

LTE Band 5 (G <sub>T</sub> - L <sub>C</sub> = -2.7 dB) 64QAM			
Bandwidth	10M		
Channel	20450	20525	20600
	(Low)	(Mid)	(High)
Frequency (MHz)	829	836.5	844
Conducted Power (dBm)	21.53	21.53	21.46
Conducted Power (Watts)	0.1422	0.1422	0.1400
ERP(dBm)	18.83	18.83	18.76
ERP(Watts)	0.0764	0.0764	0.0752



LTE Band 7 ( $G_T - L_C = 0.3$ dB) QPSK			
Bandwidth	5M		
Channel	20775	21100	21425
	(Low)	(Mid)	(High)
Frequency (MHz)	2502.5	2535	2567.5
	Conducted Power (dBm)	23.53	23.59
Conducted Power (Watts)	0.2254	0.2286	0.2193
EIRP(dBm)	23.83	23.89	23.71
EIRP(Watts)	0.2415	0.2449	0.2350

LTE Band 7 ( $G_T - L_C = 0.3$ dB) QPSK									
Bandwidth	10M			15M			20M		
Channel	20800	21100	21400	20825	21100	21375	20850	21100	21350
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Frequency (MHz)	2505	2535	2565	2507.5	2535	2562.5	2510	2535	2560
	Conducted Power (dBm)	23.85	23.80	23.45	23.89	23.78	23.90	24.21	24.20
Conducted Power (Watts)	0.2427	0.2399	0.2213	0.2449	0.2388	0.2455	0.2636	0.2630	0.2535
EIRP(dBm)	24.15	24.10	23.75	24.19	24.08	24.20	24.51	24.50	24.34
EIRP(Watts)	0.2600	0.2570	0.2371	0.2624	0.2559	0.2630	0.2825	0.2818	0.2716



LTE Band 7 (G <sub>T</sub> - L <sub>C</sub> = 0.3 dB) 16QAM			
Bandwidth	5M		
Channel	20775	21100	21425
	(Low)	(Mid)	(High)
Frequency (MHz)	2502.5	2535	2567.5
	Conducted Power (dBm)	22.86	23.11
Conducted Power (Watts)	0.1932	0.2046	0.1875
EIRP(dBm)	23.16	23.41	23.03
EIRP(Watts)	0.2070	0.2193	0.2009

LTE Band 7 (G <sub>T</sub> - L <sub>C</sub> = 0.3 dB) 16QAM									
Bandwidth	10M			15M			20M		
Channel	20800	21100	21400	20825	21100	21375	20850	21100	21350
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Frequency (MHz)	2505	2535	2565	2507.5	2535	2562.5	2510	2535	2560
	Conducted Power (dBm)	23.05	23.21	22.86	23.21	23.14	23.01	23.34	23.26
Conducted Power (Watts)	0.2018	0.2094	0.1932	0.2094	0.2061	0.2000	0.2158	0.2118	0.2128
EIRP(dBm)	23.35	23.51	23.16	23.51	23.44	23.31	23.64	23.56	23.58
EIRP(Watts)	0.2163	0.2244	0.2070	0.2244	0.2208	0.2143	0.2312	0.2270	0.2280



LTE Band 7 ( $G_T - L_C = 0.3$ dB) 64QAM			
Bandwidth	5M		
Channel	20775	21100	21425
	(Low)	(Mid)	(High)
Frequency	2502.5	2535	2567.5
(MHz)			
Conducted Power (dBm)	21.69	21.74	21.78
Conducted Power (Watts)	0.1476	0.1493	0.1507
EIRP(dBm)	21.99	22.04	22.08
EIRP(Watts)	0.1581	0.1600	0.1614

LTE Band 7 ( $G_T - L_C = 0.3$ dB) 64QAM									
Bandwidth	10M			15M			20M		
Channel	20800	21100	21400	20825	21100	21375	20850	21100	21350
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Frequency	2505	2535	2565	2507.5	2535	2562.5	2510	2535	2560
(MHz)									
Conducted Power (dBm)	21.63	21.61	21.90	21.69	21.74	21.78	21.83	22.01	21.97
Conducted Power (Watts)	0.1455	0.1449	0.1549	0.1476	0.1493	0.1507	0.1524	0.1589	0.1574
EIRP(dBm)	21.93	21.91	22.20	21.99	22.04	22.08	22.13	22.31	22.27
EIRP(Watts)	0.1560	0.1552	0.1660	0.1581	0.1600	0.1614	0.1633	0.1702	0.1687



LTE Band 12 (G <sub>T</sub> - L <sub>C</sub> = -3.8 dB) QPSK									
Bandwidth	1.4M			3M			5M		
Channel	23017	23095	23173	23025	23095	23165	23035	23095	23155
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Frequency (MHz)	699.7	707.5	715.3	700.5	707.5	714.5	701.5	707.5	713.5
Conducted Power (dBm)	23.35	23.26	23.35	22.99	23.36	23.43	23.16	22.66	23.45
Conducted Power (Watts)	0.2163	0.2118	0.2163	0.1991	0.2168	0.2203	0.2070	0.1845	0.2213
ERP(dBm)	17.40	17.31	17.40	17.04	17.41	17.48	17.21	16.71	17.50
ERP(Watts)	0.0550	0.0538	0.0550	0.0506	0.0551	0.0560	0.0526	0.0469	0.0562

LTE Band 12 (G <sub>T</sub> - L <sub>C</sub> = -3.8 dB) QPSK			
Bandwidth	10M		
Channel	23060	23095	23130
	(Low)	(Mid)	(High)
Frequency (MHz)	704	707.5	711
Conducted Power (dBm)	23.78	23.58	23.60
Conducted Power (Watts)	0.2388	0.2280	0.2291
ERP(dBm)	17.83	17.63	17.65
ERP(Watts)	0.0607	0.0579	0.0582



LTE Band 12 (G <sub>T</sub> - L <sub>C</sub> = -3.8 dB) 16QAM									
Bandwidth	1.4M			3M			5M		
Channel	23017	23095	23173	23025	23095	23165	23035	23095	23155
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Frequency (MHz)	699.7	707.5	715.3	700.5	707.5	714.5	701.5	707.5	713.5
Conducted Power (dBm)	22.35	22.43	22.51	22.24	22.38	22.68	22.25	22.43	22.82
Conducted Power (Watts)	0.1718	0.1750	0.1782	0.1675	0.1730	0.1854	0.1679	0.1750	0.1914
ERP(dBm)	16.40	16.48	16.56	16.29	16.43	16.73	16.30	16.48	16.87
ERP(Watts)	0.0437	0.0445	0.0453	0.0426	0.0440	0.0471	0.0427	0.0445	0.0486

LTE Band 12 (G <sub>T</sub> - L <sub>C</sub> = -3.8 dB) 16QAM			
Bandwidth	10M		
Channel	23060	23095	23130
	(Low)	(Mid)	(High)
Frequency (MHz)	704	707.5	711
Conducted Power (dBm)	23.00	22.76	22.95
Conducted Power (Watts)	0.1995	0.1888	0.1972
ERP(dBm)	17.05	16.81	17.00
ERP(Watts)	0.0507	0.0480	0.0501



LTE Band 12 (G <sub>T</sub> - L <sub>C</sub> = -3.8 dB) 64QAM									
Bandwidth	1.4M			3M			5M		
Channel	23017	23095	23173	23025	23095	23165	23035	23095	23155
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Frequency (MHz)	699.7	707.5	715.3	700.5	707.5	714.5	701.5	707.5	713.5
Conducted Power (dBm)	21.62	21.69	21.72	21.63	21.61	21.90	21.69	21.74	21.78
Conducted Power (Watts)	0.1452	0.1476	0.1486	0.1455	0.1449	0.1549	0.1476	0.1493	0.1507
ERP(dBm)	17.82	17.89	17.92	17.83	17.81	18.10	17.89	17.94	17.98
ERP(Watts)	0.0605	0.0615	0.0619	0.0607	0.0604	0.0646	0.0615	0.0622	0.0628

LTE Band 12 (G <sub>T</sub> - L <sub>C</sub> = -3.8 dB) 64QAM			
Bandwidth	10M		
Channel	23060	23095	23130
	(Low)	(Mid)	(High)
Frequency (MHz)	704	707.5	711
Conducted Power (dBm)	21.83	21.01	21.97
Conducted Power (Watts)	0.1524	0.1262	0.1574
ERP(dBm)	18.03	17.21	18.17
ERP(Watts)	0.0635	0.0526	0.0656



LTE Band 13 (G <sub>T</sub> - L <sub>C</sub> = -2.4 dB) QPSK						
Bandwidth	5M			10M		
Channel	23205	23230	23255	23230		
	(Low)	(Mid)	(High)	-	(Mid)	-
Frequency	779.5	782	784.5	-	782	-
(MHz)						
Conducted Power (dBm)	23.68	23.62	23.61	-	23.70	-
Conducted Power (Watts)	0.2333	0.2301	0.2296	-	0.2344	-
ERP(dBm)	19.13	19.07	19.06	-	19.15	-
ERP(Watts)	0.0818	0.0807	0.0805	-	0.0822	-

LTE Band 13 (G <sub>T</sub> - L <sub>C</sub> = -2.4 dB) 16QAM						
Bandwidth	5M			10M		
Channel	23205	23230	23255	23230		
	(Low)	(Mid)	(High)	-	(Mid)	-
Frequency	779.5	782	784.5	-	782	-
(MHz)						
Conducted Power (dBm)	22.99	22.95	22.76	-	22.96	-
Conducted Power (Watts)	0.1991	0.1972	0.1888	-	0.1977	-
ERP(dBm)	18.44	18.40	18.21	-	18.41	-
ERP(Watts)	0.0698	0.0692	0.0662	-	0.0693	-

LTE Band 13 (G <sub>T</sub> - L <sub>C</sub> = -2.4 dB) 64QAM						
Bandwidth	5M			10M		
Channel	23205	23230	23255	23230		
	(Low)	(Mid)	(High)	-	(Mid)	-
Frequency	779.5	782	784.5	-	782	-
(MHz)						
Conducted Power (dBm)	21.74	21.74	21.79	-	21.96	-
Conducted Power (Watts)	0.1493	0.1493	0.1510	-	0.1570	-
ERP(dBm)	19.34	19.34	19.39	-	19.56	-
ERP(Watts)	0.0859	0.0859	0.0869	-	0.0904	-





LTE Band 17 (G <sub>T</sub> - L <sub>C</sub> = -3.8 dB) QPSK						
Bandwidth	5M			10M		
Channel	23755	23790	23825	23780	23790	23800
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Frequency	706.5	710	713.5	709	710	711
(MHz)						
Conducted Power (dBm)	23.49	23.51	23.54	23.51	23.66	23.42
Conducted Power (Watts)	0.2234	0.2244	0.2259	0.2244	0.2323	0.2198
ERP(dBm)	17.54	17.56	17.59	17.56	17.71	17.47
ERP(Watts)	0.0568	0.0570	0.0574	0.0570	0.0590	0.0558

LTE Band 17 (G <sub>T</sub> - L <sub>C</sub> = -3.8 dB) 16QAM						
Bandwidth	5M			10M		
Channel	23755	23790	23825	23780	23790	23800
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Frequency	706.5	710	713.5	709	710	711
(MHz)						
Conducted Power (dBm)	22.91	22.60	22.62	22.93	22.94	22.88
Conducted Power (Watts)	0.1954	0.1820	0.1828	0.1963	0.1968	0.1941
ERP(dBm)	16.96	16.65	16.67	16.98	16.99	16.93
ERP(Watts)	0.0497	0.0462	0.0465	0.0499	0.0500	0.0493

LTE Band 17 (G <sub>T</sub> - L <sub>C</sub> = -3.8 dB) 64QAM						
Bandwidth	5M			10M		
Channel	23755	23790	23825	23780	23790	23800
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Frequency	706.5	710	713.5	709	710	711
(MHz)						
Conducted Power (dBm)	21.35	21.33	21.22	21.56	21.54	21.61
Conducted Power (Watts)	0.1365	0.1358	0.1324	0.1432	0.1426	0.1449
ERP(dBm)	17.55	17.53	17.42	17.76	17.74	17.81
ERP(Watts)	0.0569	0.0566	0.0552	0.0597	0.0594	0.0604



LTE Band 25 (G <sub>T</sub> - L <sub>C</sub> = -0.3 dB) QPSK									
Bandwidth	1.4M			3M			5M		
Channel	26407	26340	26683	26055	26340	26675	26065	26340	26665
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Frequency	1850.7	1880	1914.3	1851.5	1880	1913.5	1852.5	1880	1912.5
(MHz)									
Conducted Power (dBm)	22.77	23.28	22.89	22.82	23.28	22.97	22.89	23.50	23.45
Conducted Power (Watts)	0.1892	0.2128	0.1945	0.1914	0.2128	0.1982	0.1945	0.2239	0.2213
EIRP(dBm)	22.47	22.98	22.59	22.52	22.98	22.67	22.59	23.20	23.15
EIRP(Watts)	0.1766	0.1986	0.1816	0.1786	0.1986	0.1849	0.1816	0.2089	0.2065

LTE Band 25 (G <sub>T</sub> - L <sub>C</sub> = -0.3 dB) QPSK									
Bandwidth	10M			15M			20M		
Channel	26090	26340	26640	26115	26340	26615	26140	26340	26590
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Frequency	1855	1880	1910	1857.5	1880	1907.5	1860	1880	1905
(MHz)									
Conducted Power (dBm)	23.10	23.55	23.50	23.18	23.28	23.38	23.45	23.34	23.58
Conducted Power (Watts)	0.2042	0.2265	0.2239	0.2080	0.2128	0.2178	0.2213	0.2158	0.2280
EIRP(dBm)	22.80	23.25	23.20	22.88	22.98	23.08	23.15	23.04	23.28
EIRP(Watts)	0.1905	0.2113	0.2089	0.1941	0.1986	0.2032	0.2065	0.2014	0.2128



LTE Band 25 ( $G_T - L_C = -0.3$ dB) 16QAM									
Bandwidth	1.4M			3M			5M		
Channel	26407	26340	26683	26055	26340	26675	26065	26340	26665
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Frequency	1850.7	1880	1914.3	1851.5	1880	1913.5	1852.5	1880	1912.5
(MHz)									
Conducted Power (dBm)	22.25	22.65	22.19	22.20	22.50	22.20	22.95	22.84	22.99
Conducted Power (Watts)	0.1679	0.1841	0.1656	0.1660	0.1778	0.1660	0.1972	0.1923	0.1991
EIRP(dBm)	21.95	22.35	21.89	21.90	22.20	21.90	22.65	22.54	22.69
EIRP(Watts)	0.1567	0.1718	0.1545	0.1549	0.1660	0.1549	0.1841	0.1795	0.1858

LTE Band 25 ( $G_T - L_C = -0.3$ dB) 16QAM									
Bandwidth	10M			15M			20M		
Channel	26090	26340	26640	26115	26340	26615	26140	26340	26590
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Frequency	1855	1880	1910	1857.5	1880	1907.5	1860	1880	1905
(MHz)									
Conducted Power (dBm)	22.39	22.76	22.89	22.37	22.51	22.66	22.39	22.58	22.61
Conducted Power (Watts)	0.1734	0.1888	0.1945	0.1726	0.1782	0.1845	0.1734	0.1811	0.1824
EIRP(dBm)	22.09	22.46	22.59	22.07	22.21	22.36	22.09	22.28	22.31
EIRP(Watts)	0.1618	0.1762	0.1816	0.1611	0.1663	0.1722	0.1618	0.1690	0.1702



LTE Band 25 (G <sub>T</sub> - L <sub>C</sub> = -0.3 dB) 64QAM									
Bandwidth	1.4M			3M			5M		
Channel	26407	26340	26683	26055	26340	26675	26065	26340	26665
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Frequency	1850.7	1880	1914.3	1851.5	1880	1913.5	1852.5	1880	1912.5
(MHz)									
Conducted Power (dBm)	21.10	20.83	20.48	21.08	20.85	20.52	21.17	20.72	20.42
Conducted Power (Watts)	0.1288	0.1211	0.1117	0.1282	0.1216	0.1127	0.1309	0.1180	0.1102
EIRP(dBm)	20.80	20.53	20.18	20.78	20.55	20.22	20.87	20.42	20.12
EIRP(Watts)	0.1202	0.1130	0.1042	0.1197	0.1135	0.1052	0.1222	0.1102	0.1028

LTE Band 25 (G <sub>T</sub> - L <sub>C</sub> = -0.3 dB) 64QAM									
Bandwidth	10M			15M			20M		
Channel	26090	26340	26640	26115	26340	26615	26140	26340	26590
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Frequency	1855	1880	1910	1857.5	1880	1907.5	1860	1880	1905
(MHz)									
Conducted Power (dBm)	21.33	21.08	20.82	21.12	21.86	21.23	21.50	21.81	21.45
Conducted Power (Watts)	0.1358	0.1282	0.1208	0.1294	0.1535	0.1327	0.1413	0.1517	0.1396
EIRP(dBm)	21.03	20.78	20.52	20.82	21.56	20.93	21.20	21.51	21.15
EIRP(Watts)	0.1268	0.1197	0.1127	0.1208	0.1432	0.1239	0.1318	0.1416	0.1303



LTE Band 26 (G <sub>T</sub> - L <sub>C</sub> = -2.7 dB) QPSK									
Bandwidth	1.4M			3M			5M		
Channel	26797	26915	27033	26805	26915	27025	26815	26915	27015
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Frequency	824.7	836.5	848.3	825.5	836.5	847.5	826.5	836.5	846.5
(MHz)									
Conducted Power (dBm)	23.01	23.32	23.27	23.39	23.36	23.37	23.42	23.43	23.37
Conducted Power (Watts)	0.2000	0.2148	0.2123	0.2183	0.2168	0.2173	0.2198	0.2203	0.2173
ERP(dBm)	18.16	18.47	18.42	18.54	18.51	18.52	18.57	18.58	18.52
ERP(Watts)	0.0655	0.0703	0.0695	0.0714	0.0710	0.0711	0.0719	0.0721	0.0711

LTE Band 26 (G <sub>T</sub> - L <sub>C</sub> = -2.7 dB) QPSK							
Bandwidth	10M			15M			15M
Channel	26840	26915	26990	26865	26915	26965	26765
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)
Frequency	829	836.5	844	831.5	836.5	841.5	821.5
(MHz)							
Conducted Power (dBm)	23.51	23.61	23.60	23.91	23.88	23.68	23.94
Conducted Power (Watts)	0.2244	0.2296	0.2291	0.2460	0.2443	0.2333	0.2477
ERP(dBm)	18.66	18.76	18.75	19.06	19.03	18.83	19.09
ERP(Watts)	0.0735	0.0752	0.0750	0.0805	0.0800	0.0764	0.0811



LTE Band 26 (G <sub>T</sub> - L <sub>C</sub> = -2.7 dB) 16QAM									
Bandwidth	1.4M			3M			5M		
Channel	26797	26915	27033	26805	26915	27025	26815	26915	27015
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Frequency	824.7	836.5	848.3	825.5	836.5	847.5	826.5	836.5	846.5
(MHz)									
Conducted Power (dBm)	22.29	22.44	22.28	22.41	22.34	22.53	22.34	22.40	22.24
Conducted Power (Watts)	0.1694	0.1754	0.1690	0.1742	0.1714	0.1791	0.1714	0.1738	0.1675
ERP(dBm)	17.44	17.59	17.43	17.56	17.49	17.68	17.49	17.55	17.39
ERP(Watts)	0.0555	0.0574	0.0553	0.0570	0.0561	0.0586	0.0561	0.0569	0.0548

LTE Band 26 (G <sub>T</sub> - L <sub>C</sub> = -2.7 dB) 16QAM							
Bandwidth	10M			15M			15M
Channel	26840	26915	26990	26865	26915	26965	26765
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)
Frequency	829	836.5	844	831.5	836.5	841.5	821.5
(MHz)							
Conducted Power (dBm)	22.73	22.72	22.55	22.13	22.10	22.12	22.16
Conducted Power (Watts)	0.1875	0.1871	0.1799	0.1633	0.1622	0.1629	0.1644
ERP(dBm)	17.88	17.87	17.70	17.28	17.25	17.27	17.31
ERP(Watts)	0.0614	0.0612	0.0589	0.0535	0.0531	0.0533	0.0538



LTE Band 26 (G <sub>T</sub> - L <sub>C</sub> = -2.7 dB) 64QAM									
Bandwidth	1.4M			3M			5M		
Channel	26797	26915	27033	26805	26915	27025	26815	26915	27015
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Frequency	824.7	836.5	848.3	825.5	836.5	847.5	826.5	836.5	846.5
(MHz)									
Conducted Power (dBm)	21.72	21.60	21.62	20.10	20.92	20.86	20.95	20.56	20.62
Conducted Power (Watts)	0.1486	0.1445	0.1452	0.1023	0.1236	0.1219	0.1245	0.1138	0.1153
ERP(dBm)	16.87	16.75	16.77	15.25	16.07	16.01	16.10	15.71	15.77
ERP(Watts)	0.0486	0.0473	0.0475	0.0335	0.0405	0.0399	0.0407	0.0372	0.0378

LTE Band 26 (G <sub>T</sub> - L <sub>C</sub> = -2.7 dB) 64QAM							
Bandwidth	10M			15M			15M
Channel	26840	26915	26990	26865	26915	26965	26765
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)
Frequency	829	836.5	844	831.5	836.5	841.5	821.5
(MHz)							
Conducted Power (dBm)	21.57	20.83	20.84	21.39	20.97	21.32	21.42
Conducted Power (Watts)	0.1435	0.1211	0.1213	0.1377	0.1250	0.1355	0.1387
ERP(dBm)	16.72	15.98	15.99	16.54	16.12	16.47	16.57
ERP(Watts)	0.0470	0.0396	0.0397	0.0451	0.0409	0.0444	0.0454



LTE Band 38 (G <sub>T</sub> - L <sub>C</sub> = 0.4 dB) QPSK			
Bandwidth	5M		
Channel	37775	38000	38225
	(Low)	(Mid)	(High)
Frequency	2572.5	2595	2617.5
(MHz)			
Conducted Power (dBm)	22.20	22.42	22.20
Conducted Power (Watts)	0.1660	0.1746	0.1660
EIRP(dBm)	22.60	22.82	22.60
EIRP(Watts)	0.1820	0.1914	0.1820

LTE Band 38 (G <sub>T</sub> - L <sub>C</sub> = 0.4 dB) QPSK									
Bandwidth	10M			15M			20M		
Channel	37800	38000	38200	37825	38000	38175	37850	38000	38150
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(Mid)
Frequency	2575	2595	2615	2577.5	2595	2612.5	2580	2595	2610
(MHz)									
Conducted Power (dBm)	22.59	22.61	22.20	22.45	21.99	21.94	22.62	22.32	22.11
Conducted Power (Watts)	0.1816	0.1824	0.1660	0.1758	0.1581	0.1563	0.1828	0.1706	0.1626
EIRP(dBm)	22.99	23.01	22.60	22.85	22.39	22.34	23.02	22.72	22.51
EIRP(Watts)	0.1991	0.2000	0.1820	0.1928	0.1734	0.1714	0.2004	0.1871	0.1782





LTE Band 38 ( $G_T - L_C = 0.4$ dB) 16QAM			
Bandwidth	5M		
Channel	37775	38000	38225
	(Low)	(Mid)	(High)
Frequency (MHz)	2572.5	2595	2617.5
	Conducted Power (dBm)	21.38	21.20
Conducted Power (Watts)	0.1374	0.1318	0.1250
EIRP(dBm)	21.78	21.60	21.37
EIRP(Watts)	0.1507	0.1445	0.1371

LTE Band 38 ( $G_T - L_C = 0.4$ dB) 16QAM									
Bandwidth	10M			15M			20M		
Channel	37800	38000	38200	37825	38000	38175	37850	38000	38150
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(Mid)
Frequency (MHz)	2575	2595	2615	2577.5	2595	2612.5	2580	2595	2610
	Conducted Power (dBm)	21.65	21.85	21.26	21.72	21.83	21.15	21.99	21.97
Conducted Power (Watts)	0.1462	0.1531	0.1337	0.1486	0.1524	0.1303	0.1581	0.1574	0.1352
EIRP(dBm)	22.05	22.25	21.66	22.12	22.23	21.55	22.39	22.37	21.71
EIRP(Watts)	0.1603	0.1679	0.1466	0.1629	0.1671	0.1429	0.1734	0.1726	0.1483



LTE Band 38 (G <sub>T</sub> - L <sub>C</sub> = 0.4 dB) 64QAM			
Bandwidth	5M		
Channel	37775	38000	38225
	(Low)	(Mid)	(High)
Frequency	2572.5	2595	2617.5
(MHz)			
Conducted Power (dBm)	19.85	19.68	19.60
Conducted Power (Watts)	0.0966	0.0929	0.0912
EIRP(dBm)	20.25	20.08	20.00
EIRP(Watts)	0.1059	0.1019	0.1000

LTE Band 38 (G <sub>T</sub> - L <sub>C</sub> = 0.4 dB) 64QAM									
Bandwidth	10M			15M			20M		
Channel	37800	38000	38200	37825	38000	38175	37850	38000	38150
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(Mid)
Frequency	2575	2595	2615	2577.5	2595	2612.5	2580	2595	2610
(MHz)									
Conducted Power (dBm)	19.20	19.83	19.89	19.68	19.46	19.50	19.59	19.60	19.56
Conducted Power (Watts)	0.0832	0.0962	0.0975	0.0929	0.0883	0.0891	0.0910	0.0912	0.0904
EIRP(dBm)	19.60	20.23	20.29	20.08	19.86	19.90	19.99	20.00	19.96
EIRP(Watts)	0.0912	0.1054	0.1069	0.1019	0.0968	0.0977	0.0998	0.1000	0.0991



LTE Band 41 (G <sub>T</sub> - L <sub>C</sub> = 0.4 dB) QPSK									
Bandwidth	5M			10M			15M		
Channel	39675	40620	41565	39700	40620	41540	39725	40620	41515
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Frequency (MHz)	2498.5	2593	2687.5	2501	2593	2685	2503.5	2593	2682.5
Conducted Power (dBm)	24.37	25.00	24.71	24.96	25.00	24.53	24.71	25.00	24.51
Conducted Power (Watts)	0.2735	0.3162	0.2958	0.3133	0.3162	0.2838	0.2958	0.3162	0.2825
EIRP(dBm)	24.77	25.40	25.11	25.36	25.40	24.93	25.11	25.40	24.91
EIRP(Watts)	0.2999	0.3467	0.3243	0.3436	0.3467	0.3112	0.3243	0.3467	0.3097

LTE Band 41 (G <sub>T</sub> - L <sub>C</sub> = 0.4 dB) QPSK			
Bandwidth	20M		
Channel	39750	40620	41490
	(Low)	(Mid)	(High)
Frequency (MHz)	2506	2593	2680
Conducted Power (dBm)	24.71	24.76	24.83
Conducted Power (Watts)	0.2958	0.2992	0.3041
EIRP(dBm)	25.11	25.16	25.23
EIRP(Watts)	0.3243	0.3281	0.3334



LTE Band 41 ( $G_T - L_C = 0.4$ dB) 16QAM									
Bandwidth	5M			10M			15M		
Channel	39675	40620	41565	39700	40620	41540	39725	40620	41515
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Frequency	2498.5	2593	2687.5	2501	2593	2685	2503.5	2593	2682.5
(MHz)									
Conducted Power (dBm)	22.44	22.31	22.14	22.83	22.36	22.51	22.89	22.31	22.20
Conducted Power (Watts)	0.1754	0.1702	0.1637	0.1919	0.1722	0.1782	0.1945	0.1702	0.1660
EIRP(dBm)	22.84	22.71	22.54	23.23	22.76	22.91	23.29	22.71	22.60
EIRP(Watts)	0.1923	0.1866	0.1795	0.2104	0.1888	0.1954	0.2133	0.1866	0.1820

LTE Band 41 ( $G_T - L_C = 0.4$ dB) 16QAM			
Bandwidth	20M		
Channel	39750	40620	41490
	(Low)	(Mid)	(High)
Frequency	2506	2593	2680
(MHz)			
Conducted Power (dBm)	22.37	22.51	22.33
Conducted Power (Watts)	0.1726	0.1782	0.1710
EIRP(dBm)	22.77	22.91	22.73
EIRP(Watts)	0.1892	0.1954	0.1875



LTE Band 41 (G <sub>T</sub> - L <sub>C</sub> = 0.4 dB) 64QAM									
Bandwidth	5M			10M			15M		
Channel	39675	40620	41565	39700	40620	41540	39725	40620	41515
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Frequency	2498.5	2593	2687.5	2501	2593	2685	2503.5	2593	2682.5
(MHz)									
Conducted Power (dBm)	21.91	21.62	21.75	22.00	21.73	21.69	21.21	21.97	21.95
Conducted Power (Watts)	0.1552	0.1452	0.1496	0.1585	0.1489	0.1476	0.1321	0.1574	0.1567
EIRP(dBm)	22.31	22.02	22.15	22.40	22.13	22.09	21.61	22.37	22.35
EIRP(Watts)	0.1702	0.1592	0.1641	0.1738	0.1633	0.1618	0.1449	0.1726	0.1718

LTE Band 41 (G <sub>T</sub> - L <sub>C</sub> = 0.4 dB) 64QAM			
Bandwidth	20M		
Channel	39750	40620	41490
	(Low)	(Mid)	(High)
Frequency	2506	2593	2680
(MHz)			
Conducted Power (dBm)	21.20	21.68	21.80
Conducted Power (Watts)	0.1318	0.1472	0.1514
EIRP(dBm)	21.60	22.08	22.20
EIRP(Watts)	0.1445	0.1614	0.1660



LTE Band 41 CA (G <sub>T</sub> - L <sub>C</sub> = 0.4 dB) QPSK									
Bandwidth	15M + 15M			5M + 20M			20M + 5M		
Channel PCC	39725	40545	41365	39683	40528	41373	39750	40595	41440
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Channel SCC	39875	40695	41515	39800	40645	41490	39867	40712	41557
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Conducted Power (dBm)	23.41	23.04	23.21	23.76	23.13	22.91	23.75	23.21	23.18
Conducted Power (Watts)	0.2193	0.2014	0.2094	0.2377	0.2056	0.1954	0.2371	0.2094	0.2080
EIRP(dBm)	23.81	23.44	23.61	24.16	23.53	23.31	24.15	23.61	23.58
EIRP(Watts)	0.2404	0.2208	0.2296	0.2606	0.2254	0.2143	0.2600	0.2296	0.2280

LTE Band 41 CA (G <sub>T</sub> - L <sub>C</sub> = 0.4 dB) QPSK									
Bandwidth	10M + 20M			20M + 10M			15M + 20M		
Channel PCC	39705	40526	41346	39750	40571	41391	39728	40523	41319
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Channel SCC	39849	40670	41490	39894	40715	41535	39899	40694	41490
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Conducted Power (dBm)	23.64	23.19	22.99	23.66	23.26	23.14	23.33	23.22	23.16
Conducted Power (Watts)	0.2312	0.2084	0.1991	0.2323	0.2118	0.2061	0.2153	0.2099	0.2070
EIRP(dBm)	24.04	23.59	23.39	24.06	23.66	23.54	23.73	23.62	23.56
EIRP(Watts)	0.2535	0.2286	0.2183	0.2547	0.2323	0.2259	0.2360	0.2301	0.2270

LTE Band 41 CA (G <sub>T</sub> - L <sub>C</sub> = 0.4 dB) QPSK						
Bandwidth	20M+15M			20M+20M		
Channel PCC	39750	40546	41341	39750	40521	41292
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Channel SCC	39921	40717	41512	39948	40719	41490
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Conducted Power (dBm)	23.75	23.17	23.01	23.23	22.94	22.97
Conducted Power (Watts)	0.2371	0.2075	0.2000	0.2104	0.1968	0.1982
EIRP(dBm)	24.15	23.57	23.41	23.63	23.34	23.37
EIRP(Watts)	0.2600	0.2275	0.2193	0.2307	0.2158	0.2173



LTE Band 41 CA (G <sub>T</sub> - L <sub>C</sub> = 0.4 dB) 16QAM									
Bandwidth	15M + 15M			5M + 20M			20M + 5M		
Channel PCC	39725	40545	41365	39683	40528	41373	39750	40595	41440
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Channel SCC	39875	40695	41515	39800	40645	41490	39867	40712	41557
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Conducted Power (dBm)	23.29	23.05	23.08	23.21	23.17	22.72	23.47	22.71	23.14
Conducted Power (Watts)	0.2133	0.2018	0.2032	0.2094	0.2075	0.1871	0.2223	0.1866	0.2061
EIRP(dBm)	23.69	23.45	23.48	23.61	23.57	23.12	23.87	23.11	23.54
EIRP(Watts)	0.2339	0.2213	0.2228	0.2296	0.2275	0.2051	0.2438	0.2046	0.2259

LTE Band 41 CA (G <sub>T</sub> - L <sub>C</sub> = 0.4 dB) 16QAM									
Bandwidth	10M + 20M			20M + 10M			15M + 20M		
Channel PCC	39705	40526	41346	39750	40571	41391	39728	40523	41319
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Channel SCC	39849	40670	41490	39894	40715	41535	39899	40694	41490
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Conducted Power (dBm)	23.22	22.92	22.63	23.33	23.15	23.06	23.42	22.75	22.50
Conducted Power (Watts)	0.2099	0.1959	0.1832	0.2153	0.2065	0.2023	0.2198	0.1884	0.1778
EIRP(dBm)	23.62	23.32	23.03	23.73	23.55	23.46	23.82	23.15	22.90
EIRP(Watts)	0.2301	0.2148	0.2009	0.2360	0.2265	0.2218	0.2410	0.2065	0.1950

LTE Band 41 CA (G <sub>T</sub> - L <sub>C</sub> = 0.4 dB) 16QAM						
Bandwidth	20M+15M			20M+20M		
Channel PCC	39750	40546	41341	39750	40521	41292
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Channel SCC	39921	40717	41512	39948	40719	41490
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Conducted Power (dBm)	23.66	23.14	22.92	23.48	23.45	23.04
Conducted Power (Watts)	0.2323	0.2061	0.1959	0.2228	0.2213	0.2014
EIRP(dBm)	24.06	23.54	23.32	23.88	23.85	23.44
EIRP(Watts)	0.2547	0.2259	0.2148	0.2443	0.2427	0.2208



LTE Band 41 CA (G <sub>T</sub> - L <sub>C</sub> = 0.4 dB) 64QAM									
Bandwidth	15M + 15M			5M + 20M			20M + 5M		
Channel PCC	39725	40545	41365	39683	40528	41373	39750	40595	41440
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Channel SCC	39875	40695	41515	39800	40645	41490	39867	40712	41557
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Conducted Power (dBm)	20.88	20.41	20.55	21.71	20.33	21.13	21.60	20.36	20.48
Conducted Power (Watts)	0.1225	0.1099	0.1135	0.1483	0.1079	0.1297	0.1445	0.1086	0.1117
EIRP(dBm)	21.28	20.81	20.95	22.11	20.73	21.53	22.00	20.76	20.88
EIRP(Watts)	0.1343	0.1205	0.1245	0.1626	0.1183	0.1422	0.1585	0.1191	0.1225

LTE Band 41 CA (G <sub>T</sub> - L <sub>C</sub> = 0.4 dB) 64QAM									
Bandwidth	10M + 20M			20M + 10M			15M + 20M		
Channel PCC	39705	40526	41346	39750	40571	41391	39728	40523	41319
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Channel SCC	39849	40670	41490	39894	40715	41535	39899	40694	41490
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Conducted Power (dBm)	21.73	21.35	21.44	20.92	20.55	20.21	21.88	21.24	21.30
Conducted Power (Watts)	0.1489	0.1365	0.1393	0.1236	0.1135	0.1050	0.1542	0.1330	0.1349
EIRP(dBm)	22.13	21.75	21.84	21.32	20.95	20.61	22.28	21.64	21.70
EIRP(Watts)	0.1633	0.1496	0.1528	0.1355	0.1245	0.1151	0.1690	0.1459	0.1479

LTE Band 41 CA (G <sub>T</sub> - L <sub>C</sub> = 0.4 dB) 64QAM						
Bandwidth	20M+15M			20M+20M		
Channel PCC	39750	40546	41341	39750	40521	41292
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Channel SCC	39921	40717	41512	39948	40719	41490
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Conducted Power (dBm)	20.97	20.55	20.60	21.06	21.41	20.95
Conducted Power (Watts)	0.1250	0.1135	0.1148	0.1276	0.1384	0.1245
EIRP(dBm)	21.37	20.95	21.00	21.46	21.81	21.35
EIRP(Watts)	0.1371	0.1245	0.1259	0.1400	0.1517	0.1365





LTE Band 66 (G <sub>T</sub> - L <sub>C</sub> = -0.8 dB) QPSK									
Bandwidth	1.4M			3M			5M		
Channel	131979	132322	132665	131987	132322	132657	131997	132322	132647
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Frequency (MHz)	1710.7	1745	1779.3	1711.5	1745	1778.5	1712.5	1745	1777.5
Conducted Power (dBm)	22.99	22.86	22.92	22.71	22.75	22.76	22.80	22.65	22.95
Conducted Power (Watts)	0.1991	0.1932	0.1959	0.1866	0.1884	0.1888	0.1905	0.1841	0.1972
EIRP(dBm)	22.19	22.06	22.12	21.91	21.95	21.96	22.00	21.85	22.15
EIRP(Watts)	0.1656	0.1607	0.1629	0.1552	0.1567	0.1570	0.1585	0.1531	0.1641

LTE Band 66 (G <sub>T</sub> - L <sub>C</sub> = -0.8 dB) QPSK									
Bandwidth	10M			15M			20M		
Channel	132022	132322	132622	132047	132322	132597	132072	132322	132572
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(Mid)
Frequency (MHz)	1715	1745	1775	1717.5	1745	1772.5	1720	1745	1770
Conducted Power (dBm)	23.55	23.55	23.26	23.28	23.55	23.48	23.72	23.66	23.36
Conducted Power (Watts)	0.2265	0.2265	0.2118	0.2128	0.2265	0.2228	0.2355	0.2323	0.2168
EIRP(dBm)	22.75	22.75	22.46	22.48	22.75	22.68	22.92	22.86	22.56
EIRP(Watts)	0.1884	0.1884	0.1762	0.1770	0.1884	0.1854	0.1959	0.1932	0.1803



LTE Band 66 (G <sub>T</sub> - L <sub>C</sub> = -0.8 dB) 16QAM									
Bandwidth	1.4M			3M			5M		
Channel	131979	132322	132665	131987	132322	132657	131997	132322	132647
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Frequency	1710.7	1745	1779.3	1711.5	1745	1778.5	1712.5	1745	1777.5
(MHz)									
Conducted Power (dBm)	22.30	21.92	22.11	22.44	22.50	22.10	22.17	22.12	22.21
Conducted Power (Watts)	0.1698	0.1556	0.1626	0.1754	0.1778	0.1622	0.1648	0.1629	0.1663
EIRP(dBm)	21.50	21.12	21.31	21.64	21.70	21.30	21.37	21.32	21.41
EIRP(Watts)	0.1413	0.1294	0.1352	0.1459	0.1479	0.1349	0.1371	0.1355	0.1384

LTE Band 66 (G <sub>T</sub> - L <sub>C</sub> = -0.8 dB) 16QAM									
Bandwidth	10M			15M			20M		
Channel	132022	132322	132622	132047	132322	132597	132072	132322	132572
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(Mid)
Frequency	1715	1745	1775	1717.5	1745	1772.5	1720	1745	1770
(MHz)									
Conducted Power (dBm)	22.51	22.46	22.42	22.87	22.63	22.67	22.97	22.69	22.63
Conducted Power (Watts)	0.1782	0.1762	0.1746	0.1936	0.1832	0.1849	0.1982	0.1858	0.1832
EIRP(dBm)	21.71	21.66	21.62	22.07	21.83	21.87	22.17	21.89	21.83
EIRP(Watts)	0.1483	0.1466	0.1452	0.1611	0.1524	0.1538	0.1648	0.1545	0.1524



LTE Band 66 (G <sub>T</sub> - L <sub>C</sub> = -0.8 dB) 64QAM									
Bandwidth	1.4M			3M			5M		
Channel	131979	132322	132665	131987	132322	132657	131997	132322	132647
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Frequency	1710.7	1745	1779.3	1711.5	1745	1778.5	1712.5	1745	1777.5
(MHz)									
Conducted Power (dBm)	21.16	20.99	20.87	20.98	21.03	20.76	21.02	21.02	20.91
Conducted Power (Watts)	0.1306	0.1256	0.1222	0.1253	0.1268	0.1191	0.1265	0.1265	0.1233
EIRP(dBm)	20.36	20.19	20.07	20.18	20.23	19.96	20.22	20.22	20.11
EIRP(Watts)	0.1086	0.1045	0.1016	0.1042	0.1054	0.0991	0.1052	0.1052	0.1026

LTE Band 66 (G <sub>T</sub> - L <sub>C</sub> = -0.8 dB) 64QAM									
Bandwidth	10M			15M			20M		
Channel	132022	132322	132622	132047	132322	132597	132072	132322	132572
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(Mid)
Frequency	1715	1745	1775	1717.5	1745	1772.5	1720	1745	1770
(MHz)									
Conducted Power (dBm)	21.43	21.62	21.42	21.53	21.58	21.32	21.69	21.79	21.84
Conducted Power (Watts)	0.1390	0.1452	0.1387	0.1422	0.1439	0.1355	0.1476	0.1510	0.1528
EIRP(dBm)	20.63	20.82	20.62	20.73	20.78	20.52	20.89	20.99	21.04
EIRP(Watts)	0.1156	0.1208	0.1153	0.1183	0.1197	0.1127	0.1227	0.1256	0.1271



**Peak-to-Average Ratio**

Mode	LTE Band 2 / 20MHz				
Mod.	QPSK		16QAM		Limit: 13dB
RB Size	1RB	Full RB	1RB	Full RB	Result
Lowest CH	4.38	5.07	5.3	6	PASS
Middle CH	4.49	4.9	5.07	5.88	
Highest CH	4.52	5.1	5.25	6.03	
Mode	LTE Band 2 / 20MHz				
Mod.	64QAM				Limit: 13dB
RB Size	1RB	Full RB			Result
Lowest CH	5.28	5.94			PASS
Middle CH	5.13	5.91			
Highest CH	5.42	6.03			

Mode	LTE Band 4 / 20MHz				
Mod.	QPSK		16QAM		Limit: 13dB
RB Size	1RB	Full RB	1RB	Full RB	Result
Lowest CH	4.49	4.90	5.28	5.80	PASS
Middle CH	4.38	5.07	5.07	6.06	
Highest CH	4.78	4.93	5.51	5.97	
Mod.	64QAM		Limit: 13dB		
RB Size	1RB	Full RB	Result		
Lowest CH	5.33	5.80	PASS		
Middle CH	5.30	6.00			
Highest CH	5.51	5.94			

Mode	LTE Band 5 / 10MHz				
Mod.	QPSK		16QAM		Limit: 13dB
RB Size	1RB	Full RB	1RB	Full RB	Result
Lowest CH	4.49	5.30	5.13	6.20	PASS
Middle CH	4.67	5.36	5.22	6.12	
Highest CH	4.49	5.19	5.45	6.00	
Mod.	64QAM		Limit: 13dB		
RB Size	1RB	Full RB	Result		
Lowest CH	5.10	6.14	PASS		
Middle CH	5.13	6.12			
Highest CH	5.54	6.06			



Mode	LTE Band 7 / 20MHz				
Mod.	QPSK		16QAM		Limit: 13dB
RB Size	1RB	Full RB	1RB	Full RB	Result
Lowest CH	4.55	5.19	5.39	6.12	PASS
Middle CH	4.58	5.13	5.59	6.12	
Highest CH	4.9	5.1	5.97	6.03	
Mod.	64QAM		Limit: 13dB		
RB Size	1RB	Full RB	Result		
Lowest CH	5.36	6.03	PASS		
Middle CH	5.54	6.00			
Highest CH	5.62	6.09			

Mode	LTE Band 12 / 10MHz				
Mod.	QPSK		16QAM		Limit: 13dB
RB Size	1RB	Full RB	1RB	Full RB	Result
Lowest CH	3.74	4.87	5.19	5.77	PASS
Middle CH	4.43	4.7	5.3	5.62	
Highest CH	4.41	4.84	5.25	5.65	
Mod.	64QAM		Limit: 13dB		
RB Size	1RB	Full RB	Result		
Lowest CH	5.19	5.74	PASS		
Middle CH	5.42	5.65			
Highest CH	5.10	5.74			

Mode	LTE Band 13 / 10MHz				
Mod.	QPSK		16QAM		Limit: 13dB
RB Size	1RB	Full RB	1RB	Full RB	Result
Lowest CH	-	-	-	-	PASS
Middle CH	3.48	4.84	4.52	5.8	
Highest CH	-	-	-	-	
Mod.	64QAM		Limit: 13dB		
RB Size	1RB	Full RB	Result		
Lowest CH			PASS		
Middle CH	4.58	5.77			
Highest CH					



Mode	LTE Band 17 / 10MHz				
Mod.	QPSK		16QAM		Limit: 13dB
RB Size	1RB	Full RB	1RB	Full RB	Result
Lowest CH	4.78	5.01	5.59	5.88	PASS
Middle CH	4.58	5.01	5.33	5.86	
Highest CH	4.41	5.04	5.3	5.94	
Mod.	64QAM		Limit: 13dB		
RB Size	1RB	Full RB	Result		
Lowest CH	5.68	5.88	PASS		
Middle CH	5.48	5.86			
Highest CH	5.07	6.00			

Mode	LTE Band 25 / 20MHz				
Mod.	QPSK		16QAM		Limit: 13dB
RB Size	1RB	Full RB	1RB	Full RB	Result
Lowest CH	4.61	5.07	5.19	6.03	PASS
Middle CH	4.52	4.96	5.22	5.94	
Highest CH	4.52	4.99	5.33	6.03	
Mode	LTE Band 25 / 20MHz				
Mod.	64QAM		Limit: 13dB		
RB Size	1RB	Full RB			Result
Lowest CH	5.86	6.03			PASS
Middle CH	5.51	6.03			
Highest CH	5.45	6.00			

Mode	LTE Band 26 / 15MHz				
Mod.	QPSK		16QAM		Limit: 13dB
RB Size	1RB	Full RB	1RB	Full RB	Result
Lowest CH	4.78	5.62	5.54	6.38	PASS
Middle CH	4.93	5.51	5.71	6.41	
Highest CH	4.99	5.33	5.54	6.20	
Mod.	64QAM		Limit: 13dB		
RB Size	1RB	Full RB	Result		
Lowest CH	5.71	6.46	PASS		
Middle CH	5.77	6.29			
Highest CH	6.09	6.12			



Mode	LTE Band 38 / 20MHz				
Mod.	QPSK		16QAM		Limit: 13dB
RB Size	1RB	Full RB	1RB	Full RB	Result
Lowest CH	4.67	4.99	5.68	5.91	PASS
Middle CH	5.42	5.01	5.62	5.94	
Highest CH	5.36	5.07	5.77	6.29	
Mod.	64QAM		Limit: 13dB		
RB Size	1RB	Full RB	Result		
Lowest CH	5.74	6.38	PASS		
Middle CH	5.83	5.88			
Highest CH	5.71	6.00			


Mode	LTE Band 41 / 20MHz				
Mod.	QPSK		16QAM		Limit: 13dB
RB Size	1RB	Full RB	1RB	Full RB	Result
Lowest CH	5.07	4.64	5.48	5.71	PASS
Middle CH	5.57	5.39	5.74	6.52	
Highest CH	5.07	6.14	6.17	6.06	
Mod.	64QAM		Limit: 13dB		
RB Size	1RB	Full RB	Result		
Lowest CH	5.51	6.06	PASS		
Middle CH	6.09	6.35			
Highest CH	6.17	6.20			

Mode	LTE Band 66 / 20MHz				
Mod.	QPSK		16QAM		Limit: 13dB
RB Size	1RB	Full RB	1RB	Full RB	Result
Lowest CH	4.64	5.16	5.22	6.00	PASS
Middle CH	4.99	5.07	5.86	6.12	
Highest CH	5.07	5.16	5.45	6.17	
Mod.	64QAM		Limit: 13dB		
RB Size	1RB	Full RB	Result		
Lowest CH	5.62	5.97	PASS		
Middle CH	5.57	6.09			
Highest CH	5.83	6.14			




LTE Band 2 / 20MHz / QPSK

Lowest Channel / 1RB




Date: 7 JAN 2018 14:50:42

Lowest Channel / Full RB




Date: 7 JAN 2018 14:50:54

Middle Channel / 1RB




Date: 7 JAN 2018 14:51:42

Middle Channel / Full RB




Date: 7 JAN 2018 14:51:26

Highest Channel / 1RB



Date: 7 JAN 2018 14:51:54

Highest Channel / Full RB




Date: 7 JAN 2018 14:52:11





LTE Band 2 / 20MHz / 16QAM

Lowest Channel / 1RB




Date: 7 JAN 2018 13:43:16

Lowest Channel / Full RB




Date: 7 JAN 2018 13:43:27

Middle Channel / 1RB




Date: 7 JAN 2018 13:43:40

Middle Channel / Full RB




Date: 7 JAN 2018 13:43:50

Highest Channel / 1RB



Date: 7 JAN 2018 13:44:00

Highest Channel / Full RB




Date: 7 JAN 2018 13:44:10




LTE Band 2 / 20MHz / 64QAM

Lowest Channel / 1RB




Date: 7 JAN 2018 14:48:42

Lowest Channel / Full RB




Date: 7 JAN 2018 14:48:23

Middle Channel / 1RB




Date: 7 JAN 2018 14:37:08

Middle Channel / Full RB




Date: 7 JAN 2018 14:37:18

Highest Channel / 1RB



Date: 7 JAN 2018 14:37:28

Highest Channel / Full RB




Date: 7 JAN 2018 14:37:38




LTE Band 4 / 20MHz / QPSK

Lowest Channel / 1RB




Date: 9 JAN 2018 22:11:57

Lowest Channel / Full RB




Date: 9 JAN 2018 22:09:39

Middle Channel / 1RB




Date: 9 JAN 2018 22:12:14

Middle Channel / Full RB




Date: 9 JAN 2018 22:09:27

Highest Channel / 1RB



Date: 9 JAN 2018 22:12:28

Highest Channel / Full RB




Date: 9 JAN 2018 22:09:15




LTE Band 4 / 20MHz / 16QAM

Lowest Channel / 1RB



Date: 9 JAN 2018 22:07:22

Lowest Channel / Full RB




Date: 9 JAN 2018 22:07:33

Middle Channel / 1RB



Date: 9 JAN 2018 22:07:54

Middle Channel / Full RB




Date: 9 JAN 2018 22:07:54

Highest Channel / 1RB



Date: 9 JAN 2018 22:08:05

Highest Channel / Full RB




Date: 9 JAN 2018 22:08:15




LTE Band 4 / 20MHz / 64QAM

Lowest Channel / 1RB




Date: 9 JAN 2018 22:11:26

Lowest Channel / Full RB




Date: 9 JAN 2018 22:09:53

Middle Channel / 1RB




Date: 9 JAN 2018 22:11:14

Middle Channel / Full RB



Date: 9 JAN 2018 22:13:16

Highest Channel / 1RB



Date: 9 JAN 2018 22:11:00

Highest Channel / Full RB




Date: 9 JAN 2018 22:10:30




LTE Band 5 / 10MHz / QPSK

Lowest Channel / 1RB




Date: 10 JAN 2018 22:02:21

Lowest Channel / Full RB




Date: 10 JAN 2018 22:02:04

Middle Channel / 1RB




Date: 10 JAN 2018 22:02:45

Middle Channel / Full RB




Date: 10 JAN 2018 22:01:17

Highest Channel / 1RB



Date: 10 JAN 2018 22:03:00

Highest Channel / Full RB




Date: 10 JAN 2018 22:00:57






LTE Band 5 / 10MHz / 16QAM

Lowest Channel / 1RB




Date: 10 JAN 2018 21:50:40

Lowest Channel / Full RB




Date: 10 JAN 2018 21:50:50

Middle Channel / 1RB



Date: 10 JAN 2018 21:51:00

Middle Channel / Full RB




Date: 10 JAN 2018 21:59:15

Highest Channel / 1RB



Date: 10 JAN 2018 21:59:24

Highest Channel / Full RB




Date: 10 JAN 2018 21:59:43




LTE Band 5 / 10MHz / 64QAM

Lowest Channel / 1RB




Date: 10 JAN 2018 22:49:01

Lowest Channel / Full RB




Date: 10 JAN 2018 22:50:05

Middle Channel / 1RB




Date: 10 JAN 2018 22:49:13

Middle Channel / Full RB




Date: 10 JAN 2018 22:49:53

Highest Channel / 1RB



Date: 10 JAN 2018 22:49:25

Highest Channel / Full RB




Date: 10 JAN 2018 22:49:41






LTE Band 7 / 20MHz / QPSK

Lowest Channel / 1RB




Date: 9 JAN 2018 15:47:38

Lowest Channel / Full RB




Date: 9 JAN 2018 15:47:50

Middle Channel / 1RB




Date: 9 JAN 2018 15:48:29

Middle Channel / Full RB



Date: 9 JAN 2018 15:48:19

Highest Channel / 1RB



Date: 9 JAN 2018 15:48:57

Highest Channel / Full RB




Date: 9 JAN 2018 15:49:07




LTE Band 7 / 20MHz / 16QAM

Lowest Channel / 1RB




Date: 9 JAN 2018 15:47:28

Lowest Channel / Full RB




Date: 9 JAN 2018 15:47:59

Middle Channel / 1RB




Date: 9 JAN 2018 15:48:38

Middle Channel / Full RB




Date: 9 JAN 2018 15:48:09

Highest Channel / 1RB



Date: 9 JAN 2018 15:48:47

Highest Channel / Full RB




Date: 9 JAN 2018 15:49:16




LTE Band 7 / 20MHz / 64QAM

Lowest Channel / 1RB




Date: 9 JAN 2018 16:30:48

Lowest Channel / Full RB




Date: 9 JAN 2018 16:31:05

Middle Channel / 1RB




Date: 9 JAN 2018 16:31:48

Middle Channel / Full RB



Date: 9 JAN 2018 16:31:31

Highest Channel / 1RB



Date: 9 JAN 2018 16:32:02

Highest Channel / Full RB



Date: 9 JAN 2018 16:32:44