





LTE Band 66 / 20MHz / QPSK

Lowest Band Edge / 1 RB




Date: 5 MAY 2020 14:55:08

Highest Band Edge / 1 RB




Date: 5 MAY 2020 15:17:30

Lowest Band Edge / Full RB



Date: 5 MAY 2020 14:57:21

Highest Band Edge / Full RB




Date: 5 MAY 2020 15:09:58




LTE Band 66 / 20MHz / 16QAM

Lowest Band Edge / 1 RB




Date: 5 MAY 2020 14:53:43

Highest Band Edge / 1 RB




Date: 5 MAY 2020 15:16:12

Lowest Band Edge / Full RB



Date: 5 MAY 2020 14:58:09

Highest Band Edge / Full RB




Date: 5 MAY 2020 15:08:39




LTE Band 66 / 20MHz / 64QAM

Lowest Band Edge / 1 RB




Date: 5 MAY 2020 14:53:02

Highest Band Edge / 1 RB




Date: 5 MAY 2020 15:15:51

Lowest Band Edge / Full RB



Date: 5 MAY 2020 14:59:12


Highest Band Edge / Full RB



Date: 5 MAY 2020 15:05:45




Conducted Spurious Emission






LTE Band 66 / 1.4MHz

Highest Channel / QPSK



Date: 5 MAY.2020 11:42:25


Highest Channel / 16QAM



Date: 5 MAY.2020 11:40:34


LTE Band 66 / 3MHz

Lowest Channel / QPSK



Date: 5 MAY.2020 11:56:34

Lowest Channel / 16QAM





Date: 5 MAY.2020 11:59:40



LTE Band 66 / 3MHz

Middle Channel / QPSK

Middle Channel / 16QAM





Date: 5 MAY.2020 11:55:05

Date: 5 MAY.2020 11:53:46

Highest Channel / QPSK

Highest Channel / 16QAM



Date: 5 MAY.2020 12:14:16



Date: 5 MAY.2020 12:13:26



LTE Band 66 / 5MHz

Lowest Channel / QPSK

Lowest Channel / 16QAM





Date: 5 MAY.2020 12:37:33

Date: 5 MAY.2020 12:38:58

Middle Channel / QPSK

Middle Channel / 16QAM




Date: 5 MAY.2020 12:23:56

Date: 5 MAY.2020 12:25:08




LTE Band 66 / 5MHz

Highest Channel / QPSK



Date: 5 MAY.2020 12:57:35


Highest Channel / 16QAM



Date: 5 MAY.2020 12:56:21


LTE Band 66 / 10MHz

Lowest Channel / QPSK



Date: 5 MAY.2020 13:51:21

Lowest Channel / 16QAM





Date: 5 MAY.2020 13:49:45



LTE Band 66 / 10MHz

Middle Channel / QPSK

Middle Channel / 16QAM





Date: 5 MAY.2020 13:03:28

Date: 5 MAY.2020 13:04:42

Highest Channel / QPSK

Highest Channel / 16QAM



Date: 5 MAY.2020 13:59:25



Date: 5 MAY.2020 14:00:16



LTE Band 66 / 15MHz

Lowest Channel / QPSK

Lowest Channel / 16QAM





Date: 5 MAY.2020 14:25:43

Date: 5 MAY.2020 14:27:34

Middle Channel / QPSK

Middle Channel / 16QAM




Date: 5 MAY.2020 14:24:07

Date: 5 MAY.2020 14:23:25




LTE Band 66 / 15MHz

Highest Channel / QPSK



Date: 5 MAY 2020 14:37:50


Highest Channel / 16QAM



Date: 5 MAY 2020 14:36:58


LTE Band 66 / 20MHz

Lowest Channel / QPSK



Date: 5 MAY 2020 14:55:53

Lowest Channel / 16QAM





Date: 5 MAY 2020 14:54:37



LTE Band 66 / 20MHz

Middle Channel / QPSK

Middle Channel / 16QAM





Date: 5 MAY 2020 14:48:26

Date: 5 MAY 2020 14:49:27

Highest Channel / QPSK

Highest Channel / 16QAM




Date: 5 MAY 2020 15:11:21

Date: 5 MAY 2020 15:12:33




LTE Band 66 / 1.4MHz

Lowest Channel / 64QAM




Date: 5 MAY.2020 11:12:40

Middle Channel / 64QAM



Date: 5 MAY.2020 11:46:27

Highest Channel / 64QAM




Date: 5 MAY.2020 11:39:07




LTE Band 66 / 3MHz

Lowest Channel / 64QAM

Middle Channel / 64QAM




Date: 5 MAY.2020 12:01:30



Date: 5 MAY.2020 11:52:58

Highest Channel / 64QAM




Date: 5 MAY.2020 12:12:19




LTE Band 66 / 5MHz

Lowest Channel / 64QAM

Middle Channel / 64QAM




Date: 5 MAY.2020 12:44:22




Date: 5 MAY.2020 12:26:40

Highest Channel / 64QAM




Date: 5 MAY.2020 12:54:59






LTE Band 66 / 15MHz

Lowest Channel / 64QAM




Date: 5 MAY.2020 14:29:33

Middle Channel / 64QAM



Date: 5 MAY.2020 14:13:51

Highest Channel / 64QAM




Date: 5 MAY.2020 14:36:05




LTE Band 66 / 20MHz

Lowest Channel / 64QAM




Date: 5 MAY.2020 14:52:46

Middle Channel / 64QAM



Date: 5 MAY.2020 14:50:26

Highest Channel / 64QAM



Date: 5 MAY.2020 15:14:19



Frequency Stability

| Test Conditions | | LTE Band 66 (QPSK) / Middle Channel | Limit |
|------------------|-------------------|-------------------------------------|---------|
| Temperature (°C) | Voltage (Volt) | BW 10MHz | Note 2. |
| | | Deviation (ppm) | Result |
| 50 | Normal Voltage | 0.0033 | PASS |
| 40 | Normal Voltage | 0.0022 | |
| 30 | Normal Voltage | 0.0015 | |
| 20(Ref.) | Normal Voltage | 0.0000 | |
| 10 | Normal Voltage | 0.0019 | |
| 0 | Normal Voltage | 0.0036 | |
| -10 | Normal Voltage | 0.0027 | |
| -20 | Normal Voltage | 0.0014 | |
| -30 | Normal Voltage | 0.0047 | |
| 20 | Maximum Voltage | 0.0021 | |
| 20 | Normal Voltage | 0.0040 | |
| 20 | Battery End Point | 0.0028 | |

Note:

1. Normal Voltage =3.8 V. ; Battery End Point (BEP) =3.6 V. ; Maximum Voltage =4.2 V.
2. Note: The frequency fundamental emissions stay within the authorized frequency block.



Appendix B. Test Results of ERP/EIRP

ERP/EIRP

| LTE Band 2 / 1.4MHz (Average) (GT - LC = 0.5 dB) | | | | | | | |
|--|-----------|------|--------|-------------|---------------|-----------|---------|
| Channel | Mode | RB | | Conducted | | EIRP | |
| | | Size | Offset | Power (dBm) | Power (Watts) | EIRP(dBm) | EIRP(W) |
| Lowest | QPSK | 1 | 0 | 23.08 | 0.2032 | 23.58 | 0.2280 |
| Middle | | 1 | 0 | 23.16 | 0.2070 | 23.66 | 0.2323 |
| Highest | | 1 | 0 | 23.18 | 0.2080 | 23.68 | 0.2333 |
| Lowest | 16QAM | 1 | 0 | 22.45 | 0.1758 | 22.95 | 0.1972 |
| Middle | | 1 | 0 | 22.51 | 0.1782 | 23.01 | 0.2000 |
| Highest | | 1 | 0 | 22.60 | 0.1820 | 23.10 | 0.2042 |
| Lowest | 64QAM | 3 | 1 | 21.24 | 0.1330 | 21.74 | 0.1493 |
| Middle | | 3 | 1 | 21.37 | 0.1371 | 21.87 | 0.1538 |
| Highest | | 3 | 1 | 21.40 | 0.1380 | 21.90 | 0.1549 |
| Limit | EIRP < 2W | | | Result | | PASS | |

| LTE Band 2 / 3MHz (Average) (GT - LC = 0.5 dB) | | | | | | | |
|--|-----------|------|--------|-------------|---------------|-----------|---------|
| Channel | Mode | RB | | Conducted | | EIRP | |
| | | Size | Offset | Power (dBm) | Power (Watts) | EIRP(dBm) | EIRP(W) |
| Lowest | QPSK | 1 | 0 | 23.09 | 0.2037 | 23.59 | 0.2286 |
| Middle | | 1 | 0 | 23.16 | 0.2070 | 23.66 | 0.2323 |
| Highest | | 1 | 0 | 23.20 | 0.2089 | 23.70 | 0.2344 |
| Lowest | 16QAM | 1 | 0 | 22.45 | 0.1758 | 22.95 | 0.1972 |
| Middle | | 1 | 0 | 22.54 | 0.1795 | 23.04 | 0.2014 |
| Highest | | 1 | 0 | 22.67 | 0.1849 | 23.17 | 0.2075 |
| Lowest | 64QAM | 1 | 14 | 21.18 | 0.1312 | 21.68 | 0.1472 |
| Middle | | 1 | 14 | 21.30 | 0.1349 | 21.80 | 0.1514 |
| Highest | | 1 | 14 | 21.34 | 0.1361 | 21.84 | 0.1528 |
| Limit | EIRP < 2W | | | Result | | PASS | |

| LTE Band 2 / 5MHz (Average) (GT - LC = 0.5 dB) | | | | | | | |
|--|-----------|------|--------|-------------|---------------|-----------|---------|
| Channel | Mode | RB | | Conducted | | EIRP | |
| | | Size | Offset | Power (dBm) | Power (Watts) | EIRP(dBm) | EIRP(W) |
| Lowest | QPSK | 1 | 0 | 23.10 | 0.2042 | 23.60 | 0.2291 |
| Middle | | 1 | 0 | 23.17 | 0.2075 | 23.67 | 0.2328 |
| Highest | | 1 | 0 | 23.16 | 0.2070 | 23.66 | 0.2323 |
| Lowest | 16QAM | 1 | 0 | 22.47 | 0.1766 | 22.97 | 0.1982 |
| Middle | | 1 | 0 | 22.53 | 0.1791 | 23.03 | 0.2009 |
| Highest | | 1 | 0 | 22.66 | 0.1845 | 23.16 | 0.2070 |
| Lowest | 64QAM | 1 | 12 | 21.12 | 0.1294 | 21.62 | 0.1452 |
| Middle | | 1 | 12 | 21.31 | 0.1352 | 21.81 | 0.1517 |
| Highest | | 1 | 12 | 21.35 | 0.1365 | 21.85 | 0.1531 |
| Limit | EIRP < 2W | | | Result | | PASS | |



| LTE Band 2 / 10MHz (Average) (GT - LC = 0.5 dB) | | | | | | | |
|---|-----------|------|--------|-------------|---------------|-----------|---------|
| Channel | Mode | RB | | Conducted | | EIRP | |
| | | Size | Offset | Power (dBm) | Power (Watts) | EIRP(dBm) | EIRP(W) |
| Lowest | QPSK | 1 | 0 | 23.11 | 0.2046 | 23.61 | 0.2296 |
| Middle | | 1 | 0 | 23.23 | 0.2104 | 23.73 | 0.2360 |
| Highest | | 1 | 0 | 23.23 | 0.2104 | 23.73 | 0.2360 |
| Lowest | 16QAM | 1 | 0 | 22.53 | 0.1791 | 23.03 | 0.2009 |
| Middle | | 1 | 0 | 22.57 | 0.1807 | 23.07 | 0.2028 |
| Highest | | 1 | 0 | 22.69 | 0.1858 | 23.19 | 0.2084 |
| Lowest | 64QAM | 1 | 49 | 21.41 | 0.1384 | 21.91 | 0.1552 |
| Middle | | 1 | 49 | 21.56 | 0.1432 | 22.06 | 0.1607 |
| Highest | | 1 | 49 | 21.58 | 0.1439 | 22.08 | 0.1614 |
| Limit | EIRP < 2W | | | Result | | PASS | |

| LTE Band 2 / 15MHz (Average) (GT - LC = 0.5 dB) | | | | | | | |
|---|-----------|------|--------|-------------|---------------|-----------|---------|
| Channel | Mode | RB | | Conducted | | EIRP | |
| | | Size | Offset | Power (dBm) | Power (Watts) | EIRP(dBm) | EIRP(W) |
| Lowest | QPSK | 1 | 0 | 23.12 | 0.2051 | 23.62 | 0.2301 |
| Middle | | 1 | 0 | 23.22 | 0.2099 | 23.72 | 0.2355 |
| Highest | | 1 | 0 | 23.22 | 0.2099 | 23.72 | 0.2355 |
| Lowest | 16QAM | 1 | 74 | 22.49 | 0.1774 | 22.99 | 0.1991 |
| Middle | | 1 | 74 | 22.70 | 0.1862 | 23.20 | 0.2089 |
| Highest | | 1 | 74 | 22.63 | 0.1832 | 23.13 | 0.2056 |
| Lowest | 64QAM | 1 | 74 | 21.45 | 0.1396 | 21.95 | 0.1567 |
| Middle | | 1 | 74 | 21.70 | 0.1479 | 22.20 | 0.1660 |
| Highest | | 1 | 74 | 21.70 | 0.1479 | 22.20 | 0.1660 |
| Limit | EIRP < 2W | | | Result | | PASS | |

| LTE Band 2 / 20MHz (Average) (GT - LC = 0.5 dB) | | | | | | | |
|---|-----------|------|--------|-------------|---------------|-----------|---------|
| Channel | Mode | RB | | Conducted | | EIRP | |
| | | Size | Offset | Power (dBm) | Power (Watts) | EIRP(dBm) | EIRP(W) |
| Lowest | QPSK | 1 | 0 | 23.15 | 0.2065 | 23.65 | 0.2317 |
| Middle | | 1 | 0 | 23.27 | 0.2123 | 23.77 | 0.2382 |
| Highest | | 1 | 0 | 23.29 | 0.2133 | 23.79 | 0.2393 |
| Lowest | 16QAM | 1 | 99 | 22.24 | 0.1675 | 22.74 | 0.1879 |
| Middle | | 1 | 99 | 22.43 | 0.1750 | 22.93 | 0.1963 |
| Highest | | 1 | 99 | 22.43 | 0.1750 | 22.93 | 0.1963 |
| Lowest | 64QAM | 1 | 99 | 21.21 | 0.1321 | 21.71 | 0.1483 |
| Middle | | 1 | 99 | 21.46 | 0.1400 | 21.96 | 0.1570 |
| Highest | | 1 | 99 | 21.54 | 0.1426 | 22.04 | 0.1600 |
| Limit | EIRP < 2W | | | Result | | PASS | |



| LTE Band 4 / 1.4MHz (Average) (GT - LC = 0.8 dB) | | | | | | | |
|--|-----------|------|--------|-------------|---------------|-----------|---------|
| Channel | Mode | RB | | Conducted | | EIRP | |
| | | Size | Offset | Power (dBm) | Power (Watts) | EIRP(dBm) | EIRP(W) |
| Lowest | QPSK | 1 | 3 | 22.52 | 0.1786 | 23.32 | 0.2148 |
| Middle | | 1 | 3 | 22.51 | 0.1782 | 23.31 | 0.2143 |
| Highest | | 1 | 3 | 22.61 | 0.1824 | 23.41 | 0.2193 |
| Lowest | 16QAM | 1 | 0 | 22.32 | 0.1706 | 23.12 | 0.2051 |
| Middle | | 1 | 0 | 22.30 | 0.1698 | 23.10 | 0.2042 |
| Highest | | 1 | 0 | 22.30 | 0.1698 | 23.10 | 0.2042 |
| Lowest | 64QAM | 1 | 3 | 21.25 | 0.1334 | 22.05 | 0.1603 |
| Middle | | 1 | 3 | 21.31 | 0.1352 | 22.11 | 0.1626 |
| Highest | | 1 | 3 | 21.13 | 0.1297 | 21.93 | 0.1560 |
| Limit | EIRP < 1W | | | Result | | PASS | |

| LTE Band 4 / 3MHz (Average) (GT - LC = 0.8 dB) | | | | | | | |
|--|-----------|------|--------|-------------|---------------|-----------|---------|
| Channel | Mode | RB | | Conducted | | EIRP | |
| | | Size | Offset | Power (dBm) | Power (Watts) | EIRP(dBm) | EIRP(W) |
| Lowest | QPSK | 1 | 8 | 22.48 | 0.1770 | 23.28 | 0.2128 |
| Middle | | 1 | 8 | 22.46 | 0.1762 | 23.26 | 0.2118 |
| Highest | | 1 | 8 | 22.61 | 0.1824 | 23.41 | 0.2193 |
| Lowest | 16QAM | 1 | 0 | 22.32 | 0.1706 | 23.12 | 0.2051 |
| Middle | | 1 | 0 | 22.33 | 0.1710 | 23.13 | 0.2056 |
| Highest | | 1 | 0 | 22.31 | 0.1702 | 23.11 | 0.2046 |
| Lowest | 64QAM | 1 | 8 | 21.17 | 0.1309 | 21.97 | 0.1574 |
| Middle | | 1 | 8 | 21.32 | 0.1355 | 22.12 | 0.1629 |
| Highest | | 1 | 8 | 21.19 | 0.1315 | 21.99 | 0.1581 |
| Limit | EIRP < 1W | | | Result | | PASS | |

| LTE Band 4 / 5MHz (Average) (GT - LC = 0.8 dB) | | | | | | | |
|--|-----------|------|--------|-------------|---------------|-----------|---------|
| Channel | Mode | RB | | Conducted | | EIRP | |
| | | Size | Offset | Power (dBm) | Power (Watts) | EIRP(dBm) | EIRP(W) |
| Lowest | QPSK | 1 | 12 | 22.57 | 0.1807 | 23.37 | 0.2173 |
| Middle | | 1 | 12 | 22.55 | 0.1799 | 23.35 | 0.2163 |
| Highest | | 1 | 12 | 22.65 | 0.1841 | 23.45 | 0.2213 |
| Lowest | 16QAM | 1 | 0 | 22.40 | 0.1738 | 23.20 | 0.2089 |
| Middle | | 1 | 0 | 22.40 | 0.1738 | 23.20 | 0.2089 |
| Highest | | 1 | 0 | 22.35 | 0.1718 | 23.15 | 0.2065 |
| Lowest | 64QAM | 1 | 12 | 21.14 | 0.1300 | 21.94 | 0.1563 |
| Middle | | 1 | 12 | 21.29 | 0.1346 | 22.09 | 0.1618 |
| Highest | | 1 | 12 | 21.29 | 0.1346 | 22.09 | 0.1618 |
| Limit | EIRP < 1W | | | Result | | PASS | |



| LTE Band 4 / 10MHz (Average) (GT - LC = 0.8 dB) | | | | | | | |
|---|-----------|------|--------|-------------|---------------|-----------|---------|
| Channel | Mode | RB | | Conducted | | EIRP | |
| | | Size | Offset | Power (dBm) | Power (Watts) | EIRP(dBm) | EIRP(W) |
| Lowest | QPSK | 1 | 25 | 22.53 | 0.1791 | 23.33 | 0.2153 |
| Middle | | 1 | 25 | 22.58 | 0.1811 | 23.38 | 0.2178 |
| Highest | | 1 | 25 | 22.57 | 0.1807 | 23.37 | 0.2173 |
| Lowest | 16QAM | 1 | 49 | 22.20 | 0.1660 | 23.00 | 0.1995 |
| Middle | | 1 | 49 | 22.19 | 0.1656 | 22.99 | 0.1991 |
| Highest | | 1 | 49 | 22.19 | 0.1656 | 22.99 | 0.1991 |
| Lowest | 64QAM | 1 | 49 | 21.65 | 0.1462 | 22.45 | 0.1758 |
| Middle | | 1 | 49 | 21.63 | 0.1455 | 22.43 | 0.1750 |
| Highest | | 1 | 49 | 21.65 | 0.1462 | 22.45 | 0.1758 |
| Limit | EIRP < 1W | | | Result | | PASS | |

| LTE Band 4 / 15MHz (Average) (GT - LC = 0.8 dB) | | | | | | | |
|---|-----------|------|--------|-------------|---------------|-----------|---------|
| Channel | Mode | RB | | Conducted | | EIRP | |
| | | Size | Offset | Power (dBm) | Power (Watts) | EIRP(dBm) | EIRP(W) |
| Lowest | QPSK | 1 | 37 | 22.59 | 0.1816 | 23.39 | 0.2183 |
| Middle | | 1 | 37 | 22.59 | 0.1816 | 23.39 | 0.2183 |
| Highest | | 1 | 37 | 22.61 | 0.1824 | 23.41 | 0.2193 |
| Lowest | 16QAM | 1 | 0 | 22.35 | 0.1718 | 23.15 | 0.2065 |
| Middle | | 1 | 0 | 22.39 | 0.1734 | 23.19 | 0.2084 |
| Highest | | 1 | 0 | 22.31 | 0.1702 | 23.11 | 0.2046 |
| Lowest | 64QAM | 1 | 37 | 21.18 | 0.1312 | 21.98 | 0.1578 |
| Middle | | 1 | 37 | 21.20 | 0.1318 | 22.00 | 0.1585 |
| Highest | | 1 | 37 | 21.17 | 0.1309 | 21.97 | 0.1574 |
| Limit | EIRP < 1W | | | Result | | PASS | |

| LTE Band 4 / 20MHz (Average) (GT - LC = 0.8 dB) | | | | | | | |
|---|-----------|------|--------|-------------|---------------|-----------|---------|
| Channel | Mode | RB | | Conducted | | EIRP | |
| | | Size | Offset | Power (dBm) | Power (Watts) | EIRP(dBm) | EIRP(W) |
| Lowest | QPSK | 1 | 49 | 22.63 | 0.1832 | 23.43 | 0.2203 |
| Middle | | 1 | 49 | 22.65 | 0.1841 | 23.45 | 0.2213 |
| Highest | | 1 | 49 | 22.67 | 0.1849 | 23.47 | 0.2223 |
| Lowest | 16QAM | 1 | 49 | 22.22 | 0.1667 | 23.02 | 0.2004 |
| Middle | | 1 | 49 | 22.22 | 0.1667 | 23.02 | 0.2004 |
| Highest | | 1 | 49 | 22.59 | 0.1816 | 23.39 | 0.2183 |
| Lowest | 64QAM | 1 | 49 | 21.22 | 0.1324 | 22.02 | 0.1592 |
| Middle | | 1 | 49 | 21.21 | 0.1321 | 22.01 | 0.1589 |
| Highest | | 1 | 49 | 21.23 | 0.1327 | 22.03 | 0.1596 |
| Limit | EIRP < 1W | | | Result | | PASS | |



| LTE Band 5 / 1.4MHz (Average) (GT - LC = -2.7 dB) | | | | | | | |
|---|----------|------|--------|-------------|---------------|----------|--------|
| Channel | Mode | RB | | Conducted | | ERP | |
| | | Size | Offset | Power (dBm) | Power (Watts) | ERP(dBm) | ERP(W) |
| Lowest | QPSK | 1 | 5 | 23.32 | 0.2148 | 18.47 | 0.0703 |
| Middle | | 1 | 5 | 23.28 | 0.2128 | 18.43 | 0.0697 |
| Highest | | 1 | 5 | 23.12 | 0.2051 | 18.27 | 0.0671 |
| Lowest | 16QAM | 1 | 0 | 22.41 | 0.1742 | 17.56 | 0.0570 |
| Middle | | 1 | 0 | 22.23 | 0.1671 | 17.38 | 0.0547 |
| Highest | | 1 | 0 | 22.28 | 0.1690 | 17.43 | 0.0553 |
| Lowest | 64QAM | 3 | 1 | 21.21 | 0.1321 | 16.36 | 0.0433 |
| Middle | | 3 | 1 | 21.14 | 0.1300 | 16.29 | 0.0426 |
| Highest | | 3 | 1 | 21.03 | 0.1268 | 16.18 | 0.0415 |
| Limit | ERP < 7W | | | Result | | PASS | |

| LTE Band 5 / 3MHz (Average) (GT - LC = -2.7 dB) | | | | | | | |
|---|----------|------|--------|-------------|---------------|----------|--------|
| Channel | Mode | RB | | Conducted | | ERP | |
| | | Size | Offset | Power (dBm) | Power (Watts) | ERP(dBm) | ERP(W) |
| Lowest | QPSK | 1 | 14 | 23.33 | 0.2153 | 18.48 | 0.0705 |
| Middle | | 1 | 14 | 23.33 | 0.2153 | 18.48 | 0.0705 |
| Highest | | 1 | 14 | 23.15 | 0.2065 | 18.30 | 0.0676 |
| Lowest | 16QAM | 1 | 0 | 22.48 | 0.1770 | 17.63 | 0.0579 |
| Middle | | 1 | 0 | 22.30 | 0.1698 | 17.45 | 0.0556 |
| Highest | | 1 | 0 | 22.35 | 0.1718 | 17.50 | 0.0562 |
| Lowest | 64QAM | 1 | 8 | 21.20 | 0.1318 | 16.35 | 0.0432 |
| Middle | | 1 | 8 | 21.03 | 0.1268 | 16.18 | 0.0415 |
| Highest | | 1 | 8 | 21.04 | 0.1271 | 16.19 | 0.0416 |
| Limit | ERP < 7W | | | Result | | PASS | |

| LTE Band 5 / 5MHz (Average) (GT - LC = -2.7 dB) | | | | | | | |
|---|----------|------|--------|-------------|---------------|----------|--------|
| Channel | Mode | RB | | Conducted | | ERP | |
| | | Size | Offset | Power (dBm) | Power (Watts) | ERP(dBm) | ERP(W) |
| Lowest | QPSK | 1 | 24 | 23.37 | 0.2173 | 18.52 | 0.0711 |
| Middle | | 1 | 24 | 23.33 | 0.2153 | 18.48 | 0.0705 |
| Highest | | 1 | 24 | 23.14 | 0.2061 | 18.29 | 0.0675 |
| Lowest | 16QAM | 1 | 0 | 22.43 | 0.1750 | 17.58 | 0.0573 |
| Middle | | 1 | 0 | 22.34 | 0.1714 | 17.49 | 0.0561 |
| Highest | | 1 | 0 | 22.35 | 0.1718 | 17.50 | 0.0562 |
| Lowest | 64QAM | 1 | 24 | 21.18 | 0.1312 | 16.33 | 0.0430 |
| Middle | | 1 | 24 | 21.14 | 0.1300 | 16.29 | 0.0426 |
| Highest | | 1 | 24 | 20.99 | 0.1256 | 16.14 | 0.0411 |
| Limit | ERP < 7W | | | Result | | PASS | |



| LTE Band 5 / 10MHz (Average) (GT - LC = -2.7 dB) | | | | | | | |
|--|----------|------|--------|-------------|---------------|----------|--------|
| Channel | Mode | RB | | Conducted | | ERP | |
| | | Size | Offset | Power (dBm) | Power (Watts) | ERP(dBm) | ERP(W) |
| Lowest | QPSK | 1 | 49 | 23.43 | 0.2203 | 18.58 | 0.0721 |
| Middle | | 1 | 49 | 23.36 | 0.2168 | 18.51 | 0.0710 |
| Highest | | 1 | 49 | 23.23 | 0.2104 | 18.38 | 0.0689 |
| Lowest | 16QAM | 1 | 49 | 22.68 | 0.1854 | 17.83 | 0.0607 |
| Middle | | 1 | 49 | 22.76 | 0.1888 | 17.91 | 0.0618 |
| Highest | | 1 | 49 | 22.46 | 0.1762 | 17.61 | 0.0577 |
| Lowest | 64QAM | 1 | 49 | 21.56 | 0.1432 | 16.71 | 0.0469 |
| Middle | | 1 | 49 | 21.47 | 0.1403 | 16.62 | 0.0459 |
| Highest | | 1 | 49 | 21.35 | 0.1365 | 16.50 | 0.0447 |
| Limit | ERP < 7W | | | Result | | PASS | |



| LTE Band 7 / 5MHz (Average) (GT - LC = 0.3 dB) | | | | | | | |
|--|-----------|------|--------|-------------|---------------|-----------|---------|
| Channel | Mode | RB | | Conducted | | EIRP | |
| | | Size | Offset | Power (dBm) | Power (Watts) | EIRP(dBm) | EIRP(W) |
| Lowest | QPSK | 1 | 0 | 23.08 | 0.2032 | 23.38 | 0.2178 |
| Middle | | 1 | 0 | 23.28 | 0.2128 | 23.58 | 0.2280 |
| Highest | | 1 | 0 | 23.34 | 0.2158 | 23.64 | 0.2312 |
| Lowest | 16QAM | 1 | 0 | 22.56 | 0.1803 | 22.86 | 0.1932 |
| Middle | | 1 | 0 | 22.81 | 0.1910 | 23.11 | 0.2046 |
| Highest | | 1 | 0 | 22.76 | 0.1888 | 23.06 | 0.2023 |
| Lowest | 64QAM | 1 | 0 | 21.42 | 0.1387 | 21.72 | 0.1486 |
| Middle | | 1 | 0 | 21.68 | 0.1472 | 21.98 | 0.1578 |
| Highest | | 1 | 0 | 21.73 | 0.1489 | 22.03 | 0.1596 |
| Limit | EIRP < 2W | | Result | | PASS | | |

| LTE Band 7 / 10MHz (Average) (GT - LC = 0.3 dB) | | | | | | | |
|---|-----------|------|--------|-------------|---------------|-----------|---------|
| Channel | Mode | RB | | Conducted | | EIRP | |
| | | Size | Offset | Power (dBm) | Power (Watts) | EIRP(dBm) | EIRP(W) |
| Lowest | QPSK | 1 | 49 | 23.09 | 0.2037 | 23.39 | 0.2183 |
| Middle | | 1 | 49 | 23.26 | 0.2118 | 23.56 | 0.2270 |
| Highest | | 1 | 49 | 23.36 | 0.2168 | 23.66 | 0.2323 |
| Lowest | 16QAM | 1 | 0 | 22.70 | 0.1862 | 23.00 | 0.1995 |
| Middle | | 1 | 0 | 22.92 | 0.1959 | 23.22 | 0.2099 |
| Highest | | 1 | 0 | 22.90 | 0.1950 | 23.20 | 0.2089 |
| Lowest | 64QAM | 1 | 0 | 21.62 | 0.1452 | 21.92 | 0.1556 |
| Middle | | 1 | 0 | 21.87 | 0.1538 | 22.17 | 0.1648 |
| Highest | | 1 | 0 | 21.71 | 0.1483 | 22.01 | 0.1589 |
| Limit | EIRP < 2W | | Result | | PASS | | |

| LTE Band 7 / 15MHz (Average) (GT - LC = 0.3 dB) | | | | | | | |
|---|-----------|------|--------|-------------|---------------|-----------|---------|
| Channel | Mode | RB | | Conducted | | EIRP | |
| | | Size | Offset | Power (dBm) | Power (Watts) | EIRP(dBm) | EIRP(W) |
| Lowest | QPSK | 1 | 0 | 23.06 | 0.2023 | 23.36 | 0.2168 |
| Middle | | 1 | 0 | 23.35 | 0.2163 | 23.65 | 0.2317 |
| Highest | | 1 | 0 | 23.30 | 0.2138 | 23.60 | 0.2291 |
| Lowest | 16QAM | 1 | 0 | 22.48 | 0.1770 | 22.78 | 0.1897 |
| Middle | | 1 | 0 | 22.64 | 0.1837 | 22.94 | 0.1968 |
| Highest | | 1 | 0 | 22.62 | 0.1828 | 22.92 | 0.1959 |
| Lowest | 64QAM | 1 | 74 | 21.39 | 0.1377 | 21.69 | 0.1476 |
| Middle | | 1 | 74 | 21.52 | 0.1419 | 21.82 | 0.1521 |
| Highest | | 1 | 74 | 21.65 | 0.1462 | 21.95 | 0.1567 |
| Limit | EIRP < 2W | | Result | | PASS | | |



| LTE Band 7 / 20MHz (Average) (GT - LC = 0.3 dB) | | | | | | | |
|---|-----------|------|--------|-------------|---------------|-----------|---------|
| Channel | Mode | RB | | Conducted | | EIRP | |
| | | Size | Offset | Power (dBm) | Power (Watts) | EIRP(dBm) | EIRP(W) |
| Lowest | QPSK | 1 | 0 | 23.15 | 0.2065 | 23.45 | 0.2213 |
| Middle | | 1 | 0 | 23.37 | 0.2173 | 23.67 | 0.2328 |
| Highest | | 1 | 0 | 23.39 | 0.2183 | 23.69 | 0.2339 |
| Lowest | 16QAM | 1 | 0 | 22.49 | 0.1774 | 22.79 | 0.1901 |
| Middle | | 1 | 0 | 22.65 | 0.1841 | 22.95 | 0.1972 |
| Highest | | 1 | 0 | 22.64 | 0.1837 | 22.94 | 0.1968 |
| Lowest | 64QAM | 1 | 99 | 21.49 | 0.1409 | 21.79 | 0.1510 |
| Middle | | 1 | 99 | 21.56 | 0.1432 | 21.86 | 0.1535 |
| Highest | | 1 | 99 | 21.67 | 0.1469 | 21.97 | 0.1574 |
| Limit | EIRP < 2W | | | Result | | PASS | |



| LTE Band 66 / 1.4MHz (Average) (GT - LC = 0.8 dB) | | | | | | | |
|---|-----------|------|--------|-------------|---------------|-----------|---------|
| Channel | Mode | RB | | Conducted | | EIRP | |
| | | Size | Offset | Power (dBm) | Power (Watts) | EIRP(dBm) | EIRP(W) |
| Lowest | QPSK | 1 | 5 | 23.00 | 0.1995 | 23.80 | 0.2399 |
| Middle | | 1 | 5 | 23.08 | 0.2032 | 23.88 | 0.2443 |
| Highest | | 1 | 5 | 22.87 | 0.1936 | 23.67 | 0.2328 |
| Lowest | 16QAM | 1 | 0 | 22.21 | 0.1663 | 23.01 | 0.2000 |
| Middle | | 1 | 0 | 22.40 | 0.1738 | 23.20 | 0.2089 |
| Highest | | 1 | 0 | 22.20 | 0.1660 | 23.00 | 0.1995 |
| Lowest | 64QAM | 3 | 1 | 21.14 | 0.1300 | 21.94 | 0.1563 |
| Middle | | 3 | 1 | 21.36 | 0.1368 | 22.16 | 0.1644 |
| Highest | | 3 | 1 | 21.09 | 0.1285 | 21.89 | 0.1545 |
| Limit | EIRP < 1W | | | Result | | PASS | |

| LTE Band 66 / 3MHz (Average) (GT - LC = 0.8 dB) | | | | | | | |
|---|-----------|------|--------|-------------|---------------|-----------|---------|
| Channel | Mode | RB | | Conducted | | EIRP | |
| | | Size | Offset | Power (dBm) | Power (Watts) | EIRP(dBm) | EIRP(W) |
| Lowest | QPSK | 1 | 14 | 23.03 | 0.2009 | 23.83 | 0.2415 |
| Middle | | 1 | 14 | 23.06 | 0.2023 | 23.86 | 0.2432 |
| Highest | | 1 | 14 | 22.83 | 0.1919 | 23.63 | 0.2307 |
| Lowest | 16QAM | 1 | 0 | 22.27 | 0.1687 | 23.07 | 0.2028 |
| Middle | | 1 | 0 | 22.42 | 0.1746 | 23.22 | 0.2099 |
| Highest | | 1 | 0 | 22.22 | 0.1667 | 23.02 | 0.2004 |
| Lowest | 64QAM | 1 | 8 | 21.16 | 0.1306 | 21.96 | 0.1570 |
| Middle | | 1 | 8 | 21.36 | 0.1368 | 22.16 | 0.1644 |
| Highest | | 1 | 8 | 21.00 | 0.1259 | 21.80 | 0.1514 |
| Limit | EIRP < 1W | | | Result | | PASS | |

| LTE Band 66 / 5MHz (Average) (GT - LC = 0.8 dB) | | | | | | | |
|---|-----------|------|--------|-------------|---------------|-----------|---------|
| Channel | Mode | RB | | Conducted | | EIRP | |
| | | Size | Offset | Power (dBm) | Power (Watts) | EIRP(dBm) | EIRP(W) |
| Lowest | QPSK | 1 | 24 | 23.09 | 0.2037 | 23.89 | 0.2449 |
| Middle | | 1 | 24 | 23.11 | 0.2046 | 23.91 | 0.2460 |
| Highest | | 1 | 24 | 22.93 | 0.1963 | 23.73 | 0.2360 |
| Lowest | 16QAM | 1 | 0 | 22.28 | 0.1690 | 23.08 | 0.2032 |
| Middle | | 1 | 0 | 22.47 | 0.1766 | 23.27 | 0.2123 |
| Highest | | 1 | 0 | 22.30 | 0.1698 | 23.10 | 0.2042 |
| Lowest | 64QAM | 1 | 12 | 21.20 | 0.1318 | 22.00 | 0.1585 |
| Middle | | 1 | 12 | 21.35 | 0.1365 | 22.15 | 0.1641 |
| Highest | | 1 | 12 | 21.10 | 0.1288 | 21.90 | 0.1549 |
| Limit | EIRP < 1W | | | Result | | PASS | |



| LTE Band 66 / 10MHz (Average) (GT - LC = 0.8 dB) | | | | | | | |
|--|-----------|------|--------|-------------|---------------|-----------|---------|
| Channel | Mode | RB | | Conducted | | EIRP | |
| | | Size | Offset | Power (dBm) | Power (Watts) | EIRP(dBm) | EIRP(W) |
| Lowest | QPSK | 1 | 49 | 23.07 | 0.2028 | 23.87 | 0.2438 |
| Middle | | 1 | 49 | 23.11 | 0.2046 | 23.91 | 0.2460 |
| Highest | | 1 | 49 | 22.90 | 0.1950 | 23.70 | 0.2344 |
| Lowest | 16QAM | 1 | 49 | 22.67 | 0.1849 | 23.47 | 0.2223 |
| Middle | | 1 | 49 | 22.71 | 0.1866 | 23.51 | 0.2244 |
| Highest | | 1 | 49 | 22.48 | 0.1770 | 23.28 | 0.2128 |
| Lowest | 64QAM | 1 | 49 | 21.61 | 0.1449 | 22.41 | 0.1742 |
| Middle | | 1 | 49 | 21.68 | 0.1472 | 22.48 | 0.1770 |
| Highest | | 1 | 49 | 21.43 | 0.1390 | 22.23 | 0.1671 |
| Limit | EIRP < 1W | | | Result | | PASS | |

| LTE Band 66 / 15MHz (Average) (GT - LC = 0.8 dB) | | | | | | | |
|--|-----------|------|--------|-------------|---------------|-----------|---------|
| Channel | Mode | RB | | Conducted | | EIRP | |
| | | Size | Offset | Power (dBm) | Power (Watts) | EIRP(dBm) | EIRP(W) |
| Lowest | QPSK | 1 | 74 | 23.09 | 0.2037 | 23.89 | 0.2449 |
| Middle | | 1 | 74 | 23.14 | 0.2061 | 23.94 | 0.2477 |
| Highest | | 1 | 74 | 22.92 | 0.1959 | 23.72 | 0.2355 |
| Lowest | 16QAM | 1 | 0 | 22.52 | 0.1786 | 23.32 | 0.2148 |
| Middle | | 1 | 0 | 22.60 | 0.1820 | 23.40 | 0.2188 |
| Highest | | 1 | 0 | 22.45 | 0.1758 | 23.25 | 0.2113 |
| Lowest | 64QAM | 1 | 74 | 21.42 | 0.1387 | 22.22 | 0.1667 |
| Middle | | 1 | 74 | 21.42 | 0.1387 | 22.22 | 0.1667 |
| Highest | | 1 | 74 | 21.18 | 0.1312 | 21.98 | 0.1578 |
| Limit | EIRP < 1W | | | Result | | PASS | |

| LTE Band 66 / 20MHz (Average) (GT - LC = 0.8 dB) | | | | | | | |
|--|-----------|------|--------|-------------|---------------|-----------|---------|
| Channel | Mode | RB | | Conducted | | EIRP | |
| | | Size | Offset | Power (dBm) | Power (Watts) | EIRP(dBm) | EIRP(W) |
| Lowest | QPSK | 1 | 99 | 23.15 | 0.2065 | 23.95 | 0.2483 |
| Middle | | 1 | 99 | 23.17 | 0.2075 | 23.97 | 0.2495 |
| Highest | | 1 | 99 | 22.99 | 0.1991 | 23.79 | 0.2393 |
| Lowest | 16QAM | 1 | 99 | 22.60 | 0.1820 | 23.40 | 0.2188 |
| Middle | | 1 | 99 | 22.61 | 0.1824 | 23.41 | 0.2193 |
| Highest | | 1 | 99 | 22.26 | 0.1683 | 23.06 | 0.2023 |
| Lowest | 64QAM | 1 | 99 | 21.63 | 0.1455 | 22.43 | 0.1750 |
| Middle | | 1 | 99 | 21.69 | 0.1476 | 22.49 | 0.1774 |
| Highest | | 1 | 99 | 21.35 | 0.1365 | 22.15 | 0.1641 |
| Limit | EIRP < 1W | | | Result | | PASS | |



Appendix C. Test Results of Radiated Test

Radiated Spurious Emission

| LTE Band 2 / 20MHz / QPSK | | | | | | | | |
|---------------------------|-------------------|--------------|---------------|-------------------|--------------------|----------------------|-----------------------|--------------------|
| Channel | Frequency (MHz) | EIRP (dBm) | Limit (dBm) | Over Limit (dB) | S.G. Power (dBm) | TX Cable loss (dB) | TX Antenna Gain (dBi) | Polarization (H/V) |
| Middle | 3741 | -57.21 | -13 | -44.21 | -69.47 | 2.64 | 14.90 | H |
| | 5613 | -53.60 | -13 | -40.60 | -65.46 | 2.94 | 14.80 | H |
| | 7488 | -42.60 | -13 | -29.60 | -52.37 | 3.39 | 13.16 | H |
| | 3741 | -57.28 | -13 | -44.28 | -69.54 | 2.64 | 14.90 | V |
| | 5613 | -53.44 | -13 | -40.44 | -65.30 | 2.94 | 14.80 | V |
| | 7488 | -48.11 | -13 | -35.11 | -57.88 | 3.39 | 13.16 | V |

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

| LTE Band 4 / 20MHz / QPSK | | | | | | | | |
|---------------------------|-------------------|--------------|---------------|-------------------|--------------------|----------------------|-----------------------|--------------------|
| Channel | Frequency (MHz) | EIRP (dBm) | Limit (dBm) | Over Limit (dB) | S.G. Power (dBm) | TX Cable loss (dB) | TX Antenna Gain (dBi) | Polarization (H/V) |
| Middle | 3447 | -55.49 | -13 | -42.49 | -66.23 | 2.604 | 13.34 | H |
| | 5172 | -54.02 | -13 | -41.02 | -64.53 | 3.011 | 13.52 | H |
| | 6900 | -50.56 | -13 | -37.56 | -60.76 | 3.271 | 13.47 | H |
| | 8616 | -43.62 | -13 | -30.62 | -50.59 | 5.527 | 12.5 | H |
| | 3447 | -56.19 | -13 | -43.19 | -66.93 | 2.604 | 13.34 | V |
| | 5172 | -53.01 | -13 | -40.01 | -63.52 | 3.011 | 13.52 | V |
| | 6900 | -50.30 | -13 | -37.30 | -60.50 | 3.271 | 13.47 | V |
| | 8616 | -46.21 | -13 | -33.21 | -53.18 | 5.527 | 12.50 | V |

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

| LTE Band 5 / 10MHz / QPSK | | | | | | | | |
|---------------------------|-------------------|-------------|---------------|-------------------|--------------------|----------------------|-----------------------|--------------------|
| Channel | Frequency (MHz) | ERP (dBm) | Limit (dBm) | Over Limit (dB) | S.G. Power (dBm) | TX Cable loss (dB) | TX Antenna Gain (dBi) | Polarization (H/V) |
| Middle | 1664 | -64.57 | -13 | -51.57 | -71.54 | 1.58 | 10.70 | H |
| | 2496 | -64.12 | -13 | -51.12 | -72.37 | 2.102 | 12.50 | H |
| | 3330 | -63.30 | -13 | -50.30 | -72.19 | 2.856 | 13.90 | H |
| | 1664 | -64.47 | -13 | -51.47 | -71.44 | 1.58 | 10.70 | V |
| | 2496 | -64.38 | -13 | -51.38 | -72.63 | 2.10 | 12.50 | V |
| | 3330 | -63.32 | -13 | -50.32 | -72.21 | 2.86 | 13.90 | V |

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



| LTE Band 7 / 20MHz / QPSK | | | | | | | | |
|---------------------------|-------------------|--------------|---------------|-------------------|--------------------|----------------------|-----------------------|--------------------|
| Channel | Frequency (MHz) | EIRP (dBm) | Limit (dBm) | Over Limit (dB) | S.G. Power (dBm) | TX Cable loss (dB) | TX Antenna Gain (dBi) | Polarization (H/V) |
| Middle | 5052 | -64.35 | -25 | -39.35 | -74.56 | 3.03 | 13.24 | H |
| | 7576 | -43.30 | -25 | -18.30 | -52.75 | 3.56 | 13.01 | H |
| | 10100 | -56.38 | -25 | -31.38 | -65.90 | 3.92 | 13.44 | H |
| | 12630 | -49.86 | -25 | -24.86 | -59.78 | 4.44 | 14.36 | H |
| | 5052 | -64.39 | -25 | -39.39 | -74.60 | 3.03 | 13.24 | V |
| | 7576 | -55.12 | -25 | -30.12 | -64.57 | 3.56 | 13.01 | V |
| | 10104 | -57.77 | -25 | -32.77 | -67.29 | 3.92 | 13.44 | V |
| | 12630 | -50.94 | -25 | -25.94 | -60.86 | 4.44 | 14.36 | V |

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

| LTE Band 66 / 20MHz / QPSK | | | | | | | | |
|----------------------------|-------------------|--------------|---------------|-------------------|--------------------|----------------------|-----------------------|--------------------|
| Channel | Frequency (MHz) | EIRP (dBm) | Limit (dBm) | Over Limit (dB) | S.G. Power (dBm) | TX Cable loss (dB) | TX Antenna Gain (dBi) | Polarization (H/V) |
| Middle | 3471 | -56.33 | -13 | -43.33 | -67.07 | 2.604 | 13.34 | H |
| | 5208 | -54.29 | -13 | -41.29 | -64.80 | 3.011 | 13.52 | H |
| | 6948 | -50.32 | -13 | -37.32 | -60.52 | 3.271 | 13.47 | H |
| | 3471 | -56.67 | -13 | -43.67 | -67.41 | 2.604 | 13.34 | V |
| | 5208 | -54.04 | -13 | -41.04 | -64.55 | 3.011 | 13.52 | V |
| | 6948 | -50.23 | -13 | -37.23 | -60.43 | 3.271 | 13.47 | V |

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.