

FR1 N2

LTE Band: 5, LTE BW: 10M, LTE ARFCN: Mid

Transmitter Conducted Output Power And ERP/EIRP, (G_T - L_C)=0.65dB

NR Band	SCS (kHz)	Bandwidth (MHz)	Arfcn	Freq (MHz)	Modulation	RB	Conducted Power(dBm)	EIRP (dBm)	EIRP (W)
2	15	5	386500	1852.5	DFT-s-OFDM PI/2 BPSK	12@6	22.97	23.62	0.2301
2	15	5	386500	1852.5	DFT-s-OFDM PI/2 BPSK	1@1	23.12	23.77	0.2382
2	15	5	386500	1852.5	DFT-s-OFDM PI/2 BPSK	1@23	23.07	23.72	0.2355
2	15	5	386500	1852.5	DFT-s-OFDM QPSK	12@6	22.9	23.55	0.2265
2	15	5	386500	1852.5	DFT-s-OFDM QPSK	1@1	23.08	23.73	0.236
2	15	5	386500	1852.5	DFT-s-OFDM QPSK	1@23	23.08	23.73	0.236
2	15	5	386500	1852.5	DFT-s-OFDM 16 QAM	12@6	22.03	22.68	0.1854
2	15	5	386500	1852.5	DFT-s-OFDM 16 QAM	1@1	22.03	22.68	0.1854
2	15	5	386500	1852.5	DFT-s-OFDM 16 QAM	1@23	22.03	22.68	0.1854
2	15	5	386500	1852.5	DFT-s-OFDM 64 QAM	12@6	20.57	21.22	0.1324
2	15	5	386500	1852.5	DFT-s-OFDM 64 QAM	1@1	20.83	21.48	0.1406
2	15	5	386500	1852.5	DFT-s-OFDM 64 QAM	1@23	20.69	21.34	0.1361
2	15	5	386500	1852.5	DFT-s-OFDM 256 QAM	12@6	18.81	19.46	0.0883
2	15	5	386500	1852.5	DFT-s-OFDM 256 QAM	1@1	18.1	18.75	0.075
2	15	5	386500	1852.5	DFT-s-OFDM 256 QAM	1@23	17.78	18.43	0.0697
2	15	5	386500	1852.5	CP-OFDM QPSK	13@6	21.44	22.09	0.1618
2	15	5	386500	1852.5	CP-OFDM QPSK	1@1	21.43	22.08	0.1614
2	15	5	386500	1852.5	CP-OFDM QPSK	1@23	21.52	22.17	0.1648
2	15	5	392000	1880.0	DFT-s-OFDM PI/2 BPSK	12@6	22.94	23.59	0.2286

2	15	5	392000	1880.0	DFT-s-OFDM PI/2 BPSK	1@1	23.09	23.74	0.2366
2	15	5	392000	1880.0	DFT-s-OFDM PI/2 BPSK	1@23	23.14	23.79	0.2393
2	15	5	392000	1880.0	DFT-s-OFDM QPSK	12@6	23.01	23.66	0.2323
2	15	5	392000	1880.0	DFT-s-OFDM QPSK	1@1	23.06	23.71	0.235
2	15	5	392000	1880.0	DFT-s-OFDM QPSK	1@23	23.14	23.79	0.2393
2	15	5	392000	1880.0	DFT-s-OFDM 16 QAM	12@6	22.11	22.76	0.1888
2	15	5	392000	1880.0	DFT-s-OFDM 16 QAM	1@1	22.06	22.71	0.1866
2	15	5	392000	1880.0	DFT-s-OFDM 16 QAM	1@23	22.13	22.78	0.1897
2	15	5	392000	1880.0	DFT-s-OFDM 64 QAM	12@6	20.65	21.3	0.1349
2	15	5	392000	1880.0	DFT-s-OFDM 64 QAM	1@1	20.74	21.39	0.1377
2	15	5	392000	1880.0	DFT-s-OFDM 64 QAM	1@23	20.8	21.45	0.1396
2	15	5	392000	1880.0	DFT-s-OFDM 256 QAM	12@6	18.82	19.47	0.0885
2	15	5	392000	1880.0	DFT-s-OFDM 256 QAM	1@1	17.7	18.35	0.0684
2	15	5	392000	1880.0	DFT-s-OFDM 256 QAM	1@23	18.46	19.11	0.0815
2	15	5	392000	1880.0	CP-OFDM QPSK	13@6	21.45	22.1	0.1622
2	15	5	392000	1880.0	CP-OFDM QPSK	1@1	21.52	22.17	0.1648
2	15	5	392000	1880.0	CP-OFDM QPSK	1@23	21.53	22.18	0.1652
2	15	5	397500	1907.5	DFT-s-OFDM PI/2 BPSK	12@6	22.89	23.54	0.2259
2	15	5	397500	1907.5	DFT-s-OFDM PI/2 BPSK	1@1	22.93	23.58	0.228
2	15	5	397500	1907.5	DFT-s-OFDM PI/2 BPSK	1@23	22.88	23.53	0.2254
2	15	5	397500	1907.5	DFT-s-OFDM QPSK	12@6	22.77	23.42	0.2198
2	15	5	397500	1907.5	DFT-s-OFDM QPSK	1@1	23.01	23.66	0.2323
2	15	5	397500	1907.5	DFT-s-OFDM QPSK	1@23	22.96	23.61	0.2296
2	15	5	397500	1907.5	DFT-s-OFDM 16 QAM	12@6	21.82	22.47	0.1766

2	15	5	397500	1907.5	DFT-s-OFDM 16 QAM	1@1	22.39	23.04	0.2014
2	15	5	397500	1907.5	DFT-s-OFDM 16 QAM	1@23	21.91	22.56	0.1803
2	15	5	397500	1907.5	DFT-s-OFDM 64 QAM	12@6	20.38	21.03	0.1268
2	15	5	397500	1907.5	DFT-s-OFDM 64 QAM	1@1	20.94	21.59	0.1442
2	15	5	397500	1907.5	DFT-s-OFDM 64 QAM	1@23	20.63	21.28	0.1343
2	15	5	397500	1907.5	DFT-s-OFDM 256 QAM	12@6	18.24	18.89	0.0774
2	15	5	397500	1907.5	DFT-s-OFDM 256 QAM	1@1	17.84	18.49	0.0706
2	15	5	397500	1907.5	DFT-s-OFDM 256 QAM	1@23	17.25	17.9	0.0617
2	15	5	397500	1907.5	CP-OFDM QPSK	13@6	21.29	21.94	0.1563
2	15	5	397500	1907.5	CP-OFDM QPSK	1@1	21.48	22.13	0.1633
2	15	5	397500	1907.5	CP-OFDM QPSK	1@23	21.45	22.1	0.1622
2	15	10	387000	1855.0	DFT-s-OFDM PI/2 BPSK	25@12	23.07	23.72	0.2355
2	15	10	387000	1855.0	DFT-s-OFDM PI/2 BPSK	1@1	23.28	23.93	0.2472
2	15	10	387000	1855.0	DFT-s-OFDM PI/2 BPSK	1@50	22.89	23.54	0.2259
2	15	10	387000	1855.0	DFT-s-OFDM QPSK	25@12	22.95	23.6	0.2291
2	15	10	387000	1855.0	DFT-s-OFDM QPSK	1@1	23.57	24.22	0.2642
2	15	10	387000	1855.0	DFT-s-OFDM QPSK	1@50	23.42	24.07	0.2553
2	15	10	387000	1855.0	DFT-s-OFDM 16 QAM	25@12	22.06	22.71	0.1866
2	15	10	387000	1855.0	DFT-s-OFDM 16 QAM	1@1	22.43	23.08	0.2032
2	15	10	387000	1855.0	DFT-s-OFDM 16 QAM	1@50	22.38	23.03	0.2009
2	15	10	387000	1855.0	DFT-s-OFDM 64 QAM	25@12	20.52	21.17	0.1309
2	15	10	387000	1855.0	DFT-s-OFDM 64 QAM	1@1	21.27	21.92	0.1556
2	15	10	387000	1855.0	DFT-s-OFDM 64 QAM	1@50	21.12	21.77	0.1503
2	15	10	387000	1855.0	DFT-s-OFDM 256 QAM	25@12	18.76	19.41	0.0873

2	15	10	387000	1855.0	DFT-s-OFDM 256 QAM	1@1	18.27	18.92	0.078
2	15	10	387000	1855.0	DFT-s-OFDM 256 QAM	1@50	18.74	19.39	0.0869
2	15	10	387000	1855.0	CP-OFDM QPSK	26@13	21.59	22.24	0.1675
2	15	10	387000	1855.0	CP-OFDM QPSK	1@1	21.99	22.64	0.1837
2	15	10	387000	1855.0	CP-OFDM QPSK	1@50	21.94	22.59	0.1816
2	15	10	392000	1880.0	DFT-s-OFDM PI/2 BPSK	25@12	23.03	23.68	0.2333
2	15	10	392000	1880.0	DFT-s-OFDM PI/2 BPSK	1@1	23.44	24.09	0.2564
2	15	10	392000	1880.0	DFT-s-OFDM PI/2 BPSK	1@50	23.55	24.2	0.263
2	15	10	392000	1880.0	DFT-s-OFDM QPSK	25@12	22.95	23.6	0.2291
2	15	10	392000	1880.0	DFT-s-OFDM QPSK	1@1	23.41	24.06	0.2547
2	15	10	392000	1880.0	DFT-s-OFDM QPSK	1@50	23.55	24.2	0.263
2	15	10	392000	1880.0	DFT-s-OFDM 16 QAM	25@12	22.01	22.66	0.1845
2	15	10	392000	1880.0	DFT-s-OFDM 16 QAM	1@1	22.52	23.17	0.2075
2	15	10	392000	1880.0	DFT-s-OFDM 16 QAM	1@50	22.54	23.19	0.2084
2	15	10	392000	1880.0	DFT-s-OFDM 64 QAM	25@12	20.57	21.22	0.1324
2	15	10	392000	1880.0	DFT-s-OFDM 64 QAM	1@1	21.2	21.85	0.1531
2	15	10	392000	1880.0	DFT-s-OFDM 64 QAM	1@50	21.29	21.94	0.1563
2	15	10	392000	1880.0	DFT-s-OFDM 256 QAM	25@12	18.87	19.52	0.0895
2	15	10	392000	1880.0	DFT-s-OFDM 256 QAM	1@1	17.94	18.59	0.0723
2	15	10	392000	1880.0	DFT-s-OFDM 256 QAM	1@50	18.89	19.54	0.0899
2	15	10	392000	1880.0	CP-OFDM QPSK	26@13	21.54	22.19	0.1656
2	15	10	392000	1880.0	CP-OFDM QPSK	1@1	21.84	22.49	0.1774
2	15	10	392000	1880.0	CP-OFDM QPSK	1@50	22.07	22.72	0.1871
2	15	10	397000	1905.0	DFT-s-OFDM PI/2 BPSK	25@12	22.97	23.62	0.2301

2	15	10	397000	1905.0	DFT-s-OFDM PI/2 BPSK	1@1	22.85	23.5	0.2239
2	15	10	397000	1905.0	DFT-s-OFDM PI/2 BPSK	1@50	22.81	23.46	0.2218
2	15	10	397000	1905.0	DFT-s-OFDM QPSK	25@12	22.93	23.58	0.228
2	15	10	397000	1905.0	DFT-s-OFDM QPSK	1@1	22.92	23.57	0.2275
2	15	10	397000	1905.0	DFT-s-OFDM QPSK	1@50	22.87	23.52	0.2249
2	15	10	397000	1905.0	DFT-s-OFDM 16 QAM	25@12	22.02	22.67	0.1849
2	15	10	397000	1905.0	DFT-s-OFDM 16 QAM	1@1	22.3	22.95	0.1972
2	15	10	397000	1905.0	DFT-s-OFDM 16 QAM	1@50	21.79	22.44	0.1754
2	15	10	397000	1905.0	DFT-s-OFDM 64 QAM	25@12	20.5	21.15	0.1303
2	15	10	397000	1905.0	DFT-s-OFDM 64 QAM	1@1	20.66	21.31	0.1352
2	15	10	397000	1905.0	DFT-s-OFDM 64 QAM	1@50	20.6	21.25	0.1334
2	15	10	397000	1905.0	DFT-s-OFDM 256 QAM	25@12	18.31	18.96	0.0787
2	15	10	397000	1905.0	DFT-s-OFDM 256 QAM	1@1	18.34	18.99	0.0793
2	15	10	397000	1905.0	DFT-s-OFDM 256 QAM	1@50	17.66	18.31	0.0678
2	15	10	397000	1905.0	CP-OFDM QPSK	26@13	21.42	22.07	0.1611
2	15	10	397000	1905.0	CP-OFDM QPSK	1@1	21.34	21.99	0.1581
2	15	10	397000	1905.0	CP-OFDM QPSK	1@50	21.37	22.02	0.1592
2	15	15	387500	1857.5	DFT-s-OFDM PI/2 BPSK	36@18	22.96	23.61	0.2296
2	15	15	387500	1857.5	DFT-s-OFDM PI/2 BPSK	1@1	23.28	23.93	0.2472
2	15	15	387500	1857.5	DFT-s-OFDM PI/2 BPSK	1@77	23.25	23.9	0.2455
2	15	15	387500	1857.5	DFT-s-OFDM QPSK	36@18	22.96	23.61	0.2296
2	15	15	387500	1857.5	DFT-s-OFDM QPSK	1@1	23.41	24.06	0.2547
2	15	15	387500	1857.5	DFT-s-OFDM QPSK	1@77	23.27	23.92	0.2466
2	15	15	387500	1857.5	DFT-s-OFDM 16 QAM	36@18	22.02	22.67	0.1849

2	15	15	387500	1857.5	DFT-s-OFDM 16 QAM	1@1	22.38	23.03	0.2009
2	15	15	387500	1857.5	DFT-s-OFDM 16 QAM	1@77	21.91	22.56	0.1803
2	15	15	387500	1857.5	DFT-s-OFDM 64 QAM	36@18	20.51	21.16	0.1306
2	15	15	387500	1857.5	DFT-s-OFDM 64 QAM	1@1	21.11	21.76	0.15
2	15	15	387500	1857.5	DFT-s-OFDM 64 QAM	1@77	21.37	22.02	0.1592
2	15	15	387500	1857.5	DFT-s-OFDM 256 QAM	36@18	18.85	19.5	0.0891
2	15	15	387500	1857.5	DFT-s-OFDM 256 QAM	1@1	17.98	18.63	0.0729
2	15	15	387500	1857.5	DFT-s-OFDM 256 QAM	1@77	18.18	18.83	0.0764
2	15	15	387500	1857.5	CP-OFDM QPSK	39@191	20.16	20.81	0.1205
2	15	15	387500	1857.5	CP-OFDM QPSK	1@1	21.94	22.59	0.1816
2	15	15	387500	1857.5	CP-OFDM QPSK	1@77	21.76	22.41	0.1742
2	15	15	392000	1880.0	DFT-s-OFDM PI/2 BPSK	36@18	23.07	23.72	0.2355
2	15	15	392000	1880.0	DFT-s-OFDM PI/2 BPSK	1@1	22.98	23.63	0.2307
2	15	15	392000	1880.0	DFT-s-OFDM PI/2 BPSK	1@77	23.02	23.67	0.2328
2	15	15	392000	1880.0	DFT-s-OFDM QPSK	36@18	23.01	23.66	0.2323
2	15	15	392000	1880.0	DFT-s-OFDM QPSK	1@1	22.97	23.62	0.2301
2	15	15	392000	1880.0	DFT-s-OFDM QPSK	1@77	23.1	23.75	0.2371
2	15	15	392000	1880.0	DFT-s-OFDM 16 QAM	36@18	22.04	22.69	0.1858
2	15	15	392000	1880.0	DFT-s-OFDM 16 QAM	1@1	22.28	22.93	0.1963
2	15	15	392000	1880.0	DFT-s-OFDM 16 QAM	1@77	22.02	22.67	0.1849
2	15	15	392000	1880.0	DFT-s-OFDM 64 QAM	36@18	20.58	21.23	0.1327
2	15	15	392000	1880.0	DFT-s-OFDM 64 QAM	1@1	21.09	21.74	0.1493
2	15	15	392000	1880.0	DFT-s-OFDM 64 QAM	1@77	20.78	21.43	0.139
2	15	15	392000	1880.0	DFT-s-OFDM 256 QAM	36@18	18.76	19.41	0.0873

2	15	15	392000	1880.0	DFT-s-OFDM 256 QAM	1@1	18.25	18.9	0.0776
2	15	15	392000	1880.0	DFT-s-OFDM 256 QAM	1@77	17.93	18.58	0.0721
2	15	15	392000	1880.0	CP-OFDM QPSK	39@191	20.08	20.73	0.1183
2	15	15	392000	1880.0	CP-OFDM QPSK	1@1	21.56	22.21	0.1663
2	15	15	392000	1880.0	CP-OFDM QPSK	1@77	21.63	22.28	0.169
2	15	15	396500	1902.5	DFT-s-OFDM PI/2 BPSK	36@18	22.96	23.61	0.2296
2	15	15	396500	1902.5	DFT-s-OFDM PI/2 BPSK	1@1	23.02	23.67	0.2328
2	15	15	396500	1902.5	DFT-s-OFDM PI/2 BPSK	1@77	22.77	23.42	0.2198
2	15	15	396500	1902.5	DFT-s-OFDM QPSK	36@18	23.03	23.68	0.2333
2	15	15	396500	1902.5	DFT-s-OFDM QPSK	1@1	23.04	23.69	0.2339
2	15	15	396500	1902.5	DFT-s-OFDM QPSK	1@77	22.85	23.5	0.2239
2	15	15	396500	1902.5	DFT-s-OFDM 16 QAM	36@18	21.95	22.6	0.182
2	15	15	396500	1902.5	DFT-s-OFDM 16 QAM	1@1	21.98	22.63	0.1832
2	15	15	396500	1902.5	DFT-s-OFDM 16 QAM	1@77	21.58	22.23	0.1671
2	15	15	396500	1902.5	DFT-s-OFDM 64 QAM	36@18	20.56	21.21	0.1321
2	15	15	396500	1902.5	DFT-s-OFDM 64 QAM	1@1	20.59	21.24	0.133
2	15	15	396500	1902.5	DFT-s-OFDM 64 QAM	1@77	20.58	21.23	0.1327
2	15	15	396500	1902.5	DFT-s-OFDM 256 QAM	36@18	18.39	19.04	0.0802
2	15	15	396500	1902.5	DFT-s-OFDM 256 QAM	1@1	18.29	18.94	0.0783
2	15	15	396500	1902.5	DFT-s-OFDM 256 QAM	1@77	18.63	19.28	0.0847
2	15	15	396500	1902.5	CP-OFDM QPSK	39@191	19.97	20.62	0.1153
2	15	15	396500	1902.5	CP-OFDM QPSK	1@1	21.54	22.19	0.1656
2	15	15	396500	1902.5	CP-OFDM QPSK	1@77	21.39	22.04	0.16
2	15	20	388000	1860.0	DFT-s-OFDM PI/2 BPSK	50@25	23.12	23.77	0.2382

2	15	20	388000	1860.0	DFT-s-OFDM PI/2 BPSK	1@1	23.12	23.77	0.2382
2	15	20	388000	1860.0	DFT-s-OFDM PI/2 BPSK	1@104	22.97	23.62	0.2301
2	15	20	388000	1860.0	DFT-s-OFDM QPSK	50@25	23.02	23.67	0.2328
2	15	20	388000	1860.0	DFT-s-OFDM QPSK	1@1	23.14	23.79	0.2393
2	15	20	388000	1860.0	DFT-s-OFDM QPSK	1@104	22.99	23.64	0.2312
2	15	20	388000	1860.0	DFT-s-OFDM 16 QAM	50@25	22.32	22.97	0.1982
2	15	20	388000	1860.0	DFT-s-OFDM 16 QAM	1@1	22.0	22.65	0.1841
2	15	20	388000	1860.0	DFT-s-OFDM 16 QAM	1@104	21.7	22.35	0.1718
2	15	20	388000	1860.0	DFT-s-OFDM 64 QAM	50@25	20.55	21.2	0.1318
2	15	20	388000	1860.0	DFT-s-OFDM 64 QAM	1@1	20.77	21.42	0.1387
2	15	20	388000	1860.0	DFT-s-OFDM 64 QAM	1@104	21.14	21.79	0.151
2	15	20	388000	1860.0	DFT-s-OFDM 256 QAM	50@25	18.44	19.09	0.0811
2	15	20	388000	1860.0	DFT-s-OFDM 256 QAM	1@1	18.65	19.3	0.0851
2	15	20	388000	1860.0	DFT-s-OFDM 256 QAM	1@104	18.45	19.1	0.0813
2	15	20	388000	1860.0	CP-OFDM QPSK	53@26	21.51	22.16	0.1644
2	15	20	388000	1860.0	CP-OFDM QPSK	1@1	21.57	22.22	0.1667
2	15	20	388000	1860.0	CP-OFDM QPSK	1@104	21.54	22.19	0.1656
2	15	20	392000	1880.0	DFT-s-OFDM PI/2 BPSK	50@25	23.08	23.73	0.236
2	15	20	392000	1880.0	DFT-s-OFDM PI/2 BPSK	1@1	22.95	23.6	0.2291
2	15	20	392000	1880.0	DFT-s-OFDM PI/2 BPSK	1@104	23.09	23.74	0.2366
2	15	20	392000	1880.0	DFT-s-OFDM QPSK	50@25	23.13	23.78	0.2388
2	15	20	392000	1880.0	DFT-s-OFDM QPSK	1@1	22.93	23.58	0.228
2	15	20	392000	1880.0	DFT-s-OFDM QPSK	1@104	22.99	23.64	0.2312
2	15	20	392000	1880.0	DFT-s-OFDM 16 QAM	50@25	22.05	22.7	0.1862

2	15	20	392000	1880.0	DFT-s-OFDM 16 QAM	1@1	21.65	22.3	0.1698
2	15	20	392000	1880.0	DFT-s-OFDM 16 QAM	1@104	22.02	22.67	0.1849
2	15	20	392000	1880.0	DFT-s-OFDM 64 QAM	50@25	20.59	21.24	0.133
2	15	20	392000	1880.0	DFT-s-OFDM 64 QAM	1@1	20.97	21.62	0.1452
2	15	20	392000	1880.0	DFT-s-OFDM 64 QAM	1@104	20.78	21.43	0.139
2	15	20	392000	1880.0	DFT-s-OFDM 256 QAM	50@25	18.09	18.74	0.0748
2	15	20	392000	1880.0	DFT-s-OFDM 256 QAM	1@1	18.43	19.08	0.0809
2	15	20	392000	1880.0	DFT-s-OFDM 256 QAM	1@104	18.51	19.16	0.0824
2	15	20	392000	1880.0	CP-OFDM QPSK	53@26	21.53	22.18	0.1652
2	15	20	392000	1880.0	CP-OFDM QPSK	1@1	21.41	22.06	0.1607
2	15	20	392000	1880.0	CP-OFDM QPSK	1@104	21.69	22.34	0.1714
2	15	20	396000	1900.0	DFT-s-OFDM PI/2 BPSK	50@25	23.06	23.71	0.235
2	15	20	396000	1900.0	DFT-s-OFDM PI/2 BPSK	1@1	22.91	23.56	0.227
2	15	20	396000	1900.0	DFT-s-OFDM PI/2 BPSK	1@104	22.74	23.39	0.2183
2	15	20	396000	1900.0	DFT-s-OFDM QPSK	50@25	23.01	23.66	0.2323
2	15	20	396000	1900.0	DFT-s-OFDM QPSK	1@1	23.02	23.67	0.2328
2	15	20	396000	1900.0	DFT-s-OFDM QPSK	1@104	22.82	23.47	0.2223
2	15	20	396000	1900.0	DFT-s-OFDM 16 QAM	50@25	22.27	22.92	0.1959
2	15	20	396000	1900.0	DFT-s-OFDM 16 QAM	1@1	22.22	22.87	0.1936
2	15	20	396000	1900.0	DFT-s-OFDM 16 QAM	1@104	21.73	22.38	0.173
2	15	20	396000	1900.0	DFT-s-OFDM 64 QAM	50@25	20.85	21.5	0.1413
2	15	20	396000	1900.0	DFT-s-OFDM 64 QAM	1@1	20.6	21.25	0.1334
2	15	20	396000	1900.0	DFT-s-OFDM 64 QAM	1@104	20.53	21.18	0.1312
2	15	20	396000	1900.0	DFT-s-OFDM 256 QAM	50@25	18.34	18.99	0.0793

2	15	20	396000	1900.0	DFT-s-OFDM 256 QAM	1@1	18.08	18.73	0.0746
2	15	20	396000	1900.0	DFT-s-OFDM 256 QAM	1@104	18.76	19.41	0.0873
2	15	20	396000	1900.0	CP-OFDM QPSK	53@26	21.52	22.17	0.1648
2	15	20	396000	1900.0	CP-OFDM QPSK	1@1	21.38	22.03	0.1596
2	15	20	396000	1900.0	CP-OFDM QPSK	1@104	21.41	22.06	0.1607

FR1 N2

LTE Band: 5, LTE BW: 10M, LTE ARFCN: Mid

Frequency Stability

NR Band	SCS (kHz)	Bandwidth (MHz)	Arfcn	Freq (MHz)	Modulation	RB	Deviation (ppm)	Verdict	Environment
2	15	20	392000	1880.0	DFT-s-OFDM QPSK	100@0	0.00173	PASS	NV
2	15	20	392000	1880.0	DFT-s-OFDM QPSK	100@0	-0.00139	PASS	LV
2	15	20	392000	1880.0	DFT-s-OFDM QPSK	100@0	-0.00305	PASS	HV
2	15	20	392000	1880.0	DFT-s-OFDM QPSK	100@0	-0.00222	PASS	-30°C
2	15	20	392000	1880.0	DFT-s-OFDM QPSK	100@0	-0.00628	PASS	-20°C
2	15	20	392000	1880.0	DFT-s-OFDM QPSK	100@0	-0.00152	PASS	-10°C
2	15	20	392000	1880.0	DFT-s-OFDM QPSK	100@0	-0.00127	PASS	0°C
2	15	20	392000	1880.0	DFT-s-OFDM QPSK	100@0	-0.00442	PASS	10°C
2	15	20	392000	1880.0	DFT-s-OFDM QPSK	100@0	-0.00337	PASS	20°C
2	15	20	392000	1880.0	DFT-s-OFDM QPSK	100@0	0.00371	PASS	30°C
2	15	20	392000	1880.0	DFT-s-OFDM QPSK	100@0	-0.00128	PASS	40°C
2	15	20	392000	1880.0	DFT-s-OFDM QPSK	100@0	-0.00398	PASS	50°C

Peak to Average Ratio

NR Band	SCS (kHz)	Bandwidth (MHz)	Arfcn	Freq (MHz)	Modulation	RB	Result (dB)	Limit (dB)	Verdict
2	15	20	388000	1860.0	DFT-s-OFDM PI/2 BPSK	100@0	3.92	13	PASS
2	15	20	388000	1860.0	DFT-s-OFDM PI/2 BPSK	1@0	3.21	13	PASS
2	15	20	388000	1860.0	DFT-s-OFDM QPSK	100@0	5.51	13	PASS
2	15	20	388000	1860.0	DFT-s-OFDM QPSK	1@0	4.66	13	PASS
2	15	20	392000	1880.0	DFT-s-OFDM PI/2 BPSK	100@0	3.96	13	PASS
2	15	20	392000	1880.0	DFT-s-OFDM PI/2 BPSK	1@0	3.71	13	PASS
2	15	20	392000	1880.0	DFT-s-OFDM QPSK	100@0	5.16	13	PASS
2	15	20	392000	1880.0	DFT-s-OFDM QPSK	1@0	5.85	13	PASS
2	15	20	396000	1900.0	DFT-s-OFDM PI/2 BPSK	100@0	4.45	13	PASS
2	15	20	396000	1900.0	DFT-s-OFDM PI/2 BPSK	1@0	3.44	13	PASS
2	15	20	396000	1900.0	DFT-s-OFDM QPSK	100@0	5.25	13	PASS
2	15	20	396000	1900.0	DFT-s-OFDM QPSK	1@0	5.34	13	PASS

B5_N2(20M)_DFT-s-OFDM_PI_2-BPSK_Outer_Full_Low_CH



B5_N2(20M)_DFT-s-OFDM_PI_2-BPSK_Edge_1RB_Left_Low_CH




B5_N2(20M)_DFT-s-OFDM_QPSK_Outer_Full_Low_CH




B5_N2(20M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Low_CH



B5_N2(20M)_DFT-s-OFDM_PI_2-BPSK_Outer_Full_Mid_CH



B5_N2(20M)_DFT-s-OFDM_PI_2-BPSK_Edge_1RB_Left_Mid_CH



B5_N2(20M)_DFT-s-OFDM_QPSK_Outer_Full_Mid_CH



B5_N2(20M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Mid_CH



B5_N2(20M)_DFT-s-OFDM_PI_2-BPSK_Outer_Full_High_CH



B5_N2(20M)_DFT-s-OFDM_PI_2-BPSK_Edge_1RB_Left_High_CH



B5_N2(20M)_DFT-s-OFDM_QPSK_Outer_Full_High_CH



B5_N2(20M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_High_CH




Occupied Bandwidth

NR Band	SCS (kHz)	Bandwidth (MHz)	Arfcn	Freq (MHz)	Modulation	RB	OBW (MHz)	26dB OBW (MHz)
2	15	5	392000	1880.0	DFT-s-OFDM PI/2 BPSK	25@0	4.4656	4.846
2	15	5	392000	1880.0	DFT-s-OFDM QPSK	25@0	4.4735	4.831
2	15	5	392000	1880.0	CP-OFDM QPSK	25@0	4.4797	4.919
2	15	5	392000	1880.0	CP-OFDM 16 QAM	25@0	4.4845	4.929
2	15	5	392000	1880.0	CP-OFDM 64 QAM	25@0	4.4774	4.976
2	15	5	392000	1880.0	CP-OFDM 256 QAM	25@0	4.4676	4.883
2	15	10	392000	1880.0	DFT-s-OFDM PI/2 BPSK	50@0	8.8882	9.486
2	15	10	392000	1880.0	DFT-s-OFDM QPSK	50@0	8.908	9.568
2	15	10	392000	1880.0	CP-OFDM QPSK	52@0	9.2705	9.908
2	15	10	392000	1880.0	CP-OFDM 16 QAM	52@0	9.2595	9.863
2	15	10	392000	1880.0	CP-OFDM 64 QAM	52@0	9.2717	9.853
2	15	10	392000	1880.0	CP-OFDM 256 QAM	52@0	9.3011	9.93
2	15	15	392000	1880.0	DFT-s-OFDM PI/2 BPSK	75@0	13.393	14.14
2	15	15	392000	1880.0	DFT-s-OFDM QPSK	75@0	13.373	14.08
2	15	15	392000	1880.0	CP-OFDM QPSK	79@0	14.086	14.83
2	15	15	392000	1880.0	CP-OFDM 16 QAM	79@0	14.113	14.86
2	15	15	392000	1880.0	CP-OFDM 64 QAM	79@0	14.094	14.78
2	15	15	392000	1880.0	CP-OFDM 256 QAM	79@0	14.069	14.81
2	15	20	392000	1880.0	DFT-s-OFDM PI/2 BPSK	100@0	17.858	18.74
2	15	20	392000	1880.0	DFT-s-OFDM QPSK	100@0	17.856	18.72
2	15	20	392000	1880.0	CP-OFDM QPSK	106@0	18.911	19.84
2	15	20	392000	1880.0	CP-OFDM 16 QAM	106@0	18.929	19.73
2	15	20	392000	1880.0	CP-OFDM 64 QAM	106@0	18.934	19.78
2	15	20	392000	1880.0	CP-OFDM 256 QAM	106@0	18.976	19.81

B5_N2(5M)_DFT-s-OFDM_PI_2-
BPSK_Outer_Full_Mid_CH




B5_N2(5M)_DFT-s-
OFDM_QPSK_Outer_Full_Mid_CH




B5_N2(5M)_CP-
OFDM_QPSK_Outer_Full_Mid_CH




B5_N2(5M)_CP-OFDM_16
QAM_Outer_Full_Mid_CH




B5_N2(5M)_CP-OFDM_64
QAM_Outer_Full_Mid_CH




B5_N2(5M)_CP-OFDM_256
QAM_Outer_Full_Mid_CH




B5_N2(10M)_DFT-s-OFDM_PI_2-
BPSK_Outer_Full_Mid_CH




B5_N2(10M)_DFT-s-
OFDM_QPSK_Outer_Full_Mid_CH




B5_N2(10M)_CP-
OFDM_QPSK_Outer_Full_Mid_CH




B5_N2(10M)_CP-OFDM_16
QAM_Outer_Full_Mid_CH



B5_N2(10M)_CP-OFDM_64
QAM_Outer_Full_Mid_CH




B5_N2(10M)_CP-OFDM_256
QAM_Outer_Full_Mid_CH




B5_N2(15M)_DFT-s-OFDM_PI_2-
BPSK_Outer_Full_Mid_CH




B5_N2(15M)_DFT-s-
OFDM_QPSK_Outer_Full_Mid_CH




B5_N2(15M)_CP-
OFDM_QPSK_Outer_Full_Mid_CH




B5_N2(15M)_CP-OFDM_16
QAM_Outer_Full_Mid_CH




B5_N2(15M)_CP-OFDM_64
QAM_Outer_Full_Mid_CH




B5_N2(15M)_CP-OFDM_256
QAM_Outer_Full_Mid_CH




B5_N2(20M)_DFT-s-OFDM_PI_2- BPSK_Outer_Full_Mid_CH




B5_N2(20M)_DFT-s- OFDM_QPSK_Outer_Full_Mid_CH




B5_N2(20M)_CP- OFDM_QPSK_Outer_Full_Mid_CH




B5_N2(20M)_CP-OFDM_16 QAM_Outer_Full_Mid_CH



B5_N2(20M)_CP-OFDM_64 QAM_Outer_Full_Mid_CH



B5_N2(20M)_CP-OFDM_256 QAM_Outer_Full_Mid_CH



Conducted Spurious Emissions


NR Band	SCS (kHz)	Bandwidth (MHz)	Arfcn	Freq (MHz)	Modulation	RB	Result	Verdict
2	15	5	386500	1852.5	DFT-s-OFDM BPSK	1@0	see graph	---
2	15	5	386500	1852.5	DFT-s-OFDM BPSK	1@0	see graph	PASS
2	15	5	386500	1852.5	DFT-s-OFDM QPSK	1@0	see graph	---
2	15	5	386500	1852.5	DFT-s-OFDM QPSK	1@0	see graph	PASS
2	15	5	392000	1880.0	DFT-s-OFDM BPSK	1@0	see graph	---
2	15	5	392000	1880.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
2	15	5	392000	1880.0	DFT-s-OFDM QPSK	1@0	see graph	---
2	15	5	392000	1880.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
2	15	5	397500	1907.5	DFT-s-OFDM BPSK	1@0	see graph	---
2	15	5	397500	1907.5	DFT-s-OFDM BPSK	1@0	see graph	PASS
2	15	5	397500	1907.5	DFT-s-OFDM QPSK	1@0	see graph	---
2	15	5	397500	1907.5	DFT-s-OFDM QPSK	1@0	see graph	PASS
2	15	10	387000	1855.0	DFT-s-OFDM BPSK	1@0	see graph	---
2	15	10	387000	1855.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
2	15	10	387000	1855.0	DFT-s-OFDM QPSK	1@0	see graph	---
2	15	10	387000	1855.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
2	15	10	392000	1880.0	DFT-s-OFDM BPSK	1@0	see graph	---
2	15	10	392000	1880.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
2	15	10	392000	1880.0	DFT-s-OFDM QPSK	1@0	see graph	---
2	15	10	392000	1880.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
2	15	10	397000	1905.0	DFT-s-OFDM BPSK	1@0	see graph	---
2	15	10	397000	1905.0	DFT-s-OFDM BPSK	1@0	see graph	PASS

2	15	10	397000	1905.0	DFT-s-OFDM QPSK	1@0	see graph	---
2	15	10	397000	1905.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
2	15	20	388000	1860.0	DFT-s-OFDM BPSK	1@0	see graph	---
2	15	20	388000	1860.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
2	15	20	388000	1860.0	DFT-s-OFDM QPSK	1@0	see graph	---
2	15	20	388000	1860.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
2	15	20	392000	1880.0	DFT-s-OFDM BPSK	1@0	see graph	---
2	15	20	392000	1880.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
2	15	20	392000	1880.0	DFT-s-OFDM QPSK	1@0	see graph	---
2	15	20	392000	1880.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
2	15	20	396000	1900.0	DFT-s-OFDM BPSK	1@0	see graph	---
2	15	20	396000	1900.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
2	15	20	396000	1900.0	DFT-s-OFDM QPSK	1@0	see graph	---
2	15	20	396000	1900.0	DFT-s-OFDM QPSK	1@0	see graph	PASS


B5_N2(5M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Low_CH




B5_N2(5M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Low_CH




B5_N2(5M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Mid_CH




B5_N2(5M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Mid_CH




B5_N2(5M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_High_CH



B5_N2(5M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_High_CH




B5_N2(10M)_DFT-s-
OFDM_BPSK_Edge_1RB_Left_Low_CH




B5_N2(10M)_DFT-s-
OFDM_QPSK_Edge_1RB_Left_Low_CH




B5_N2(10M)_DFT-s-
OFDM_BPSK_Edge_1RB_Left_Mid_CH




B5_N2(10M)_DFT-s-
OFDM_QPSK_Edge_1RB_Left_Mid_CH




B5_N2(10M)_DFT-s-
OFDM_BPSK_Edge_1RB_Left_High_CH




B5_N2(10M)_DFT-s-
OFDM_QPSK_Edge_1RB_Left_High_CH




B5_N2(20M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Low_CH




B5_N2(20M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Low_CH



B5_N2(20M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Mid_CH




B5_N2(20M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Mid_CH



B5_N2(20M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_High_CH



B5_N2(20M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_High_CH




Conducted Band Edge


NR Band	SCS (kHz)	Bandwidth (MHz)	Arfcn	Freq (MHz)	Modulation	RB	Result	Verdict
2	15	5	386500	1852.5	DFT-s-OFDM BPSK	1@0	see graph	PASS
2	15	5	386500	1852.5	DFT-s-OFDM QPSK	1@0	see graph	PASS
2	15	5	386500	1852.5	DFT-s-OFDM BPSK	25@0	see graph	PASS
2	15	5	386500	1852.5	DFT-s-OFDM QPSK	25@0	see graph	PASS
2	15	5	397500	1907.5	DFT-s-OFDM BPSK	1@24	see graph	PASS
2	15	5	397500	1907.5	DFT-s-OFDM QPSK	1@24	see graph	PASS
2	15	5	397500	1907.5	DFT-s-OFDM BPSK	25@0	see graph	PASS
2	15	5	397500	1907.5	DFT-s-OFDM QPSK	25@0	see graph	PASS
2	15	10	387000	1855.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
2	15	10	387000	1855.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
2	15	10	387000	1855.0	DFT-s-OFDM BPSK	50@0	see graph	PASS
2	15	10	387000	1855.0	DFT-s-OFDM QPSK	50@0	see graph	PASS
2	15	10	397000	1905.0	DFT-s-OFDM BPSK	1@51	see graph	PASS
2	15	10	397000	1905.0	DFT-s-OFDM QPSK	1@51	see graph	PASS
2	15	10	397000	1905.0	DFT-s-OFDM BPSK	50@0	see graph	PASS
2	15	10	397000	1905.0	DFT-s-OFDM QPSK	50@0	see graph	PASS
2	15	20	388000	1860.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
2	15	20	388000	1860.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
2	15	20	388000	1860.0	DFT-s-OFDM BPSK	100@0	see graph	PASS
2	15	20	388000	1860.0	DFT-s-OFDM QPSK	100@0	see graph	PASS
2	15	20	396000	1900.0	DFT-s-OFDM BPSK	1@105	see graph	PASS
2	15	20	396000	1900.0	DFT-s-OFDM QPSK	1@105	see graph	PASS

2	15	20	396000	1900.0	DFT-s- OFDM BPSK	100@0	see graph	PASS
2	15	20	396000	1900.0	DFT-s- OFDM QPSK	100@0	see graph	PASS


B5_N2(5M)_DFT-s-
OFDM_BPSK_Edge_1RB_Left_Low_CH




B5_N2(5M)_DFT-s-
OFDM_QPSK_Edge_1RB_Left_Low_CH




B5_N2(5M)_DFT-s-
OFDM_BPSK_Outer_Full_Low_CH




B5_N2(5M)_DFT-s-
OFDM_QPSK_Outer_Full_Low_CH




B5_N2(5M)_DFT-s-
OFDM_BPSK_Edge_1RB_Right_High_CH




B5_N2(5M)_DFT-s-
OFDM_QPSK_Edge_1RB_Right_High_CH




B5_N2(5M)_DFT-s-
OFDM_BPSK_Outer_Full_High_CH




B5_N2(5M)_DFT-s-
OFDM_QPSK_Outer_Full_High_CH




B5_N2(10M)_DFT-s-
OFDM_BPSK_Edge_1RB_Left_Low_CH




B5_N2(10M)_DFT-s-
OFDM_BPSK_Edge_1RB_Left_Low_CH_CHP_PASS




B5_N2(10M)_DFT-s-
OFDM_QPSK_Edge_1RB_Left_Low_CH




B5_N2(10M)_DFT-s-
OFDM_QPSK_Edge_1RB_Left_Low_CH_CHP_PASS




B5_N2(10M)_DFT-s-OFDM_BPSK_Outer_Full_Low_CH




B5_N2(10M)_DFT-s-OFDM_QPSK_Outer_Full_Low_CH




B5_N2(10M)_DFT-s-OFDM_BPSK_Edge_1RB_Right_High_CH




B5_N2(10M)_DFT-s-OFDM_QPSK_Edge_1RB_Right_High_CH




B5_N2(10M)_DFT-s-OFDM_BPSK_Outer_Full_High_CH




B5_N2(10M)_DFT-s-OFDM_QPSK_Outer_Full_High_CH




B5_N2(20M)_DFT-s-
OFDM_BPSK_Edge_1RB_Left_Low_CH




B5_N2(20M)_DFT-s-
OFDM_QPSK_Edge_1RB_Left_Low_CH




B5_N2(20M)_DFT-s-
OFDM_BPSK_Outer_Full_Low_CH




B5_N2(20M)_DFT-s-
OFDM_QPSK_Outer_Full_Low_CH




B5_N2(20M)_DFT-s-
OFDM_BPSK_Edge_1RB_Right_High_CH




B5_N2(20M)_DFT-s-
OFDM_QPSK_Edge_1RB_Right_High_CH



B5_N2(20M)_DFT-s-OFDM_BPSK_Outer_Full_High_CH



B5_N2(20M)_DFT-s-OFDM_QPSK_Outer_Full_High_CH



FR1 N5

Transmitter Conducted Output Power And ERP/EIRP, (G_T - L_c)=-2.12dB

NR Band	SCS (kHz)	Bandwidth (MHz)	Arfcn	Freq (MHz)	Modulation	RB	Conducted Power(dBm)	ERP(dBm)	ERP(W)
5	15	5	174300	826.5	DFT-s-OFDM PI/2 BPSK	12@6	22.53	18.26	0.0670
5	15	5	174300	826.5	DFT-s-OFDM PI/2 BPSK	1@1	22.62	18.35	0.0684
5	15	5	174300	826.5	DFT-s-OFDM PI/2 BPSK	1@23	22.59	18.32	0.0679
5	15	5	174300	826.5	DFT-s-OFDM QPSK	12@6	22.6	18.33	0.0681
5	15	5	174300	826.5	DFT-s-OFDM QPSK	1@1	22.9	18.63	0.0729
5	15	5	174300	826.5	DFT-s-OFDM QPSK	1@23	22.94	18.67	0.0736
5	15	5	174300	826.5	DFT-s-OFDM 16 QAM	12@6	21.51	17.24	0.0530
5	15	5	174300	826.5	DFT-s-OFDM 16 QAM	1@1	21.77	17.5	0.0562
5	15	5	174300	826.5	DFT-s-OFDM 16 QAM	1@23	21.74	17.47	0.0558
5	15	5	174300	826.5	DFT-s-OFDM 64 QAM	12@6	20.11	15.84	0.0384
5	15	5	174300	826.5	DFT-s-OFDM 64 QAM	1@1	20.41	16.14	0.0411
5	15	5	174300	826.5	DFT-s-OFDM 64 QAM	1@23	20.22	15.95	0.0394
5	15	5	174300	826.5	DFT-s-OFDM 256 QAM	12@6	18.01	13.74	0.0237
5	15	5	174300	826.5	DFT-s-OFDM 256 QAM	1@1	17.95	13.68	0.0233
5	15	5	174300	826.5	DFT-s-OFDM 256 QAM	1@23	17.92	13.65	0.0232
5	15	5	174300	826.5	CP-OFDM QPSK	13@6	21.14	16.87	0.0486
5	15	5	174300	826.5	CP-OFDM QPSK	1@1	21.22	16.95	0.0495
5	15	5	174300	826.5	CP-OFDM QPSK	1@23	21.43	17.16	0.0520
5	15	5	176300	836.5	DFT-s-OFDM PI/2 BPSK	12@6	22.57	18.3	0.0676
5	15	5	176300	836.5	DFT-s-OFDM PI/2 BPSK	1@1	22.57	18.3	0.0676

5	15	5	176300	836.5	DFT-s-OFDM PI/2 BPSK	1@23	22.56	18.29	0.0675
5	15	5	176300	836.5	DFT-s-OFDM QPSK	12@6	22.58	18.31	0.0678
5	15	5	176300	836.5	DFT-s-OFDM QPSK	1@1	22.57	18.3	0.0676
5	15	5	176300	836.5	DFT-s-OFDM QPSK	1@23	22.89	18.62	0.0728
5	15	5	176300	836.5	DFT-s-OFDM 16 QAM	12@6	21.43	17.16	0.0520
5	15	5	176300	836.5	DFT-s-OFDM 16 QAM	1@1	21.6	17.33	0.0541
5	15	5	176300	836.5	DFT-s-OFDM 16 QAM	1@23	21.73	17.46	0.0557
5	15	5	176300	836.5	DFT-s-OFDM 64 QAM	12@6	20.13	15.86	0.0385
5	15	5	176300	836.5	DFT-s-OFDM 64 QAM	1@1	20.25	15.98	0.0396
5	15	5	176300	836.5	DFT-s-OFDM 64 QAM	1@23	20.26	15.99	0.0397
5	15	5	176300	836.5	DFT-s-OFDM 256 QAM	12@6	18.02	13.75	0.0237
5	15	5	176300	836.5	DFT-s-OFDM 256 QAM	1@1	17.84	13.57	0.0228
5	15	5	176300	836.5	DFT-s-OFDM 256 QAM	1@23	17.89	13.62	0.0230
5	15	5	176300	836.5	CP-OFDM QPSK	13@6	21.11	16.84	0.0483
5	15	5	176300	836.5	CP-OFDM QPSK	1@1	21.15	16.88	0.0488
5	15	5	176300	836.5	CP-OFDM QPSK	1@23	21.41	17.14	0.0518
5	15	5	178300	846.5	DFT-s-OFDM PI/2 BPSK	12@6	22.36	18.09	0.0644
5	15	5	178300	846.5	DFT-s-OFDM PI/2 BPSK	1@1	22.4	18.13	0.0650
5	15	5	178300	846.5	DFT-s-OFDM PI/2 BPSK	1@23	22.32	18.05	0.0638
5	15	5	178300	846.5	DFT-s-OFDM QPSK	12@6	22.41	18.14	0.0652
5	15	5	178300	846.5	DFT-s-OFDM QPSK	1@1	22.78	18.51	0.0710
5	15	5	178300	846.5	DFT-s-OFDM QPSK	1@23	22.69	18.42	0.0695
5	15	5	178300	846.5	DFT-s-OFDM 16 QAM	12@6	21.28	17.01	0.0502
5	15	5	178300	846.5	DFT-s-OFDM 16 QAM	1@1	21.61	17.34	0.0542

5	15	5	178300	846.5	DFT-s-OFDM 16 QAM	1@23	21.41	17.14	0.0518
5	15	5	178300	846.5	DFT-s-OFDM 64 QAM	12@6	19.82	15.55	0.0359
5	15	5	178300	846.5	DFT-s-OFDM 64 QAM	1@1	20.21	15.94	0.0393
5	15	5	178300	846.5	DFT-s-OFDM 64 QAM	1@23	20.05	15.78	0.0378
5	15	5	178300	846.5	DFT-s-OFDM 256 QAM	12@6	17.79	13.52	0.0225
5	15	5	178300	846.5	DFT-s-OFDM 256 QAM	1@1	17.76	13.49	0.0223
5	15	5	178300	846.5	DFT-s-OFDM 256 QAM	1@23	17.67	13.4	0.0219
5	15	5	178300	846.5	CP-OFDM QPSK	13@6	20.98	16.71	0.0469
5	15	5	178300	846.5	CP-OFDM QPSK	1@1	21.3	17.03	0.0505
5	15	5	178300	846.5	CP-OFDM QPSK	1@23	21.17	16.9	0.0490
5	15	10	174800	829.0	DFT-s-OFDM PI/2 BPSK	25@12	24.12	19.85	0.0966
5	15	10	174800	829.0	DFT-s-OFDM PI/2 BPSK	1@1	24.15	19.88	0.0973
5	15	10	174800	829.0	DFT-s-OFDM PI/2 BPSK	1@50	24.01	19.74	0.0942
5	15	10	174800	829.0	DFT-s-OFDM QPSK	25@12	22.7	18.43	0.0697
5	15	10	174800	829.0	DFT-s-OFDM QPSK	1@1	22.92	18.65	0.0733
5	15	10	174800	829.0	DFT-s-OFDM QPSK	1@50	22.83	18.56	0.0718
5	15	10	174800	829.0	DFT-s-OFDM 16 QAM	25@12	21.69	17.42	0.0552
5	15	10	174800	829.0	DFT-s-OFDM 16 QAM	1@1	21.84	17.57	0.0571
5	15	10	174800	829.0	DFT-s-OFDM 16 QAM	1@50	21.72	17.45	0.0556
5	15	10	174800	829.0	DFT-s-OFDM 64 QAM	25@12	20.27	16	0.0398
5	15	10	174800	829.0	DFT-s-OFDM 64 QAM	1@1	20.41	16.14	0.0411
5	15	10	174800	829.0	DFT-s-OFDM 64 QAM	1@50	20.31	16.04	0.0402
5	15	10	174800	829.0	DFT-s-OFDM 256 QAM	25@12	18.18	13.91	0.0246
5	15	10	174800	829.0	DFT-s-OFDM 256 QAM	1@1	18.46	14.19	0.0262

5	15	10	174800	829.0	DFT-s-OFDM 256 QAM	1@50	18.42	14.15	0.0260
5	15	10	174800	829.0	CP-OFDM QPSK	26@13	21.18	16.91	0.0491
5	15	10	174800	829.0	CP-OFDM QPSK	1@1	21.28	17.01	0.0502
5	15	10	174800	829.0	CP-OFDM QPSK	1@50	21.28	17.01	0.0502
5	15	10	176300	836.5	DFT-s-OFDM PI/2 BPSK	25@12	22.76	18.49	0.0706
5	15	10	176300	836.5	DFT-s-OFDM PI/2 BPSK	1@1	22.6	18.33	0.0681
5	15	10	176300	836.5	DFT-s-OFDM PI/2 BPSK	1@50	22.44	18.17	0.0656
5	15	10	176300	836.5	DFT-s-OFDM QPSK	25@12	22.65	18.38	0.0689
5	15	10	176300	836.5	DFT-s-OFDM QPSK	1@1	22.66	18.39	0.0690
5	15	10	176300	836.5	DFT-s-OFDM QPSK	1@50	22.61	18.34	0.0682
5	15	10	176300	836.5	DFT-s-OFDM 16 QAM	25@12	21.81	17.54	0.0568
5	15	10	176300	836.5	DFT-s-OFDM 16 QAM	1@1	21.79	17.52	0.0565
5	15	10	176300	836.5	DFT-s-OFDM 16 QAM	1@50	21.66	17.39	0.0548
5	15	10	176300	836.5	DFT-s-OFDM 64 QAM	25@12	20.32	16.05	0.0403
5	15	10	176300	836.5	DFT-s-OFDM 64 QAM	1@1	20.32	16.05	0.0403
5	15	10	176300	836.5	DFT-s-OFDM 64 QAM	1@50	20.29	16.02	0.0400
5	15	10	176300	836.5	DFT-s-OFDM 256 QAM	25@12	18.23	13.96	0.0249
5	15	10	176300	836.5	DFT-s-OFDM 256 QAM	1@1	18.4	14.13	0.0259
5	15	10	176300	836.5	DFT-s-OFDM 256 QAM	1@50	18.36	14.09	0.0256
5	15	10	176300	836.5	CP-OFDM QPSK	26@13	21.14	16.87	0.0486
5	15	10	176300	836.5	CP-OFDM QPSK	1@1	21.2	16.93	0.0493
5	15	10	176300	836.5	CP-OFDM QPSK	1@50	21.13	16.86	0.0485
5	15	10	177800	844.0	DFT-s-OFDM PI/2 BPSK	25@12	22.51	18.24	0.0667
5	15	10	177800	844.0	DFT-s-OFDM PI/2 BPSK	1@1	22.55	18.28	0.0673

5	15	10	177800	844.0	DFT-s-OFDM PI/2 BPSK	1@50	22.34	18.07	0.0641
5	15	10	177800	844.0	DFT-s-OFDM QPSK	25@12	22.51	18.24	0.0667
5	15	10	177800	844.0	DFT-s-OFDM QPSK	1@1	22.6	18.33	0.0681
5	15	10	177800	844.0	DFT-s-OFDM QPSK	1@50	22.45	18.18	0.0658
5	15	10	177800	844.0	DFT-s-OFDM 16 QAM	25@12	21.55	17.28	0.0535
5	15	10	177800	844.0	DFT-s-OFDM 16 QAM	1@1	21.92	17.65	0.0582
5	15	10	177800	844.0	DFT-s-OFDM 16 QAM	1@50	21.63	17.36	0.0545
5	15	10	177800	844.0	DFT-s-OFDM 64 QAM	25@12	20.14	15.87	0.0386
5	15	10	177800	844.0	DFT-s-OFDM 64 QAM	1@1	20.36	16.09	0.0406
5	15	10	177800	844.0	DFT-s-OFDM 64 QAM	1@50	20.15	15.88	0.0387
5	15	10	177800	844.0	DFT-s-OFDM 256 QAM	25@12	17.96	13.69	0.0234
5	15	10	177800	844.0	DFT-s-OFDM 256 QAM	1@1	18.4	14.13	0.0259
5	15	10	177800	844.0	DFT-s-OFDM 256 QAM	1@50	18.21	13.94	0.0248
5	15	10	177800	844.0	CP-OFDM QPSK	26@13	21.07	16.8	0.0479
5	15	10	177800	844.0	CP-OFDM QPSK	1@1	21.2	16.93	0.0493
5	15	10	177800	844.0	CP-OFDM QPSK	1@50	21.01	16.74	0.0472
5	15	15	175300	831.5	DFT-s-OFDM PI/2 BPSK	36@18	22.65	18.38	0.0689
5	15	15	175300	831.5	DFT-s-OFDM PI/2 BPSK	1@1	22.63	18.36	0.0685
5	15	15	175300	831.5	DFT-s-OFDM PI/2 BPSK	1@77	22.43	18.16	0.0655
5	15	15	175300	831.5	DFT-s-OFDM QPSK	36@18	22.65	18.38	0.0689
5	15	15	175300	831.5	DFT-s-OFDM QPSK	1@1	22.84	18.57	0.0719
5	15	15	175300	831.5	DFT-s-OFDM QPSK	1@77	23.92	19.65	0.0923
5	15	15	175300	831.5	DFT-s-OFDM 16 QAM	36@18	21.67	17.4	0.0550
5	15	15	175300	831.5	DFT-s-OFDM 16 QAM	1@1	21.8	17.53	0.0566

5	15	15	175300	831.5	DFT-s-OFDM 16 QAM	1@77	21.65	17.38	0.0547
5	15	15	175300	831.5	DFT-s-OFDM 64 QAM	36@18	20.24	15.97	0.0395
5	15	15	175300	831.5	DFT-s-OFDM 64 QAM	1@1	20.24	15.97	0.0395
5	15	15	175300	831.5	DFT-s-OFDM 64 QAM	1@77	20.26	15.99	0.0397
5	15	15	175300	831.5	DFT-s-OFDM 256 QAM	36@18	18.08	13.81	0.0240
5	15	15	175300	831.5	DFT-s-OFDM 256 QAM	1@1	17.97	13.7	0.0234
5	15	15	175300	831.5	DFT-s-OFDM 256 QAM	1@77	17.9	13.63	0.0231
5	15	15	175300	831.5	CP-OFDM QPSK	39@191	19.81	15.54	0.0358
5	15	15	175300	831.5	CP-OFDM QPSK	1@1	21.37	17.1	0.0513
5	15	15	175300	831.5	CP-OFDM QPSK	1@77	21.18	16.91	0.0491
5	15	15	176300	836.5	DFT-s-OFDM PI/2 BPSK	36@18	22.61	18.34	0.0682
5	15	15	176300	836.5	DFT-s-OFDM PI/2 BPSK	1@1	22.66	18.39	0.0690
5	15	15	176300	836.5	DFT-s-OFDM PI/2 BPSK	1@77	22.34	18.07	0.0641
5	15	15	176300	836.5	DFT-s-OFDM QPSK	36@18	22.6	18.33	0.0681
5	15	15	176300	836.5	DFT-s-OFDM QPSK	1@1	22.63	18.36	0.0685
5	15	15	176300	836.5	DFT-s-OFDM QPSK	1@77	22.43	18.16	0.0655
5	15	15	176300	836.5	DFT-s-OFDM 16 QAM	36@18	21.64	17.37	0.0546
5	15	15	176300	836.5	DFT-s-OFDM 16 QAM	1@1	21.81	17.54	0.0568
5	15	15	176300	836.5	DFT-s-OFDM 16 QAM	1@77	21.52	17.25	0.0531
5	15	15	176300	836.5	DFT-s-OFDM 64 QAM	36@18	20.17	15.9	0.0389
5	15	15	176300	836.5	DFT-s-OFDM 64 QAM	1@1	20.41	16.14	0.0411
5	15	15	176300	836.5	DFT-s-OFDM 64 QAM	1@77	20.19	15.92	0.0391
5	15	15	176300	836.5	DFT-s-OFDM 256 QAM	36@18	18.05	13.78	0.0239
5	15	15	176300	836.5	DFT-s-OFDM 256 QAM	1@1	18.01	13.74	0.0237

5	15	15	176300	836.5	DFT-s-OFDM 256 QAM	1@77	17.82	13.55	0.0226
5	15	15	176300	836.5	CP-OFDM QPSK	39@191	19.77	15.5	0.0355
5	15	15	176300	836.5	CP-OFDM QPSK	1@1	21.27	17	0.0501
5	15	15	176300	836.5	CP-OFDM QPSK	1@77	21.11	16.84	0.0483
5	15	15	177300	841.5	DFT-s-OFDM PI/2 BPSK	36@18	22.56	18.29	0.0675
5	15	15	177300	841.5	DFT-s-OFDM PI/2 BPSK	1@1	22.57	18.3	0.0676
5	15	15	177300	841.5	DFT-s-OFDM PI/2 BPSK	1@77	22.28	18.01	0.0632
5	15	15	177300	841.5	DFT-s-OFDM QPSK	36@18	22.55	18.28	0.0673
5	15	15	177300	841.5	DFT-s-OFDM QPSK	1@1	22.66	18.39	0.0690
5	15	15	177300	841.5	DFT-s-OFDM QPSK	1@77	22.4	18.13	0.0650
5	15	15	177300	841.5	DFT-s-OFDM 16 QAM	36@18	21.59	17.32	0.0540
5	15	15	177300	841.5	DFT-s-OFDM 16 QAM	1@1	21.67	17.4	0.0550
5	15	15	177300	841.5	DFT-s-OFDM 16 QAM	1@77	21.33	17.06	0.0508
5	15	15	177300	841.5	DFT-s-OFDM 64 QAM	36@18	20.1	15.83	0.0383
5	15	15	177300	841.5	DFT-s-OFDM 64 QAM	1@1	19.89	15.62	0.0365
5	15	15	177300	841.5	DFT-s-OFDM 64 QAM	1@77	19.7	15.43	0.0349
5	15	15	177300	841.5	DFT-s-OFDM 256 QAM	36@18	17.98	13.71	0.0235
5	15	15	177300	841.5	DFT-s-OFDM 256 QAM	1@1	17.98	13.71	0.0235
5	15	15	177300	841.5	DFT-s-OFDM 256 QAM	1@77	17.75	13.48	0.0223
5	15	15	177300	841.5	CP-OFDM QPSK	39@191	19.65	15.38	0.0345
5	15	15	177300	841.5	CP-OFDM QPSK	1@1	21.28	17.01	0.0502
5	15	15	177300	841.5	CP-OFDM QPSK	1@77	20.92	16.65	0.0462
5	15	20	175800	834.0	DFT-s-OFDM PI/2 BPSK	50@25	22.9	18.63	0.0729
5	15	20	175800	834.0	DFT-s-OFDM PI/2 BPSK	1@1	22.7	18.43	0.0697

5	15	20	175800	834.0	DFT-s-OFDM PI/2 BPSK	1@104	22.37	18.1	0.0646
5	15	20	175800	834.0	DFT-s-OFDM QPSK	50@25	22.71	18.44	0.0698
5	15	20	175800	834.0	DFT-s-OFDM QPSK	1@1	22.94	18.67	0.0736
5	15	20	175800	834.0	DFT-s-OFDM QPSK	1@104	24.02	19.75	0.0944
5	15	20	175800	834.0	DFT-s-OFDM 16 QAM	50@25	21.6	17.33	0.0541
5	15	20	175800	834.0	DFT-s-OFDM 16 QAM	1@1	21.84	17.57	0.0571
5	15	20	175800	834.0	DFT-s-OFDM 16 QAM	1@104	21.68	17.41	0.0551
5	15	20	175800	834.0	DFT-s-OFDM 64 QAM	50@25	20.26	15.99	0.0397
5	15	20	175800	834.0	DFT-s-OFDM 64 QAM	1@1	20.48	16.21	0.0418
5	15	20	175800	834.0	DFT-s-OFDM 64 QAM	1@104	20.68	16.41	0.0438
5	15	20	175800	834.0	DFT-s-OFDM 256 QAM	50@25	18.19	13.92	0.0247
5	15	20	175800	834.0	DFT-s-OFDM 256 QAM	1@1	18.1	13.83	0.0242
5	15	20	175800	834.0	DFT-s-OFDM 256 QAM	1@104	17.85	13.58	0.0228
5	15	20	175800	834.0	CP-OFDM QPSK	53@26	21.33	17.06	0.0508
5	15	20	175800	834.0	CP-OFDM QPSK	1@1	21.38	17.11	0.0514
5	15	20	175800	834.0	CP-OFDM QPSK	1@104	21.05	16.78	0.0476
5	15	20	176300	836.5	DFT-s-OFDM PI/2 BPSK	50@25	22.94	18.67	0.0736
5	15	20	176300	836.5	DFT-s-OFDM PI/2 BPSK	1@1	22.71	18.44	0.0698
5	15	20	176300	836.5	DFT-s-OFDM PI/2 BPSK	1@104	22.47	18.2	0.0661
5	15	20	176300	836.5	DFT-s-OFDM QPSK	50@25	22.7	18.43	0.0697
5	15	20	176300	836.5	DFT-s-OFDM QPSK	1@1	22.93	18.66	0.0735
5	15	20	176300	836.5	DFT-s-OFDM QPSK	1@104	24.06	19.79	0.0953
5	15	20	176300	836.5	DFT-s-OFDM 16 QAM	50@25	21.73	17.46	0.0557
5	15	20	176300	836.5	DFT-s-OFDM 16 QAM	1@1	21.93	17.66	0.0583

5	15	20	176300	836.5	DFT-s-OFDM 16 QAM	1@104	21.47	17.2	0.0525
5	15	20	176300	836.5	DFT-s-OFDM 64 QAM	50@25	20.21	15.94	0.0393
5	15	20	176300	836.5	DFT-s-OFDM 64 QAM	1@1	20.49	16.22	0.0419
5	15	20	176300	836.5	DFT-s-OFDM 64 QAM	1@104	21.63	17.36	0.0545
5	15	20	176300	836.5	DFT-s-OFDM 256 QAM	50@25	18.17	13.9	0.0245
5	15	20	176300	836.5	DFT-s-OFDM 256 QAM	1@1	18.14	13.87	0.0244
5	15	20	176300	836.5	DFT-s-OFDM 256 QAM	1@104	17.8	13.53	0.0225
5	15	20	176300	836.5	CP-OFDM QPSK	53@26	21.15	16.88	0.0488
5	15	20	176300	836.5	CP-OFDM QPSK	1@1	20.87	16.6	0.0457
5	15	20	176300	836.5	CP-OFDM QPSK	1@104	20.71	16.44	0.0441
5	15	20	176800	839.0	DFT-s-OFDM PI/2 BPSK	50@25	22.72	18.45	0.0700
5	15	20	176800	839.0	DFT-s-OFDM PI/2 BPSK	1@1	24.16	19.89	0.0975
5	15	20	176800	839.0	DFT-s-OFDM PI/2 BPSK	1@104	23.56	19.29	0.0849
5	15	20	176800	839.0	DFT-s-OFDM QPSK	50@25	23.51	19.24	0.0839
5	15	20	176800	839.0	DFT-s-OFDM QPSK	1@1	22.92	18.65	0.0733
5	15	20	176800	839.0	DFT-s-OFDM QPSK	1@104	22.35	18.08	0.0643
5	15	20	176800	839.0	DFT-s-OFDM 16 QAM	50@25	21.69	17.42	0.0552
5	15	20	176800	839.0	DFT-s-OFDM 16 QAM	1@1	21.96	17.69	0.0587
5	15	20	176800	839.0	DFT-s-OFDM 16 QAM	1@104	21.47	17.2	0.0525
5	15	20	176800	839.0	DFT-s-OFDM 64 QAM	50@25	20.2	15.93	0.0392
5	15	20	176800	839.0	DFT-s-OFDM 64 QAM	1@1	20.53	16.26	0.0423
5	15	20	176800	839.0	DFT-s-OFDM 64 QAM	1@104	21.21	16.94	0.0494
5	15	20	176800	839.0	DFT-s-OFDM 256 QAM	50@25	18.13	13.86	0.0243
5	15	20	176800	839.0	DFT-s-OFDM 256 QAM	1@1	18.1	13.83	0.0242

5	15	20	176800	839.0	DFT-s-OFDM 256 QAM	1@104	17.73	13.46	0.0222
5	15	20	176800	839.0	CP-OFDM QPSK	53@26	21.24	16.97	0.0498
5	15	20	176800	839.0	CP-OFDM QPSK	1@1	21.43	17.16	0.0520
5	15	20	176800	839.0	CP-OFDM QPSK	1@104	20.58	16.31	0.0428

FR1 N5


Frequency Stability

NR Band	SCS (kHz)	Bandwidth (MHz)	Arfcn	Freq (MHz)	Modulation	RB	Deviation (ppm)	Verdict	Environment
5	15	20	176300	836.5	DFT-s-OFDM QPSK	100@0	-0.00534	PASS	NV
5	15	20	176300	836.5	DFT-s-OFDM QPSK	100@0	-0.00808	PASS	LV
5	15	20	176300	836.5	DFT-s-OFDM QPSK	100@0	-0.00313	PASS	HV
5	15	20	176300	836.5	DFT-s-OFDM QPSK	100@0	-0.00512	PASS	-30°C
5	15	20	176300	836.5	DFT-s-OFDM QPSK	100@0	-0.00538	PASS	-20°C
5	15	20	176300	836.5	DFT-s-OFDM QPSK	100@0	-0.00424	PASS	-10°C
5	15	20	176300	836.5	DFT-s-OFDM QPSK	100@0	-0.00227	PASS	0°C
5	15	20	176300	836.5	DFT-s-OFDM QPSK	100@0	-0.00622	PASS	10°C
5	15	20	176300	836.5	DFT-s-OFDM QPSK	100@0	-0.00637	PASS	20°C
5	15	20	176300	836.5	DFT-s-OFDM QPSK	100@0	0.00871	PASS	30°C
5	15	20	176300	836.5	DFT-s-OFDM QPSK	100@0	-0.00328	PASS	40°C
5	15	20	176300	836.5	DFT-s-OFDM QPSK	100@0	-0.00583	PASS	50°C

Peak to Average Ratio

NR Band	SCS (kHz)	Bandwidth (MHz)	Arfcn	Freq (MHz)	Modulation	RB	Result (dB)	Limit (dB)	Verdict
5	15	20	175800	834.0	DFT-s-OFDM PI/2 BPSK	100@0	4.01	13	PASS
5	15	20	175800	834.0	DFT-s-OFDM PI/2 BPSK	1@0	3.92	13	PASS
5	15	20	175800	834.0	DFT-s-OFDM QPSK	100@0	4.67	13	PASS
5	15	20	175800	834.0	DFT-s-OFDM QPSK	1@0	4.3	13	PASS
5	15	20	176300	836.5	DFT-s-OFDM PI/2 BPSK	100@0	3.83	13	PASS
5	15	20	176300	836.5	DFT-s-OFDM PI/2 BPSK	1@0	3.85	13	PASS
5	15	20	176300	836.5	DFT-s-OFDM QPSK	100@0	4.57	13	PASS
5	15	20	176300	836.5	DFT-s-OFDM QPSK	1@0	3.61	13	PASS
5	15	20	176800	839.0	DFT-s-OFDM PI/2 BPSK	100@0	3.96	13	PASS
5	15	20	176800	839.0	DFT-s-OFDM PI/2 BPSK	1@0	3.96	13	PASS
5	15	20	176800	839.0	DFT-s-OFDM QPSK	100@0	4.71	13	PASS
5	15	20	176800	839.0	DFT-s-OFDM QPSK	1@0	3.59	13	PASS

N5(20M)_DFT-s-OFDM_PI_2-BPSK_Outer_Full_Low_CH



N5(20M)_DFT-s-OFDM_PI_2-BPSK_Edge_1RB_Left_Low_CH



N5(20M)_DFT-s-OFDM_QPSK_Outer_Full_Low_CH



N5(20M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Low_CH



N5(20M)_DFT-s-OFDM_PI_2-BPSK_Outer_Full_Mid_CH



N5(20M)_DFT-s-OFDM_PI_2-BPSK_Edge_1RB_Left_Mid_CH

