




B12_N25(5M)_DFT-s-OFDM_BPSK_Edge_1RB_Right_High_CH




B12_N25(5M)_DFT-s-OFDM_QPSK_Edge_1RB_Right_High_CH




B12_N25(5M)_DFT-s-OFDM_BPSK_Outer_Full_High_CH




B12_N25(5M)_DFT-s-OFDM_QPSK_Outer_Full_High_CH




B12_N25(20M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Low_CH




B12_N25(20M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Low_CH




B12_N25(20M)_DFT-s-OFDM_BPSK_Outer_Full_Low_CH




B12_N25(20M)_DFT-s-OFDM_QPSK_Outer_Full_Low_CH




B12_N25(20M)_DFT-s-OFDM_BPSK_Edge_1RB_Right_High_CH




B12_N25(20M)_DFT-s-OFDM_QPSK_Edge_1RB_Right_High_CH




B12_N25(20M)_DFT-s-OFDM_BPSK_Outer_Full_High_CH




B12_N25(20M)_DFT-s-OFDM_QPSK_Outer_Full_High_CH




B12_N25(40M)_DFT-s-
OFDM_BPSK_Edge_1RB_Left_Low_CH




B12_N25(40M)_DFT-s-
OFDM_QPSK_Edge_1RB_Left_Low_CH




B12_N25(40M)_DFT-s-
OFDM_QPSK_Edge_1RB_Left_Low_CH_CHP_




B12_N25(40M)_DFT-s-
OFDM_BPSK_Outer_Full_Low_CH




B12_N25(40M)_DFT-s-
OFDM_QPSK_Outer_Full_Low_CH



B12_N25(40M)_DFT-s-
OFDM_BPSK_Edge_1RB_Right_High_CH



B12_N25(40M)_DFT-s-OFDM_QPSK_Edge_1RB_Right_High_CH



B12_N25(40M)_DFT-s-OFDM_BPSK_Outer_Full_High_CH



B12_N25(40M)_DFT-s-OFDM_QPSK_Outer_Full_High_CH



FR1 N66 SA

Transmitter Conducted Output Power And ERP/EIRP, ($G_T - L_C$)=1.23dB

NR Band	SCS (kHz)	Bandwidth (MHz)	Arfcn	Freq (MHz)	Modulation	RB	Conducted Power(dBm)	EIRP (dBm)	EIRP (W)
66	15	5	422500	1712.5	DFT-s-OFDM PI/2 BPSK	12@6	23.53	24.76	0.2992
66	15	5	422500	1712.5	DFT-s-OFDM PI/2 BPSK	1@1	23.61	24.84	0.3048
66	15	5	422500	1712.5	DFT-s-OFDM PI/2 BPSK	1@23	23.56	24.79	0.3013
66	15	5	422500	1712.5	DFT-s-OFDM QPSK	12@6	23.59	24.82	0.3034
66	15	5	422500	1712.5	DFT-s-OFDM QPSK	1@1	23.84	25.07	0.3214
66	15	5	422500	1712.5	DFT-s-OFDM QPSK	1@23	23.81	25.04	0.3192
66	15	5	422500	1712.5	DFT-s-OFDM 16 QAM	12@6	22.5	23.73	0.2360
66	15	5	422500	1712.5	DFT-s-OFDM 16 QAM	1@1	22.79	24.02	0.2523
66	15	5	422500	1712.5	DFT-s-OFDM 16 QAM	1@23	22.78	24.01	0.2518
66	15	5	422500	1712.5	DFT-s-OFDM 64 QAM	12@6	21.12	22.35	0.1718
66	15	5	422500	1712.5	DFT-s-OFDM 64 QAM	1@1	21.31	22.54	0.1795
66	15	5	422500	1712.5	DFT-s-OFDM 64 QAM	1@23	21.27	22.5	0.1778
66	15	5	422500	1712.5	DFT-s-OFDM 256 QAM	12@6	18.88	20.11	0.1026
66	15	5	422500	1712.5	DFT-s-OFDM 256 QAM	1@1	18.82	20.05	0.1012
66	15	5	422500	1712.5	DFT-s-OFDM 256 QAM	1@23	18.74	19.97	0.0993
66	15	5	422500	1712.5	CP-OFDM QPSK	13@6	22.12	23.35	0.2163
66	15	5	422500	1712.5	CP-OFDM QPSK	1@1	22.22	23.45	0.2213
66	15	5	422500	1712.5	CP-OFDM QPSK	1@23	22.33	23.56	0.2270
66	15	5	429000	1745.0	DFT-s-OFDM PI/2 BPSK	12@6	23.55	24.78	0.3006

66	15	5	429000	1745.0	DFT-s-OFDM PI/2 BPSK	1@1	23.64	24.87	0.3069
66	15	5	429000	1745.0	DFT-s-OFDM PI/2 BPSK	1@23	23.6	24.83	0.3041
66	15	5	429000	1745.0	DFT-s-OFDM QPSK	12@6	23.59	24.82	0.3034
66	15	5	429000	1745.0	DFT-s-OFDM QPSK	1@1	23.74	24.97	0.3141
66	15	5	429000	1745.0	DFT-s-OFDM QPSK	1@23	23.85	25.08	0.3221
66	15	5	429000	1745.0	DFT-s-OFDM 16 QAM	12@6	22.54	23.77	0.2382
66	15	5	429000	1745.0	DFT-s-OFDM 16 QAM	1@1	22.83	24.06	0.2547
66	15	5	429000	1745.0	DFT-s-OFDM 16 QAM	1@23	22.81	24.04	0.2535
66	15	5	429000	1745.0	DFT-s-OFDM 64 QAM	12@6	21.13	22.36	0.1722
66	15	5	429000	1745.0	DFT-s-OFDM 64 QAM	1@1	21.37	22.6	0.1820
66	15	5	429000	1745.0	DFT-s-OFDM 64 QAM	1@23	21.25	22.48	0.1770
66	15	5	429000	1745.0	DFT-s-OFDM 256 QAM	12@6	18.93	20.16	0.1038
66	15	5	429000	1745.0	DFT-s-OFDM 256 QAM	1@1	18.9	20.13	0.1030
66	15	5	429000	1745.0	DFT-s-OFDM 256 QAM	1@23	18.85	20.08	0.1019
66	15	5	429000	1745.0	CP-OFDM QPSK	13@6	22.16	23.39	0.2183
66	15	5	429000	1745.0	CP-OFDM QPSK	1@1	22.42	23.65	0.2317
66	15	5	429000	1745.0	CP-OFDM QPSK	1@23	21.95	23.18	0.2080
66	15	5	435500	1745.0	DFT-s-OFDM PI/2 BPSK	12@6	23.58	24.81	0.3027
66	15	5	435500	1745.0	DFT-s-OFDM PI/2 BPSK	1@1	23.61	24.84	0.3048
66	15	5	435500	1777.5	DFT-s-OFDM PI/2 BPSK	1@23	23.54	24.77	0.2999
66	15	5	435500	1777.5	DFT-s-OFDM QPSK	12@6	23.57	24.8	0.3020
66	15	5	435500	1777.5	DFT-s-OFDM QPSK	1@1	23.61	24.84	0.3048
66	15	5	435500	1777.5	DFT-s-OFDM QPSK	1@23	23.7	24.93	0.3112
66	15	5	435500	1777.5	DFT-s-OFDM 16 QAM	12@6	22.38	23.61	0.2296

66	15	5	435500	1777.5	DFT-s-OFDM 16 QAM	1@1	22.71	23.94	0.2477
66	15	5	435500	1777.5	DFT-s-OFDM 16 QAM	1@23	22.67	23.9	0.2455
66	15	5	435500	1777.5	DFT-s-OFDM 64 QAM	12@6	21.08	22.31	0.1702
66	15	5	435500	1777.5	DFT-s-OFDM 64 QAM	1@1	21.14	22.37	0.1726
66	15	5	435500	1777.5	DFT-s-OFDM 64 QAM	1@23	21.24	22.47	0.1766
66	15	5	435500	1777.5	DFT-s-OFDM 256 QAM	12@6	18.85	20.08	0.1019
66	15	5	435500	1777.5	DFT-s-OFDM 256 QAM	1@1	18.76	19.99	0.0998
66	15	5	435500	1777.5	DFT-s-OFDM 256 QAM	1@23	18.79	20.02	0.1005
66	15	5	435500	1777.5	CP-OFDM QPSK	13@6	22.03	23.26	0.2118
66	15	5	435500	1777.5	CP-OFDM QPSK	1@1	22.2	23.43	0.2203
66	15	5	435500	1777.5	CP-OFDM QPSK	1@23	22.16	23.39	0.2183
66	15	10	423000	1715.0	DFT-s-OFDM PI/2 BPSK	25@12	23.7	24.93	0.3112
66	15	10	423000	1715.0	DFT-s-OFDM PI/2 BPSK	1@1	23.36	24.59	0.2877
66	15	10	423000	1715.0	DFT-s-OFDM PI/2 BPSK	1@50	23.35	24.58	0.2871
66	15	10	423000	1715.0	DFT-s-OFDM QPSK	25@12	23.67	24.9	0.3090
66	15	10	423000	1715.0	DFT-s-OFDM QPSK	1@1	23.51	24.74	0.2979
66	15	10	423000	1715.0	DFT-s-OFDM QPSK	1@50	23.56	24.79	0.3013
66	15	10	423000	1715.0	DFT-s-OFDM 16 QAM	25@12	22.6	23.83	0.2415
66	15	10	423000	1715.0	DFT-s-OFDM 16 QAM	1@1	23.31	24.54	0.2844
66	15	10	423000	1715.0	DFT-s-OFDM 16 QAM	1@50	23.37	24.6	0.2884
66	15	10	423000	1715.0	DFT-s-OFDM 64 QAM	25@12	21.23	22.46	0.1762
66	15	10	423000	1715.0	DFT-s-OFDM 64 QAM	1@1	21.88	23.11	0.2046
66	15	10	423000	1715.0	DFT-s-OFDM 64 QAM	1@50	21.83	23.06	0.2023
66	15	10	423000	1715.0	DFT-s-OFDM 256 QAM	25@12	18.93	20.16	0.1038

66	15	10	423000	1715.0	DFT-s-OFDM 256 QAM	1@1	19.2	20.43	0.1104
66	15	10	423000	1715.0	DFT-s-OFDM 256 QAM	1@50	19.14	20.37	0.1089
66	15	10	423000	1715.0	CP-OFDM QPSK	26@13	22.11	23.34	0.2158
66	15	10	423000	1715.0	CP-OFDM QPSK	1@1	22.65	23.88	0.2443
66	15	10	423000	1715.0	CP-OFDM QPSK	1@50	22.72	23.95	0.2483
66	15	10	429000	1745.0	DFT-s-OFDM PI/2 BPSK	25@12	23.65	24.88	0.3076
66	15	10	429000	1745.0	DFT-s-OFDM PI/2 BPSK	1@1	23.88	25.11	0.3243
66	15	10	429000	1745.0	DFT-s-OFDM PI/2 BPSK	1@50	23.56	24.79	0.3013
66	15	10	429000	1745.0	DFT-s-OFDM QPSK	25@12	23.59	24.82	0.3034
66	15	10	429000	1745.0	DFT-s-OFDM QPSK	1@1	23.51	24.74	0.2979
66	15	10	429000	1745.0	DFT-s-OFDM QPSK	1@50	23.65	24.88	0.3076
66	15	10	429000	1745.0	DFT-s-OFDM 16 QAM	25@12	22.59	23.82	0.2410
66	15	10	429000	1745.0	DFT-s-OFDM 16 QAM	1@1	23.05	24.28	0.2679
66	15	10	429000	1745.0	DFT-s-OFDM 16 QAM	1@50	23.17	24.4	0.2754
66	15	10	429000	1745.0	DFT-s-OFDM 64 QAM	25@12	21.23	22.46	0.1762
66	15	10	429000	1745.0	DFT-s-OFDM 64 QAM	1@1	21.67	22.9	0.1950
66	15	10	429000	1745.0	DFT-s-OFDM 64 QAM	1@50	21.69	22.92	0.1959
66	15	10	429000	1745.0	DFT-s-OFDM 256 QAM	25@12	18.93	20.16	0.1038
66	15	10	429000	1745.0	DFT-s-OFDM 256 QAM	1@1	19.18	20.41	0.1099
66	15	10	429000	1745.0	DFT-s-OFDM 256 QAM	1@50	19.27	20.5	0.1122
66	15	10	429000	1745.0	CP-OFDM QPSK	26@13	22.08	23.31	0.2143
66	15	10	429000	1745.0	CP-OFDM QPSK	1@1	22.65	23.88	0.2443
66	15	10	429000	1745.0	CP-OFDM QPSK	1@50	22.75	23.98	0.2500
66	15	10	435000	1775.0	DFT-s-OFDM PI/2 BPSK	25@12	23.59	24.82	0.3034

66	15	10	435000	1775.0	DFT-s-OFDM PI/2 BPSK	1@1	23.83	25.06	0.3206
66	15	10	435000	1775.0	DFT-s-OFDM PI/2 BPSK	1@50	23.81	25.04	0.3192
66	15	10	435000	1775.0	DFT-s-OFDM QPSK	25@12	23.56	24.79	0.3013
66	15	10	435000	1775.0	DFT-s-OFDM QPSK	1@1	23.65	24.88	0.3076
66	15	10	435000	1775.0	DFT-s-OFDM QPSK	1@50	23.83	25.06	0.3206
66	15	10	435000	1775.0	DFT-s-OFDM 16 QAM	25@12	22.57	23.8	0.2399
66	15	10	435000	1775.0	DFT-s-OFDM 16 QAM	1@1	23.05	24.28	0.2679
66	15	10	435000	1775.0	DFT-s-OFDM 16 QAM	1@50	23.19	24.42	0.2767
66	15	10	435000	1775.0	DFT-s-OFDM 64 QAM	25@12	21.11	22.34	0.1714
66	15	10	435000	1775.0	DFT-s-OFDM 64 QAM	1@1	21.55	22.78	0.1897
66	15	10	435000	1775.0	DFT-s-OFDM 64 QAM	1@50	21.65	22.88	0.1941
66	15	10	435000	1775.0	DFT-s-OFDM 256 QAM	25@12	18.86	20.09	0.1021
66	15	10	435000	1775.0	DFT-s-OFDM 256 QAM	1@1	19.12	20.35	0.1084
66	15	10	435000	1775.0	DFT-s-OFDM 256 QAM	1@50	19.15	20.38	0.1091
66	15	10	435000	1775.0	CP-OFDM QPSK	26@13	22.04	23.27	0.2123
66	15	10	435000	1775.0	CP-OFDM QPSK	1@1	22.34	23.57	0.2275
66	15	10	435000	1775.0	CP-OFDM QPSK	1@50	22.41	23.64	0.2312
66	15	15	423500	1717.5	DFT-s-OFDM PI/2 BPSK	36@18	23.52	24.75	0.2985
66	15	15	423500	1717.5	DFT-s-OFDM PI/2 BPSK	1@1	23.74	24.97	0.3141
66	15	15	423500	1717.5	DFT-s-OFDM PI/2 BPSK	1@77	23.71	24.94	0.3119
66	15	15	423500	1717.5	DFT-s-OFDM QPSK	36@18	23.49	24.72	0.2965
66	15	15	423500	1717.5	DFT-s-OFDM QPSK	1@1	23.69	24.92	0.3105
66	15	15	423500	1717.5	DFT-s-OFDM QPSK	1@77	23.81	25.04	0.3192
66	15	15	423500	1717.5	DFT-s-OFDM 16 QAM	36@18	22.52	23.75	0.2371

66	15	15	423500	1717.5	DFT-s-OFDM 16 QAM	1@1	22.71	23.94	0.2477
66	15	15	423500	1717.5	DFT-s-OFDM 16 QAM	1@77	22.64	23.87	0.2438
66	15	15	423500	1717.5	DFT-s-OFDM 64 QAM	36@18	20.92	22.15	0.1641
66	15	15	423500	1717.5	DFT-s-OFDM 64 QAM	1@1	21.3	22.53	0.1791
66	15	15	423500	1717.5	DFT-s-OFDM 64 QAM	1@77	21.4	22.63	0.1832
66	15	15	423500	1717.5	DFT-s-OFDM 256 QAM	36@18	18.79	20.02	0.1005
66	15	15	423500	1717.5	DFT-s-OFDM 256 QAM	1@1	18.92	20.15	0.1035
66	15	15	423500	1717.5	DFT-s-OFDM 256 QAM	1@77	18.94	20.17	0.1040
66	15	15	423500	1717.5	CP-OFDM QPSK	39@191	20.53	21.76	0.1500
66	15	15	423500	1717.5	CP-OFDM QPSK	1@1	22.31	23.54	0.2259
66	15	15	423500	1717.5	CP-OFDM QPSK	1@77	22.37	23.6	0.2291
66	15	15	429000	1745.0	DFT-s-OFDM PI/2 BPSK	36@18	23.53	24.76	0.2992
66	15	15	429000	1745.0	DFT-s-OFDM PI/2 BPSK	1@1	23.67	24.9	0.3090
66	15	15	429000	1745.0	DFT-s-OFDM PI/2 BPSK	1@77	23.74	24.97	0.3141
66	15	15	429000	1745.0	DFT-s-OFDM QPSK	36@18	23.49	24.72	0.2965
66	15	15	429000	1745.0	DFT-s-OFDM QPSK	1@1	23.9	25.13	0.3258
66	15	15	429000	1745.0	DFT-s-OFDM QPSK	1@77	23.42	24.65	0.2917
66	15	15	429000	1745.0	DFT-s-OFDM 16 QAM	36@18	22.49	23.72	0.2355
66	15	15	429000	1745.0	DFT-s-OFDM 16 QAM	1@1	22.91	24.14	0.2594
66	15	15	429000	1745.0	DFT-s-OFDM 16 QAM	1@77	22.95	24.18	0.2618
66	15	15	429000	1745.0	DFT-s-OFDM 64 QAM	36@18	20.94	22.17	0.1648
66	15	15	429000	1745.0	DFT-s-OFDM 64 QAM	1@1	21.39	22.62	0.1828
66	15	15	429000	1745.0	DFT-s-OFDM 64 QAM	1@77	21.42	22.65	0.1841
66	15	15	429000	1745.0	DFT-s-OFDM 256 QAM	36@18	18.95	20.18	0.1042

66	15	15	429000	1745.0	DFT-s-OFDM 256 QAM	1@1	19.01	20.24	0.1057
66	15	15	429000	1745.0	DFT-s-OFDM 256 QAM	1@77	18.95	20.18	0.1042
66	15	15	429000	1745.0	CP-OFDM QPSK	39@191	20.58	21.81	0.1517
66	15	15	429000	1745.0	CP-OFDM QPSK	1@1	22.56	23.79	0.2393
66	15	15	429000	1745.0	CP-OFDM QPSK	1@77	22.59	23.82	0.2410
66	15	15	434500	1772.5	DFT-s-OFDM PI/2 BPSK	36@18	23.35	24.58	0.2871
66	15	15	434500	1772.5	DFT-s-OFDM PI/2 BPSK	1@1	23.67	24.9	0.3090
66	15	15	434500	1772.5	DFT-s-OFDM PI/2 BPSK	1@77	23.76	24.99	0.3155
66	15	15	434500	1772.5	DFT-s-OFDM QPSK	36@18	23.52	24.75	0.2985
66	15	15	434500	1772.5	DFT-s-OFDM QPSK	1@1	23.83	25.06	0.3206
66	15	15	434500	1772.5	DFT-s-OFDM QPSK	1@77	23.51	24.74	0.2979
66	15	15	434500	1772.5	DFT-s-OFDM 16 QAM	36@18	22.45	23.68	0.2333
66	15	15	434500	1772.5	DFT-s-OFDM 16 QAM	1@1	22.84	24.07	0.2553
66	15	15	434500	1772.5	DFT-s-OFDM 16 QAM	1@77	22.88	24.11	0.2576
66	15	15	434500	1772.5	DFT-s-OFDM 64 QAM	36@18	20.95	22.18	0.1652
66	15	15	434500	1772.5	DFT-s-OFDM 64 QAM	1@1	21.32	22.55	0.1799
66	15	15	434500	1772.5	DFT-s-OFDM 64 QAM	1@77	21.39	22.62	0.1828
66	15	15	434500	1772.5	DFT-s-OFDM 256 QAM	36@18	18.75	19.98	0.0995
66	15	15	434500	1772.5	DFT-s-OFDM 256 QAM	1@1	18.89	20.12	0.1028
66	15	15	434500	1772.5	DFT-s-OFDM 256 QAM	1@77	18.95	20.18	0.1042
66	15	15	434500	1772.5	CP-OFDM QPSK	39@191	21.56	22.79	0.1901
66	15	15	434500	1772.5	CP-OFDM QPSK	1@1	21.99	23.22	0.2099
66	15	15	434500	1772.5	CP-OFDM QPSK	1@77	22.15	23.38	0.2178
66	15	20	424000	1720.0	DFT-s-OFDM PI/2 BPSK	50@25	23.44	24.67	0.2931

66	15	20	424000	1720.0	DFT-s-OFDM PI/2 BPSK	1@1	23.58	24.81	0.3027
66	15	20	424000	1720.0	DFT-s-OFDM PI/2 BPSK	1@104	23.52	24.75	0.2985
66	15	20	424000	1720.0	DFT-s-OFDM QPSK	50@25	23.42	24.65	0.2917
66	15	20	424000	1720.0	DFT-s-OFDM QPSK	1@1	23.58	24.81	0.3027
66	15	20	424000	1720.0	DFT-s-OFDM QPSK	1@104	23.15	24.38	0.2742
66	15	20	424000	1720.0	DFT-s-OFDM 16 QAM	50@25	22.44	23.67	0.2328
66	15	20	424000	1720.0	DFT-s-OFDM 16 QAM	1@1	23.09	24.32	0.2704
66	15	20	424000	1720.0	DFT-s-OFDM 16 QAM	1@104	23	24.23	0.2649
66	15	20	424000	1720.0	DFT-s-OFDM 64 QAM	50@25	21.03	22.26	0.1683
66	15	20	424000	1720.0	DFT-s-OFDM 64 QAM	1@1	21.54	22.77	0.1892
66	15	20	424000	1720.0	DFT-s-OFDM 64 QAM	1@104	21.62	22.85	0.1928
66	15	20	424000	1720.0	DFT-s-OFDM 256 QAM	50@25	18.76	19.99	0.0998
66	15	20	424000	1720.0	DFT-s-OFDM 256 QAM	1@1	19.16	20.39	0.1094
66	15	20	424000	1720.0	DFT-s-OFDM 256 QAM	1@104	19.18	20.41	0.1099
66	15	20	424000	1720.0	CP-OFDM QPSK	53@26	22.04	23.27	0.2123
66	15	20	424000	1720.0	CP-OFDM QPSK	1@1	22.59	23.82	0.2410
66	15	20	424000	1720.0	CP-OFDM QPSK	1@104	22.67	23.9	0.2455
66	15	20	429000	1745.0	DFT-s-OFDM PI/2 BPSK	50@25	23.57	24.8	0.3020
66	15	20	429000	1745.0	DFT-s-OFDM PI/2 BPSK	1@1	23.56	24.79	0.3013
66	15	20	429000	1745.0	DFT-s-OFDM PI/2 BPSK	1@104	23.83	25.06	0.3206
66	15	20	429000	1745.0	DFT-s-OFDM QPSK	50@25	23.59	24.82	0.3034
66	15	20	429000	1745.0	DFT-s-OFDM QPSK	1@1	23.61	24.84	0.3048
66	15	20	429000	1745.0	DFT-s-OFDM QPSK	1@104	23.53	24.76	0.2992
66	15	20	429000	1745.0	DFT-s-OFDM 16 QAM	50@25	22.52	23.75	0.2371

66	15	20	429000	1745.0	DFT-s-OFDM 16 QAM	1@1	23.18	24.41	0.2761
66	15	20	429000	1745.0	DFT-s-OFDM 16 QAM	1@104	23.09	24.32	0.2704
66	15	20	429000	1745.0	DFT-s-OFDM 64 QAM	50@25	21.03	22.26	0.1683
66	15	20	429000	1745.0	DFT-s-OFDM 64 QAM	1@1	21.73	22.96	0.1977
66	15	20	429000	1745.0	DFT-s-OFDM 64 QAM	1@104	21.63	22.86	0.1932
66	15	20	429000	1745.0	DFT-s-OFDM 256 QAM	50@25	18.98	20.21	0.1050
66	15	20	429000	1745.0	DFT-s-OFDM 256 QAM	1@1	19.3	20.53	0.1130
66	15	20	429000	1745.0	DFT-s-OFDM 256 QAM	1@104	19.24	20.47	0.1114
66	15	20	429000	1745.0	CP-OFDM QPSK	53@26	22.07	23.3	0.2138
66	15	20	429000	1745.0	CP-OFDM QPSK	1@1	22.68	23.91	0.2460
66	15	20	429000	1745.0	CP-OFDM QPSK	1@104	22.74	23.97	0.2495
66	15	20	434000	1770.0	DFT-s-OFDM PI/2 BPSK	50@25	23.39	24.62	0.2897
66	15	20	434000	1770.0	DFT-s-OFDM PI/2 BPSK	1@1	23.87	25.1	0.3236
66	15	20	434000	1770.0	DFT-s-OFDM PI/2 BPSK	1@104	23.81	25.04	0.3192
66	15	20	434000	1770.0	DFT-s-OFDM QPSK	50@25	23.44	24.67	0.2931
66	15	20	434000	1770.0	DFT-s-OFDM QPSK	1@1	23.56	24.79	0.3013
66	15	20	434000	1770.0	DFT-s-OFDM QPSK	1@104	23.58	24.81	0.3027
66	15	20	434000	1770.0	DFT-s-OFDM 16 QAM	50@25	22.43	23.66	0.2323
66	15	20	434000	1770.0	DFT-s-OFDM 16 QAM	1@1	23.08	24.31	0.2698
66	15	20	434000	1770.0	DFT-s-OFDM 16 QAM	1@104	23.15	24.38	0.2742
66	15	20	434000	1770.0	DFT-s-OFDM 64 QAM	50@25	20.99	22.22	0.1667
66	15	20	434000	1770.0	DFT-s-OFDM 64 QAM	1@1	21.58	22.81	0.1910
66	15	20	434000	1770.0	DFT-s-OFDM 64 QAM	1@104	21.72	22.95	0.1972
66	15	20	434000	1770.0	DFT-s-OFDM 256 QAM	50@25	18.88	20.11	0.1026

66	15	20	434000	1770.0	DFT-s-OFDM 256 QAM	1@1	19.16	20.39	0.1094
66	15	20	434000	1770.0	DFT-s-OFDM 256 QAM	1@104	19.19	20.42	0.1102
66	15	20	434000	1770.0	CP-OFDM QPSK	53@26	22.03	23.26	0.2118
66	15	20	434000	1770.0	CP-OFDM QPSK	1@1	22.54	23.77	0.2382
66	15	20	434000	1770.0	CP-OFDM QPSK	1@104	22.64	23.87	0.2438
66	15	30	425000	1725.0	DFT-s-OFDM PI/2 BPSK	80@40	23.51	24.74	0.2979
66	15	30	425000	1725.0	DFT-s-OFDM PI/2 BPSK	1@1	23.41	24.64	0.2911
66	15	30	425000	1725.0	DFT-s-OFDM PI/2 BPSK	1@158	23.51	24.74	0.2979
66	15	30	425000	1725.0	DFT-s-OFDM QPSK	80@40	23.54	24.77	0.2999
66	15	30	425000	1725.0	DFT-s-OFDM QPSK	1@1	23.64	24.87	0.3069
66	15	30	425000	1725.0	DFT-s-OFDM QPSK	1@158	23.51	24.74	0.2979
66	15	30	425000	1725.0	DFT-s-OFDM 16 QAM	80@40	22.49	23.72	0.2355
66	15	30	425000	1725.0	DFT-s-OFDM 16 QAM	1@1	22.57	23.8	0.2399
66	15	30	425000	1725.0	DFT-s-OFDM 16 QAM	1@158	22.65	23.88	0.2443
66	15	30	425000	1725.0	DFT-s-OFDM 64 QAM	80@40	21.01	22.24	0.1675
66	15	30	425000	1725.0	DFT-s-OFDM 64 QAM	1@1	21.1	22.33	0.1710
66	15	30	425000	1725.0	DFT-s-OFDM 64 QAM	1@158	21.14	22.37	0.1726
66	15	30	425000	1725.0	DFT-s-OFDM 256 QAM	80@40	18.93	20.16	0.1038
66	15	30	425000	1725.0	DFT-s-OFDM 256 QAM	1@1	18.71	19.94	0.0986
66	15	30	425000	1725.0	DFT-s-OFDM 256 QAM	1@158	18.92	20.15	0.1035
66	15	30	425000	1725.0	CP-OFDM QPSK	80@40	21.99	23.22	0.2099
66	15	30	425000	1725.0	CP-OFDM QPSK	1@1	22.02	23.25	0.2113
66	15	30	425000	1725.0	CP-OFDM QPSK	1@158	21.76	22.99	0.1991
66	15	30	429000	1725.0	DFT-s-OFDM PI/2 BPSK	80@40	23.62	24.85	0.3055

66	15	30	429000	1725.0	DFT-s-OFDM PI/2 BPSK	1@1	23.51	24.74	0.2979
66	15	30	429000	1725.0	DFT-s-OFDM PI/2 BPSK	1@158	23.52	24.75	0.2985
66	15	30	429000	1745.0	DFT-s-OFDM QPSK	80@40	23.59	24.82	0.3034
66	15	30	429000	1745.0	DFT-s-OFDM QPSK	1@1	23.6	24.83	0.3041
66	15	30	429000	1745.0	DFT-s-OFDM QPSK	1@158	23.72	24.95	0.3126
66	15	30	429000	1745.0	DFT-s-OFDM 16 QAM	80@40	22.55	23.78	0.2388
66	15	30	429000	1745.0	DFT-s-OFDM 16 QAM	1@1	22.57	23.8	0.2399
66	15	30	429000	1745.0	DFT-s-OFDM 16 QAM	1@158	22.63	23.86	0.2432
66	15	30	429000	1745.0	DFT-s-OFDM 64 QAM	80@40	21.06	22.29	0.1694
66	15	30	429000	1745.0	DFT-s-OFDM 64 QAM	1@1	21.13	22.36	0.1722
66	15	30	429000	1745.0	DFT-s-OFDM 64 QAM	1@158	21.13	22.36	0.1722
66	15	30	429000	1745.0	DFT-s-OFDM 256 QAM	80@40	18.99	20.22	0.1052
66	15	30	429000	1745.0	DFT-s-OFDM 256 QAM	1@1	18.69	19.92	0.0982
66	15	30	429000	1745.0	DFT-s-OFDM 256 QAM	1@158	18.84	20.07	0.1016
66	15	30	429000	1745.0	CP-OFDM QPSK	80@40	22.02	23.25	0.2113
66	15	30	429000	1745.0	CP-OFDM QPSK	1@1	21.79	23.02	0.2004
66	15	30	429000	1745.0	CP-OFDM QPSK	1@158	21.89	23.12	0.2051
66	15	30	433000	1745.0	DFT-s-OFDM PI/2 BPSK	80@40	23.52	24.75	0.2985
66	15	30	433000	1745.0	DFT-s-OFDM PI/2 BPSK	1@1	23.38	24.61	0.2891
66	15	30	433000	1745.0	DFT-s-OFDM PI/2 BPSK	1@158	23.5	24.73	0.2972
66	15	30	433000	1765.0	DFT-s-OFDM QPSK	80@40	23.57	24.8	0.3020
66	15	30	433000	1765.0	DFT-s-OFDM QPSK	1@1	23.44	24.67	0.2931
66	15	30	433000	1765.0	DFT-s-OFDM QPSK	1@158	23.67	24.9	0.3090
66	15	30	433000	1765.0	DFT-s-OFDM 16 QAM	80@40	22.56	23.79	0.2393

66	15	30	433000	1765.0	DFT-s-OFDM 16 QAM	1@1	22.59	23.82	0.2410
66	15	30	433000	1765.0	DFT-s-OFDM 16 QAM	1@158	22.69	23.92	0.2466
66	15	30	433000	1765.0	DFT-s-OFDM 64 QAM	80@40	21.08	22.31	0.1702
66	15	30	433000	1765.0	DFT-s-OFDM 64 QAM	1@1	20.97	22.2	0.1660
66	15	30	433000	1765.0	DFT-s-OFDM 64 QAM	1@158	21.18	22.41	0.1742
66	15	30	433000	1765.0	DFT-s-OFDM 256 QAM	80@40	18.91	20.14	0.1033
66	15	30	433000	1765.0	DFT-s-OFDM 256 QAM	1@1	18.61	19.84	0.0964
66	15	30	433000	1765.0	DFT-s-OFDM 256 QAM	1@158	18.87	20.1	0.1023
66	15	30	433000	1765.0	CP-OFDM QPSK	80@40	21.95	23.18	0.2080
66	15	30	433000	1765.0	CP-OFDM QPSK	1@1	21.98	23.21	0.2094
66	15	30	433000	1765.0	CP-OFDM QPSK	1@158	22.14	23.37	0.2173
66	15	40	426000	1765.0	DFT-s-OFDM PI/2 BPSK	108@54	22.97	24.2	0.2630
66	15	40	426000	1765.0	DFT-s-OFDM PI/2 BPSK	1@1	23.47	24.7	0.2951
66	15	40	426000	1765.0	DFT-s-OFDM PI/2 BPSK	1@214	23.35	24.58	0.2871
66	15	40	426000	1730.0	DFT-s-OFDM QPSK	108@54	23.42	24.65	0.2917
66	15	40	426000	1730.0	DFT-s-OFDM QPSK	1@1	23.35	24.58	0.2871
66	15	40	426000	1730.0	DFT-s-OFDM QPSK	1@214	23.47	24.7	0.2951
66	15	40	426000	1730.0	DFT-s-OFDM 16 QAM	108@54	22.58	23.81	0.2404
66	15	40	426000	1730.0	DFT-s-OFDM 16 QAM	1@1	22.54	23.77	0.2382
66	15	40	426000	1730.0	DFT-s-OFDM 16 QAM	1@214	22.66	23.89	0.2449
66	15	40	426000	1730.0	DFT-s-OFDM 64 QAM	108@54	21.07	22.3	0.1698
66	15	40	426000	1730.0	DFT-s-OFDM 64 QAM	1@1	21.09	22.32	0.1706
66	15	40	426000	1730.0	DFT-s-OFDM 64 QAM	1@214	21.12	22.35	0.1718
66	15	40	426000	1730.0	DFT-s-OFDM 256 QAM	108@54	18.96	20.19	0.1045

66	15	40	426000	1730.0	DFT-s-OFDM 256 QAM	1@1	18.63	19.86	0.0968
66	15	40	426000	1730.0	DFT-s-OFDM 256 QAM	1@214	18.93	20.16	0.1038
66	15	40	426000	1730.0	CP-OFDM QPSK	108@54	22.09	23.32	0.2148
66	15	40	426000	1730.0	CP-OFDM QPSK	1@1	21.71	22.94	0.1968
66	15	40	426000	1730.0	CP-OFDM QPSK	1@214	21.97	23.2	0.2089
66	15	40	429000	1745.0	DFT-s-OFDM PI/2 BPSK	108@54	23.6	24.83	0.3041
66	15	40	429000	1745.0	DFT-s-OFDM PI/2 BPSK	1@1	23.37	24.6	0.2884
66	15	40	429000	1745.0	DFT-s-OFDM PI/2 BPSK	1@214	23.41	24.64	0.2911
66	15	40	429000	1745.0	DFT-s-OFDM QPSK	108@54	23.62	24.85	0.3055
66	15	40	429000	1745.0	DFT-s-OFDM QPSK	1@1	23.59	24.82	0.3034
66	15	40	429000	1745.0	DFT-s-OFDM QPSK	1@214	23.41	24.64	0.2911
66	15	40	429000	1745.0	DFT-s-OFDM 16 QAM	108@54	22.59	23.82	0.2410
66	15	40	429000	1745.0	DFT-s-OFDM 16 QAM	1@1	22.6	23.83	0.2415
66	15	40	429000	1745.0	DFT-s-OFDM 16 QAM	1@214	22.6	23.83	0.2415
66	15	40	429000	1745.0	DFT-s-OFDM 64 QAM	108@54	21.04	22.27	0.1687
66	15	40	429000	1745.0	DFT-s-OFDM 64 QAM	1@1	21.05	22.28	0.1690
66	15	40	429000	1745.0	DFT-s-OFDM 64 QAM	1@214	21.01	22.24	0.1675
66	15	40	429000	1745.0	DFT-s-OFDM 256 QAM	108@54	18.94	20.17	0.1040
66	15	40	429000	1745.0	DFT-s-OFDM 256 QAM	1@1	18.64	19.87	0.0971
66	15	40	429000	1745.0	DFT-s-OFDM 256 QAM	1@214	18.85	20.08	0.1019
66	15	40	429000	1745.0	CP-OFDM QPSK	108@54	22.08	23.31	0.2143
66	15	40	429000	1745.0	CP-OFDM QPSK	1@1	21.77	23	0.1995
66	15	40	429000	1745.0	CP-OFDM QPSK	1@214	21.92	23.15	0.2065
66	15	40	432000	1745.0	DFT-s-OFDM PI/2 BPSK	108@54	23.91	25.14	0.3266

66	15	40	432000	1745.0	DFT-s-OFDM PI/2 BPSK	1@1	23.47	24.7	0.2951
66	15	40	432000	1745.0	DFT-s-OFDM PI/2 BPSK	1@214	23.46	24.69	0.2944
66	15	40	432000	1760.0	DFT-s-OFDM QPSK	108@54	23.55	24.78	0.3006
66	15	40	432000	1760.0	DFT-s-OFDM QPSK	1@1	23.56	24.79	0.3013
66	15	40	432000	1760.0	DFT-s-OFDM QPSK	1@214	23.44	24.67	0.2931
66	15	40	432000	1760.0	DFT-s-OFDM 16 QAM	108@54	22.49	23.72	0.2355
66	15	40	432000	1760.0	DFT-s-OFDM 16 QAM	1@1	22.66	23.89	0.2449
66	15	40	432000	1760.0	DFT-s-OFDM 16 QAM	1@214	22.69	23.92	0.2466
66	15	40	432000	1760.0	DFT-s-OFDM 64 QAM	108@54	20.98	22.21	0.1663
66	15	40	432000	1760.0	DFT-s-OFDM 64 QAM	1@1	21.08	22.31	0.1702
66	15	40	432000	1760.0	DFT-s-OFDM 64 QAM	1@214	21.14	22.37	0.1726
66	15	40	432000	1760.0	DFT-s-OFDM 256 QAM	108@54	18.88	20.11	0.1026
66	15	40	432000	1760.0	DFT-s-OFDM 256 QAM	1@1	18.67	19.9	0.0977
66	15	40	432000	1760.0	DFT-s-OFDM 256 QAM	1@214	18.9	20.13	0.1030
66	15	40	432000	1760.0	CP-OFDM QPSK	108@54	21.96	23.19	0.2084
66	15	40	432000	1760.0	CP-OFDM QPSK	1@1	21.81	23.04	0.2014
66	15	40	432000	1760.0	CP-OFDM QPSK	1@214	21.94	23.17	0.2075

Frequency Stability

NR Band	SCS (kHz)	Bandwidth (MHz)	Arfcn	Freq (MHz)	Modulation	RB	Deviation (ppm)	Verdict	Environment
66	15	20	429000	1745.0	DFT-s-OFDM QPSK	100@0	0.00254	PASS	NV
66	15	20	429000	1745.0	DFT-s-OFDM QPSK	100@0	-0.00396	PASS	LV
66	15	20	429000	1745.0	DFT-s-OFDM QPSK	100@0	-0.00415	PASS	HV
66	15	20	429000	1745.0	DFT-s-OFDM QPSK	100@0	-0.00704	PASS	-30°C
66	15	20	429000	1745.0	DFT-s-OFDM QPSK	100@0	-0.00708	PASS	-20°C
66	15	20	429000	1745.0	DFT-s-OFDM QPSK	100@0	-0.00439	PASS	-10°C
66	15	20	429000	1745.0	DFT-s-OFDM QPSK	100@0	-0.00435	PASS	0°C
66	15	20	429000	1745.0	DFT-s-OFDM QPSK	100@0	-0.00698	PASS	10°C
66	15	20	429000	1745.0	DFT-s-OFDM QPSK	100@0	-0.00648	PASS	20°C
66	15	20	429000	1745.0	DFT-s-OFDM QPSK	100@0	-0.00434	PASS	30°C
66	15	20	429000	1745.0	DFT-s-OFDM QPSK	100@0	-0.00577	PASS	40°C
66	15	20	429000	1745.0	DFT-s-OFDM QPSK	100@0	-0.00397	PASS	50°C

Peak to Average Ratio

NR Band	SCS (kHz)	Bandwidth (MHz)	Arfcn	Freq (MHz)	Modulation	RB	Result (dB)	Limit (dB)	Verdict
66	15	20	424000	1720.0	DFT-s-OFDM PI/2 BPSK	100@0	4.42	13	PASS
66	15	20	424000	1720.0	DFT-s-OFDM PI/2 BPSK	1@0	3.7	13	PASS
66	15	20	424000	1720.0	DFT-s-OFDM QPSK	100@0	5.36	13	PASS
66	15	20	424000	1720.0	DFT-s-OFDM QPSK	1@0	5.12	13	PASS
66	15	20	429000	1745.0	DFT-s-OFDM PI/2 BPSK	100@0	4.56	13	PASS
66	15	20	429000	1745.0	DFT-s-OFDM PI/2 BPSK	1@0	3.83	13	PASS
66	15	20	429000	1745.0	DFT-s-OFDM QPSK	100@0	5.32	13	PASS
66	15	20	429000	1745.0	DFT-s-OFDM QPSK	1@0	5.49	13	PASS
66	15	20	434000	1770.0	DFT-s-OFDM PI/2 BPSK	100@0	4.73	13	PASS
66	15	20	434000	1770.0	DFT-s-OFDM PI/2 BPSK	1@0	4.18	13	PASS
66	15	20	434000	1770.0	DFT-s-OFDM QPSK	100@0	5.68	13	PASS
66	15	20	434000	1770.0	DFT-s-OFDM QPSK	1@0	5.26	13	PASS

N66(20M)_DFT-s-OFDM_PI_2-BPSK_Outer_Full_Low_CH



N66(20M)_DFT-s-OFDM_PI_2-BPSK_Edge_1RB_Left_Low_CH



N66(20M)_DFT-s-OFDM_QPSK_Outer_Full_Low_CH



N66(20M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Low_CH



N66(20M)_DFT-s-OFDM_PI_2-BPSK_Outer_Full_Mid_CH



N66(20M)_DFT-s-OFDM_PI_2-BPSK_Edge_1RB_Left_Mid_CH



N66(20M)_DFT-s-OFDM_QPSK_Outer_Full_Mid_CH



N66(20M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Mid_CH



N66(20M)_DFT-s-OFDM_PI_2-BPSK_Outer_Full_High_CH




N66(20M)_DFT-s-OFDM_PI_2-BPSK_Edge_1RB_Left_High_CH



N66(20M)_DFT-s-OFDM_QPSK_Outer_Full_High_CH



N66(20M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_High_CH




Occupied Bandwidth


NR Band	SCS (kHz)	Bandwidth (MHz)	Arfcn	Freq (MHz)	Modulation	RB	OBW (MHz)	26dB OBW (MHz)
66	15	5	429000	1745.0	DFT-s-OFDM PI/2 BPSK	25@0	4.481	4.894
66	15	5	429000	1745.0	DFT-s-OFDM QPSK	25@0	4.4683	4.885
66	15	5	429000	1745.0	CP-OFDM QPSK	25@0	4.4714	4.926
66	15	5	429000	1745.0	CP-OFDM 16 QAM	25@0	4.4678	4.904
66	15	5	429000	1745.0	CP-OFDM 64 QAM	25@0	4.4742	4.926
66	15	5	429000	1745.0	CP-OFDM 256 QAM	25@0	4.4755	4.874
66	15	10	429000	1745.0	DFT-s-OFDM PI/2 BPSK	50@0	8.9079	9.485
66	15	10	429000	1745.0	DFT-s-OFDM QPSK	50@0	8.9294	9.545
66	15	10	429000	1745.0	CP-OFDM QPSK	52@0	9.2819	9.947
66	15	10	429000	1745.0	CP-OFDM 16 QAM	52@0	9.2935	9.81
66	15	10	429000	1745.0	CP-OFDM 64 QAM	52@0	9.2748	9.866
66	15	10	429000	1745.0	CP-OFDM 256 QAM	52@0	9.2831	9.845
66	15	15	429000	1745.0	DFT-s-OFDM PI/2 BPSK	75@0	13.389	14.14
66	15	15	429000	1745.0	DFT-s-OFDM QPSK	75@0	13.422	14.23
66	15	15	429000	1745.0	CP-OFDM QPSK	79@0	14.098	14.76
66	15	15	429000	1745.0	CP-OFDM 16 QAM	79@0	14.093	14.83
66	15	15	429000	1745.0	CP-OFDM 64 QAM	79@0	14.117	14.8
66	15	15	429000	1745.0	CP-OFDM 256 QAM	79@0	14.09	14.8
66	15	20	429000	1745.0	DFT-s-OFDM PI/2 BPSK	100@0	17.919	18.74
66	15	20	429000	1745.0	DFT-s-OFDM QPSK	100@0	17.879	18.72
66	15	20	429000	1745.0	CP-OFDM QPSK	106@0	18.927	19.8
66	15	20	429000	1745.0	CP-OFDM 16 QAM	106@0	18.937	19.75
66	15	20	429000	1745.0	CP-OFDM 64 QAM	106@0	18.945	19.83
66	15	20	429000	1745.0	CP-OFDM 256 QAM	106@0	18.944	19.76

66	15	30	429000	1745.0	DFT-s-OFDM PI/2 BPSK	160@0	28.634	29.64
66	15	30	429000	1745.0	DFT-s-OFDM QPSK	160@0	28.586	29.62
66	15	30	429000	1745.0	CP-OFDM QPSK	160@0	28.583	29.66
66	15	30	429000	1745.0	CP-OFDM 16 QAM	160@0	28.582	29.67
66	15	30	429000	1745.0	CP-OFDM 64 QAM	160@0	28.617	29.64
66	15	30	429000	1745.0	CP-OFDM 256 QAM	160@0	28.542	29.46
66	15	40	429000	1745.0	DFT-s-OFDM PI/2 BPSK	216@0	38.578	39.93
66	15	40	429000	1745.0	DFT-s-OFDM QPSK	216@0	38.532	39.86
66	15	40	429000	1745.0	CP-OFDM QPSK	216@0	38.552	39.87
66	15	40	429000	1745.0	CP-OFDM 16 QAM	216@0	38.564	39.9
66	15	40	429000	1745.0	CP-OFDM 64 QAM	216@0	38.589	39.9
66	15	40	429000	1745.0	CP-OFDM 256 QAM	216@0	38.543	39.81


N66(5M)_DFT-s-OFDM_PI_2-BPSK_Outer_Full_Mid_CH



N66(5M)_DFT-s-OFDM_QPSK_Outer_Full_Mid_CH




N66(5M)_CP-OFDM_QPSK_Outer_Full_Mid_CH




N66(5M)_CP-OFDM_16QAM_Outer_Full_Mid_CH




N66(5M)_CP-OFDM_64QAM_Outer_Full_Mid_CH




N66(5M)_CP-OFDM_256QAM_Outer_Full_Mid_CH




N66(10M)_DFT-s-OFDM_PI_2-
BPSK_Outer_Full_Mid_CH




N66(10M)_DFT-s-
OFDM_QPSK_Outer_Full_Mid_CH




N66(10M)_CP-
OFDM_QPSK_Outer_Full_Mid_CH




N66(10M)_CP-OFDM_16
QAM_Outer_Full_Mid_CH




N66(10M)_CP-OFDM_64
QAM_Outer_Full_Mid_CH




N66(10M)_CP-OFDM_256
QAM_Outer_Full_Mid_CH



N66(15M)_DFT-s-OFDM_PI_2- BPSK_Outer_Full_Mid_CH




N66(15M)_DFT-s- OFDM_QPSK_Outer_Full_Mid_CH




N66(15M)_CP- OFDM_QPSK_Outer_Full_Mid_CH




N66(15M)_CP-OFDM_16 QAM_Outer_Full_Mid_CH




N66(15M)_CP-OFDM_64 QAM_Outer_Full_Mid_CH




N66(15M)_CP-OFDM_256 QAM_Outer_Full_Mid_CH



N66(20M)_DFT-s-OFDM_PI_2- BPSK_Outer_Full_Mid_CH



N66(20M)_DFT-s- OFDM_QPSK_Outer_Full_Mid_CH




N66(20M)_CP- OFDM_QPSK_Outer_Full_Mid_CH




N66(20M)_CP-OFDM_16 QAM_Outer_Full_Mid_CH




N66(20M)_CP-OFDM_64 QAM_Outer_Full_Mid_CH




N66(20M)_CP-OFDM_256 QAM_Outer_Full_Mid_CH




N66(30M)_DFT-s-OFDM_PI_2-
BPSK_Outer_Full_Mid_CH




N66(30M)_DFT-s-
OFDM_QPSK_Outer_Full_Mid_CH




N66(30M)_CP-
OFDM_QPSK_Outer_Full_Mid_CH




N66(30M)_CP-OFDM_16
QAM_Outer_Full_Mid_CH




N66(30M)_CP-OFDM_64
QAM_Outer_Full_Mid_CH




N66(30M)_CP-OFDM_256
QAM_Outer_Full_Mid_CH



N66(40M)_DFT-s-OFDM_PI_2-BPSK_Outer_Full_Mid_CH




N66(40M)_DFT-s-OFDM_QPSK_Outer_Full_Mid_CH




N66(40M)_CP-OFDM_QPSK_Outer_Full_Mid_CH




N66(40M)_CP-OFDM_16QAM_Outer_Full_Mid_CH



N66(40M)_CP-OFDM_64QAM_Outer_Full_Mid_CH



N66(40M)_CP-OFDM_256QAM_Outer_Full_Mid_CH




Conducted Spurious Emissions


NR Band	SCS (kHz)	Bandwidth (MHz)	Arfcn	Freq (MHz)	Modulation	RB	Result	Verdict
66	15	5	422500	1712.5	DFT-s-OFDM BPSK	1@0	see graph	---
66	15	5	422500	1712.5	DFT-s-OFDM BPSK	1@0	see graph	PASS
66	15	5	422500	1712.5	DFT-s-OFDM QPSK	1@0	see graph	---
66	15	5	422500	1712.5	DFT-s-OFDM QPSK	1@0	see graph	PASS
66	15	5	429000	1745.0	DFT-s-OFDM BPSK	1@0	see graph	---
66	15	5	429000	1745.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
66	15	5	429000	1745.0	DFT-s-OFDM QPSK	1@0	see graph	---
66	15	5	429000	1745.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
66	15	5	435500	1777.5	DFT-s-OFDM BPSK	1@0	see graph	---
66	15	5	435500	1777.5	DFT-s-OFDM BPSK	1@0	see graph	PASS
66	15	5	435500	1777.5	DFT-s-OFDM QPSK	1@0	see graph	---
66	15	5	435500	1777.5	DFT-s-OFDM QPSK	1@0	see graph	PASS
66	15	20	424000	1720.0	DFT-s-OFDM BPSK	1@0	see graph	---
66	15	20	424000	1720.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
66	15	20	424000	1720.0	DFT-s-OFDM QPSK	1@0	see graph	---
66	15	20	424000	1720.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
66	15	20	429000	1745.0	DFT-s-OFDM BPSK	1@0	see graph	---
66	15	20	429000	1745.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
66	15	20	429000	1745.0	DFT-s-OFDM QPSK	1@0	see graph	---
66	15	20	429000	1745.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
66	15	20	434000	1770.0	DFT-s-OFDM BPSK	1@0	see graph	---
66	15	20	434000	1770.0	DFT-s-OFDM BPSK	1@0	see graph	PASS

66	15	20	434000	1770.0	DFT-s-OFDM QPSK	1@0	see graph	---
66	15	20	434000	1770.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
66	15	40	426000	1730.0	DFT-s-OFDM BPSK	1@0	see graph	---
66	15	40	426000	1730.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
66	15	40	426000	1730.0	DFT-s-OFDM QPSK	1@0	see graph	---
66	15	40	426000	1730.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
66	15	40	429000	1745.0	DFT-s-OFDM BPSK	1@0	see graph	---
66	15	40	429000	1745.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
66	15	40	429000	1745.0	DFT-s-OFDM QPSK	1@0	see graph	---
66	15	40	429000	1745.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
66	15	40	432000	1760.0	DFT-s-OFDM BPSK	1@0	see graph	---
66	15	40	432000	1760.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
66	15	40	432000	1760.0	DFT-s-OFDM QPSK	1@0	see graph	---
66	15	40	432000	1760.0	DFT-s-OFDM QPSK	1@0	see graph	PASS


N66(5M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Low_CH




N66(5M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Low_CH




N66(5M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Mid_CH




N66(5M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Mid_CH




N66(5M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_High_CH




N66(5M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_High_CH




N66(20M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Low_CH




N66(20M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Low_CH




N66(20M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Mid_CH




N66(20M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Mid_CH




N66(20M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_High_CH




N66(20M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_High_CH




N66(40M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Low_CH




N66(40M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Low_CH




N66(40M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Mid_CH




N66(40M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Mid_CH



N66(40M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_High_CH




N66(40M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_High_CH




Conducted Band Edge

NR Band	SCS (kHz)	Bandwidth (MHz)	Arfcn	Freq (MHz)	Modulation	RB	Result	Verdict
66	15	5	422500	1712.5	DFT-s-OFDM BPSK	1@0	see graph	PASS
66	15	5	422500	1712.5	DFT-s-OFDM QPSK	1@0	see graph	PASS
66	15	5	422500	1712.5	DFT-s-OFDM BPSK	25@0	see graph	PASS
66	15	5	422500	1712.5	DFT-s-OFDM QPSK	25@0	see graph	PASS
66	15	5	435500	1777.5	DFT-s-OFDM BPSK	25@0	see graph	PASS
66	15	5	435500	1777.5	DFT-s-OFDM QPSK	25@0	see graph	PASS
66	15	20	424000	1720.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
66	15	20	424000	1720.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
66	15	20	424000	1720.0	DFT-s-OFDM BPSK	100@0	see graph	PASS
66	15	20	424000	1720.0	DFT-s-OFDM QPSK	100@0	see graph	PASS
66	15	20	434000	1720.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
66	15	20	434000	1770.0	DFT-s-OFDM BPSK	100@0	see graph	PASS
66	15	20	434000	1770.0	DFT-s-OFDM QPSK	100@0	see graph	PASS
66	15	40	426000	1730.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
66	15	40	426000	1730.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
66	15	40	426000	1730.0	DFT-s-OFDM BPSK	216@0	see graph	PASS
66	15	40	426000	1730.0	DFT-s-OFDM QPSK	216@0	see graph	PASS
66	15	40	432000	1730.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
66	15	40	432000	1760.0	DFT-s-OFDM BPSK	216@0	see graph	PASS
66	15	40	432000	1760.0	DFT-s-OFDM QPSK	216@0	see graph	PASS


N66(5M)_DFT-s-
OFDM_BPSK_Edge_1RB_Left_Low_CH




N66(5M)_DFT-s-
OFDM_QPSK_Edge_1RB_Left_Low_CH




N66(5M)_DFT-s-
OFDM_BPSK_Outer_Full_Low_CH




N66(5M)_DFT-s-
OFDM_QPSK_Outer_Full_Low_CH




N66(5M)_DFT-s-
OFDM_BPSK_Edge_1RB_Right_High_CH




N66(5M)_DFT-s-
OFDM_QPSK_Edge_1RB_Right_High_CH




N66(5M)_DFT-s-OFDM_BPSK_Outer_Full_High_CH




N66(5M)_DFT-s-OFDM_QPSK_Outer_Full_High_CH




N66(20M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Low_CH




N66(20M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Low_CH




N66(20M)_DFT-s-OFDM_BPSK_Outer_Full_Low_CH




N66(20M)_DFT-s-OFDM_QPSK_Outer_Full_Low_CH




N66(20M)_DFT-s-
OFDM_BPSK_Edge_1RB_Right_High_CH




N66(20M)_DFT-s-
OFDM_QPSK_Edge_1RB_Right_High_CH




N66(20M)_DFT-s-
OFDM_BPSK_Outer_Full_High_CH



N66(20M)_DFT-s-
OFDM_QPSK_Outer_Full_High_CH



N66(40M)_DFT-s-
OFDM_BPSK_Edge_1RB_Left_Low_CH



N66(40M)_DFT-s-
OFDM_QPSK_Edge_1RB_Left_Low_CH

