



N78(60M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Low_CH




N78(60M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Low_CH




N78(60M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Low_CH




N78(60M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Low_CH




N78(60M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Mid_CH




N78(60M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Mid_CH




N78(60M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Mid_CH




N78(60M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Mid_CH




N78(60M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_High_CH




N78(60M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_High_CH




N78(60M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_High_CH




N78(60M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_High_CH



N78(100M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Mid_CH




N78(100M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Mid_CH



N78(100M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Mid_CH




N78(100M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Mid_CH




Conducted Band Edge

NR Band	SCS (kHz)	Bandwidth (MHz)	Arfcn	Freq (MHz)	Modulation	RB	Result	Verdict
78	30	20	630668	3460.02	DFT-s-OFDM BPSK	1@0	see graph	PASS
78	30	20	630668	3460.02	DFT-s-OFDM QPSK	1@0	see graph	PASS
78	30	20	630668	3460.02	DFT-s-OFDM BPSK	50@0	see graph	PASS
78	30	20	630668	3460.02	DFT-s-OFDM QPSK	50@0	see graph	PASS
78	30	20	636000	3540.0	DFT-s-OFDM BPSK	1@50	see graph	PASS
78	30	20	636000	3540.0	DFT-s-OFDM QPSK	1@50	see graph	PASS
78	30	20	636000	3540.0	DFT-s-OFDM BPSK	50@0	see graph	PASS
78	30	20	636000	3540.0	DFT-s-OFDM QPSK	50@0	see graph	PASS
78	30	60	632000	3480.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
78	30	60	632000	3480.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
78	30	60	632000	3480.0	DFT-s-OFDM BPSK	162@0	see graph	PASS
78	30	60	632000	3480.0	DFT-s-OFDM QPSK	162@0	see graph	PASS
78	30	60	634666	3519.99	DFT-s-OFDM BPSK	1@161	see graph	PASS
78	30	60	634666	3519.99	DFT-s-OFDM QPSK	1@161	see graph	PASS
78	30	60	634666	3519.99	DFT-s-OFDM BPSK	162@0	see graph	PASS
78	30	60	634666	3519.99	DFT-s-OFDM QPSK	162@0	see graph	PASS
78	30	100	633334	3500.01	DFT-s-OFDM BPSK	1@0	see graph	PASS
78	30	100	633334	3500.01	DFT-s-OFDM QPSK	1@0	see graph	PASS
78	30	100	633334	3500.01	DFT-s-OFDM BPSK	1@272	see graph	PASS
78	30	100	633334	3500.01	DFT-s-OFDM QPSK	1@272	see graph	PASS
78	30	100	633334	3500.01	DFT-s-OFDM BPSK	270@0	see graph	PASS
78	30	100	633334	3500.01	DFT-s-OFDM QPSK	270@0	see graph	PASS


B38_N78(20M)_DFT-s-
OFDM_BPSK_Edge_1RB_Left_Low_CH




B38_N78(20M)_DFT-s-
OFDM_QPSK_Edge_1RB_Left_Low_CH




N78(20M)_DFT-s-
OFDM_BPSK_Outer_Full_Low_CH




N78(20M)_DFT-s-
OFDM_QPSK_Outer_Full_Low_CH




N78(20M)_DFT-s-
OFDM_BPSK_Edge_1RB_Right_High_CH




N78(20M)_DFT-s-
OFDM_QPSK_Edge_1RB_Right_High_CH




N78(20M)_DFT-s-OFDM_BPSK_Outer_Full_High_CH




N78(20M)_DFT-s-OFDM_QPSK_Outer_Full_High_CH




B38_N78(60M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Low_CH




B38_N78(60M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Low_CH




N78(60M)_DFT-s-OFDM_BPSK_Outer_Full_Low_CH




N78(60M)_DFT-s-OFDM_QPSK_Outer_Full_Low_CH




N78(60M)_DFT-s-
OFDM_BPSK_Edge_1RB_Right_High_CH




N78(60M)_DFT-s-
OFDM_QPSK_Edge_1RB_Right_High_CH




N78(60M)_DFT-s-
OFDM_BPSK_Outer_Full_High_CH




N78(60M)_DFT-s-
OFDM_QPSK_Outer_Full_High_CH




N78(100M)_DFT-s-
OFDM_BPSK_Edge_1RB_Left_Mid_CH




N78(100M)_DFT-s-
OFDM_QPSK_Edge_1RB_Left_Mid_CH




N78(100M)_DFT-s-OFDM_BPSK_Edge_1RB_Right_Mid_CH




N78(100M)_DFT-s-OFDM_QPSK_Edge_1RB_Right_Mid_CH



N78(100M)_DFT-s-OFDM_BPSK_Outer_Full_Mid_CH



N78(100M)_DFT-s-OFDM_QPSK_Outer_Full_Mid_CH



FR1 N78 NSA

LTE Band: 38, LTE BW: 20M, LTE ARFCN: Mid

Transmitter Conducted Output Power And EIRP, (G_T-L_C)=2.18dB

NR Band	SCS (kHz)	Bandwidth (MHz)	Arfcn	Freq (MHz)	Modulation	RB	Conducted Power(dBm)	EIRP (dBm)	EIRP (W)
78	30	20	630668	3460.02	DFT-s-OFDM PI/2 BPSK	25@12	26.46	28.64	0.7311
78	30	20	630668	3460.02	DFT-s-OFDM PI/2 BPSK	1@1	26.42	28.6	0.7244
78	30	20	630668	3460.02	DFT-s-OFDM PI/2 BPSK	1@49	26.45	28.63	0.7295
78	30	20	630668	3460.02	DFT-s-OFDM QPSK	25@12	26.47	28.65	0.7328
78	30	20	630668	3460.02	DFT-s-OFDM QPSK	1@1	26.9	29.08	0.8091
78	30	20	630668	3460.02	DFT-s-OFDM QPSK	1@49	26.82	29	0.7943
78	30	20	630668	3460.02	DFT-s-OFDM 16 QAM	25@12	24.51	26.69	0.4667
78	30	20	630668	3460.02	DFT-s-OFDM 16 QAM	1@1	24.61	26.79	0.4775
78	30	20	630668	3460.02	DFT-s-OFDM 16 QAM	1@49	24.9	27.08	0.5105
78	30	20	630668	3460.02	DFT-s-OFDM 64 QAM	25@12	23.34	25.52	0.3565
78	30	20	630668	3460.02	DFT-s-OFDM 64 QAM	1@1	23.2	25.38	0.3451
78	30	20	630668	3460.02	DFT-s-OFDM 64 QAM	1@49	23.35	25.53	0.3573
78	30	20	630668	3460.02	DFT-s-OFDM 256 QAM	25@12	21.11	23.29	0.2133
78	30	20	630668	3460.02	DFT-s-OFDM 256 QAM	1@1	21.44	23.62	0.2301
78	30	20	630668	3460.02	DFT-s-OFDM 256 QAM	1@49	21.35	23.53	0.2254
78	30	20	630668	3460.02	CP-OFDM QPSK	25@121	22.94	25.12	0.3251
78	30	20	630668	3460.02	CP-OFDM QPSK	1@1	24.3	26.48	0.4446
78	30	20	630668	3460.02	CP-OFDM QPSK	1@49	23.93	26.11	0.4083
78	30	20	633334	3500.01	DFT-s-OFDM PI/2 BPSK	25@12	26.89	29.07	0.8072

78	30	20	633334	3500.01	DFT-s-OFDM PI/2 BPSK	1@1	26.82	29	0.7943
78	30	20	633334	3500.01	DFT-s-OFDM PI/2 BPSK	1@49	26.9	29.08	0.8091
78	30	20	633334	3500.01	DFT-s-OFDM QPSK	25@12	26.75	28.93	0.7816
78	30	20	633334	3500.01	DFT-s-OFDM QPSK	1@1	26.91	29.09	0.8110
78	30	20	633334	3500.01	DFT-s-OFDM QPSK	1@49	26.87	29.05	0.8035
78	30	20	633334	3500.01	DFT-s-OFDM 16 QAM	25@12	25.27	27.45	0.5559
78	30	20	633334	3500.01	DFT-s-OFDM 16 QAM	1@1	25.19	27.37	0.5458
78	30	20	633334	3500.01	DFT-s-OFDM 16 QAM	1@49	24.45	26.63	0.4603
78	30	20	633334	3500.01	DFT-s-OFDM 64 QAM	25@12	23.59	25.77	0.3776
78	30	20	633334	3500.01	DFT-s-OFDM 64 QAM	1@1	23.32	25.5	0.3548
78	30	20	633334	3500.01	DFT-s-OFDM 64 QAM	1@49	23.24	25.42	0.3483
78	30	20	633334	3500.01	DFT-s-OFDM 256 QAM	25@12	21.26	23.44	0.2208
78	30	20	633334	3500.01	DFT-s-OFDM 256 QAM	1@1	21.26	23.44	0.2208
78	30	20	633334	3500.01	DFT-s-OFDM 256 QAM	1@49	21.42	23.6	0.2291
78	30	20	633334	3500.01	CP-OFDM QPSK	25@121	23.13	25.31	0.3396
78	30	20	633334	3500.01	CP-OFDM QPSK	1@1	24.71	26.89	0.4887
78	30	20	633334	3500.01	CP-OFDM QPSK	1@49	24.38	26.56	0.4529
78	30	20	636000	3540.0	DFT-s-OFDM PI/2 BPSK	25@12	26.71	28.89	0.7745
78	30	20	636000	3540.0	DFT-s-OFDM PI/2 BPSK	1@1	26.37	28.55	0.7161
78	30	20	636000	3540.0	DFT-s-OFDM PI/2 BPSK	1@49	26.41	28.59	0.7228
78	30	20	636000	3540.0	DFT-s-OFDM QPSK	25@12	26.44	28.62	0.7278
78	30	20	636000	3540.0	DFT-s-OFDM QPSK	1@1	26.41	28.59	0.7228
78	30	20	636000	3540.0	DFT-s-OFDM QPSK	1@49	26.84	29.02	0.7980
78	30	20	636000	3540.0	DFT-s-OFDM 16 QAM	25@12	24.3	26.48	0.4446

78	30	20	636000	3540.0	DFT-s-OFDM 16 QAM	1@1	24.76	26.94	0.4943
78	30	20	636000	3540.0	DFT-s-OFDM 16 QAM	1@49	24.98	27.16	0.5200
78	30	20	636000	3540.0	DFT-s-OFDM 64 QAM	25@12	23.38	25.56	0.3597
78	30	20	636000	3540.0	DFT-s-OFDM 64 QAM	1@1	23.07	25.25	0.3350
78	30	20	636000	3540.0	DFT-s-OFDM 64 QAM	1@49	23.09	25.27	0.3365
78	30	20	636000	3540.0	DFT-s-OFDM 256 QAM	25@12	21.13	23.31	0.2143
78	30	20	636000	3540.0	DFT-s-OFDM 256 QAM	1@1	21.04	23.22	0.2099
78	30	20	636000	3540.0	DFT-s-OFDM 256 QAM	1@49	21.01	23.19	0.2084
78	30	20	636000	3540.0	CP-OFDM QPSK	25@121	22.44	24.62	0.2897
78	30	20	636000	3540.0	CP-OFDM QPSK	1@1	23.88	26.06	0.4036
78	30	20	636000	3540.0	CP-OFDM QPSK	1@49	24.38	26.56	0.4529
78	30	30	631000	3465.0	DFT-s-OFDM PI/2 BPSK	36@18	26.68	28.86	0.7691
78	30	30	631000	3465.0	DFT-s-OFDM PI/2 BPSK	1@1	26.75	28.93	0.7816
78	30	30	631000	3465.0	DFT-s-OFDM PI/2 BPSK	1@76	26.83	29.01	0.7962
78	30	30	631000	3465.0	DFT-s-OFDM QPSK	36@18	26.54	28.72	0.7447
78	30	30	631000	3465.0	DFT-s-OFDM QPSK	1@1	26.57	28.75	0.7499
78	30	30	631000	3465.0	DFT-s-OFDM QPSK	1@76	26.83	29.01	0.7962
78	30	30	631000	3465.0	DFT-s-OFDM 16 QAM	36@18	25.04	27.22	0.5272
78	30	30	631000	3465.0	DFT-s-OFDM 16 QAM	1@1	24.43	26.61	0.4581
78	30	30	631000	3465.0	DFT-s-OFDM 16 QAM	1@76	24.75	26.93	0.4932
78	30	30	631000	3465.0	DFT-s-OFDM 64 QAM	36@18	23.5	25.68	0.3698
78	30	30	631000	3465.0	DFT-s-OFDM 64 QAM	1@1	23.23	25.41	0.3475
78	30	30	631000	3465.0	DFT-s-OFDM 64 QAM	1@76	22.74	24.92	0.3105
78	30	30	631000	3465.0	DFT-s-OFDM 256 QAM	36@18	21.13	23.31	0.2143

78	30	30	631000	3465.0	DFT-s-OFDM 256 QAM	1@1	21.19	23.37	0.2173
78	30	30	631000	3465.0	DFT-s-OFDM 256 QAM	1@76	21	23.18	0.2080
78	30	30	631000	3465.0	CP-OFDM QPSK	39@19	24.03	26.21	0.4178
78	30	30	631000	3465.0	CP-OFDM QPSK	1@1	24.52	26.7	0.4677
78	30	30	631000	3465.0	CP-OFDM QPSK	1@76	24.24	26.42	0.4385
78	30	30	633334	3500.01	DFT-s-OFDM PI/2 BPSK	36@18	26.82	29	0.7943
78	30	30	633334	3500.01	DFT-s-OFDM PI/2 BPSK	1@1	26.59	28.77	0.7534
78	30	30	633334	3500.01	DFT-s-OFDM PI/2 BPSK	1@76	26.7	28.88	0.7727
78	30	30	633334	3500.01	DFT-s-OFDM QPSK	36@18	26.74	28.92	0.7798
78	30	30	633334	3500.01	DFT-s-OFDM QPSK	1@1	26.91	29.09	0.8110
78	30	30	633334	3500.01	DFT-s-OFDM QPSK	1@76	26.72	28.9	0.7762
78	30	30	633334	3500.01	DFT-s-OFDM 16 QAM	36@18	24.75	26.93	0.4932
78	30	30	633334	3500.01	DFT-s-OFDM 16 QAM	1@1	25.1	27.28	0.5346
78	30	30	633334	3500.01	DFT-s-OFDM 16 QAM	1@76	24.17	26.35	0.4315
78	30	30	633334	3500.01	DFT-s-OFDM 64 QAM	36@18	22.9	25.08	0.3221
78	30	30	633334	3500.01	DFT-s-OFDM 64 QAM	1@1	23.19	25.37	0.3443
78	30	30	633334	3500.01	DFT-s-OFDM 64 QAM	1@76	23.26	25.44	0.3499
78	30	30	633334	3500.01	DFT-s-OFDM 256 QAM	36@18	21.15	23.33	0.2153
78	30	30	633334	3500.01	DFT-s-OFDM 256 QAM	1@1	21.5	23.68	0.2333
78	30	30	633334	3500.01	DFT-s-OFDM 256 QAM	1@76	20.99	23.17	0.2075
78	30	30	633334	3500.01	CP-OFDM QPSK	39@19	24.2	26.38	0.4345
78	30	30	633334	3500.01	CP-OFDM QPSK	1@1	24	26.18	0.4150
78	30	30	633334	3500.01	CP-OFDM QPSK	1@76	23.65	25.83	0.3828
78	30	30	635666	3534.99	DFT-s-OFDM PI/2 BPSK	36@18	26.58	28.76	0.7516

78	30	30	635666	3534.99	DFT-s-OFDM PI/2 BPSK	1@1	26.29	28.47	0.7031
78	30	30	635666	3534.99	DFT-s-OFDM PI/2 BPSK	1@76	26.57	28.75	0.7499
78	30	30	635666	3534.99	DFT-s-OFDM QPSK	36@18	26.14	28.32	0.6792
78	30	30	635666	3534.99	DFT-s-OFDM QPSK	1@1	26.34	28.52	0.7112
78	30	30	635666	3534.99	DFT-s-OFDM QPSK	1@76	26.57	28.75	0.7499
78	30	30	635666	3534.99	DFT-s-OFDM 16 QAM	36@18	24.66	26.84	0.4831
78	30	30	635666	3534.99	DFT-s-OFDM 16 QAM	1@1	24.13	26.31	0.4276
78	30	30	635666	3534.99	DFT-s-OFDM 16 QAM	1@76	24.14	26.32	0.4285
78	30	30	635666	3534.99	DFT-s-OFDM 64 QAM	36@18	22.99	25.17	0.3289
78	30	30	635666	3534.99	DFT-s-OFDM 64 QAM	1@1	23.29	25.47	0.3524
78	30	30	635666	3534.99	DFT-s-OFDM 64 QAM	1@76	23.17	25.35	0.3428
78	30	30	635666	3534.99	DFT-s-OFDM 256 QAM	36@18	21.13	23.31	0.2143
78	30	30	635666	3534.99	DFT-s-OFDM 256 QAM	1@1	20.89	23.07	0.2028
78	30	30	635666	3534.99	DFT-s-OFDM 256 QAM	1@76	20.74	22.92	0.1959
78	30	30	635666	3534.99	CP-OFDM QPSK	39@19	24.1	26.28	0.4246
78	30	30	635666	3534.99	CP-OFDM QPSK	1@1	24.16	26.34	0.4305
78	30	30	635666	3534.99	CP-OFDM QPSK	1@76	24.06	26.24	0.4207
78	30	40	631334	3470.01	DFT-s-OFDM PI/2 BPSK	50@25	26.74	28.92	0.7798
78	30	40	631334	3470.01	DFT-s-OFDM PI/2 BPSK	1@1	26.88	29.06	0.8054
78	30	40	631334	3470.01	DFT-s-OFDM PI/2 BPSK	1@104	26.76	28.94	0.7834
78	30	40	631334	3470.01	DFT-s-OFDM QPSK	50@25	26.81	28.99	0.7925
78	30	40	631334	3470.01	DFT-s-OFDM QPSK	1@1	26.91	29.09	0.8110
78	30	40	631334	3470.01	DFT-s-OFDM QPSK	1@104	26.78	28.96	0.7870
78	30	40	631334	3470.01	DFT-s-OFDM 16 QAM	50@25	24.53	26.71	0.4688

78	30	40	631334	3470.01	DFT-s-OFDM 16 QAM	1@1	25.17	27.35	0.5433
78	30	40	631334	3470.01	DFT-s-OFDM 16 QAM	1@104	24.88	27.06	0.5082
78	30	40	631334	3470.01	DFT-s-OFDM 64 QAM	50@25	23.39	25.57	0.3606
78	30	40	631334	3470.01	DFT-s-OFDM 64 QAM	1@1	23.32	25.5	0.3548
78	30	40	631334	3470.01	DFT-s-OFDM 64 QAM	1@104	23.06	25.24	0.3342
78	30	40	631334	3470.01	DFT-s-OFDM 256 QAM	50@25	21.43	23.61	0.2296
78	30	40	631334	3470.01	DFT-s-OFDM 256 QAM	1@1	21.65	23.83	0.2415
78	30	40	631334	3470.01	DFT-s-OFDM 256 QAM	1@104	21.31	23.49	0.2234
78	30	40	631334	3470.01	CP-OFDM QPSK	53@26	24.44	26.62	0.4592
78	30	40	631334	3470.01	CP-OFDM QPSK	1@1	24.08	26.26	0.4227
78	30	40	631334	3470.01	CP-OFDM QPSK	1@104	23.96	26.14	0.4111
78	30	40	633334	3500.01	DFT-s-OFDM PI/2 BPSK	50@25	26.39	28.57	0.7194
78	30	40	633334	3500.01	DFT-s-OFDM PI/2 BPSK	1@1	26.56	28.74	0.7482
78	30	40	633334	3500.01	DFT-s-OFDM PI/2 BPSK	1@104	26.74	28.92	0.7798
78	30	40	633334	3500.01	DFT-s-OFDM QPSK	50@25	26.71	28.89	0.7745
78	30	40	633334	3500.01	DFT-s-OFDM QPSK	1@1	26.86	29.04	0.8017
78	30	40	633334	3500.01	DFT-s-OFDM QPSK	1@104	26.38	28.56	0.7178
78	30	40	633334	3500.01	DFT-s-OFDM 16 QAM	50@25	24.83	27.01	0.5023
78	30	40	633334	3500.01	DFT-s-OFDM 16 QAM	1@1	24.48	26.66	0.4634
78	30	40	633334	3500.01	DFT-s-OFDM 16 QAM	1@104	24.76	26.94	0.4943
78	30	40	633334	3500.01	DFT-s-OFDM 64 QAM	50@25	23.22	25.4	0.3467
78	30	40	633334	3500.01	DFT-s-OFDM 64 QAM	1@1	22.88	25.06	0.3206
78	30	40	633334	3500.01	DFT-s-OFDM 64 QAM	1@104	23.05	25.23	0.3334
78	30	40	633334	3500.01	DFT-s-OFDM 256 QAM	50@25	20.9	23.08	0.2032

78	30	40	633334	3500.01	DFT-s-OFDM 256 QAM	1@1	21.17	23.35	0.2163
78	30	40	633334	3500.01	DFT-s-OFDM 256 QAM	1@104	20.86	23.04	0.2014
78	30	40	633334	3500.01	CP-OFDM QPSK	53@26	24.17	26.35	0.4315
78	30	40	633334	3500.01	CP-OFDM QPSK	1@1	24.12	26.3	0.4266
78	30	40	633334	3500.01	CP-OFDM QPSK	1@104	24.21	26.39	0.4355
78	30	40	635332	3529.98	DFT-s-OFDM PI/2 BPSK	50@25	26.69	28.87	0.7709
78	30	40	635332	3529.98	DFT-s-OFDM PI/2 BPSK	1@1	26.86	29.04	0.8017
78	30	40	635332	3529.98	DFT-s-OFDM PI/2 BPSK	1@104	26.64	28.82	0.7621
78	30	40	635332	3529.98	DFT-s-OFDM QPSK	50@25	26.15	28.33	0.6808
78	30	40	635332	3529.98	DFT-s-OFDM QPSK	1@1	26.23	28.41	0.6934
78	30	40	635332	3529.98	DFT-s-OFDM QPSK	1@104	26.68	28.86	0.7691
78	30	40	635332	3529.98	DFT-s-OFDM 16 QAM	50@25	24.26	26.44	0.4406
78	30	40	635332	3529.98	DFT-s-OFDM 16 QAM	1@1	24.11	26.29	0.4256
78	30	40	635332	3529.98	DFT-s-OFDM 16 QAM	1@104	24.18	26.36	0.4325
78	30	40	635332	3529.98	DFT-s-OFDM 64 QAM	50@25	22.64	24.82	0.3034
78	30	40	635332	3529.98	DFT-s-OFDM 64 QAM	1@1	22.69	24.87	0.3069
78	30	40	635332	3529.98	DFT-s-OFDM 64 QAM	1@104	22.67	24.85	0.3055
78	30	40	635332	3529.98	DFT-s-OFDM 256 QAM	50@25	20.77	22.95	0.1972
78	30	40	635332	3529.98	DFT-s-OFDM 256 QAM	1@1	20.94	23.12	0.2051
78	30	40	635332	3529.98	DFT-s-OFDM 256 QAM	1@104	20.82	23	0.1995
78	30	40	635332	3529.98	CP-OFDM QPSK	53@26	24.15	26.33	0.4295
78	30	40	635332	3529.98	CP-OFDM QPSK	1@1	24.25	26.43	0.4395
78	30	40	635332	3529.98	CP-OFDM QPSK	1@104	24.19	26.37	0.4335
78	30	50	631668	3475.02	DFT-s-OFDM PI/2 BPSK	64@32	26.78	28.96	0.7870

78	30	50	631668	3475.02	DFT-s-OFDM PI/2 BPSK	1@1	26.79	28.97	0.7889
78	30	50	631668	3475.02	DFT-s-OFDM PI/2 BPSK	1@131	25.84	28.02	0.6339
78	30	50	631668	3475.02	DFT-s-OFDM QPSK	64@32	26.68	28.86	0.7691
78	30	50	631668	3475.02	DFT-s-OFDM QPSK	1@1	26.05	28.23	0.6653
78	30	50	631668	3475.02	DFT-s-OFDM QPSK	1@131	26.07	28.25	0.6683
78	30	50	631668	3475.02	DFT-s-OFDM 16 QAM	64@32	24.31	26.49	0.4457
78	30	50	631668	3475.02	DFT-s-OFDM 16 QAM	1@1	24.31	26.49	0.4457
78	30	50	631668	3475.02	DFT-s-OFDM 16 QAM	1@131	24.31	26.49	0.4457
78	30	50	631668	3475.02	DFT-s-OFDM 64 QAM	64@32	22.63	24.81	0.3027
78	30	50	631668	3475.02	DFT-s-OFDM 64 QAM	1@1	23.2	25.38	0.3451
78	30	50	631668	3475.02	DFT-s-OFDM 64 QAM	1@131	22.55	24.73	0.2972
78	30	50	631668	3475.02	DFT-s-OFDM 256 QAM	64@32	20.88	23.06	0.2023
78	30	50	631668	3475.02	DFT-s-OFDM 256 QAM	1@1	21.08	23.26	0.2118
78	30	50	631668	3475.02	DFT-s-OFDM 256 QAM	1@131	20.82	23	0.1995
78	30	50	631668	3475.02	CP-OFDM QPSK	67@33	24.08	26.26	0.4227
78	30	50	631668	3475.02	CP-OFDM QPSK	1@1	24.12	26.3	0.4266
78	30	50	631668	3475.02	CP-OFDM QPSK	1@131	23.88	26.06	0.4036
78	30	50	633334	3500.01	DFT-s-OFDM PI/2 BPSK	64@32	26.52	28.7	0.7413
78	30	50	633334	3500.01	DFT-s-OFDM PI/2 BPSK	1@1	26.56	28.74	0.7482
78	30	50	633334	3500.01	DFT-s-OFDM PI/2 BPSK	1@131	26.43	28.61	0.7261
78	30	50	633334	3500.01	DFT-s-OFDM QPSK	64@32	26.52	28.7	0.7413
78	30	50	633334	3500.01	DFT-s-OFDM QPSK	1@1	26.52	28.7	0.7413
78	30	50	633334	3500.01	DFT-s-OFDM QPSK	1@131	26.34	28.52	0.7112
78	30	50	633334	3500.01	DFT-s-OFDM 16 QAM	64@32	24.6	26.78	0.4764

78	30	50	633334	3500.01	DFT-s-OFDM 16 QAM	1@1	24.18	26.36	0.4325
78	30	50	633334	3500.01	DFT-s-OFDM 16 QAM	1@131	23.93	26.11	0.4083
78	30	50	633334	3500.01	DFT-s-OFDM 64 QAM	64@32	23.05	25.23	0.3334
78	30	50	633334	3500.01	DFT-s-OFDM 64 QAM	1@1	23.12	25.3	0.3388
78	30	50	633334	3500.01	DFT-s-OFDM 64 QAM	1@131	22.28	24.46	0.2793
78	30	50	633334	3500.01	DFT-s-OFDM 256 QAM	64@32	20.81	22.99	0.1991
78	30	50	633334	3500.01	DFT-s-OFDM 256 QAM	1@1	21.09	23.27	0.2123
78	30	50	633334	3500.01	DFT-s-OFDM 256 QAM	1@131	20.6	22.78	0.1897
78	30	50	633334	3500.01	CP-OFDM QPSK	67@33	23.61	25.79	0.3793
78	30	50	633334	3500.01	CP-OFDM QPSK	1@1	23.76	25.94	0.3926
78	30	50	633334	3500.01	CP-OFDM QPSK	1@131	23.83	26.01	0.3990
78	30	50	635000	3525.0	DFT-s-OFDM PI/2 BPSK	64@32	26.5	28.68	0.7379
78	30	50	635000	3525.0	DFT-s-OFDM PI/2 BPSK	1@1	26.4	28.58	0.7211
78	30	50	635000	3525.0	DFT-s-OFDM PI/2 BPSK	1@131	26.31	28.49	0.7063
78	30	50	635000	3525.0	DFT-s-OFDM QPSK	64@32	26.51	28.69	0.7396
78	30	50	635000	3525.0	DFT-s-OFDM QPSK	1@1	26.37	28.55	0.7161
78	30	50	635000	3525.0	DFT-s-OFDM QPSK	1@131	25.88	28.06	0.6397
78	30	50	635000	3525.0	DFT-s-OFDM 16 QAM	64@32	24.14	26.32	0.4285
78	30	50	635000	3525.0	DFT-s-OFDM 16 QAM	1@1	23.99	26.17	0.4140
78	30	50	635000	3525.0	DFT-s-OFDM 16 QAM	1@131	23.93	26.11	0.4083
78	30	50	635000	3525.0	DFT-s-OFDM 64 QAM	64@32	22.68	24.86	0.3062
78	30	50	635000	3525.0	DFT-s-OFDM 64 QAM	1@1	22.9	25.08	0.3221
78	30	50	635000	3525.0	DFT-s-OFDM 64 QAM	1@131	22.46	24.64	0.2911
78	30	50	635000	3525.0	DFT-s-OFDM 256 QAM	64@32	20.58	22.76	0.1888

78	30	50	635000	3525.0	DFT-s-OFDM 256 QAM	1@1	20.94	23.12	0.2051
78	30	50	635000	3525.0	DFT-s-OFDM 256 QAM	1@131	20.83	23.01	0.2000
78	30	50	635000	3525.0	CP-OFDM QPSK	67@33	23.53	25.71	0.3724
78	30	50	635000	3525.0	CP-OFDM QPSK	1@1	23.59	25.77	0.3776
78	30	50	635000	3525.0	CP-OFDM QPSK	1@131	23.81	25.99	0.3972
78	30	60	632000	3480.0	DFT-s-OFDM PI/2 BPSK	81@40	26.71	28.89	0.7745
78	30	60	632000	3480.0	DFT-s-OFDM PI/2 BPSK	1@1	25.55	27.73	0.5929
78	30	60	632000	3480.0	DFT-s-OFDM PI/2 BPSK	1@160	26.82	29	0.7943
78	30	60	632000	3480.0	DFT-s-OFDM QPSK	81@40	26.66	28.84	0.7656
78	30	60	632000	3480.0	DFT-s-OFDM QPSK	1@1	25.65	27.83	0.6067
78	30	60	632000	3480.0	DFT-s-OFDM QPSK	1@160	26.66	28.84	0.7656
78	30	60	632000	3480.0	DFT-s-OFDM 16 QAM	81@40	24.17	26.35	0.4315
78	30	60	632000	3480.0	DFT-s-OFDM 16 QAM	1@1	23.03	25.21	0.3319
78	30	60	632000	3480.0	DFT-s-OFDM 16 QAM	1@160	25.32	27.5	0.5623
78	30	60	632000	3480.0	DFT-s-OFDM 64 QAM	81@40	23.18	25.36	0.3436
78	30	60	632000	3480.0	DFT-s-OFDM 64 QAM	1@1	21.77	23.95	0.2483
78	30	60	632000	3480.0	DFT-s-OFDM 64 QAM	1@160	23.55	25.73	0.3741
78	30	60	632000	3480.0	DFT-s-OFDM 256 QAM	81@40	21.17	23.35	0.2163
78	30	60	632000	3480.0	DFT-s-OFDM 256 QAM	1@1	19.59	21.77	0.1503
78	30	60	632000	3480.0	DFT-s-OFDM 256 QAM	1@160	22.02	24.2	0.2630
78	30	60	632000	3480.0	CP-OFDM QPSK	81@40	23.82	26	0.3981
78	30	60	632000	3480.0	CP-OFDM QPSK	1@1	23.05	25.23	0.3334
78	30	60	632000	3480.0	CP-OFDM QPSK	1@160	24.56	26.74	0.4721
78	30	60	633334	3500.01	DFT-s-OFDM PI/2 BPSK	81@40	26.51	28.69	0.7396

78	30	60	633334	3500.01	DFT-s-OFDM PI/2 BPSK	1@1	25.59	27.77	0.5984
78	30	60	633334	3500.01	DFT-s-OFDM PI/2 BPSK	1@160	26.84	29.02	0.7980
78	30	60	633334	3500.01	DFT-s-OFDM QPSK	81@40	26.14	28.32	0.6792
78	30	60	633334	3500.01	DFT-s-OFDM QPSK	1@1	25.23	27.41	0.5508
78	30	60	633334	3500.01	DFT-s-OFDM QPSK	1@160	26.91	29.09	0.8110
78	30	60	633334	3500.01	DFT-s-OFDM 16 QAM	81@40	24.04	26.22	0.4188
78	30	60	633334	3500.01	DFT-s-OFDM 16 QAM	1@1	23.12	25.3	0.3388
78	30	60	633334	3500.01	DFT-s-OFDM 16 QAM	1@160	24.79	26.97	0.4977
78	30	60	633334	3500.01	DFT-s-OFDM 64 QAM	81@40	22.38	24.56	0.2858
78	30	60	633334	3500.01	DFT-s-OFDM 64 QAM	1@1	22.2	24.38	0.2742
78	30	60	633334	3500.01	DFT-s-OFDM 64 QAM	1@160	23.5	25.68	0.3698
78	30	60	633334	3500.01	DFT-s-OFDM 256 QAM	81@40	20.73	22.91	0.1954
78	30	60	633334	3500.01	DFT-s-OFDM 256 QAM	1@1	19.49	21.67	0.1469
78	30	60	633334	3500.01	DFT-s-OFDM 256 QAM	1@160	21.34	23.52	0.2249
78	30	60	633334	3500.01	CP-OFDM QPSK	81@40	23.93	26.11	0.4083
78	30	60	633334	3500.01	CP-OFDM QPSK	1@1	22.78	24.96	0.3133
78	30	60	633334	3500.01	CP-OFDM QPSK	1@160	24.73	26.91	0.4909
78	30	60	634666	3519.99	DFT-s-OFDM PI/2 BPSK	81@40	26.39	28.57	0.7194
78	30	60	634666	3519.99	DFT-s-OFDM PI/2 BPSK	1@1	25.31	27.49	0.5610
78	30	60	634666	3519.99	DFT-s-OFDM PI/2 BPSK	1@160	26.76	28.94	0.7834
78	30	60	634666	3519.99	DFT-s-OFDM QPSK	81@40	26.02	28.2	0.6607
78	30	60	634666	3519.99	DFT-s-OFDM QPSK	1@1	25.21	27.39	0.5483
78	30	60	634666	3519.99	DFT-s-OFDM QPSK	1@160	26.89	29.07	0.8072
78	30	60	634666	3519.99	DFT-s-OFDM 16 QAM	81@40	24.4	26.58	0.4550

78	30	60	634666	3519.99	DFT-s-OFDM 16 QAM	1@1	23.13	25.31	0.3396
78	30	60	634666	3519.99	DFT-s-OFDM 16 QAM	1@160	25.11	27.29	0.5358
78	30	60	634666	3519.99	DFT-s-OFDM 64 QAM	81@40	22.83	25.01	0.3170
78	30	60	634666	3519.99	DFT-s-OFDM 64 QAM	1@1	21.59	23.77	0.2382
78	30	60	634666	3519.99	DFT-s-OFDM 64 QAM	1@160	23.44	25.62	0.3648
78	30	60	634666	3519.99	DFT-s-OFDM 256 QAM	81@40	20.86	23.04	0.2014
78	30	60	634666	3519.99	DFT-s-OFDM 256 QAM	1@1	19.78	21.96	0.1570
78	30	60	634666	3519.99	DFT-s-OFDM 256 QAM	1@160	21.24	23.42	0.2198
78	30	60	634666	3519.99	CP-OFDM QPSK	81@40	23.41	25.59	0.3622
78	30	60	634666	3519.99	CP-OFDM QPSK	1@1	22.8	24.98	0.3148
78	30	60	634666	3519.99	CP-OFDM QPSK	1@160	24.67	26.85	0.4842
78	30	70	632334	3485.01	DFT-s-OFDM PI/2 BPSK	90@45	26.24	28.42	0.6950
78	30	70	632334	3485.01	DFT-s-OFDM PI/2 BPSK	1@1	26.75	28.93	0.7816
78	30	70	632334	3485.01	DFT-s-OFDM PI/2 BPSK	1@187	26.23	28.41	0.6934
78	30	70	632334	3485.01	DFT-s-OFDM QPSK	90@45	26.65	28.83	0.7638
78	30	70	632334	3485.01	DFT-s-OFDM QPSK	1@1	26.71	28.89	0.7745
78	30	70	632334	3485.01	DFT-s-OFDM QPSK	1@187	26.25	28.43	0.6966
78	30	70	632334	3485.01	DFT-s-OFDM 16 QAM	90@45	24.28	26.46	0.4426
78	30	70	632334	3485.01	DFT-s-OFDM 16 QAM	1@1	24.65	26.83	0.4819
78	30	70	632334	3485.01	DFT-s-OFDM 16 QAM	1@187	23.76	25.94	0.3926
78	30	70	632334	3485.01	DFT-s-OFDM 64 QAM	90@45	23.1	25.28	0.3373
78	30	70	632334	3485.01	DFT-s-OFDM 64 QAM	1@1	22.91	25.09	0.3228
78	30	70	632334	3485.01	DFT-s-OFDM 64 QAM	1@187	22.38	24.56	0.2858
78	30	70	632334	3485.01	DFT-s-OFDM 256 QAM	90@45	20.99	23.17	0.2075

78	30	70	632334	3485.01	DFT-s-OFDM 256 QAM	1@1	20.77	22.95	0.1972
78	30	70	632334	3485.01	DFT-s-OFDM 256 QAM	1@187	20.2	22.38	0.1730
78	30	70	632334	3485.01	CP-OFDM QPSK	95@47	24.07	26.25	0.4217
78	30	70	632334	3485.01	CP-OFDM QPSK	1@1	24.18	26.36	0.4325
78	30	70	632334	3485.01	CP-OFDM QPSK	1@187	23.75	25.93	0.3917
78	30	70	633334	3500.01	DFT-s-OFDM PI/2 BPSK	90@45	26.53	28.71	0.7430
78	30	70	633334	3500.01	DFT-s-OFDM PI/2 BPSK	1@1	26.25	28.43	0.6966
78	30	70	633334	3500.01	DFT-s-OFDM PI/2 BPSK	1@187	26.19	28.37	0.6871
78	30	70	633334	3500.01	DFT-s-OFDM QPSK	90@45	26.15	28.33	0.6808
78	30	70	633334	3500.01	DFT-s-OFDM QPSK	1@1	26.81	28.99	0.7925
78	30	70	633334	3500.01	DFT-s-OFDM QPSK	1@187	26.2	28.38	0.6887
78	30	70	633334	3500.01	DFT-s-OFDM 16 QAM	90@45	24.55	26.73	0.4710
78	30	70	633334	3500.01	DFT-s-OFDM 16 QAM	1@1	24.84	27.02	0.5035
78	30	70	633334	3500.01	DFT-s-OFDM 16 QAM	1@187	23.56	25.74	0.3750
78	30	70	633334	3500.01	DFT-s-OFDM 64 QAM	90@45	22.64	24.82	0.3034
78	30	70	633334	3500.01	DFT-s-OFDM 64 QAM	1@1	23.44	25.62	0.3648
78	30	70	633334	3500.01	DFT-s-OFDM 64 QAM	1@187	23.04	25.22	0.3327
78	30	70	633334	3500.01	DFT-s-OFDM 256 QAM	90@45	20.99	23.17	0.2075
78	30	70	633334	3500.01	DFT-s-OFDM 256 QAM	1@1	21.28	23.46	0.2218
78	30	70	633334	3500.01	DFT-s-OFDM 256 QAM	1@187	20.65	22.83	0.1919
78	30	70	633334	3500.01	CP-OFDM QPSK	95@47	23.93	26.11	0.4083
78	30	70	633334	3500.01	CP-OFDM QPSK	1@1	24.27	26.45	0.4416
78	30	70	633334	3500.01	CP-OFDM QPSK	1@187	23.8	25.98	0.3963
78	30	70	634332	3514.98	DFT-s-OFDM PI/2 BPSK	90@45	26.45	28.63	0.7295

78	30	70	634332	3514.98	DFT-s-OFDM PI/2 BPSK	1@1	26.32	28.5	0.7079
78	30	70	634332	3514.98	DFT-s-OFDM PI/2 BPSK	1@187	26.16	28.34	0.6823
78	30	70	634332	3514.98	DFT-s-OFDM QPSK	90@45	26.43	28.61	0.7261
78	30	70	634332	3514.98	DFT-s-OFDM QPSK	1@1	26.69	28.87	0.7709
78	30	70	634332	3514.98	DFT-s-OFDM QPSK	1@187	26.24	28.42	0.6950
78	30	70	634332	3514.98	DFT-s-OFDM 16 QAM	90@45	24.46	26.64	0.4613
78	30	70	634332	3514.98	DFT-s-OFDM 16 QAM	1@1	24.63	26.81	0.4797
78	30	70	634332	3514.98	DFT-s-OFDM 16 QAM	1@187	24.14	26.32	0.4285
78	30	70	634332	3514.98	DFT-s-OFDM 64 QAM	90@45	22.87	25.05	0.3199
78	30	70	634332	3514.98	DFT-s-OFDM 64 QAM	1@1	23.33	25.51	0.3556
78	30	70	634332	3514.98	DFT-s-OFDM 64 QAM	1@187	23.05	25.23	0.3334
78	30	70	634332	3514.98	DFT-s-OFDM 256 QAM	90@45	20.9	23.08	0.2032
78	30	70	634332	3514.98	DFT-s-OFDM 256 QAM	1@1	21.29	23.47	0.2223
78	30	70	634332	3514.98	DFT-s-OFDM 256 QAM	1@187	20.65	22.83	0.1919
78	30	70	634332	3514.98	CP-OFDM QPSK	95@47	23.94	26.12	0.4093
78	30	70	634332	3514.98	CP-OFDM QPSK	1@1	24.26	26.44	0.4406
78	30	70	634332	3514.98	CP-OFDM QPSK	1@187	23.35	25.53	0.3573
78	30	80	632668	3490.02	DFT-s-OFDM PI/2 BPSK	108@54	26.55	28.73	0.7464
78	30	80	632668	3490.02	DFT-s-OFDM PI/2 BPSK	1@1	26.23	28.41	0.6934
78	30	80	632668	3490.02	DFT-s-OFDM PI/2 BPSK	1@215	25.86	28.04	0.6368
78	30	80	632668	3490.02	DFT-s-OFDM QPSK	108@54	26.31	28.49	0.7063
78	30	80	632668	3490.02	DFT-s-OFDM QPSK	1@1	26.66	28.84	0.7656
78	30	80	632668	3490.02	DFT-s-OFDM QPSK	1@215	26.28	28.46	0.7015
78	30	80	632668	3490.02	DFT-s-OFDM 16 QAM	108@54	24.15	26.33	0.4295

78	30	80	632668	3490.02	DFT-s-OFDM 16 QAM	1@1	24.09	26.27	0.4236
78	30	80	632668	3490.02	DFT-s-OFDM 16 QAM	1@215	24.3	26.48	0.4446
78	30	80	632668	3490.02	DFT-s-OFDM 64 QAM	108@54	23.05	25.23	0.3334
78	30	80	632668	3490.02	DFT-s-OFDM 64 QAM	1@1	23.4	25.58	0.3614
78	30	80	632668	3490.02	DFT-s-OFDM 64 QAM	1@215	22.55	24.73	0.2972
78	30	80	632668	3490.02	DFT-s-OFDM 256 QAM	108@54	20.76	22.94	0.1968
78	30	80	632668	3490.02	DFT-s-OFDM 256 QAM	1@1	20.89	23.07	0.2028
78	30	80	632668	3490.02	DFT-s-OFDM 256 QAM	1@215	20.3	22.48	0.1770
78	30	80	632668	3490.02	CP-OFDM QPSK	109@54	24.15	26.33	0.4295
78	30	80	632668	3490.02	CP-OFDM QPSK	1@1	24.23	26.41	0.4375
78	30	80	632668	3490.02	CP-OFDM QPSK	1@215	23.73	25.91	0.3899
78	30	80	633334	3500.01	DFT-s-OFDM PI/2 BPSK	108@54	26.04	28.22	0.6637
78	30	80	633334	3500.01	DFT-s-OFDM PI/2 BPSK	1@1	26.72	28.9	0.7762
78	30	80	633334	3500.01	DFT-s-OFDM PI/2 BPSK	1@215	26.22	28.4	0.6918
78	30	80	633334	3500.01	DFT-s-OFDM QPSK	108@54	26.52	28.7	0.7413
78	30	80	633334	3500.01	DFT-s-OFDM QPSK	1@1	26.22	28.4	0.6918
78	30	80	633334	3500.01	DFT-s-OFDM QPSK	1@215	25.81	27.99	0.6295
78	30	80	633334	3500.01	DFT-s-OFDM 16 QAM	108@54	24.53	26.71	0.4688
78	30	80	633334	3500.01	DFT-s-OFDM 16 QAM	1@1	24.12	26.3	0.4266
78	30	80	633334	3500.01	DFT-s-OFDM 16 QAM	1@215	24.23	26.41	0.4375
78	30	80	633334	3500.01	DFT-s-OFDM 64 QAM	108@54	23.08	25.26	0.3357
78	30	80	633334	3500.01	DFT-s-OFDM 64 QAM	1@1	23.53	25.71	0.3724
78	30	80	633334	3500.01	DFT-s-OFDM 64 QAM	1@215	22.72	24.9	0.3090
78	30	80	633334	3500.01	DFT-s-OFDM 256 QAM	108@54	21.08	23.26	0.2118

78	30	80	633334	3500.01	DFT-s-OFDM 256 QAM	1@1	21.44	23.62	0.2301
78	30	80	633334	3500.01	DFT-s-OFDM 256 QAM	1@215	20.79	22.97	0.1982
78	30	80	633334	3500.01	CP-OFDM QPSK	109@54	23.7	25.88	0.3873
78	30	80	633334	3500.01	CP-OFDM QPSK	1@1	24.33	26.51	0.4477
78	30	80	633334	3500.01	CP-OFDM QPSK	1@215	23.72	25.9	0.3890
78	30	80	634000	3510.0	DFT-s-OFDM PI/2 BPSK	108@54	26.53	28.71	0.7430
78	30	80	634000	3510.0	DFT-s-OFDM PI/2 BPSK	1@1	26.68	28.86	0.7691
78	30	80	634000	3510.0	DFT-s-OFDM PI/2 BPSK	1@215	26.29	28.47	0.7031
78	30	80	634000	3510.0	DFT-s-OFDM QPSK	108@54	26.52	28.7	0.7413
78	30	80	634000	3510.0	DFT-s-OFDM QPSK	1@1	26.77	28.95	0.7852
78	30	80	634000	3510.0	DFT-s-OFDM QPSK	1@215	25.76	27.94	0.6223
78	30	80	634000	3510.0	DFT-s-OFDM 16 QAM	108@54	24.03	26.21	0.4178
78	30	80	634000	3510.0	DFT-s-OFDM 16 QAM	1@1	23.98	26.16	0.4130
78	30	80	634000	3510.0	DFT-s-OFDM 16 QAM	1@215	24.24	26.42	0.4385
78	30	80	634000	3510.0	DFT-s-OFDM 64 QAM	108@54	23.07	25.25	0.3350
78	30	80	634000	3510.0	DFT-s-OFDM 64 QAM	1@1	23.42	25.6	0.3631
78	30	80	634000	3510.0	DFT-s-OFDM 64 QAM	1@215	23.17	25.35	0.3428
78	30	80	634000	3510.0	DFT-s-OFDM 256 QAM	108@54	20.77	22.95	0.1972
78	30	80	634000	3510.0	DFT-s-OFDM 256 QAM	1@1	20.89	23.07	0.2028
78	30	80	634000	3510.0	DFT-s-OFDM 256 QAM	1@215	20.23	22.41	0.1742
78	30	80	634000	3510.0	CP-OFDM QPSK	109@54	24.06	26.24	0.4207
78	30	80	634000	3510.0	CP-OFDM QPSK	1@1	24.14	26.32	0.4285
78	30	80	634000	3510.0	CP-OFDM QPSK	1@215	23.78	25.96	0.3945
78	30	90	633000	3495.0	DFT-s-OFDM PI/2 BPSK	120@60	26.42	28.6	0.7244

78	30	90	633000	3495.0	DFT-s-OFDM PI/2 BPSK	1@1	26.64	28.82	0.7621
78	30	90	633000	3495.0	DFT-s-OFDM PI/2 BPSK	1@243	26.31	28.49	0.7063
78	30	90	633000	3495.0	DFT-s-OFDM QPSK	120@60	26.1	28.28	0.6730
78	30	90	633000	3495.0	DFT-s-OFDM QPSK	1@1	26.66	28.84	0.7656
78	30	90	633000	3495.0	DFT-s-OFDM QPSK	1@243	26.19	28.37	0.6871
78	30	90	633000	3495.0	DFT-s-OFDM 16 QAM	120@60	24.1	26.28	0.4246
78	30	90	633000	3495.0	DFT-s-OFDM 16 QAM	1@1	24.83	27.01	0.5023
78	30	90	633000	3495.0	DFT-s-OFDM 16 QAM	1@243	23.82	26	0.3981
78	30	90	633000	3495.0	DFT-s-OFDM 64 QAM	120@60	23.13	25.31	0.3396
78	30	90	633000	3495.0	DFT-s-OFDM 64 QAM	1@1	22.97	25.15	0.3273
78	30	90	633000	3495.0	DFT-s-OFDM 64 QAM	1@243	22.72	24.9	0.3090
78	30	90	633000	3495.0	DFT-s-OFDM 256 QAM	120@60	21	23.18	0.2080
78	30	90	633000	3495.0	DFT-s-OFDM 256 QAM	1@1	21.14	23.32	0.2148
78	30	90	633000	3495.0	DFT-s-OFDM 256 QAM	1@243	20.21	22.39	0.1734
78	30	90	633000	3495.0	CP-OFDM QPSK	123@61	23.75	25.93	0.3917
78	30	90	633000	3495.0	CP-OFDM QPSK	1@1	24.13	26.31	0.4276
78	30	90	633000	3495.0	CP-OFDM QPSK	1@243	23.69	25.87	0.3864
78	30	90	633334	3500.01	DFT-s-OFDM PI/2 BPSK	120@60	26.6	28.78	0.7551
78	30	90	633334	3500.01	DFT-s-OFDM PI/2 BPSK	1@1	26.67	28.85	0.7674
78	30	90	633334	3500.01	DFT-s-OFDM PI/2 BPSK	1@243	26.26	28.44	0.6982
78	30	90	633334	3500.01	DFT-s-OFDM QPSK	120@60	26.06	28.24	0.6668
78	30	90	633334	3500.01	DFT-s-OFDM QPSK	1@1	26.27	28.45	0.6998
78	30	90	633334	3500.01	DFT-s-OFDM QPSK	1@243	25.74	27.92	0.6194
78	30	90	633334	3500.01	DFT-s-OFDM 16 QAM	120@60	24.58	26.76	0.4742

78	30	90	633334	3500.01	DFT-s-OFDM 16 QAM	1@1	24.6	26.78	0.4764
78	30	90	633334	3500.01	DFT-s-OFDM 16 QAM	1@243	24.28	26.46	0.4426
78	30	90	633334	3500.01	DFT-s-OFDM 64 QAM	120@60	23.11	25.29	0.3381
78	30	90	633334	3500.01	DFT-s-OFDM 64 QAM	1@1	22.63	24.81	0.3027
78	30	90	633334	3500.01	DFT-s-OFDM 64 QAM	1@243	21.98	24.16	0.2606
78	30	90	633334	3500.01	DFT-s-OFDM 256 QAM	120@60	20.71	22.89	0.1945
78	30	90	633334	3500.01	DFT-s-OFDM 256 QAM	1@1	21.34	23.52	0.2249
78	30	90	633334	3500.01	DFT-s-OFDM 256 QAM	1@243	20.83	23.01	0.2000
78	30	90	633334	3500.01	CP-OFDM QPSK	123@61	23.97	26.15	0.4121
78	30	90	633334	3500.01	CP-OFDM QPSK	1@1	24.12	26.3	0.4266
78	30	90	633334	3500.01	CP-OFDM QPSK	1@243	23.74	25.92	0.3908
78	30	90	633666	3504.99	DFT-s-OFDM PI/2 BPSK	120@60	26.51	28.69	0.7396
78	30	90	633666	3504.99	DFT-s-OFDM PI/2 BPSK	1@1	26.83	29.01	0.7962
78	30	90	633666	3504.99	DFT-s-OFDM PI/2 BPSK	1@243	26.33	28.51	0.7096
78	30	90	633666	3504.99	DFT-s-OFDM QPSK	120@60	26.22	28.4	0.6918
78	30	90	633666	3504.99	DFT-s-OFDM QPSK	1@1	26.73	28.91	0.7780
78	30	90	633666	3504.99	DFT-s-OFDM QPSK	1@243	26.18	28.36	0.6855
78	30	90	633666	3504.99	DFT-s-OFDM 16 QAM	120@60	24.64	26.82	0.4808
78	30	90	633666	3504.99	DFT-s-OFDM 16 QAM	1@1	24.76	26.94	0.4943
78	30	90	633666	3504.99	DFT-s-OFDM 16 QAM	1@243	24.16	26.34	0.4305
78	30	90	633666	3504.99	DFT-s-OFDM 64 QAM	120@60	23.18	25.36	0.3436
78	30	90	633666	3504.99	DFT-s-OFDM 64 QAM	1@1	22.99	25.17	0.3289
78	30	90	633666	3504.99	DFT-s-OFDM 64 QAM	1@243	22.77	24.95	0.3126
78	30	90	633666	3504.99	DFT-s-OFDM 256 QAM	120@60	21.07	23.25	0.2113

78	30	90	633666	3504.99	DFT-s-OFDM 256 QAM	1@1	21.5	23.68	0.2333
78	30	90	633666	3504.99	DFT-s-OFDM 256 QAM	1@243	20.88	23.06	0.2023
78	30	90	633666	3504.99	CP-OFDM QPSK	123@61	24.05	26.23	0.4198
78	30	90	633666	3504.99	CP-OFDM QPSK	1@1	24.29	26.47	0.4436
78	30	90	633666	3504.99	CP-OFDM QPSK	1@243	23.42	25.6	0.3631
78	30	100	633334	3500.01	DFT-s-OFDM PI/2 BPSK	135@67	26.01	28.19	0.6592
78	30	100	633334	3500.01	DFT-s-OFDM PI/2 BPSK	1@1	26.92	29.1	0.8128
78	30	100	633334	3500.01	DFT-s-OFDM PI/2 BPSK	1@271	25.87	28.05	0.6383
78	30	100	633334	3500.01	DFT-s-OFDM QPSK	135@67	26	28.18	0.6577
78	30	100	633334	3500.01	DFT-s-OFDM QPSK	1@1	26.25	28.43	0.6966
78	30	100	633334	3500.01	DFT-s-OFDM QPSK	1@271	26.27	28.45	0.6998
78	30	100	633334	3500.01	DFT-s-OFDM 16 QAM	135@67	24.19	26.37	0.4335
78	30	100	633334	3500.01	DFT-s-OFDM 16 QAM	1@1	24.69	26.87	0.4864
78	30	100	633334	3500.01	DFT-s-OFDM 16 QAM	1@271	23.78	25.96	0.3945
78	30	100	633334	3500.01	DFT-s-OFDM 64 QAM	135@67	23.01	25.19	0.3304
78	30	100	633334	3500.01	DFT-s-OFDM 64 QAM	1@1	23.2	25.38	0.3451
78	30	100	633334	3500.01	DFT-s-OFDM 64 QAM	1@271	22.09	24.27	0.2673
78	30	100	633334	3500.01	DFT-s-OFDM 256 QAM	135@67	20.73	22.91	0.1954
78	30	100	633334	3500.01	DFT-s-OFDM 256 QAM	1@1	21.21	23.39	0.2183
78	30	100	633334	3500.01	DFT-s-OFDM 256 QAM	1@271	20.8	22.98	0.1986
78	30	100	633334	3500.01	CP-OFDM QPSK	137@68	23.74	25.92	0.3908
78	30	100	633334	3500.01	CP-OFDM QPSK	1@1	24.16	26.34	0.4305
78	30	100	633334	3500.01	CP-OFDM QPSK	1@271	23.73	25.91	0.3899

Frequency Stability

NR Band	SCS (kHz)	Bandwidth (MHz)	Arfcn	Freq (MHz)	Modulation	RB	Deviation (ppm)	Verdict	Environment
78	30	20	633334	3500.01	DFT-s-OFDM QPSK	50@0	-0.28571	PASS	NV
78	30	20	633334	3500.01	DFT-s-OFDM QPSK	50@0	-0.31854	PASS	LV
78	30	20	633334	3500.01	DFT-s-OFDM QPSK	50@0	-0.32048	PASS	HV
78	30	20	633334	3500.01	DFT-s-OFDM QPSK	50@0	-0.29623	PASS	-30°C
78	30	20	633334	3500.01	DFT-s-OFDM QPSK	50@0	-0.25538	PASS	-20°C
78	30	20	633334	3500.01	DFT-s-OFDM QPSK	50@0	-0.26977	PASS	-10°C
78	30	20	633334	3500.01	DFT-s-OFDM QPSK	50@0	-0.26771	PASS	0°C
78	30	20	633334	3500.01	DFT-s-OFDM QPSK	50@0	-0.27547	PASS	10°C
78	30	20	633334	3500.01	DFT-s-OFDM QPSK	50@0	-0.32815	PASS	20°C
78	30	20	633334	3500.01	DFT-s-OFDM QPSK	50@0	-0.29625	PASS	30°C
78	30	20	633334	3500.01	DFT-s-OFDM QPSK	50@0	-0.31295	PASS	40°C
78	30	20	633334	3500.01	DFT-s-OFDM QPSK	50@0	-0.28605	PASS	50°C

Peak to Average Ratio

NR Band	SCS (kHz)	Bandwidth (MHz)	Arfcn	Freq (MHz)	Modulation	RB	Result (dB)	Limit (dB)	Verdict
78	30	20	630668	3460.02	DFT-s-OFDM PI/2 BPSK	50@0	6.99	13	PASS
78	30	20	630668	3460.02	DFT-s-OFDM PI/2 BPSK	1@0	7.75	13	PASS
78	30	20	630668	3460.02	DFT-s-OFDM QPSK	50@0	8.01	13	PASS
78	30	20	630668	3460.02	DFT-s-OFDM QPSK	1@0	8.64	13	PASS
78	30	20	633334	3500.01	DFT-s-OFDM PI/2 BPSK	50@0	6.92	13	PASS
78	30	20	633334	3500.01	DFT-s-OFDM PI/2 BPSK	1@0	8.42	13	PASS
78	30	20	633334	3500.01	DFT-s-OFDM QPSK	50@0	7.95	13	PASS
78	30	20	633334	3500.01	DFT-s-OFDM QPSK	1@0	8.22	13	PASS
78	30	20	636000	3540.0	DFT-s-OFDM PI/2 BPSK	50@0	6.97	13	PASS
78	30	20	636000	3540.0	DFT-s-OFDM PI/2 BPSK	1@0	7.73	13	PASS
78	30	20	636000	3540.0	DFT-s-OFDM QPSK	50@0	8.02	13	PASS
78	30	20	636000	3540.0	DFT-s-OFDM QPSK	1@0	9.21	13	PASS


B38_N78(20M)_DFT-s-OFDM_PI_2-BPSK_Outer_Full_Low_CH



B38_N78(20M)_DFT-s-OFDM_PI_2-BPSK_Edge_1RB_Left_Low_CH




B38_N78(20M)_DFT-s-OFDM_QPSK_Outer_Full_Low_CH



B38_N78(20M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Low_CH



B38_N78(20M)_DFT-s-OFDM_PI_2-BPSK_Outer_Full_Mid_CH



B38_N78(20M)_DFT-s-OFDM_PI_2-BPSK_Edge_1RB_Left_Mid_CH




B38_N78(20M)_DFT-s-OFDM_QPSK_Outer_Full_Mid_CH




B38_N78(20M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Mid_CH



B38_N78(20M)_DFT-s-OFDM_PI_2-BPSK_Outer_Full_High_CH




B38_N78(20M)_DFT-s-OFDM_PI_2-BPSK_Edge_1RB_Left_High_CH



B38_N78(20M)_DFT-s-OFDM_QPSK_Outer_Full_High_CH



B38_N78(20M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_High_CH




Occupied Bandwidth

NR Band	SCS (kHz)	Bandwidth (MHz)	Arfcn	Freq (MHz)	Modulation	RB	OBW (MHz)	26dB OBW (MHz)
78	30	20	633334	3500.01	DFT-s-OFDM PI/2 BPSK	50@0	17.786	18.8
78	30	20	633334	3500.01	DFT-s-OFDM QPSK	50@0	17.814	18.8
78	30	20	633334	3500.01	CP-OFDM QPSK	51@0	18.215	19.27
78	30	20	633334	3500.01	CP-OFDM 16 QAM	51@0	18.21	19.37
78	30	20	633334	3500.01	CP-OFDM 64 QAM	51@0	18.201	19.26
78	30	20	633334	3500.01	CP-OFDM 256 QAM	51@0	18.169	19.4
78	30	30	633334	3500.01	DFT-s-OFDM PI/2 BPSK	75@0	26.739	28.17
78	30	30	633334	3500.01	DFT-s-OFDM QPSK	75@0	26.813	27.96
78	30	30	633334	3500.01	CP-OFDM QPSK	78@0	27.845	29.34
78	30	30	633334	3500.01	CP-OFDM 16 QAM	78@0	27.842	29.3
78	30	30	633334	3500.01	CP-OFDM 64 QAM	78@0	27.805	29.26
78	30	30	633334	3500.01	CP-OFDM 256 QAM	78@0	27.792	29.23
78	30	40	633334	3500.01	DFT-s-OFDM PI/2 BPSK	100@0	35.72	37.31
78	30	40	633334	3500.01	DFT-s-OFDM QPSK	100@0	35.714	37.3
78	30	40	633334	3500.01	CP-OFDM QPSK	106@0	37.787	39.45
78	30	40	633334	3500.01	CP-OFDM 16 QAM	106@0	37.725	39.53
78	30	40	633334	3500.01	CP-OFDM 64 QAM	106@0	37.804	39.38
78	30	40	633334	3500.01	CP-OFDM 256 QAM	106@0	37.929	39.57
78	30	50	633334	3500.01	DFT-s-OFDM PI/2 BPSK	128@0	45.755	47.57
78	30	50	633334	3500.01	DFT-s-OFDM QPSK	128@0	45.73	47.53
78	30	50	633334	3500.01	CP-OFDM QPSK	133@0	47.453	49.33
78	30	50	633334	3500.01	CP-OFDM 16 QAM	133@0	47.428	49.44
78	30	50	633334	3500.01	CP-OFDM 64 QAM	133@0	47.436	49.1
78	30	50	633334	3500.01	CP-OFDM 256 QAM	133@0	47.515	49.19


78	30	60	633334	3500.01	DFT-s-OFDM PI/2 BPSK	162@0	57.868	59.97
78	30	60	633334	3500.01	DFT-s-OFDM QPSK	162@0	57.843	59.88
78	30	60	633334	3500.01	CP-OFDM QPSK	162@0	57.756	60.0
78	30	60	633334	3500.01	CP-OFDM 16 QAM	162@0	57.67	59.97
78	30	60	633334	3500.01	CP-OFDM 64 QAM	162@0	57.771	59.82
78	30	60	633334	3500.01	CP-OFDM 256 QAM	162@0	57.721	59.83
78	30	70	633334	3500.01	DFT-s-OFDM PI/2 BPSK	180@0	64.439	66.43
78	30	70	633334	3500.01	DFT-s-OFDM QPSK	180@0	64.413	66.47
78	30	70	633334	3500.01	CP-OFDM QPSK	189@0	67.466	69.76
78	30	70	633334	3500.01	CP-OFDM 16 QAM	189@0	67.534	69.72
78	30	70	633334	3500.01	CP-OFDM 64 QAM	189@0	67.402	69.63
78	30	70	633334	3500.01	CP-OFDM 256 QAM	189@0	67.447	69.75
78	30	80	633334	3500.01	DFT-s-OFDM PI/2 BPSK	216@0	77.191	79.76
78	30	80	633334	3500.01	DFT-s-OFDM QPSK	216@0	77.182	79.72
78	30	80	633334	3500.01	CP-OFDM QPSK	217@0	77.464	80.0
78	30	80	633334	3500.01	CP-OFDM 16 QAM	217@0	77.396	79.97
78	30	80	633334	3500.01	CP-OFDM 64 QAM	217@0	77.498	79.99
78	30	80	633334	3500.01	CP-OFDM 256 QAM	217@0	77.413	79.95
78	30	90	633334	3500.01	DFT-s-OFDM PI/2 BPSK	240@0	85.738	88.6
78	30	90	633334	3500.01	DFT-s-OFDM QPSK	240@0	85.969	88.58
78	30	90	633334	3500.01	CP-OFDM QPSK	245@0	87.459	90.29
78	30	90	633334	3500.01	CP-OFDM 16 QAM	245@0	87.366	90.25
78	30	90	633334	3500.01	CP-OFDM 64 QAM	245@0	87.428	90.29
78	30	90	633334	3500.01	CP-OFDM 256 QAM	245@0	87.419	90.24
78	30	100	633334	3500.01	DFT-s-OFDM PI/2 BPSK	270@0	96.497	99.57
78	30	100	633334	3500.01	DFT-s-OFDM	270@0	96.574	99.48

QPSK								
78	30	100	633334	3500.01	CP-OFDM QPSK	273@0	97.345	100.7
78	30	100	633334	3500.01	CP-OFDM 16 QAM	273@0	97.358	100.7
78	30	100	633334	3500.01	CP-OFDM 64 QAM	273@0	97.329	100.5
78	30	100	633334	3500.01	CP-OFDM 256 QAM	273@0	97.502	100.6


B38_N78(20M)_DFT-s-OFDM_PI_2- BPSK_Outer_Full_Mid_CH



B38_N78(20M)_DFT-s- OFDM_QPSK_Outer_Full_Mid_CH




B38_N78(20M)_CP- OFDM_QPSK_Outer_Full_Mid_CH




B38_N78(20M)_CP-OFDM_16 QAM_Outer_Full_Mid_CH




B38_N78(20M)_CP-OFDM_64 QAM_Outer_Full_Mid_CH




B38_N78(20M)_CP-OFDM_256 QAM_Outer_Full_Mid_CH



B38_N78(30M)_DFT-s-OFDM_PI_2- BPSK_Outer_Full_Mid_CH



B38_N78(30M)_DFT-s- OFDM_QPSK_Outer_Full_Mid_CH




B38_N78(30M)_CP- OFDM_QPSK_Outer_Full_Mid_CH




B38_N78(30M)_CP-OFDM_16 QAM_Outer_Full_Mid_CH




B38_N78(30M)_CP-OFDM_64 QAM_Outer_Full_Mid_CH




B38_N78(30M)_CP-OFDM_256 QAM_Outer_Full_Mid_CH




B38_N78(40M)_DFT-s-OFDM_PI_2- BPSK_Outer_Full_Mid_CH



B38_N78(40M)_DFT-s- OFDM_QPSK_Outer_Full_Mid_CH




B38_N78(40M)_CP- OFDM_QPSK_Outer_Full_Mid_CH




B38_N78(40M)_CP-OFDM_16 QAM_Outer_Full_Mid_CH




B38_N78(40M)_CP-OFDM_64 QAM_Outer_Full_Mid_CH




B38_N78(40M)_CP-OFDM_256 QAM_Outer_Full_Mid_CH




B38_N78(50M)_DFT-s-OFDM_PI_2- BPSK_Outer_Full_Mid_CH



B38_N78(50M)_DFT-s- OFDM_QPSK_Outer_Full_Mid_CH




B38_N78(50M)_CP- OFDM_QPSK_Outer_Full_Mid_CH




B38_N78(50M)_CP-OFDM_16 QAM_Outer_Full_Mid_CH




B38_N78(50M)_CP-OFDM_64 QAM_Outer_Full_Mid_CH




B38_N78(50M)_CP-OFDM_256 QAM_Outer_Full_Mid_CH




B38_N78(60M)_DFT-s-OFDM_PI_2- BPSK_Outer_Full_Mid_CH




B38_N78(60M)_DFT-s- OFDM_QPSK_Outer_Full_Mid_CH



B38_N78(60M)_CP- OFDM_QPSK_Outer_Full_Mid_CH




B38_N78(60M)_CP-OFDM_16 QAM_Outer_Full_Mid_CH




B38_N78(60M)_CP-OFDM_64 QAM_Outer_Full_Mid_CH




B38_N78(60M)_CP-OFDM_256 QAM_Outer_Full_Mid_CH




B38_N78(70M)_DFT-s-OFDM_PI_2- BPSK_Outer_Full_Mid_CH




B38_N78(70M)_DFT-s- OFDM_QPSK_Outer_Full_Mid_CH




B38_N78(70M)_CP- OFDM_QPSK_Outer_Full_Mid_CH




B38_N78(70M)_CP-OFDM_16 QAM_Outer_Full_Mid_CH




B38_N78(70M)_CP-OFDM_64 QAM_Outer_Full_Mid_CH




B38_N78(70M)_CP-OFDM_256 QAM_Outer_Full_Mid_CH




B38_N78(80M)_DFT-s-OFDM_PI_2- BPSK_Outer_Full_Mid_CH




B38_N78(80M)_DFT-s- OFDM_QPSK_Outer_Full_Mid_CH




B38_N78(80M)_CP- OFDM_QPSK_Outer_Full_Mid_CH



B38_N78(80M)_CP-OFDM_16 QAM_Outer_Full_Mid_CH



B38_N78(80M)_CP-OFDM_64 QAM_Outer_Full_Mid_CH



B38_N78(80M)_CP-OFDM_256 QAM_Outer_Full_Mid_CH

