





WCDMA Band V (RMC 12.2Kbps)

WCDMA Band II (RMC 12.2Kbps)

Lowest Channel

Lowest Channel





Date: 19_JAN_2021 04:56:49

Date: 19_JAN_2021 04:34:12

Middle Channel

Middle Channel





Date: 19_JAN_2021 04:57:18

Date: 19_JAN_2021 04:34:40


Highest Channel

Highest Channel



Date: 19_JAN_2021 04:57:46

Date: 19_JAN_2021 04:35:09






Occupied Bandwidth

Mode	WCDMA Band V	WCDMA Band II	WCDMA Band IV
Mod.	RMC 12.2Kbps	RMC 12.2Kbps	RMC 12.2Kbps
Lowest CH	4.13	4.13	4.13
Middle CH	4.13	4.13	4.13
Highest CH	4.13	4.14	4.13




WCDMA Band V (RMC 12.2Kbps)

Lowest Channel




WCDMA Band II (RMC 12.2Kbps)


Lowest Channel




Middle Channel




Middle Channel




Highest Channel





Highest Channel









Conducted Band Edge








Conducted Spurious Emission






WCDMA Band IV (RMC 12.2Kbps)

Lowest Channel




Date: 19. JAN. 2021 04:54:21

Middle Channel



Date: 19. JAN. 2021 04:53:55

Highest Channel



Date: 19. JAN. 2021 04:54:39



Frequency Stability

Test Conditions	Middle Channel	WCDMA Band V (RMC 12.2Kbps)	Limit 2.5ppm
Temperature (°C)	Voltage (Volt)	Deviation (ppm)	Result
50	Normal Voltage	0.0088	PASS
40	Normal Voltage	0.0255	
30	Normal Voltage	0.0021	
20(Ref.)	Normal Voltage	0.0000	
10	Normal Voltage	0.0278	
0	Normal Voltage	0.0243	
-10	Normal Voltage	0.0068	
-20	Normal Voltage	0.0273	
-30	Normal Voltage	0.0036	
20	Maximum Voltage	0.0012	
20	Normal Voltage	0.0234	
20	Battery End Point	0.0263	

Note: Normal Voltage = 3.87V ; Battery End Point (BEP) =3.6V ; Maximum Voltage =4.4V

Test Conditions	Middle Channel	WCDMA Band II (RMC 12.2Kbps)	Limit Note 2.
Temperature (°C)	Voltage (Volt)	Deviation (ppm)	Result
50	Normal Voltage	0.0018	PASS
40	Normal Voltage	0.0122	
30	Normal Voltage	0.0118	
20(Ref.)	Normal Voltage	0.0000	
10	Normal Voltage	0.0174	
0	Normal Voltage	0.0048	
-10	Normal Voltage	0.0143	
-20	Normal Voltage	0.0159	
-30	Normal Voltage	0.0027	
20	Maximum Voltage	0.0022	
20	Normal Voltage	0.0096	
20	Battery End Point	0.0032	

Note:

1. Normal Voltage = 3.87V ; Battery End Point (BEP) =3.6V ; Maximum Voltage =4.4V
2. The frequency fundamental emissions stay within the authorized frequency block based on the frequency deviation measured is small.



Test Conditions	Middle Channel	WCDMA Band IV (RMC 12.2Kbps)	Limit Note 2.
Temperature (°C)	Voltage (Volt)	Deviation (ppm)	Result
50	Normal Voltage	0.0035	PASS
40	Normal Voltage	0.0029	
30	Normal Voltage	0.0150	
20(Ref.)	Normal Voltage	0.0000	
10	Normal Voltage	0.0023	
0	Normal Voltage	0.0127	
-10	Normal Voltage	0.0035	
-20	Normal Voltage	0.0144	
-30	Normal Voltage	0.0046	
20	Maximum Voltage	0.0017	
20	Normal Voltage	0.0133	
20	Battery End Point	0.0035	

Note:

1. Normal Voltage = 3.87V. ; Battery End Point (BEP) =3.6 V. ; Maximum Voltage =4.4V
2. The frequency fundamental emissions stay within the authorized frequency block based on the frequency deviation measured is small.



Appendix B. Test Results of Radiated Test

Radiated Spurious Emission

GSM850 (GSM)								
Channel	Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Middle	1672	-57.81	-13	-44.81	-64.78	1.58	10.70	H
	2510	-58.01	-13	-45.01	-66.26	2.102	12.50	H
	3348	-57.11	-13	-44.11	-66.00	2.856	13.90	H
	1672	-51.56	-13	-38.56	-58.53	1.58	10.70	V
	2510	-57.68	-13	-44.68	-65.93	2.10	12.50	V
	3348	-56.91	-13	-43.91	-65.80	2.86	13.90	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

GSM850 (EDGE class 8)								
Channel	Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Middle	1672	-54.16	-13	-41.16	-61.13	1.58	10.70	H
	2510	-57.88	-13	-44.88	-66.13	2.102	12.50	H
	3348	-57.55	-13	-44.55	-66.44	2.856	13.90	H
	1672	-50.55	-13	-37.55	-57.52	1.58	10.70	V
	2510	-57.27	-13	-44.27	-65.52	2.10	12.50	V
	3348	-57.63	-13	-44.63	-66.52	2.86	13.90	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



GSM1900 (GSM)								
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Middle	3759	-54.05	-13	-41.05	-66.31	2.641	14.90	H
	5640	-51.23	-13	-38.23	-63.09	2.94	14.80	H
	7524	-48.90	-13	-35.90	-58.67	3.39	13.16	H
	3759	-53.70	-13	-40.70	-65.96	2.64	14.90	V
	5640	-51.50	-13	-38.50	-63.36	2.94	14.80	V
	7524	-41.36	-13	-28.36	-51.13	3.39	13.16	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

GSM1900 (EDGE class 8)								
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Middle	3759	-53.67	-13	-40.67	-65.93	2.641	14.90	H
	5640	-51.62	-13	-38.62	-63.48	2.94	14.80	H
	7524	-48.95	-13	-35.95	-58.72	3.39	13.16	H
	3759	-53.77	-13	-40.77	-66.03	2.64	14.90	V
	5640	-51.48	-13	-38.48	-63.34	2.94	14.80	V
	7524	-49.24	-13	-36.24	-59.01	3.39	13.16	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



WCDMA Band V(RMC 12.2Kbps)								
Channel	Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Middle	1672	-63.51	-13	-50.51	-70.48	1.58	10.70	H
	2510	-59.18	-13	-46.18	-67.43	2.102	12.50	H
	3348	-57.99	-13	-44.99	-66.88	2.856	13.90	H
	1672	-62.75	-13	-49.75	-69.72	1.58	10.70	V
	2510	-58.92	-13	-45.92	-67.17	2.10	12.50	V
	3348	-57.32	-13	-44.32	-66.21	2.86	13.90	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

WCDMA Band II(RMC 12.2Kbps)								
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Middle	3759	-53.74	-13	-40.74	-66.00	2.64	14.90	H
	5640	-51.19	-13	-38.19	-63.05	2.94	14.80	H
	7524	-49.01	-13	-36.01	-58.78	3.39	13.16	H
	3759	-53.83	-13	-40.83	-66.09	2.64	14.90	V
	5640	-51.69	-13	-38.69	-63.55	2.94	14.80	V
	7524	-49.01	-13	-36.01	-58.78	3.39	13.16	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

WCDMA Band IV(RMC 12.2Kbps)								
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Middle	3465	-56.69	-13	-43.69	-67.43	2.604	13.34	H
	5199	-51.39	-13	-38.39	-61.90	3.011	13.52	H
	6936	-48.79	-13	-35.79	-58.99	3.271	13.47	H
	3465	-56.42	-13	-43.42	-67.16	2.604	13.34	V
	5199	-50.98	-13	-37.98	-61.49	3.011	13.52	V
	6936	-48.82	-13	-35.82	-59.02	3.271	13.47	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.