

10784	AAC	5G NR (CP-OFDM, 100% RB, 10 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8.29	± 9.6 %
10785	AAC	5G NR (CP-OFDM, 100% RB, 15 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8.40	± 9.6 %
10786	AAC	5G NR (CP-OFDM, 100% RB, 20 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8.35	± 9.6 %
10787	AAC	5G NR (CP-OFDM, 100% RB, 25 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8.44	± 9.6 %
10788	AAC	5G NR (CP-OFDM, 100% RB, 30 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8.39	± 9.6 %
10789	AAC	5G NR (CP-OFDM, 100% RB, 40 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8.37	± 9.6 %
10790	AAC	5G NR (CP-OFDM, 100% RB, 50 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8.39	± 9.6 %
10791	AAC	5G NR (CP-OFDM, 1 RB, 5 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	7.83	± 9.6 %
10792	AAC	5G NR (CP-OFDM, 1 RB, 10 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	7.92	± 9.6 %
10793	AAC	5G NR (CP-OFDM, 1 RB, 15 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	7.95	± 9.6 %
10794	AAC	5G NR (CP-OFDM, 1 RB, 20 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	7.82	± 9.6 %
10795	AAC	5G NR (CP-OFDM, 1 RB, 25 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	7.84	± 9.6 %
10796	AAC	5G NR (CP-OFDM, 1 RB, 30 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	7.82	± 9.6 %
10797	AAC	5G NR (CP-OFDM, 1 RB, 40 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	8.01	± 9.6 %
10798	AAC	5G NR (CP-OFDM, 1 RB, 50 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	7.89	± 9.6 %
10799	AAC	5G NR (CP-OFDM, 1 RB, 60 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	7.93	± 9.6 %
10801	AAC	5G NR (CP-OFDM, 1 RB, 80 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	7.89	± 9.6 %
10802	AAC	5G NR (CP-OFDM, 1 RB, 90 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	7.87	± 9.6 %
10803	AAE	5G NR (CP-OFDM, 1 RB, 100 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	7.93	± 9.6 %
10805	AAD	5G NR (CP-OFDM, 50% RB, 10 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	8.34	± 9.6 %
10806	AAD	5G NR (CP-OFDM, 50% RB, 15 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	8.37	± 9.6 %
10809	AAD	5G NR (CP-OFDM, 50% RB, 30 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	8.34	± 9.6 %
10810	AAD	5G NR (CP-OFDM, 50% RB, 40 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	8.34	± 9.6 %
10812	AAD	5G NR (CP-OFDM, 50% RB, 60 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	8.35	± 9.6 %
10817	AAD	5G NR (CP-OFDM, 100% RB, 5 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	8.35	± 9.6 %
10818	AAD	5G NR (CP-OFDM, 100% RB, 10 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	8.34	± 9.6 %
10819	AAD	5G NR (CP-OFDM, 100% RB, 15 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	8.33	± 9.6 %
10820	AAD	5G NR (CP-OFDM, 100% RB, 20 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	8.30	± 9.6 %
10821	AAC	5G NR (CP-OFDM, 100% RB, 25 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	8.41	± 9.6 %
10822	AAD	5G NR (CP-OFDM, 100% RB, 30 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	8.41	± 9.6 %
10823	AAC	5G NR (CP-OFDM, 100% RB, 40 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	8.36	± 9.6 %
10824	AAD	5G NR (CP-OFDM, 100% RB, 50 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	8.39	± 9.6 %
10825	AAD	5G NR (CP-OFDM, 100% RB, 60 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	8.41	± 9.6 %
10827	AAD	5G NR (CP-OFDM, 100% RB, 80 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	8.42	± 9.6 %
10828	AAE	5G NR (CP-OFDM, 100% RB, 90 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	8.43	± 9.6 %
10829	AAD	5G NR (CP-OFDM, 100% RB, 100 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	8.40	± 9.6 %
10830	AAD	5G NR (CP-OFDM, 1 RB, 10 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	7.63	± 9.6 %
10831	AAD	5G NR (CP-OFDM, 1 RB, 15 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	7.73	± 9.6 %
10832	AAD	5G NR (CP-OFDM, 1 RB, 20 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	7.74	± 9.6 %
10833	AAD	5G NR (CP-OFDM, 1 RB, 25 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	7.70	± 9.6 %
10834	AAD	5G NR (CP-OFDM, 1 RB, 30 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	7.75	± 9.6 %
10835	AAD	5G NR (CP-OFDM, 1 RB, 40 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	7.70	± 9.6 %
10836	AAE	5G NR (CP-OFDM, 1 RB, 50 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	7.66	± 9.6 %
10837	AAD	5G NR (CP-OFDM, 1 RB, 60 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	7.68	± 9.6 %
10839	AAD	5G NR (CP-OFDM, 1 RB, 80 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	7.70	± 9.6 %
10840	AAD	5G NR (CP-OFDM, 1 RB, 90 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	7.67	± 9.6 %
10841	AAD	5G NR (CP-OFDM, 1 RB, 100 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	7.71	± 9.6 %
10843	AAD	5G NR (CP-OFDM, 50% RB, 15 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	8.49	± 9.6 %
10844	AAD	5G NR (CP-OFDM, 50% RB, 20 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	8.34	± 9.6 %
10846	AAD	5G NR (CP-OFDM, 50% RB, 30 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	8.41	± 9.6 %
10854	AAD	5G NR (CP-OFDM, 100% RB, 10 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	8.34	± 9.6 %
10855	AAD	5G NR (CP-OFDM, 100% RB, 15 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	8.36	± 9.6 %
10856	AAD	5G NR (CP-OFDM, 100% RB, 20 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	8.37	± 9.6 %
10857	AAD	5G NR (CP-OFDM, 100% RB, 25 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	8.35	± 9.6 %
10858	AAD	5G NR (CP-OFDM, 100% RB, 30 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	8.36	± 9.6 %
10859	AAD	5G NR (CP-OFDM, 100% RB, 40 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	8.34	± 9.6 %

10860	AAD	5G NR (CP-OFDM, 100% RB, 50 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	8.41	± 9.6 %
10861	AAD	5G NR (CP-OFDM, 100% RB, 60 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	8.40	± 9.6 %
10863	AAD	5G NR (CP-OFDM, 100% RB, 80 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	8.41	± 9.6 %
10864	AAE	5G NR (CP-OFDM, 100% RB, 90 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	8.37	± 9.6 %
10865	AAD	5G NR (CP-OFDM, 100% RB, 100 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	8.41	± 9.6 %
10866	AAD	5G NR (DFT-s-OFDM, 1 RB, 100 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.68	± 9.6 %
10868	AAD	5G NR (DFT-s-OFDM, 100% RB, 100 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.89	± 9.6 %
10869	AAD	5G NR (DFT-s-OFDM, 1 RB, 100 MHz, QPSK, 120 kHz)	5G NR FR2 TDD	5.75	± 9.6 %
10870	AAD	5G NR (DFT-s-OFDM, 100% RB, 100 MHz, QPSK, 120 kHz)	5G NR FR2 TDD	5.86	± 9.6 %
10871	AAD	5G NR (DFT-s-OFDM, 1 RB, 100 MHz, 16QAM, 120 kHz)	5G NR FR2 TDD	5.75	± 9.6 %
10872	AAD	5G NR (DFT-s-OFDM, 100% RB, 100 MHz, 16QAM, 120 kHz)	5G NR FR2 TDD	6.52	± 9.6 %
10873	AAD	5G NR (DFT-s-OFDM, 1 RB, 100 MHz, 64QAM, 120 kHz)	5G NR FR2 TDD	6.61	± 9.6 %
10874	AAD	5G NR (DFT-s-OFDM, 100% RB, 100 MHz, 64QAM, 120 kHz)	5G NR FR2 TDD	6.65	± 9.6 %
10875	AAD	5G NR (CP-OFDM, 1 RB, 100 MHz, QPSK, 120 kHz)	5G NR FR2 TDD	7.78	± 9.6 %
10876	AAD	5G NR (CP-OFDM, 100% RB, 100 MHz, QPSK, 120 kHz)	5G NR FR2 TDD	8.39	± 9.6 %
10877	AAD	5G NR (CP-OFDM, 1 RB, 100 MHz, 16QAM, 120 kHz)	5G NR FR2 TDD	7.95	± 9.6 %
10878	AAD	5G NR (CP-OFDM, 100% RB, 100 MHz, 16QAM, 120 kHz)	5G NR FR2 TDD	8.41	± 9.6 %
10879	AAD	5G NR (CP-OFDM, 1 RB, 100 MHz, 64QAM, 120 kHz)	5G NR FR2 TDD	8.12	± 9.6 %
10880	AAD	5G NR (CP-OFDM, 100% RB, 100 MHz, 64QAM, 120 kHz)	5G NR FR2 TDD	8.38	± 9.6 %
10881	AAD	5G NR (DFT-s-OFDM, 1 RB, 50 MHz, QPSK, 120 kHz)	5G NR FR2 TDD	5.75	± 9.6 %
10882	AAD	5G NR (DFT-s-OFDM, 100% RB, 50 MHz, QPSK, 120 kHz)	5G NR FR2 TDD	5.96	± 9.6 %
10883	AAD	5G NR (DFT-s-OFDM, 1 RB, 50 MHz, 16QAM, 120 kHz)	5G NR FR2 TDD	6.57	± 9.6 %
10884	AAD	5G NR (DFT-s-OFDM, 100% RB, 50 MHz, 16QAM, 120 kHz)	5G NR FR2 TDD	6.53	± 9.6 %
10885	AAD	5G NR (DFT-s-OFDM, 1 RB, 50 MHz, 64QAM, 120 kHz)	5G NR FR2 TDD	6.61	± 9.6 %
10886	AAD	5G NR (DFT-s-OFDM, 100% RB, 50 MHz, 64QAM, 120 kHz)	5G NR FR2 TDD	6.65	± 9.6 %
10887	AAD	5G NR (CP-OFDM, 1 RB, 50 MHz, QPSK, 120 kHz)	5G NR FR2 TDD	7.78	± 9.6 %
10888	AAD	5G NR (CP-OFDM, 100% RB, 50 MHz, QPSK, 120 kHz)	5G NR FR2 TDD	8.35	± 9.6 %
10889	AAD	5G NR (CP-OFDM, 1 RB, 50 MHz, 16QAM, 120 kHz)	5G NR FR2 TDD	8.02	± 9.6 %
10890	AAD	5G NR (CP-OFDM, 100% RB, 50 MHz, 16QAM, 120 kHz)	5G NR FR2 TDD	8.40	± 9.6 %
10891	AAD	5G NR (CP-OFDM, 1 RB, 50 MHz, 64QAM, 120 kHz)	5G NR FR2 TDD	8.13	± 9.6 %
10892	AAD	5G NR (CP-OFDM, 100% RB, 50 MHz, 64QAM, 120 kHz)	5G NR FR2 TDD	8.41	± 9.6 %
10897	AAD	5G NR (DFT-s-OFDM, 1 RB, 5 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.66	± 9.6 %
10898	AAD	5G NR (DFT-s-OFDM, 1 RB, 10 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.67	± 9.6 %
10899	AAD	5G NR (DFT-s-OFDM, 1 RB, 15 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.67	± 9.6 %
10900	AAD	5G NR (DFT-s-OFDM, 1 RB, 20 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.68	± 9.6 %
10901	AAD	5G NR (DFT-s-OFDM, 1 RB, 25 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.68	± 9.6 %
10902	AAD	5G NR (DFT-s-OFDM, 1 RB, 30 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.68	± 9.6 %
10903	AAD	5G NR (DFT-s-OFDM, 1 RB, 40 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.68	± 9.6 %
10904	AAD	5G NR (DFT-s-OFDM, 1 RB, 50 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.68	± 9.6 %
10905	AAD	5G NR (DFT-s-OFDM, 1 RB, 60 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.68	± 9.6 %
10906	AAD	5G NR (DFT-s-OFDM, 1 RB, 80 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.68	± 9.6 %
10907	AAD	5G NR (DFT-s-OFDM, 50% RB, 5 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.78	± 9.6 %
10908	AAD	5G NR (DFT-s-OFDM, 50% RB, 10 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.93	± 9.6 %
10909	AAD	5G NR (DFT-s-OFDM, 50% RB, 15 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.96	± 9.6 %
10910	AAD	5G NR (DFT-s-OFDM, 50% RB, 20 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.83	± 9.6 %
10911	AAD	5G NR (DFT-s-OFDM, 50% RB, 25 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.93	± 9.6 %
10912	AAD	5G NR (DFT-s-OFDM, 50% RB, 30 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.84	± 9.6 %
10913	AAD	5G NR (DFT-s-OFDM, 50% RB, 40 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.84	± 9.6 %
10914	AAD	5G NR (DFT-s-OFDM, 50% RB, 50 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.85	± 9.6 %
10915	AAD	5G NR (DFT-s-OFDM, 50% RB, 60 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.83	± 9.6 %
10916	AAD	5G NR (DFT-s-OFDM, 50% RB, 80 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.87	± 9.6 %
10917	AAD	5G NR (DFT-s-OFDM, 50% RB, 100 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.94	± 9.6 %
10918	AAD	5G NR (DFT-s-OFDM, 100% RB, 5 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.86	± 9.6 %
10919	AAD	5G NR (DFT-s-OFDM, 100% RB, 10 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.86	± 9.6 %
10920	AAD	5G NR (DFT-s-OFDM, 100% RB, 15 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.87	± 9.6 %
10921	AAD	5G NR (DFT-s-OFDM, 100% RB, 20 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.84	± 9.6 %

10922	AAD	5G NR (DFT-s-OFDM, 100% RB, 25 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.82	± 9.6 %
10923	AAD	5G NR (DFT-s-OFDM, 100% RB, 30 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.84	± 9.6 %
10924	AAD	5G NR (DFT-s-OFDM, 100% RB, 40 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.84	± 9.6 %
10925	AAD	5G NR (DFT-s-OFDM, 100% RB, 50 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.95	± 9.6 %
10926	AAD	5G NR (DFT-s-OFDM, 100% RB, 60 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.84	± 9.6 %
10927	AAD	5G NR (DFT-s-OFDM, 100% RB, 80 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.94	± 9.6 %
10928	AAD	5G NR (DFT-s-OFDM, 1 RB, 5 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.52	± 9.6 %
10929	AAD	5G NR (DFT-s-OFDM, 1 RB, 10 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.52	± 9.6 %
10930	AAD	5G NR (DFT-s-OFDM, 1 RB, 15 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.52	± 9.6 %
10931	AAD	5G NR (DFT-s-OFDM, 1 RB, 20 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.51	± 9.6 %
10932	AAB	5G NR (DFT-s-OFDM, 1 RB, 25 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.51	± 9.6 %
10933	AAA	5G NR (DFT-s-OFDM, 1 RB, 30 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.51	± 9.6 %
10934	AAA	5G NR (DFT-s-OFDM, 1 RB, 40 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.51	± 9.6 %
10935	AAA	5G NR (DFT-s-OFDM, 1 RB, 50 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.51	± 9.6 %
10936	AAC	5G NR (DFT-s-OFDM, 50% RB, 5 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.90	± 9.6 %
10937	AAB	5G NR (DFT-s-OFDM, 50% RB, 10 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.77	± 9.6 %
10938	AAB	5G NR (DFT-s-OFDM, 50% RB, 15 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.90	± 9.6 %
10939	AAB	5G NR (DFT-s-OFDM, 50% RB, 20 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.82	± 9.6 %
10940	AAB	5G NR (DFT-s-OFDM, 50% RB, 25 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.89	± 9.6 %
10941	AAB	5G NR (DFT-s-OFDM, 50% RB, 30 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.83	± 9.6 %
10942	AAB	5G NR (DFT-s-OFDM, 50% RB, 40 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.85	± 9.6 %
10943	AAB	5G NR (DFT-s-OFDM, 50% RB, 50 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.95	± 9.6 %
10944	AAB	5G NR (DFT-s-OFDM, 100% RB, 5 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.81	± 9.6 %
10945	AAB	5G NR (DFT-s-OFDM, 100% RB, 10 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.85	± 9.6 %
10946	AAC	5G NR (DFT-s-OFDM, 100% RB, 15 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.83	± 9.6 %
10947	AAB	5G NR (DFT-s-OFDM, 100% RB, 20 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.87	± 9.6 %
10948	AAB	5G NR (DFT-s-OFDM, 100% RB, 25 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.94	± 9.6 %
10949	AAB	5G NR (DFT-s-OFDM, 100% RB, 30 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.87	± 9.6 %
10950	AAB	5G NR (DFT-s-OFDM, 100% RB, 40 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.94	± 9.6 %
10951	AAB	5G NR (DFT-s-OFDM, 100% RB, 50 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.92	± 9.6 %
10952	AAB	5G NR DL (CP-OFDM, TM 3.1, 5 MHz, 64-QAM, 15 kHz)	5G NR FR1 FDD	8.25	± 9.6 %
10953	AAB	5G NR DL (CP-OFDM, TM 3.1, 10 MHz, 64-QAM, 15 kHz)	5G NR FR1 FDD	8.15	± 9.6 %
10954	AAB	5G NR DL (CP-OFDM, TM 3.1, 15 MHz, 64-QAM, 15 kHz)	5G NR FR1 FDD	8.23	± 9.6 %
10955	AAB	5G NR DL (CP-OFDM, TM 3.1, 20 MHz, 64-QAM, 15 kHz)	5G NR FR1 FDD	8.42	± 9.6 %
10956	AAB	5G NR DL (CP-OFDM, TM 3.1, 5 MHz, 64-QAM, 30 kHz)	5G NR FR1 FDD	8.14	± 9.6 %
10957	AAC	5G NR DL (CP-OFDM, TM 3.1, 10 MHz, 64-QAM, 30 kHz)	5G NR FR1 FDD	8.31	± 9.6 %
10958	AAB	5G NR DL (CP-OFDM, TM 3.1, 15 MHz, 64-QAM, 30 kHz)	5G NR FR1 FDD	8.61	± 9.6 %
10959	AAB	5G NR DL (CP-OFDM, TM 3.1, 20 MHz, 64-QAM, 30 kHz)	5G NR FR1 FDD	8.33	± 9.6 %
10960	AAB	5G NR DL (CP-OFDM, TM 3.1, 5 MHz, 64-QAM, 15 kHz)	5G NR FR1 TDD	9.32	± 9.6 %
10961	AAB	5G NR DL (CP-OFDM, TM 3.1, 10 MHz, 64-QAM, 15 kHz)	5G NR FR1 TDD	9.36	± 9.6 %
10962	AAB	5G NR DL (CP-OFDM, TM 3.1, 15 MHz, 64-QAM, 15 kHz)	5G NR FR1 TDD	9.40	± 9.6 %
10963	AAB	5G NR DL (CP-OFDM, TM 3.1, 20 MHz, 64-QAM, 15 kHz)	5G NR FR1 TDD	9.55	± 9.6 %
10964	AAB	5G NR DL (CP-OFDM, TM 3.1, 5 MHz, 64-QAM, 30 kHz)	5G NR FR1 TDD	9.29	± 9.6 %
10965	AAB	5G NR DL (CP-OFDM, TM 3.1, 10 MHz, 64-QAM, 30 kHz)	5G NR FR1 TDD	9.37	± 9.6 %
10966	AAB	5G NR DL (CP-OFDM, TM 3.1, 15 MHz, 64-QAM, 30 kHz)	5G NR FR1 TDD	9.55	± 9.6 %
10967	AAB	5G NR DL (CP-OFDM, TM 3.1, 20 MHz, 64-QAM, 30 kHz)	5G NR FR1 TDD	9.42	± 9.6 %
10968	AAB	5G NR DL (CP-OFDM, TM 3.1, 100 MHz, 64-QAM, 30 kHz)	5G NR FR1 TDD	9.49	± 9.6 %
10972	AAB	5G NR (CP-OFDM, 1 RB, 20 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	11.59	± 9.6 %
10973	AAB	5G NR (DFT-s-OFDM, 1 RB, 100 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	9.06	± 9.6 %
10974	AAB	5G NR (CP-OFDM, 100% RB, 100 MHz, 256-QAM, 30 kHz)	5G NR FR1 TDD	10.28	± 9.6 %

^E Uncertainty is determined using the max. deviation from linear response applying rectangular distribution and is expressed for the square of the field value.



Appendix E. Conducted RF Output Power Table

The detailed power table are shown as follows.



Full Power Mode

GSM850	Burst Average Power (dBm)			Tune-up Limit (dBm)	Frame-Average Power (dBm)			Tune-up Limit (dBm)
	183	189	251		128	189	251	
TX Channel	824.2	836.4	848.8	824.2	836.4	848.8		
Frequency (MHz)								
GSM 1 Tx slot	32.61	32.65	32.66	33.50	23.61	23.65	23.66	24.50
GPRS 1 Tx slot	32.58	32.61	32.63	33.50	23.58	23.61	23.63	24.50
GPRS 2 Tx slots	30.59	30.73	30.71	31.50	24.59	24.73	24.71	25.50
GPRS 3 Tx slots	28.60	28.63	28.68	29.50	24.34	24.37	24.42	25.24
GPRS 4 Tx slots	26.84	26.71	27.01	27.50	23.84	23.71	24.01	24.50
EDGE 1 Tx slot	26.95	27.03	26.92	27.50	17.95	18.03	17.92	18.50
EDGE 2 Tx slots	24.23	24.22	24.12	25.50	18.23	18.22	18.12	19.50
EDGE 3 Tx slots	22.23	22.18	22.11	23.50	17.97	17.92	17.85	19.24
EDGE 4 Tx slots	20.61	20.65	20.56	21.50	17.61	17.65	17.56	18.50

GSM1900	Burst Average Power (dBm)			Tune-up Limit (dBm)	Frame-Average Power (dBm)			Tune-up Limit (dBm)
	512	661	810		512	661	810	
TX Channel	1850.2	1880	1909.8	1850.2	1880	1909.8		
Frequency (MHz)								
GSM 1 Tx slot	29.12	29.05	29.12	30.00	20.12	20.05	20.12	21.00
GPRS 1 Tx slot	29.10	29.03	29.03	30.00	20.10	20.03	20.03	21.00
GPRS 2 Tx slots	27.09	27.25	27.17	28.00	21.09	21.25	21.17	22.00
GPRS 3 Tx slots	25.11	25.07	25.06	26.00	20.85	20.81	20.80	21.74
GPRS 4 Tx slots	23.54	23.49	23.69	24.00	20.54	20.49	20.69	21.00
EDGE 1 Tx slot	25.90	25.86	25.82	26.50	16.90	16.86	16.82	17.50
EDGE 2 Tx slots	23.14	23.00	23.21	23.50	17.14	17.00	17.21	17.50
EDGE 3 Tx slots	21.75	21.64	21.77	22.50	17.49	17.38	17.51	18.24
EDGE 4 Tx slots	19.91	19.73	19.94	20.50	16.91	16.73	16.94	17.50

Band	WCDMA II			Tune-up Limit (dBm)	WCDMA IV			Tune-up Limit (dBm)	WCDMA V			Tune-up Limit (dBm)	
	9262	9400	9538		1312	1413	1513		4132	4182	4233		
TX Channel	9662	9800	9938	1537	1638	1738	4357	4407	4458				
Rx Channel	1952.4	1950	1907.6	1712.4	1722.6	1752.4	826.4	836.4	846.6				
Frequency (MHz)													
3GPP Rel 99	AMR 12.2Kbps	22.44	22.25	22.34	24.00	22.30	22.15	22.25	24.00	22.70	22.55	22.50	24.00
3GPP Rel 99	RMIC 12.2Kbps	22.53	22.32	22.41	24.00	22.32	22.20	22.31	24.00	22.73	22.57	22.58	24.00
3GPP Rel 6	HSDPA Subtest-1	21.34	21.24	21.17	23.00	21.29	21.32	21.13	23.00	21.80	21.67	21.68	23.00
3GPP Rel 6	HSDPA Subtest-2	21.34	21.35	21.26	23.00	21.17	21.17	21.18	23.00	21.84	21.85	21.75	23.00
3GPP Rel 6	HSDPA Subtest-3	20.62	20.84	20.80	22.50	20.54	20.82	20.63	22.50	20.94	21.33	21.25	22.50
3GPP Rel 6	HSDPA Subtest-4	20.70	20.86	20.62	22.50	20.64	20.71	20.56	22.50	21.05	21.30	21.00	22.50
3GPP Rel 8	DC-HSDPA Subtest-1	21.14	21.40	21.39	23.00	21.13	21.36	21.28	23.00	21.60	21.74	21.72	23.00
3GPP Rel 8	DC-HSDPA Subtest-2	21.14	21.38	21.49	23.00	21.12	21.20	21.33	23.00	21.47	21.89	21.92	23.00
3GPP Rel 8	DC-HSDPA Subtest-3	20.80	20.83	21.17	22.50	20.73	20.63	20.98	22.50	21.15	21.32	21.59	22.50
3GPP Rel 8	DC-HSDPA Subtest-4	20.70	20.81	20.84	22.50	20.53	20.62	20.82	22.50	21.08	21.21	21.36	22.50
3GPP Rel 6	HSUPA Subtest-1	21.25	21.23	21.17	23.00	21.24	21.12	21.15	23.00	21.74	21.66	21.51	23.00
3GPP Rel 6	HSUPA Subtest-2	19.19	19.20	19.29	21.00	19.14	19.25	19.21	21.00	19.70	19.55	19.80	21.00
3GPP Rel 6	HSUPA Subtest-3	20.19	20.37	20.29	22.00	20.14	20.18	20.26	22.00	20.63	20.71	20.69	22.00
3GPP Rel 6	HSUPA Subtest-4	19.19	19.31	19.32	21.00	19.00	19.21	19.14	21.00	19.69	19.76	19.70	21.00
3GPP Rel 6	HSUPA Subtest-5	21.20	21.30	21.30	23.00	21.10	21.10	21.00	23.00	21.50	21.60	21.60	23.00



Reduced Power Mode for Sensor on/Hotspot on

GSM850	Burst Average Power (dBm)			Tune-up Limit (dBm)	Frame-Average Power (dBm)			Tune-up Limit (dBm)
	128	189	251		128	189	251	
TX Channel	128	189	251		128	189	251	
Frequency (MHz)	824.2	836.4	848.8		824.2	836.4	848.8	
GSM 1 Tx slot	30.91	31.06	31.05	32.00	21.91	22.06	22.05	23.00
GPRS 1 Tx slots	30.90	31.03	31.03	32.00	21.90	22.03	22.03	23.00
GPRS 2 Tx slots	28.84	28.98	28.96	30.00	22.84	22.98	22.96	24.00
GPRS 3 Tx slots	26.78	26.95	26.96	28.00	22.52	22.69	22.70	23.74
GPRS 4 Tx slots	24.68	24.88	25.05	26.00	21.68	21.88	22.05	23.00
EDGE 1 Tx slot	24.97	25.25	25.41	26.00	15.97	16.25	16.41	17.00
EDGE 2 Tx slots	23.46	23.52	23.62	24.00	17.46	17.52	17.62	18.00
EDGE 3 Tx slots	20.80	20.88	20.89	22.00	16.54	16.62	16.63	17.74
EDGE 4 Tx slots	19.62	19.81	19.89	20.00	16.62	16.81	16.89	17.00

GSM1900	Burst Average Power (dBm)			Tune-up Limit (dBm)	Frame-Average Power (dBm)			Tune-up Limit (dBm)
	512	691	910		512	691	910	
TX Channel	512	691	910		512	691	910	
Frequency (MHz)	1850.2	1880	1909.8		1850.2	1880	1909.8	
GSM 1 Tx slot	22.45	22.56	22.61	23.50	13.45	13.56	13.61	14.50
GPRS 1 Tx slot	22.43	22.51	22.45	23.50	13.43	13.51	13.45	14.50
GPRS 2 Tx slots	20.31	20.48	20.43	21.50	14.31	14.48	14.43	15.50
GPRS 3 Tx slots	18.25	18.36	18.53	19.50	13.99	14.10	14.27	15.24
GPRS 4 Tx slots	16.58	16.75	16.78	17.50	13.58	13.75	13.78	14.50
EDGE 1 Tx slot	18.65	18.87	19.01	20.00	9.65	9.87	10.01	11.00
EDGE 2 Tx slots	16.58	16.68	16.72	17.00	10.58	10.68	10.72	11.00
EDGE 3 Tx slots	15.13	15.20	15.34	16.00	10.87	10.94	11.08	11.74
EDGE 4 Tx slots	13.32	13.36	13.41	14.00	10.32	10.36	10.41	11.00

Band	WCDMA II			Tune-up Limit (dBm)	WCDMA IV			WCDMA V			Tune-up Limit (dBm)		
	9262	9400	9538		1312	1413	1513	4132	4182	4233			
TX Channel	9262	9400	9538		1312	1413	1513						
Rx Channel	9662	9800	9938		1537	1638	1738						
Frequency (MHz)	1852.4	1880	1907.6		1712.4	1732.6	1752.6						
3GPP Rel 99	AMR 12.2kbps	13.30	13.25	13.34	15.00	14.35	14.29	14.33	16.00	21.25	21.29	21.27	22.50
3GPP Rel 99	RMC 12.2kbps	13.41	13.30	13.40	15.00	14.40	14.30	14.31	16.00	21.30	21.25	21.20	22.50
3GPP Rel 6	HSDPA Subtest-1	12.95	13.16	13.17	14.00	14.18	14.12	14.12	15.00	19.82	19.82	19.79	21.50
3GPP Rel 6	HSDPA Subtest-2	12.86	13.03	12.94	14.00	14.07	13.98	14.06	15.00	19.79	19.69	19.70	21.50
3GPP Rel 6	HSDPA Subtest-3	12.40	12.53	12.47	13.50	13.64	13.44	13.64	14.50	19.36	19.08	19.35	21.00
3GPP Rel 6	HSDPA Subtest-4	12.40	12.48	12.57	13.50	13.54	13.44	13.59	14.50	19.22	19.11	19.27	21.00
3GPP Rel 8	DC-HSDPA Subtest-1	12.72	13.02	12.98	14.00	13.97	13.84	13.95	15.00	19.65	19.56	19.62	21.50
3GPP Rel 8	DC-HSDPA Subtest-2	12.67	12.80	12.78	14.00	13.83	13.76	13.78	15.00	19.46	19.43	19.49	21.50
3GPP Rel 8	DC-HSDPA Subtest-3	12.15	12.35	12.29	13.50	13.33	13.29	13.39	14.50	18.97	19.02	19.04	21.00
3GPP Rel 8	DC-HSDPA Subtest-4	12.16	12.20	12.25	13.50	13.35	13.21	13.36	14.50	19.07	18.89	19.03	21.00
3GPP Rel 6	HSUPA Subtest-1	12.73	12.55	12.63	14.00	14.08	13.86	14.08	15.00	19.74	19.57	19.75	21.50
3GPP Rel 6	HSUPA Subtest-2	11.47	11.55	11.43	12.00	12.16	12.10	12.17	13.00	17.85	17.75	17.89	19.50
3GPP Rel 6	HSUPA Subtest-3	11.95	12.20	12.27	13.00	13.21	12.99	13.18	14.00	18.90	18.63	18.89	20.50
3GPP Rel 6	HSUPA Subtest-4	10.87	10.74	10.75	12.00	11.76	11.55	11.63	13.00	17.46	17.24	17.28	19.50
3GPP Rel 6	HSUPA Subtest-5	12.57	12.63	12.57	14.00	13.50	13.48	13.65	15.00	19.17	19.19	19.29	21.50



Reduced Power Mode for Handheld on

GSM1900	Burst Average Power (dBm)			Tune-up Limit (dBm)	Frame-Average Power (dBm)			Tune-up Limit (dBm)
	512	661	810		512	661	810	
TX Channel	512	661	810		512	661	810	
Frequency (MHz)	1850.2	1880	1900.8		1850.2	1880	1900.8	
GSM 1 Tx slot	25.84	25.95	25.98	27.00	16.94	16.95	16.98	18.00
GPRS 1 Tx slot	25.83	25.91	25.96	27.00	16.83	16.91	16.96	18.00
GPRS 2 Tx slots	24.13	24.31	24.28	25.00	18.13	18.31	18.28	19.00
GPRS 3 Tx slots	22.53	22.69	22.63	23.00	18.27	18.43	18.37	18.74
GPRS 4 Tx slots	20.66	20.68	20.73	21.00	17.66	17.68	17.73	18.00
EDGE 1 Tx slot	22.07	22.34	22.49	23.50	13.07	13.34	13.49	14.50
EDGE 2 Tx slots	19.90	20.22	20.31	20.50	13.90	14.22	14.31	14.50
EDGE 3 Tx slots	18.27	18.34	18.52	19.50	14.01	14.08	14.26	15.24
EDGE 4 Tx slots	16.47	16.65	16.70	17.50	13.47	13.65	13.70	14.50

Band	WCDMA II			Tune-up Limit (dBm)	WCDMA IV			Tune-up Limit (dBm)	
	9262	9400	9538		1312	1413	1513		
TX Channel	9262	9400	9538		1312	1413	1513		
Rx Channel	9862	9800	9938		1537	1638	1738		
Frequency (MHz)	1852.4	1880	1907.6		1712.4	1732.6	1752.6		
3GPP Rel 99	AMR 12.2kbps	17.62	17.50	17.55	19.00	18.39	18.44	18.59	20.00
3GPP Rel 99	RMC 12.2kbps	17.65	17.47	17.60	19.00	18.70	18.55	18.68	20.00
3GPP Rel 6	HSDPA Subtest-1	16.23	16.43	16.49	18.00	17.75	17.63	17.72	19.00
3GPP Rel 6	HSDPA Subtest-2	16.11	16.32	16.26	18.00	17.62	17.50	17.58	19.00
3GPP Rel 6	HSDPA Subtest-3	15.66	15.81	15.75	17.50	17.17	17.05	17.15	18.50
3GPP Rel 6	HSDPA Subtest-4	15.69	15.76	15.80	17.50	17.13	16.99	17.10	18.50
3GPP Rel 8	DC-HSDPA Subtest-1	16.03	16.27	16.28	18.00	17.53	17.44	17.53	19.00
3GPP Rel 8	DC-HSDPA Subtest-2	15.93	16.12	16.05	18.00	17.38	17.34	17.39	19.00
3GPP Rel 8	DC-HSDPA Subtest-3	15.42	15.61	15.59	17.50	16.94	16.86	16.91	18.50
3GPP Rel 8	DC-HSDPA Subtest-4	15.47	15.52	15.55	17.50	16.96	16.77	16.88	18.50
3GPP Rel 6	HSUPA Subtest-1	16.02	15.83	16.11	18.00	17.66	17.46	17.59	19.00
3GPP Rel 6	HSUPA Subtest-2	14.71	14.82	14.72	16.00	15.75	15.63	15.71	17.00
3GPP Rel 6	HSUPA Subtest-3	15.28	15.44	15.56	17.00	16.79	16.56	16.74	18.00
3GPP Rel 6	HSUPA Subtest-4	14.11	14.05	14.06	16.00	15.33	15.11	15.16	17.00
3GPP Rel 6	HSUPA Subtest-5	15.80	15.90	15.80	18.00	17.08	17.08	17.18	19.00



Downlink CA Power_2CA

CA List	PCC							SCC				Power	
	LTE	BW	UL	UL	Mod.	UL#	UL	LTE	BW	DL	DL	With CA	Without CA
			Freq.	Channel		RB	RB			Freq.	Channel		
	Band	(MHz)	(MHz)			Offset	Band	(MHz)			(dBm)	(dBm)	
CA_2A-7A	Band 2	20M	1880	18900	QPSK	1	49	Band 7	20M	2655	3100	22.52	22.81
	Band 7	20M	2535	21100	QPSK	1	49	Band 2	20M	1960	900	22.45	22.64
CA_4A-7A	Band 4	20M	1745	20300	QPSK	1	49	Band 7	20M	2655	3100	22.41	22.49
	Band 7	20M	2535	21100	QPSK	1	49	Band 4	20M	2132.5	2175	22.44	22.64
CA_4A-12A	Band 4	20M	1745	20300	QPSK	1	49	Band 12	10M	737.5	5095	22.31	22.49
	Band 12	10M	707.5	23095	QPSK	1	49	Band 4	20M	2132.5	2175	22.61	22.80
CA_4A-17A	Band 4	20M	1745	20300	QPSK	1	49	Band 17	10M	740	5790	22.31	22.49
	Band 17	10M	710	23790	QPSK	1	49	Band 4	20M	2132.5	2175	22.56	22.69
CA_5A-7A	Band 5	10M	829	20450	QPSK	1	25	Band 7	20M	2655	3100	22.66	22.85
	Band 7	20M	2535	21100	QPSK	1	49	Band 5	10M	881.5	2525	22.43	22.64
CA_5A-66A	Band 5	10M	829	20450	QPSK	1	25	Band 66	20M	2155	66886	22.65	22.85
	Band 66	20M	1745	132322	QPSK	1	0	Band 5	10M	881.5	2525	22.18	22.60
CA_12A-66A	Band 12	10M	707.5	23095	QPSK	1	49	Band 66	20M	2155	66886	22.66	22.80
	Band 66	20M	1745	132322	QPSK	1	0	Band 12	10M	737.5	5095	22.15	22.60
CA_7B	Band 7	15M	2535	21100	QPSK	1	37	Band 7	5M	2664.3	3193	22.48	22.54
CA_66B	Band 66	15M	1772.5	132597	QPSK	1	37	Band 66	5M	2183.2	67168	22.49	22.41
CA_66C	Band 66	20M	1745	132322	QPSK	1	0	Band 66	20M	2174.8	67084	22.41	22.60
CA_4A-4A	Band 4	20M	1745	20300	QPSK	1	49	Band 4	5M	2112.5	1975	22.15	22.49
CA_7A-7A	Band 7	20M	2535	21100	QPSK	1	49	Band 7	5M	2687.5	3425	22.38	22.64



Downlink CA Power_3CA

CA List	PCC						SCC1				SCC2				Power		
	LTE	BW	UL	UL	Mod.	UL#	UL	LTE	BW	DL	DL	LTE	BW	DL	DL	With CA	Without CA
	Band	(MHz)	Freq.	Channel		RB	RB	Band	(MHz)	Freq.	Channel	Band	(MHz)	Freq.	Channel	Tx. Power	Tx. Power
			(MHz)							(MHz)				(MHz)			
CA_2A-4A-5A	Band 2	20M	1880	18900	QPSK	1	49	Band 4	20M	2132.5	2175	Band 5	10M	881.5	2525	22.40	22.81
	Band 4	20M	1745	20300	QPSK	1	25	Band 5	10M	881.5	2525	Band 2	20M	1960	900	22.36	22.49
	Band 5	10M	829	20450	QPSK	1	25	Band 2	20M	1960	900	Band 4	20M	2132.5	2175	22.73	22.85

CA List	PCC						SCC1				SCC2				Power		
	LTE	BW	UL	UL	Mod.	UL#	UL	LTE	BW	DL	DL	LTE	BW	DL	DL	With CA	Without CA
	Band	(MHz)	Freq.	Channel		RB	RB	Band	(MHz)	Freq.	Channel	Band	(MHz)	Freq.	Channel	Tx. Power	Tx. Power
			(MHz)							(MHz)				(MHz)			
CA_4A-7C	Band 4	20M	1745	20300	QPSK	1	49	Band 7	20M	2655	3100	Band 7	20M	2674.8	3298	22.22	22.49
	Band 7	20M	2535	21100	QPSK	1	49	Band 7	20M	2674.8	3298	Band 4	20M	2132.5	2175	22.36	22.64
CA_7A-66A-66A	Band 7	20M	2535	21100	QPSK	1	49	Band 66	20M	2155	66866	Band 66	5M	2197.5	67311	22.42	22.64
	Band 66	20M	1745	132322	QPSK	1	0	Band 66	5M	2197.5	67311	Band 7	20M	2655	3100	22.41	22.60



WLAN/Bluetooth Power

2.4GHz WLAN		Ant 3				Full Power&Handheld			At Head&Body Worn&Hotspot		
Mode	Channel	Frequency (MHz)	Average power (dBm)	Tune-Up Limit	Average power (dBm)	Tune-Up Limit	Duty Cycle %				
								802.11b 1Mbps			1
			6	2437	18.40	20.00	18.03	19.50			
			11	2462	18.28	20.00	17.96	19.50			
802.11g 6Mbps			1	2412	15.01	17.00	15.01	17.00	96.97		
			6	2437	18.02	20.00	18.02	19.50			
			11	2462	15.35	17.00	15.35	17.00			
802.11n-HT20 MCS0			1	2412	14.26	16.00	14.26	16.00	96.24		
			6	2437	16.81	18.50	16.81	18.50			
			11	2462	13.78	15.50	13.78	15.50			

5GHz WLAN		Ant 3				Full Power&At Head&Body Worn&Handheld			At Hotspot		
Mode	Channel	Frequency (MHz)	Average power (dBm)	Tune-Up Limit	Average power (dBm)	Tune-Up Limit	Duty Cycle %				
								802.11a 6Mbps			36
			40	5200	16.54	18.00	16.50				
			44	5220	16.49	18.00	16.50				
802.11n-HT20 MCS0			48	5240	16.51	18.00	Not Required	16.50	96.76		
			36	5180	16.36	18.00	16.50				
			40	5200	16.29	18.00	16.50				
802.11n-HT40 MCS0			44	5220	16.40	18.00	14.90	16.50	93.68		
			48	5240	16.46	18.00	14.90	16.50			
			38	5190	14.90	16.50	14.90	16.50			
802.11ac-VHT20 MCS0			46	5230	16.80	17.50	14.90	16.50	96.79		
			36	5180	16.38	18.00	16.50	16.50			
			40	5200	16.35	18.00	16.50	16.50			
802.11ac-VHT40 MCS0			44	5220	16.43	18.00	Not Required	16.50	93.75		
			48	5240	16.56	18.00	16.50	16.50			
			38	5190	14.87	16.50	16.50	16.50			
802.11ac-VHT80 MCS0			46	5230	15.80	17.50	16.50	16.50	88.19		
			42	5210	14.03	15.00	15.00	15.00			

5GHz WLAN		Ant 3				Full Power&At Head&Body Worn&Handheld		
Mode	Channel	Frequency (MHz)	Average power (dBm)	Tune-Up Limit	Duty Cycle %			
						802.11a 6Mbps		
			56	5280	16.48	18.00		
			60	5300	16.46	18.00		
802.11n-HT20 MCS0			52	5260	16.25	18.00	96.76	
			56	5280	16.22	18.00		
			60	5300	16.29	18.00		
802.11n-HT40 MCS0			54	5270	15.63	17.50	93.68	
			62	5310	15.85	17.50		
			52	5260	16.57	18.00		
802.11ac-VHT20 MCS0			56	5280	16.36	18.00	96.79	
			60	5300	16.43	18.00		
			64	5320	16.48	18.00		
802.11ac-VHT40 MCS0			54	5270	15.95	17.50	93.75	
			62	5310	15.43	17.00		
			58	5290	13.03	14.00		

5GHz WLAN		Ant 3				Full Power&Handheld			At Head		At Body Worn	
Mode	Channel	Frequency (MHz)	Average power (dBm)	Tune-Up Limit	Average power (dBm)	Tune-Up Limit	Duty Cycle %	Average power (dBm)	Tune-Up Limit	Average power (dBm)	Tune-Up Limit	Duty Cycle %
			116	5680	16.45	18.00	15.00					
			124	5620	16.07	18.00	15.00					
802.11n-HT20 MCS0			132	5660	16.35	18.00	15.00	96.76				
			140	5700	16.44	18.00	15.00					
			144	5720	16.35	18.00	15.00					
802.11n-HT40 MCS0			100	5600	15.60	17.00	15.00	93.68				
			116	5680	16.17	18.00	15.00					
			124	5620	16.37	18.00	15.00					
802.11ac-VHT20 MCS0			132	5660	16.06	18.00	15.00	96.79				
			140	5700	15.26	17.00	15.00					
			144	5720	16.09	18.00	15.00					
802.11ac-VHT40 MCS0			102	5610	13.16	14.50	14.50	93.68				
			110	5650	15.75	17.50	15.00					
			126	5630	15.83	17.50	15.00					
802.11ac-VHT80 MCS0			134	5670	15.55	17.50	15.00	96.79				
			142	5710	15.74	17.50	15.00					
			100	5600	15.86	17.00	15.00					
802.11ac-VHT20 MCS0			116	5680	16.31	18.00	15.00	93.75				
			124	5620	16.32	18.00	15.00					
			132	5660	16.31	18.00	15.00					
802.11ac-VHT40 MCS0			140	5700	15.43	17.00	15.00	88.19				
			144	5720	16.30	18.00	15.00					
			102	5610	12.81	14.50	14.50					
802.11ac-VHT80 MCS0			110	5650	16.00	17.50	15.00	96.97				
			126	5630	15.80	17.00	15.00					
			134	5670	15.52	17.50	15.00					
802.11ac-VHT20 MCS0			142	5710	15.69	17.50	15.00	93.75				
			106	5630	12.53	14.00	14.00					
			122	5610	15.36	17.00	15.00					
802.11ac-VHT80 MCS0			138	5690	15.27	17.00	13.20	15.00	88.19			
							15.00	15.00				

5GHz WLAN		Ant 3				Full Power&Body Worn&Handheld			At Head&Hotspot		
Mode	Channel	Frequency (MHz)	Average power (dBm)	Tune-Up Limit	Average power (dBm)	Tune-Up Limit	Duty Cycle %				
								802.11a 6Mbps			149
			157	5785	16.44	18.00	15.00				
			165	5825	16.47	18.00	15.00				
802.11n-HT20 MCS0			149	5745	16.22	18.00	15.00	96.76			
			157	5785	16.17	18.00	15.00				
			165	5825	16.31	18.00	15.00				
802.11n-HT40 MCS0			151	5755	15.87	17.50	15.00	93.68			
			159	5795	15.85	17.50	15.00				
			149	5745	16.47	18.00	15.00				
802.11ac-VHT20 MCS0			157	5785	16.36	18.00	15.00	96.79			
			165	5825	16.37	18.00	15.00				
			161	5755	15.92	17.50	15.00				
802.11ac-VHT40 MCS0			159	5795	15.70	17.50	15.00	93.75			
			155	5775	15.31	17.00	15.00				
							13.31		15.00		

BT BREDR		Channel	Frequency (MHz)	Average power (dBm)			Tune-up Limit
Mode	Channel			1Mbps	2Mbps	3Mbps	
BR / EDR	CH 00	2402	9.74	7.89	7.85	11.50	
	CH 39	2441	9.76	7.28	7.18	11.50	
	CH 78	2480	10.13	8.04	7.93	12.00	

BT LE		Channel	Frequency (MHz)	Average power (dBm)
Mode	Channel			
LE	CH 00	2402	-2.53	
	CH 19	2440	-2.58	
	CH 39	2480	-2.47	
	Tune-up Limit		0.00	

BT LE V5.0		Channel	Frequency (MHz)	Average power (dBm)
Mode	Channel			
LE	CH 00	2402	-2.38	
	CH 19	2440	-1.93	
	CH 39	2480	-2.27	
	Tune-up Limit		0.00	