




B5_N7(20M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Low_CH




B5_N7(20M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Low_CH




B5_N7(20M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Low_CH




B5_N7(20M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Low_CH




B5_N7(20M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Mid_CH




B5_N7(20M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Mid_CH




B5_N7(20M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Mid_CH




B5_N7(20M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Mid_CH




B5_N7(20M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_High_CH




B5_N7(20M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_High_CH



B5_N7(20M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_High_CH



B5_N7(20M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_High_CH



FR1 N7

LTE Band: 66, LTE BW: 20M, LTE ARFCN: Mid

Transmitter Conducted Output Power And ERP/EIRP, ($G_T - L_C$)=0.4dB

Band	SCS (kHz)	Bandwidth (MHz)	Arfcn	Freq (MHz)	Modulation	RB	Conducted Power(dBm)	EIRP (dBm)	EIRP (W)
7	15	5	524500	2502.5	DFT-s-OFDM PI/2 BPSK	12@6	22.82	23.22	0.2099
7	15	5	524500	2502.5	DFT-s-OFDM PI/2 BPSK	1@1	22.8	23.2	0.2089
7	15	5	524500	2502.5	DFT-s-OFDM PI/2 BPSK	1@23	22.72	23.12	0.2051
7	15	5	524500	2502.5	DFT-s-OFDM QPSK	12@6	22.87	23.27	0.2123
7	15	5	524500	2502.5	DFT-s-OFDM QPSK	1@1	22.87	23.27	0.2123
7	15	5	524500	2502.5	DFT-s-OFDM QPSK	1@23	22.8	23.2	0.2089
7	15	5	524500	2502.5	DFT-s-OFDM 16 QAM	12@6	22.02	22.42	0.1746
7	15	5	524500	2502.5	DFT-s-OFDM 16 QAM	1@1	21.91	22.31	0.1702
7	15	5	524500	2502.5	DFT-s-OFDM 16 QAM	1@23	22.19	22.59	0.1816
7	15	5	524500	2502.5	DFT-s-OFDM 64 QAM	12@6	20.61	21.01	0.1262
7	15	5	524500	2502.5	DFT-s-OFDM 64 QAM	1@1	20.82	21.22	0.1324
7	15	5	524500	2502.5	DFT-s-OFDM 64 QAM	1@23	20.77	21.17	0.1309
7	15	5	524500	2502.5	DFT-s-OFDM 256 QAM	12@6	18.52	18.92	0.0780
7	15	5	524500	2502.5	DFT-s-OFDM 256 QAM	1@1	18.79	19.19	0.0830
7	15	5	524500	2502.5	DFT-s-OFDM 256 QAM	1@23	18.6	19	0.0794
7	15	5	524500	2502.5	CP-OFDM QPSK	13@6	21.52	21.92	0.1556
7	15	5	524500	2502.5	CP-OFDM QPSK	1@1	21.96	22.36	0.1722
7	15	5	524500	2502.5	CP-OFDM QPSK	1@23	22	22.4	0.1738

7	15	5	531000	2535	DFT-s-OFDM PI/2 BPSK	12@6	23.08	23.48	0.2228
7	15	5	531000	2535	DFT-s-OFDM PI/2 BPSK	1@1	22.95	23.35	0.2163
7	15	5	531000	2535	DFT-s-OFDM PI/2 BPSK	1@23	23.02	23.42	0.2198
7	15	5	531000	2535	DFT-s-OFDM QPSK	12@6	23.15	23.55	0.2265
7	15	5	531000	2535	DFT-s-OFDM QPSK	1@1	23	23.4	0.2188
7	15	5	531000	2535	DFT-s-OFDM QPSK	1@23	23.05	23.45	0.2213
7	15	5	531000	2535	DFT-s-OFDM 16 QAM	12@6	22.31	22.71	0.1866
7	15	5	531000	2535	DFT-s-OFDM 16 QAM	1@1	22.1	22.5	0.1778
7	15	5	531000	2535	DFT-s-OFDM 16 QAM	1@23	22.46	22.86	0.1932
7	15	5	531000	2535	DFT-s-OFDM 64 QAM	12@6	20.72	21.12	0.1294
7	15	5	531000	2535	DFT-s-OFDM 64 QAM	1@1	21.08	21.48	0.1406
7	15	5	531000	2535	DFT-s-OFDM 64 QAM	1@23	20.93	21.33	0.1358
7	15	5	531000	2535	DFT-s-OFDM 256 QAM	12@6	18.74	19.14	0.0820
7	15	5	531000	2535	DFT-s-OFDM 256 QAM	1@1	18.96	19.36	0.0863
7	15	5	531000	2535	DFT-s-OFDM 256 QAM	1@23	18.99	19.39	0.0869
7	15	5	531000	2535	CP-OFDM QPSK	13@6	21.82	22.22	0.1667
7	15	5	531000	2535	CP-OFDM QPSK	1@1	22.17	22.57	0.1807
7	15	5	531000	2535	CP-OFDM QPSK	1@23	22.32	22.72	0.1871
7	15	5	537500	2567.5	DFT-s-OFDM PI/2 BPSK	12@6	23.08	23.48	0.2228
7	15	5	537500	2567.5	DFT-s-OFDM PI/2 BPSK	1@1	23	23.4	0.2188
7	15	5	537500	2567.5	DFT-s-OFDM PI/2 BPSK	1@23	23.01	23.41	0.2193
7	15	5	537500	2567.5	DFT-s-OFDM QPSK	12@6	23.19	23.59	0.2286
7	15	5	537500	2567.5	DFT-s-OFDM QPSK	1@1	23	23.4	0.2188
7	15	5	537500	2567.5	DFT-s-OFDM QPSK	1@23	22.99	23.39	0.2183

7	15	5	537500	2567.5	DFT-s-OFDM 16 QAM	12@6	22.36	22.76	0.1888
7	15	5	537500	2567.5	DFT-s-OFDM 16 QAM	1@1	22.14	22.54	0.1795
7	15	5	537500	2567.5	DFT-s-OFDM 16 QAM	1@23	22.1	22.5	0.1778
7	15	5	537500	2567.5	DFT-s-OFDM 64 QAM	12@6	20.78	21.18	0.1312
7	15	5	537500	2567.5	DFT-s-OFDM 64 QAM	1@1	21.05	21.45	0.1396
7	15	5	537500	2567.5	DFT-s-OFDM 64 QAM	1@23	21.04	21.44	0.1393
7	15	5	537500	2567.5	DFT-s-OFDM 256 QAM	12@6	18.75	19.15	0.0822
7	15	5	537500	2567.5	DFT-s-OFDM 256 QAM	1@1	19.1	19.5	0.0891
7	15	5	537500	2567.5	DFT-s-OFDM 256 QAM	1@23	18.99	19.39	0.0869
7	15	5	537500	2567.5	CP-OFDM QPSK	13@6	21.86	22.26	0.1683
7	15	5	537500	2567.5	CP-OFDM QPSK	1@1	22.34	22.74	0.1879
7	15	5	537500	2567.5	CP-OFDM QPSK	1@23	22.53	22.93	0.1963
7	15	10	525000	2505	DFT-s-OFDM PI/2 BPSK	25@12	22.16	22.56	0.1803
7	15	10	525000	2505	DFT-s-OFDM PI/2 BPSK	1@1	22.64	23.04	0.2014
7	15	10	525000	2505	DFT-s-OFDM PI/2 BPSK	1@50	22.73	23.13	0.2056
7	15	10	525000	2505	DFT-s-OFDM QPSK	25@12	22.81	23.21	0.2094
7	15	10	525000	2505	DFT-s-OFDM QPSK	1@1	22.74	23.14	0.2061
7	15	10	525000	2505	DFT-s-OFDM QPSK	1@50	22.76	23.16	0.2070
7	15	10	525000	2505	DFT-s-OFDM 16 QAM	25@12	22.08	22.48	0.1770
7	15	10	525000	2505	DFT-s-OFDM 16 QAM	1@1	21.79	22.19	0.1656
7	15	10	525000	2505	DFT-s-OFDM 16 QAM	1@50	21.84	22.24	0.1675
7	15	10	525000	2505	DFT-s-OFDM 64 QAM	25@12	20.44	20.84	0.1213
7	15	10	525000	2505	DFT-s-OFDM 64 QAM	1@1	20.69	21.09	0.1285
7	15	10	525000	2505	DFT-s-OFDM 64 QAM	1@50	20.76	21.16	0.1306

7	15	10	525000	2505	DFT-s-OFDM 256 QAM	25@12	18.41	18.81	0.0760
7	15	10	525000	2505	DFT-s-OFDM 256 QAM	1@1	18.62	19.02	0.0798
7	15	10	525000	2505	DFT-s-OFDM 256 QAM	1@50	18.69	19.09	0.0811
7	15	10	525000	2505	CP-OFDM QPSK	26@13	21.42	21.82	0.1521
7	15	10	525000	2505	CP-OFDM QPSK	1@1	21.87	22.27	0.1687
7	15	10	525000	2505	CP-OFDM QPSK	1@50	21.94	22.34	0.1714
7	15	10	531000	2535	DFT-s-OFDM PI/2 BPSK	25@12	23.01	23.41	0.2193
7	15	10	531000	2535	DFT-s-OFDM PI/2 BPSK	1@1	22.83	23.23	0.2104
7	15	10	531000	2535	DFT-s-OFDM PI/2 BPSK	1@50	22.92	23.32	0.2148
7	15	10	531000	2535	DFT-s-OFDM QPSK	25@12	22.99	23.39	0.2183
7	15	10	531000	2535	DFT-s-OFDM QPSK	1@1	22.88	23.28	0.2128
7	15	10	531000	2535	DFT-s-OFDM QPSK	1@50	22.95	23.35	0.2163
7	15	10	531000	2535	DFT-s-OFDM 16 QAM	25@12	22.29	22.69	0.1858
7	15	10	531000	2535	DFT-s-OFDM 16 QAM	1@1	21.96	22.36	0.1722
7	15	10	531000	2535	DFT-s-OFDM 16 QAM	1@50	22.05	22.45	0.1758
7	15	10	531000	2535	DFT-s-OFDM 64 QAM	25@12	20.65	21.05	0.1274
7	15	10	531000	2535	DFT-s-OFDM 64 QAM	1@1	20.91	21.31	0.1352
7	15	10	531000	2535	DFT-s-OFDM 64 QAM	1@50	20.95	21.35	0.1365
7	15	10	531000	2535	DFT-s-OFDM 256 QAM	25@12	18.49	18.89	0.0774
7	15	10	531000	2535	DFT-s-OFDM 256 QAM	1@1	18.8	19.2	0.0832
7	15	10	531000	2535	DFT-s-OFDM 256 QAM	1@50	18.51	18.91	0.0778
7	15	10	531000	2535	CP-OFDM QPSK	26@13	21.63	22.03	0.1596
7	15	10	531000	2535	CP-OFDM QPSK	1@1	22.04	22.44	0.1754
7	15	10	531000	2535	CP-OFDM QPSK	1@50	22.22	22.62	0.1828

7	15	10	537000	2565	DFT-s-OFDM PI/2 BPSK	25@12	22.99	23.39	0.2183
7	15	10	537000	2565	DFT-s-OFDM PI/2 BPSK	1@1	22.77	23.17	0.2075
7	15	10	537000	2565	DFT-s-OFDM PI/2 BPSK	1@50	22.88	23.28	0.2128
7	15	10	537000	2565	DFT-s-OFDM QPSK	25@12	23.04	23.44	0.2208
7	15	10	537000	2565	DFT-s-OFDM QPSK	1@1	22.86	23.26	0.2118
7	15	10	537000	2565	DFT-s-OFDM QPSK	1@50	22.92	23.32	0.2148
7	15	10	537000	2565	DFT-s-OFDM 16 QAM	25@12	22.33	22.73	0.1875
7	15	10	537000	2565	DFT-s-OFDM 16 QAM	1@1	21.98	22.38	0.1730
7	15	10	537000	2565	DFT-s-OFDM 16 QAM	1@50	22.03	22.43	0.1750
7	15	10	537000	2565	DFT-s-OFDM 64 QAM	25@12	20.73	21.13	0.1297
7	15	10	537000	2565	DFT-s-OFDM 64 QAM	1@1	20.86	21.26	0.1337
7	15	10	537000	2565	DFT-s-OFDM 64 QAM	1@50	20.92	21.32	0.1355
7	15	10	537000	2565	DFT-s-OFDM 256 QAM	25@12	18.69	19.09	0.0811
7	15	10	537000	2565	DFT-s-OFDM 256 QAM	1@1	18.79	19.19	0.0830
7	15	10	537000	2565	DFT-s-OFDM 256 QAM	1@50	18.73	19.13	0.0818
7	15	10	537000	2565	CP-OFDM QPSK	26@13	21.71	22.11	0.1626
7	15	10	537000	2565	CP-OFDM QPSK	1@1	22.1	22.5	0.1778
7	15	10	537000	2565	CP-OFDM QPSK	1@50	22.5	22.9	0.1950
7	15	15	525500	2507.5	DFT-s-OFDM PI/2 BPSK	36@18	22.41	22.81	0.1910
7	15	15	525500	2507.5	DFT-s-OFDM PI/2 BPSK	1@1	22.71	23.11	0.2046
7	15	15	525500	2507.5	DFT-s-OFDM PI/2 BPSK	1@77	22.81	23.21	0.2094
7	15	15	525500	2507.5	DFT-s-OFDM QPSK	36@18	22.88	23.28	0.2128
7	15	15	525500	2507.5	DFT-s-OFDM QPSK	1@1	22.8	23.2	0.2089
7	15	15	525500	2507.5	DFT-s-OFDM QPSK	1@77	22.82	23.22	0.2099

7	15	15	525500	2507.5	DFT-s-OFDM 16 QAM	36@18	22.11	22.51	0.1782
7	15	15	525500	2507.5	DFT-s-OFDM 16 QAM	1@1	21.86	22.26	0.1683
7	15	15	525500	2507.5	DFT-s-OFDM 16 QAM	1@77	21.95	22.35	0.1718
7	15	15	525500	2507.5	DFT-s-OFDM 64 QAM	36@18	20.67	21.07	0.1279
7	15	15	525500	2507.5	DFT-s-OFDM 64 QAM	1@1	20.75	21.15	0.1303
7	15	15	525500	2507.5	DFT-s-OFDM 64 QAM	1@77	20.84	21.24	0.1330
7	15	15	525500	2507.5	DFT-s-OFDM 256 QAM	36@18	18.61	19.01	0.0796
7	15	15	525500	2507.5	DFT-s-OFDM 256 QAM	1@1	18.67	19.07	0.0807
7	15	15	525500	2507.5	DFT-s-OFDM 256 QAM	1@77	18.77	19.17	0.0826
7	15	15	525500	2507.5	CP-OFDM QPSK	39@191	20.01	20.41	0.1099
7	15	15	525500	2507.5	CP-OFDM QPSK	1@1	21.96	22.36	0.1722
7	15	15	525500	2507.5	CP-OFDM QPSK	1@77	21.97	22.37	0.1726
7	15	15	531000	2535	DFT-s-OFDM PI/2 BPSK	36@18	23.09	23.49	0.2234
7	15	15	531000	2535	DFT-s-OFDM PI/2 BPSK	1@1	22.85	23.25	0.2113
7	15	15	531000	2535	DFT-s-OFDM PI/2 BPSK	1@77	22.89	23.29	0.2133
7	15	15	531000	2535	DFT-s-OFDM QPSK	36@18	23.16	23.56	0.2270
7	15	15	531000	2535	DFT-s-OFDM QPSK	1@1	22.94	23.34	0.2158
7	15	15	531000	2535	DFT-s-OFDM QPSK	1@77	22.98	23.38	0.2178
7	15	15	531000	2535	DFT-s-OFDM 16 QAM	36@18	22.35	22.75	0.1884
7	15	15	531000	2535	DFT-s-OFDM 16 QAM	1@1	22.05	22.45	0.1758
7	15	15	531000	2535	DFT-s-OFDM 16 QAM	1@77	22.05	22.45	0.1758
7	15	15	531000	2535	DFT-s-OFDM 64 QAM	36@18	20.88	21.28	0.1343
7	15	15	531000	2535	DFT-s-OFDM 64 QAM	1@1	20.82	21.22	0.1324
7	15	15	531000	2535	DFT-s-OFDM 64 QAM	1@77	20.98	21.38	0.1374

7	15	15	531000	2535	DFT-s-OFDM 256 QAM	36@18	18.84	19.24	0.0839
7	15	15	531000	2535	DFT-s-OFDM 256 QAM	1@1	18.88	19.28	0.0847
7	15	15	531000	2535	DFT-s-OFDM 256 QAM	1@77	18.94	19.34	0.0859
7	15	15	531000	2535	CP-OFDM QPSK	39@191	20.23	20.63	0.1156
7	15	15	531000	2535	CP-OFDM QPSK	1@1	22.21	22.61	0.1824
7	15	15	531000	2535	CP-OFDM QPSK	1@77	22.2	22.6	0.1820
7	15	15	536500	2562.5	DFT-s-OFDM PI/2 BPSK	36@18	23.11	23.51	0.2244
7	15	15	536500	2562.5	DFT-s-OFDM PI/2 BPSK	1@1	22.83	23.23	0.2104
7	15	15	536500	2562.5	DFT-s-OFDM PI/2 BPSK	1@77	22.93	23.33	0.2153
7	15	15	536500	2562.5	DFT-s-OFDM QPSK	36@18	23.12	23.52	0.2249
7	15	15	536500	2562.5	DFT-s-OFDM QPSK	1@1	22.87	23.27	0.2123
7	15	15	536500	2562.5	DFT-s-OFDM QPSK	1@77	22.93	23.33	0.2153
7	15	15	536500	2562.5	DFT-s-OFDM 16 QAM	36@18	22.33	22.73	0.1875
7	15	15	536500	2562.5	DFT-s-OFDM 16 QAM	1@1	22.28	22.68	0.1854
7	15	15	536500	2562.5	DFT-s-OFDM 16 QAM	1@77	22.14	22.54	0.1795
7	15	15	536500	2562.5	DFT-s-OFDM 64 QAM	36@18	20.88	21.28	0.1343
7	15	15	536500	2562.5	DFT-s-OFDM 64 QAM	1@1	20.88	21.28	0.1343
7	15	15	536500	2562.5	DFT-s-OFDM 64 QAM	1@77	21.04	21.44	0.1393
7	15	15	536500	2562.5	DFT-s-OFDM 256 QAM	36@18	18.85	19.25	0.0841
7	15	15	536500	2562.5	DFT-s-OFDM 256 QAM	1@1	18.84	19.24	0.0839
7	15	15	536500	2562.5	DFT-s-OFDM 256 QAM	1@77	18.94	19.34	0.0859
7	15	15	536500	2562.5	CP-OFDM QPSK	39@191	20.27	20.67	0.1167
7	15	15	536500	2562.5	CP-OFDM QPSK	1@1	22.18	22.58	0.1811
7	15	15	536500	2562.5	CP-OFDM QPSK	1@77	22.51	22.91	0.1954

7	15	20	526000	2510	DFT-s-OFDM PI/2 BPSK	50@25	22.35	22.75	0.1884
7	15	20	526000	2510	DFT-s-OFDM PI/2 BPSK	1@1	22.69	23.09	0.2037
7	15	20	526000	2510	DFT-s-OFDM PI/2 BPSK	1@104	22.83	23.23	0.2104
7	15	20	526000	2510	DFT-s-OFDM QPSK	50@25	22.94	23.34	0.2158
7	15	20	526000	2510	DFT-s-OFDM QPSK	1@1	22.76	23.16	0.2070
7	15	20	526000	2510	DFT-s-OFDM QPSK	1@104	22.83	23.23	0.2104
7	15	20	526000	2510	DFT-s-OFDM 16 QAM	50@25	22.09	22.49	0.1774
7	15	20	526000	2510	DFT-s-OFDM 16 QAM	1@1	21.81	22.21	0.1663
7	15	20	526000	2510	DFT-s-OFDM 16 QAM	1@104	21.91	22.31	0.1702
7	15	20	526000	2510	DFT-s-OFDM 64 QAM	50@25	20.62	21.02	0.1265
7	15	20	526000	2510	DFT-s-OFDM 64 QAM	1@1	20.76	21.16	0.1306
7	15	20	526000	2510	DFT-s-OFDM 64 QAM	1@104	20.83	21.23	0.1327
7	15	20	526000	2510	DFT-s-OFDM 256 QAM	50@25	18.55	18.95	0.0785
7	15	20	526000	2510	DFT-s-OFDM 256 QAM	1@1	18.63	19.03	0.0800
7	15	20	526000	2510	DFT-s-OFDM 256 QAM	1@104	18.77	19.17	0.0826
7	15	20	526000	2510	CP-OFDM QPSK	53@26	21.62	22.02	0.1592
7	15	20	526000	2510	CP-OFDM QPSK	1@1	21.91	22.31	0.1702
7	15	20	526000	2510	CP-OFDM QPSK	1@104	22.09	22.49	0.1774
7	15	20	531000	2535	DFT-s-OFDM PI/2 BPSK	50@25	23.09	23.49	0.2234
7	15	20	531000	2535	DFT-s-OFDM PI/2 BPSK	1@1	22.83	23.23	0.2104
7	15	20	531000	2535	DFT-s-OFDM PI/2 BPSK	1@104	22.88	23.28	0.2128
7	15	20	531000	2535	DFT-s-OFDM QPSK	50@25	23.12	23.52	0.2249
7	15	20	531000	2535	DFT-s-OFDM QPSK	1@1	22.93	23.33	0.2153
7	15	20	531000	2535	DFT-s-OFDM QPSK	1@104	22.95	23.35	0.2163

7	15	20	531000	2535	DFT-s-OFDM 16 QAM	50@25	22.38	22.78	0.1897
7	15	20	531000	2535	DFT-s-OFDM 16 QAM	1@1	21.97	22.37	0.1726
7	15	20	531000	2535	DFT-s-OFDM 16 QAM	1@104	22.02	22.42	0.1746
7	15	20	531000	2535	DFT-s-OFDM 64 QAM	50@25	20.85	21.25	0.1334
7	15	20	531000	2535	DFT-s-OFDM 64 QAM	1@1	20.91	21.31	0.1352
7	15	20	531000	2535	DFT-s-OFDM 64 QAM	1@104	20.91	21.31	0.1352
7	15	20	531000	2535	DFT-s-OFDM 256 QAM	50@25	18.95	19.35	0.0861
7	15	20	531000	2535	DFT-s-OFDM 256 QAM	1@1	18.79	19.19	0.0830
7	15	20	531000	2535	DFT-s-OFDM 256 QAM	1@104	19.08	19.48	0.0887
7	15	20	531000	2535	CP-OFDM QPSK	53@26	21.86	22.26	0.1683
7	15	20	531000	2535	CP-OFDM QPSK	1@1	22.04	22.44	0.1754
7	15	20	531000	2535	CP-OFDM QPSK	1@104	22.25	22.65	0.1841
7	15	20	536000	2560	DFT-s-OFDM PI/2 BPSK	50@25	23.16	23.56	0.2270
7	15	20	536000	2560	DFT-s-OFDM PI/2 BPSK	1@1	22.83	23.23	0.2104
7	15	20	536000	2560	DFT-s-OFDM PI/2 BPSK	1@104	22.96	23.36	0.2168
7	15	20	536000	2560	DFT-s-OFDM QPSK	50@25	23.14	23.54	0.2259
7	15	20	536000	2560	DFT-s-OFDM QPSK	1@1	22.86	23.26	0.2118
7	15	20	536000	2560	DFT-s-OFDM QPSK	1@104	22.99	23.39	0.2183
7	15	20	536000	2560	DFT-s-OFDM 16 QAM	50@25	22.35	22.75	0.1884
7	15	20	536000	2560	DFT-s-OFDM 16 QAM	1@1	22.19	22.59	0.1816
7	15	20	536000	2560	DFT-s-OFDM 16 QAM	1@104	22.15	22.55	0.1799
7	15	20	536000	2560	DFT-s-OFDM 64 QAM	50@25	20.76	21.16	0.1306
7	15	20	536000	2560	DFT-s-OFDM 64 QAM	1@1	20.89	21.29	0.1346
7	15	20	536000	2560	DFT-s-OFDM 64 QAM	1@104	21.01	21.41	0.1384

7	15	20	536000	2560	DFT-s-OFDM 256 QAM	50@25	18.76	19.16	0.0824
7	15	20	536000	2560	DFT-s-OFDM 256 QAM	1@1	18.56	18.96	0.0787
7	15	20	536000	2560	DFT-s-OFDM 256 QAM	1@104	18.99	19.39	0.0869
7	15	20	536000	2560	CP-OFDM QPSK	53@26	21.83	22.23	0.1671
7	15	20	536000	2560	CP-OFDM QPSK	1@1	22.1	22.5	0.1778
7	15	20	536000	2560	CP-OFDM QPSK	1@104	22.68	23.08	0.2032

FR1 N66

LTE Band: 7, LTE BW: 20M, LTE ARFCN: Mid

Transmitter Conducted Output Power And ERP/EIRP, (G_T - L_C)=-0.5dB

NR Band	SCS (kHz)	Bandwidth (MHz)	Arfcn	Freq (MHz)	Modulation	RB	Conducted Power(dBm)	EIRP (dBm)	EIRP (W)
66	15	5	422500	1712.5	DFT-s-OFDM PI/2 BPSK	12@6	23.04	22.54	0.1795
66	15	5	422500	1712.5	DFT-s-OFDM PI/2 BPSK	1@1	22.95	22.45	0.1758
66	15	5	422500	1712.5	DFT-s-OFDM PI/2 BPSK	1@23	22.99	22.49	0.1774
66	15	5	422500	1712.5	DFT-s-OFDM QPSK	12@6	23.1	22.6	0.182
66	15	5	422500	1712.5	DFT-s-OFDM QPSK	1@1	23.22	22.72	0.1871
66	15	5	422500	1712.5	DFT-s-OFDM QPSK	1@23	23.32	22.82	0.1914
66	15	5	422500	1712.5	DFT-s-OFDM 16 QAM	12@6	22.34	21.84	0.1528
66	15	5	422500	1712.5	DFT-s-OFDM 16 QAM	1@1	22.32	21.82	0.1521
66	15	5	422500	1712.5	DFT-s-OFDM 16 QAM	1@23	22.36	21.86	0.1535
66	15	5	422500	1712.5	DFT-s-OFDM 64 QAM	12@6	20.77	20.27	0.1064
66	15	5	422500	1712.5	DFT-s-OFDM 64 QAM	1@1	20.92	20.42	0.1102
66	15	5	422500	1712.5	DFT-s-OFDM 64 QAM	1@23	20.99	20.49	0.1119
66	15	5	422500	1712.5	DFT-s-OFDM 256 QAM	12@6	18.69	18.19	0.0659
66	15	5	422500	1712.5	DFT-s-OFDM 256 QAM	1@1	18.51	18.01	0.0632
66	15	5	422500	1712.5	DFT-s-OFDM 256 QAM	1@23	18.57	18.07	0.0641
66	15	5	422500	1712.5	CP-OFDM QPSK	13@6	21.73	21.23	0.1327
66	15	5	422500	1712.5	CP-OFDM QPSK	1@1	21.66	21.16	0.1306
66	15	5	422500	1712.5	CP-OFDM QPSK	1@23	21.7	21.2	0.1318

66	15	5	429000	1745.0	DFT-s-OFDM PI/2 BPSK	12@6	23.3	22.8	0.1905
66	15	5	429000	1745.0	DFT-s-OFDM PI/2 BPSK	1@1	23.19	22.69	0.1858
66	15	5	429000	1745.0	DFT-s-OFDM PI/2 BPSK	1@23	23.17	22.67	0.1849
66	15	5	429000	1745.0	DFT-s-OFDM QPSK	12@6	23.32	22.82	0.1914
66	15	5	429000	1745.0	DFT-s-OFDM QPSK	1@1	23.49	22.99	0.1991
66	15	5	429000	1745.0	DFT-s-OFDM QPSK	1@23	23.46	22.96	0.1977
66	15	5	429000	1745.0	DFT-s-OFDM 16 QAM	12@6	22.56	22.06	0.1607
66	15	5	429000	1745.0	DFT-s-OFDM 16 QAM	1@1	22.66	22.16	0.1644
66	15	5	429000	1745.0	DFT-s-OFDM 16 QAM	1@23	22.65	22.15	0.1641
66	15	5	429000	1745.0	DFT-s-OFDM 64 QAM	12@6	21.01	20.51	0.1125
66	15	5	429000	1745.0	DFT-s-OFDM 64 QAM	1@1	21.13	20.63	0.1156
66	15	5	429000	1745.0	DFT-s-OFDM 64 QAM	1@23	21.21	20.71	0.1178
66	15	5	429000	1745.0	DFT-s-OFDM 256 QAM	12@6	18.9	18.4	0.0692
66	15	5	429000	1745.0	DFT-s-OFDM 256 QAM	1@1	18.45	17.95	0.0624
66	15	5	429000	1745.0	DFT-s-OFDM 256 QAM	1@23	18.75	18.25	0.0668
66	15	5	429000	1745.0	CP-OFDM QPSK	13@6	21.86	21.36	0.1368
66	15	5	429000	1745.0	CP-OFDM QPSK	1@1	21.92	21.42	0.1387
66	15	5	429000	1745.0	CP-OFDM QPSK	1@23	21.91	21.41	0.1384
66	15	5	435500	1777.5	DFT-s-OFDM PI/2 BPSK	12@6	23.17	22.67	0.1849
66	15	5	435500	1777.5	DFT-s-OFDM PI/2 BPSK	1@1	23.07	22.57	0.1807
66	15	5	435500	1777.5	DFT-s-OFDM PI/2 BPSK	1@23	23.16	22.66	0.1845
66	15	5	435500	1777.5	DFT-s-OFDM QPSK	12@6	23.17	22.67	0.1849
66	15	5	435500	1777.5	DFT-s-OFDM QPSK	1@1	23.31	22.81	0.191
66	15	5	435500	1777.5	DFT-s-OFDM QPSK	1@23	23.32	22.82	0.1914

66	15	5	435500	1777.5	DFT-s-OFDM 16 QAM	12@6	22.39	21.89	0.1545
66	15	5	435500	1777.5	DFT-s-OFDM 16 QAM	1@1	22.38	21.88	0.1542
66	15	5	435500	1777.5	DFT-s-OFDM 16 QAM	1@23	22.48	21.98	0.1578
66	15	5	435500	1777.5	DFT-s-OFDM 64 QAM	12@6	20.97	20.47	0.1114
66	15	5	435500	1777.5	DFT-s-OFDM 64 QAM	1@1	21.06	20.56	0.1138
66	15	5	435500	1777.5	DFT-s-OFDM 64 QAM	1@23	21.13	20.63	0.1156
66	15	5	435500	1777.5	DFT-s-OFDM 256 QAM	12@6	18.79	18.29	0.0675
66	15	5	435500	1777.5	DFT-s-OFDM 256 QAM	1@1	18.6	18.1	0.0646
66	15	5	435500	1777.5	DFT-s-OFDM 256 QAM	1@23	18.68	18.18	0.0658
66	15	5	435500	1777.5	CP-OFDM QPSK	13@6	21.84	21.34	0.1361
66	15	5	435500	1777.5	CP-OFDM QPSK	1@1	21.76	21.26	0.1337
66	15	5	435500	1777.5	CP-OFDM QPSK	1@23	21.8	21.3	0.1349
66	15	10	423000	1715.0	DFT-s-OFDM PI/2 BPSK	25@12	22.43	21.93	0.156
66	15	10	423000	1715.0	DFT-s-OFDM PI/2 BPSK	1@1	22.82	22.32	0.1706
66	15	10	423000	1715.0	DFT-s-OFDM PI/2 BPSK	1@50	22.94	22.44	0.1754
66	15	10	423000	1715.0	DFT-s-OFDM QPSK	25@12	22.99	22.49	0.1774
66	15	10	423000	1715.0	DFT-s-OFDM QPSK	1@1	23.05	22.55	0.1799
66	15	10	423000	1715.0	DFT-s-OFDM QPSK	1@50	23.14	22.64	0.1837
66	15	10	423000	1715.0	DFT-s-OFDM 16 QAM	25@12	22.19	21.69	0.1476
66	15	10	423000	1715.0	DFT-s-OFDM 16 QAM	1@1	22.18	21.68	0.1472
66	15	10	423000	1715.0	DFT-s-OFDM 16 QAM	1@50	22.26	21.76	0.15
66	15	10	423000	1715.0	DFT-s-OFDM 64 QAM	25@12	20.68	20.18	0.1042
66	15	10	423000	1715.0	DFT-s-OFDM 64 QAM	1@1	20.79	20.29	0.1069
66	15	10	423000	1715.0	DFT-s-OFDM 64 QAM	1@50	20.84	20.34	0.1081

66	15	10	423000	1715.0	DFT-s-OFDM 256 QAM	25@12	18.56	18.06	0.064
66	15	10	423000	1715.0	DFT-s-OFDM 256 QAM	1@1	18.34	17.84	0.0608
66	15	10	423000	1715.0	DFT-s-OFDM 256 QAM	1@50	18.41	17.91	0.0618
66	15	10	423000	1715.0	CP-OFDM QPSK	26@13	21.67	21.17	0.1309
66	15	10	423000	1715.0	CP-OFDM QPSK	1@1	21.52	21.02	0.1265
66	15	10	423000	1715.0	CP-OFDM QPSK	1@50	21.61	21.11	0.1291
66	15	10	429000	1745.0	DFT-s-OFDM PI/2 BPSK	25@12	23.19	22.69	0.1858
66	15	10	429000	1745.0	DFT-s-OFDM PI/2 BPSK	1@1	22.95	22.45	0.1758
66	15	10	429000	1745.0	DFT-s-OFDM PI/2 BPSK	1@50	22.91	22.41	0.1742
66	15	10	429000	1745.0	DFT-s-OFDM QPSK	25@12	23.23	22.73	0.1875
66	15	10	429000	1745.0	DFT-s-OFDM QPSK	1@1	23.29	22.79	0.1901
66	15	10	429000	1745.0	DFT-s-OFDM QPSK	1@50	23.25	22.75	0.1884
66	15	10	429000	1745.0	DFT-s-OFDM 16 QAM	25@12	22.43	21.93	0.156
66	15	10	429000	1745.0	DFT-s-OFDM 16 QAM	1@1	22.38	21.88	0.1542
66	15	10	429000	1745.0	DFT-s-OFDM 16 QAM	1@50	22.3	21.8	0.1514
66	15	10	429000	1745.0	DFT-s-OFDM 64 QAM	25@12	20.95	20.45	0.1109
66	15	10	429000	1745.0	DFT-s-OFDM 64 QAM	1@1	20.98	20.48	0.1117
66	15	10	429000	1745.0	DFT-s-OFDM 64 QAM	1@50	21.0	20.5	0.1122
66	15	10	429000	1745.0	DFT-s-OFDM 256 QAM	25@12	18.79	18.29	0.0675
66	15	10	429000	1745.0	DFT-s-OFDM 256 QAM	1@1	18.58	18.08	0.0643
66	15	10	429000	1745.0	DFT-s-OFDM 256 QAM	1@50	18.54	18.04	0.0637
66	15	10	429000	1745.0	CP-OFDM QPSK	26@13	21.81	21.31	0.1352
66	15	10	429000	1745.0	CP-OFDM QPSK	1@1	21.72	21.22	0.1324
66	15	10	429000	1745.0	CP-OFDM QPSK	1@50	21.73	21.23	0.1327

66	15	10	435000	1775.0	DFT-s-OFDM PI/2 BPSK	25@12	23.0	22.5	0.1778
66	15	10	435000	1775.0	DFT-s-OFDM PI/2 BPSK	1@1	22.84	22.34	0.1714
66	15	10	435000	1775.0	DFT-s-OFDM PI/2 BPSK	1@50	22.98	22.48	0.177
66	15	10	435000	1775.0	DFT-s-OFDM QPSK	25@12	23.05	22.55	0.1799
66	15	10	435000	1775.0	DFT-s-OFDM QPSK	1@1	23.05	22.55	0.1799
66	15	10	435000	1775.0	DFT-s-OFDM QPSK	1@50	23.25	22.75	0.1884
66	15	10	435000	1775.0	DFT-s-OFDM 16 QAM	25@12	22.27	21.77	0.1503
66	15	10	435000	1775.0	DFT-s-OFDM 16 QAM	1@1	22.17	21.67	0.1469
66	15	10	435000	1775.0	DFT-s-OFDM 16 QAM	1@50	22.33	21.83	0.1524
66	15	10	435000	1775.0	DFT-s-OFDM 64 QAM	25@12	20.74	20.24	0.1057
66	15	10	435000	1775.0	DFT-s-OFDM 64 QAM	1@1	20.67	20.17	0.104
66	15	10	435000	1775.0	DFT-s-OFDM 64 QAM	1@50	21.0	20.5	0.1122
66	15	10	435000	1775.0	DFT-s-OFDM 256 QAM	25@12	18.63	18.13	0.065
66	15	10	435000	1775.0	DFT-s-OFDM 256 QAM	1@1	18.37	17.87	0.0612
66	15	10	435000	1775.0	DFT-s-OFDM 256 QAM	1@50	18.7	18.2	0.0661
66	15	10	435000	1775.0	CP-OFDM QPSK	26@13	21.73	21.23	0.1327
66	15	10	435000	1775.0	CP-OFDM QPSK	1@1	21.56	21.06	0.1276
66	15	10	435000	1775.0	CP-OFDM QPSK	1@50	21.66	21.16	0.1306
66	15	15	423500	1717.5	DFT-s-OFDM PI/2 BPSK	36@18	23.1	22.6	0.182
66	15	15	423500	1717.5	DFT-s-OFDM PI/2 BPSK	1@1	22.92	22.42	0.1746
66	15	15	423500	1717.5	DFT-s-OFDM PI/2 BPSK	1@77	22.93	22.43	0.175
66	15	15	423500	1717.5	DFT-s-OFDM QPSK	36@18	23.19	22.69	0.1858
66	15	15	423500	1717.5	DFT-s-OFDM QPSK	1@1	22.81	22.31	0.1702
66	15	15	423500	1717.5	DFT-s-OFDM QPSK	1@77	22.92	22.42	0.1746

66	15	15	423500	1717.5	DFT-s-OFDM 16 QAM	36@18	22.32	21.82	0.1521
66	15	15	423500	1717.5	DFT-s-OFDM 16 QAM	1@1	22.08	21.58	0.1439
66	15	15	423500	1717.5	DFT-s-OFDM 16 QAM	1@77	22.13	21.63	0.1455
66	15	15	423500	1717.5	DFT-s-OFDM 64 QAM	36@18	20.74	20.24	0.1057
66	15	15	423500	1717.5	DFT-s-OFDM 64 QAM	1@1	20.45	19.95	0.0989
66	15	15	423500	1717.5	DFT-s-OFDM 64 QAM	1@77	20.53	20.03	0.1007
66	15	15	423500	1717.5	DFT-s-OFDM 256 QAM	36@18	18.77	18.27	0.0671
66	15	15	423500	1717.5	DFT-s-OFDM 256 QAM	1@1	18.77	18.27	0.0671
66	15	15	423500	1717.5	DFT-s-OFDM 256 QAM	1@77	18.92	18.42	0.0695
66	15	15	423500	1717.5	CP-OFDM QPSK	39@191	20.23	19.73	0.094
66	15	15	423500	1717.5	CP-OFDM QPSK	1@1	21.51	21.01	0.1262
66	15	15	423500	1717.5	CP-OFDM QPSK	1@77	21.51	21.01	0.1262
66	15	15	429000	1745.0	DFT-s-OFDM PI/2 BPSK	36@18	23.04	22.54	0.1795
66	15	15	429000	1745.0	DFT-s-OFDM PI/2 BPSK	1@1	22.96	22.46	0.1762
66	15	15	429000	1745.0	DFT-s-OFDM PI/2 BPSK	1@77	22.97	22.47	0.1766
66	15	15	429000	1745.0	DFT-s-OFDM QPSK	36@18	23.13	22.63	0.1832
66	15	15	429000	1745.0	DFT-s-OFDM QPSK	1@1	22.98	22.48	0.177
66	15	15	429000	1745.0	DFT-s-OFDM QPSK	1@77	22.93	22.43	0.175
66	15	15	429000	1745.0	DFT-s-OFDM 16 QAM	36@18	22.32	21.82	0.1521
66	15	15	429000	1745.0	DFT-s-OFDM 16 QAM	1@1	22.12	21.62	0.1452
66	15	15	429000	1745.0	DFT-s-OFDM 16 QAM	1@77	22.09	21.59	0.1442
66	15	15	429000	1745.0	DFT-s-OFDM 64 QAM	36@18	20.79	20.29	0.1069
66	15	15	429000	1745.0	DFT-s-OFDM 64 QAM	1@1	20.45	19.95	0.0989
66	15	15	429000	1745.0	DFT-s-OFDM 64 QAM	1@77	20.48	19.98	0.0995

66	15	15	429000	1745.0	DFT-s-OFDM 256 QAM	36@18	18.74	18.24	0.0667
66	15	15	429000	1745.0	DFT-s-OFDM 256 QAM	1@1	18.84	18.34	0.0682
66	15	15	429000	1745.0	DFT-s-OFDM 256 QAM	1@77	18.87	18.37	0.0687
66	15	15	429000	1745.0	CP-OFDM QPSK	39@191	20.18	19.68	0.0929
66	15	15	429000	1745.0	CP-OFDM QPSK	1@1	21.51	21.01	0.1262
66	15	15	429000	1745.0	CP-OFDM QPSK	1@77	21.49	20.99	0.1256
66	15	15	434500	1772.5	DFT-s-OFDM PI/2 BPSK	36@18	22.9	22.4	0.1738
66	15	15	434500	1772.5	DFT-s-OFDM PI/2 BPSK	1@1	22.73	22.23	0.1671
66	15	15	434500	1772.5	DFT-s-OFDM PI/2 BPSK	1@77	22.86	22.36	0.1722
66	15	15	434500	1772.5	DFT-s-OFDM QPSK	36@18	22.98	22.48	0.177
66	15	15	434500	1772.5	DFT-s-OFDM QPSK	1@1	22.72	22.22	0.1667
66	15	15	434500	1772.5	DFT-s-OFDM QPSK	1@77	22.87	22.37	0.1726
66	15	15	434500	1772.5	DFT-s-OFDM 16 QAM	36@18	21.47	20.97	0.125
66	15	15	434500	1772.5	DFT-s-OFDM 16 QAM	1@1	22.16	21.66	0.1466
66	15	15	434500	1772.5	DFT-s-OFDM 16 QAM	1@77	22.09	21.59	0.1442
66	15	15	434500	1772.5	DFT-s-OFDM 64 QAM	36@18	20.65	20.15	0.1035
66	15	15	434500	1772.5	DFT-s-OFDM 64 QAM	1@1	20.21	19.71	0.0935
66	15	15	434500	1772.5	DFT-s-OFDM 64 QAM	1@77	20.4	19.9	0.0977
66	15	15	434500	1772.5	DFT-s-OFDM 256 QAM	36@18	18.66	18.16	0.0655
66	15	15	434500	1772.5	DFT-s-OFDM 256 QAM	1@1	18.64	18.14	0.0652
66	15	15	434500	1772.5	DFT-s-OFDM 256 QAM	1@77	18.84	18.34	0.0682
66	15	15	434500	1772.5	CP-OFDM QPSK	39@191	20.05	19.55	0.0902
66	15	15	434500	1772.5	CP-OFDM QPSK	1@1	21.45	20.95	0.1245
66	15	15	434500	1772.5	CP-OFDM QPSK	1@77	21.35	20.85	0.1216

66	15	20	424000	1720.0	DFT-s-OFDM PI/2 BPSK	50@25	22.58	22.08	0.1614
66	15	20	424000	1720.0	DFT-s-OFDM PI/2 BPSK	1@1	22.81	22.31	0.1702
66	15	20	424000	1720.0	DFT-s-OFDM PI/2 BPSK	1@104	22.92	22.42	0.1746
66	15	20	424000	1720.0	DFT-s-OFDM QPSK	50@25	23.19	22.69	0.1858
66	15	20	424000	1720.0	DFT-s-OFDM QPSK	1@1	23.02	22.52	0.1786
66	15	20	424000	1720.0	DFT-s-OFDM QPSK	1@104	23.14	22.64	0.1837
66	15	20	424000	1720.0	DFT-s-OFDM 16 QAM	50@25	22.37	21.87	0.1538
66	15	20	424000	1720.0	DFT-s-OFDM 16 QAM	1@1	22.23	21.73	0.1489
66	15	20	424000	1720.0	DFT-s-OFDM 16 QAM	1@104	22.32	21.82	0.1521
66	15	20	424000	1720.0	DFT-s-OFDM 64 QAM	50@25	20.82	20.32	0.1076
66	15	20	424000	1720.0	DFT-s-OFDM 64 QAM	1@1	20.85	20.35	0.1084
66	15	20	424000	1720.0	DFT-s-OFDM 64 QAM	1@104	21.0	20.5	0.1122
66	15	20	424000	1720.0	DFT-s-OFDM 256 QAM	50@25	18.75	18.25	0.0668
66	15	20	424000	1720.0	DFT-s-OFDM 256 QAM	1@1	18.34	17.84	0.0608
66	15	20	424000	1720.0	DFT-s-OFDM 256 QAM	1@104	18.53	18.03	0.0635
66	15	20	424000	1720.0	CP-OFDM QPSK	53@26	21.83	21.33	0.1358
66	15	20	424000	1720.0	CP-OFDM QPSK	1@1	21.53	21.03	0.1268
66	15	20	424000	1720.0	CP-OFDM QPSK	1@104	21.76	21.26	0.1337
66	15	20	429000	1745.0	DFT-s-OFDM PI/2 BPSK	50@25	23.32	22.82	0.1914
66	15	20	429000	1745.0	DFT-s-OFDM PI/2 BPSK	1@1	23.09	22.59	0.1816
66	15	20	429000	1745.0	DFT-s-OFDM PI/2 BPSK	1@104	23.13	22.63	0.1832
66	15	20	429000	1745.0	DFT-s-OFDM QPSK	50@25	23.38	22.88	0.1941
66	15	20	429000	1745.0	DFT-s-OFDM QPSK	1@1	23.25	22.75	0.1884
66	15	20	429000	1745.0	DFT-s-OFDM QPSK	1@104	23.29	22.79	0.1901

66	15	20	429000	1745.0	DFT-s-OFDM 16 QAM	50@25	22.59	22.09	0.1618
66	15	20	429000	1745.0	DFT-s-OFDM 16 QAM	1@1	22.39	21.89	0.1545
66	15	20	429000	1745.0	DFT-s-OFDM 16 QAM	1@104	22.46	21.96	0.157
66	15	20	429000	1745.0	DFT-s-OFDM 64 QAM	50@25	21.03	20.53	0.113
66	15	20	429000	1745.0	DFT-s-OFDM 64 QAM	1@1	21.04	20.54	0.1132
66	15	20	429000	1745.0	DFT-s-OFDM 64 QAM	1@104	21.06	20.56	0.1138
66	15	20	429000	1745.0	DFT-s-OFDM 256 QAM	50@25	18.94	18.44	0.0698
66	15	20	429000	1745.0	DFT-s-OFDM 256 QAM	1@1	18.6	18.1	0.0646
66	15	20	429000	1745.0	DFT-s-OFDM 256 QAM	1@104	18.63	18.13	0.065
66	15	20	429000	1745.0	CP-OFDM QPSK	53@26	22.01	21.51	0.1416
66	15	20	429000	1745.0	CP-OFDM QPSK	1@1	21.67	21.17	0.1309
66	15	20	429000	1745.0	CP-OFDM QPSK	1@104	21.84	21.34	0.1361
66	15	20	434000	1770.0	DFT-s-OFDM PI/2 BPSK	50@25	23.16	22.66	0.1845
66	15	20	434000	1770.0	DFT-s-OFDM PI/2 BPSK	1@1	22.94	22.44	0.1754
66	15	20	434000	1770.0	DFT-s-OFDM PI/2 BPSK	1@104	23.03	22.53	0.1791
66	15	20	434000	1770.0	DFT-s-OFDM QPSK	50@25	23.14	22.64	0.1837
66	15	20	434000	1770.0	DFT-s-OFDM QPSK	1@1	23.08	22.58	0.1811
66	15	20	434000	1770.0	DFT-s-OFDM QPSK	1@104	23.33	22.83	0.1919
66	15	20	434000	1770.0	DFT-s-OFDM 16 QAM	50@25	22.38	21.88	0.1542
66	15	20	434000	1770.0	DFT-s-OFDM 16 QAM	1@1	22.32	21.82	0.1521
66	15	20	434000	1770.0	DFT-s-OFDM 16 QAM	1@104	22.43	21.93	0.156
66	15	20	434000	1770.0	DFT-s-OFDM 64 QAM	50@25	20.85	20.35	0.1084
66	15	20	434000	1770.0	DFT-s-OFDM 64 QAM	1@1	20.91	20.41	0.1099
66	15	20	434000	1770.0	DFT-s-OFDM 64 QAM	1@104	21.06	20.56	0.1138

66	15	20	434000	1770.0	DFT-s-OFDM 256 QAM	50@25	18.83	18.33	0.0681
66	15	20	434000	1770.0	DFT-s-OFDM 256 QAM	1@1	18.44	17.94	0.0622
66	15	20	434000	1770.0	DFT-s-OFDM 256 QAM	1@104	18.62	18.12	0.0649
66	15	20	434000	1770.0	CP-OFDM QPSK	53@26	21.86	21.36	0.1368
66	15	20	434000	1770.0	CP-OFDM QPSK	1@1	21.63	21.13	0.1297
66	15	20	434000	1770.0	CP-OFDM QPSK	1@104	21.84	21.34	0.1361
66	15	40	426000	1730.0	DFT-s-OFDM PI/2 BPSK	108@54	22.62	22.12	0.1629
66	15	40	426000	1730.0	DFT-s-OFDM PI/2 BPSK	1@1	22.36	21.86	0.1535
66	15	40	426000	1730.0	DFT-s-OFDM PI/2 BPSK	1@214	22.62	22.12	0.1629
66	15	40	426000	1730.0	DFT-s-OFDM QPSK	108@54	23.25	22.75	0.1884
66	15	40	426000	1730.0	DFT-s-OFDM QPSK	1@1	22.61	22.11	0.1626
66	15	40	426000	1730.0	DFT-s-OFDM QPSK	1@214	22.86	22.36	0.1722
66	15	40	426000	1730.0	DFT-s-OFDM 16 QAM	108@54	22.48	21.98	0.1578
66	15	40	426000	1730.0	DFT-s-OFDM 16 QAM	1@1	21.84	21.34	0.1361
66	15	40	426000	1730.0	DFT-s-OFDM 16 QAM	1@214	22.02	21.52	0.1419
66	15	40	426000	1730.0	DFT-s-OFDM 64 QAM	108@54	20.94	20.44	0.1107
66	15	40	426000	1730.0	DFT-s-OFDM 64 QAM	1@1	20.39	19.89	0.0975
66	15	40	426000	1730.0	DFT-s-OFDM 64 QAM	1@214	20.65	20.15	0.1035
66	15	40	426000	1730.0	DFT-s-OFDM 256 QAM	108@54	18.83	18.33	0.0681
66	15	40	426000	1730.0	DFT-s-OFDM 256 QAM	1@1	17.94	17.44	0.0555
66	15	40	426000	1730.0	DFT-s-OFDM 256 QAM	1@214	18.23	17.73	0.0593
66	15	40	426000	1730.0	CP-OFDM QPSK	108@54	21.86	21.36	0.1368
66	15	40	426000	1730.0	CP-OFDM QPSK	1@1	21.11	20.61	0.1151
66	15	40	426000	1730.0	CP-OFDM QPSK	1@214	21.37	20.87	0.1222

66	15	40	429000	1745.0	DFT-s-OFDM PI/2 BPSK	108@54	23.26	22.76	0.1888
66	15	40	429000	1745.0	DFT-s-OFDM PI/2 BPSK	1@1	22.46	21.96	0.157
66	15	40	429000	1745.0	DFT-s-OFDM PI/2 BPSK	1@214	22.57	22.07	0.1611
66	15	40	429000	1745.0	DFT-s-OFDM QPSK	108@54	23.3	22.8	0.1905
66	15	40	429000	1745.0	DFT-s-OFDM QPSK	1@1	22.61	22.11	0.1626
66	15	40	429000	1745.0	DFT-s-OFDM QPSK	1@214	22.72	22.22	0.1667
66	15	40	429000	1745.0	DFT-s-OFDM 16 QAM	108@54	22.43	21.93	0.156
66	15	40	429000	1745.0	DFT-s-OFDM 16 QAM	1@1	21.9	21.4	0.138
66	15	40	429000	1745.0	DFT-s-OFDM 16 QAM	1@214	21.93	21.43	0.139
66	15	40	429000	1745.0	DFT-s-OFDM 64 QAM	108@54	20.95	20.45	0.1109
66	15	40	429000	1745.0	DFT-s-OFDM 64 QAM	1@1	20.5	20.0	0.1
66	15	40	429000	1745.0	DFT-s-OFDM 64 QAM	1@214	20.55	20.05	0.1012
66	15	40	429000	1745.0	DFT-s-OFDM 256 QAM	108@54	18.89	18.39	0.069
66	15	40	429000	1745.0	DFT-s-OFDM 256 QAM	1@1	18.07	17.57	0.0571
66	15	40	429000	1745.0	DFT-s-OFDM 256 QAM	1@214	18.18	17.68	0.0586
66	15	40	429000	1745.0	CP-OFDM QPSK	108@54	21.92	21.42	0.1387
66	15	40	429000	1745.0	CP-OFDM QPSK	1@1	21.2	20.7	0.1175
66	15	40	429000	1745.0	CP-OFDM QPSK	1@214	21.27	20.77	0.1194
66	15	40	432000	1760.0	DFT-s-OFDM PI/2 BPSK	108@54	23.15	22.65	0.1841
66	15	40	432000	1760.0	DFT-s-OFDM PI/2 BPSK	1@1	22.58	22.08	0.1614
66	15	40	432000	1760.0	DFT-s-OFDM PI/2 BPSK	1@214	22.6	22.1	0.1622
66	15	40	432000	1760.0	DFT-s-OFDM QPSK	108@54	23.14	22.64	0.1837
66	15	40	432000	1760.0	DFT-s-OFDM QPSK	1@1	22.8	22.3	0.1698
66	15	40	432000	1760.0	DFT-s-OFDM QPSK	1@214	22.84	22.34	0.1714

66	15	40	432000	1760.0	DFT-s-OFDM 16 QAM	108@54	22.29	21.79	0.151
66	15	40	432000	1760.0	DFT-s-OFDM 16 QAM	1@1	21.99	21.49	0.1409
66	15	40	432000	1760.0	DFT-s-OFDM 16 QAM	1@214	21.97	21.47	0.1403
66	15	40	432000	1760.0	DFT-s-OFDM 64 QAM	108@54	20.85	20.35	0.1084
66	15	40	432000	1760.0	DFT-s-OFDM 64 QAM	1@1	20.58	20.08	0.1019
66	15	40	432000	1760.0	DFT-s-OFDM 64 QAM	1@214	20.57	20.07	0.1016
66	15	40	432000	1760.0	DFT-s-OFDM 256 QAM	108@54	18.74	18.24	0.0667
66	15	40	432000	1760.0	DFT-s-OFDM 256 QAM	1@1	18.2	17.7	0.0589
66	15	40	432000	1760.0	DFT-s-OFDM 256 QAM	1@214	18.22	17.72	0.0592
66	15	40	432000	1760.0	CP-OFDM QPSK	108@54	21.78	21.28	0.1343
66	15	40	432000	1760.0	CP-OFDM QPSK	1@1	21.27	20.77	0.1194
66	15	40	432000	1760.0	CP-OFDM QPSK	1@214	21.33	20.83	0.1211


Frequency Stability

NR Band	SCS (kHz)	Bandwidth (MHz)	Arfcn	Freq (MHz)	Modulation	RB	Deviation (ppm)	Verdict	Environment
66	15	20	429000	1745.0	DFT-s-OFDM QPSK	100@0	-0.00241	PASS	NV
66	15	20	429000	1745.0	DFT-s-OFDM QPSK	100@0	-0.00733	PASS	LV
66	15	20	429000	1745.0	DFT-s-OFDM QPSK	100@0	-0.00347	PASS	HV
66	15	20	429000	1745.0	DFT-s-OFDM QPSK	100@0	-0.00421	PASS	-30°C
66	15	20	429000	1745.0	DFT-s-OFDM QPSK	100@0	-0.00256	PASS	-20°C
66	15	20	429000	1745.0	DFT-s-OFDM QPSK	100@0	-0.00318	PASS	-10°C
66	15	20	429000	1745.0	DFT-s-OFDM QPSK	100@0	-0.00341	PASS	0°C
66	15	20	429000	1745.0	DFT-s-OFDM QPSK	100@0	-0.00409	PASS	10°C
66	15	20	429000	1745.0	DFT-s-OFDM QPSK	100@0	-0.00443	PASS	20°C
66	15	20	429000	1745.0	DFT-s-OFDM QPSK	100@0	-0.00528	PASS	30°C
66	15	20	429000	1745.0	DFT-s-OFDM QPSK	100@0	-0.00409	PASS	40°C
66	15	20	429000	1745.0	DFT-s-OFDM QPSK	100@0	-0.00489	PASS	50°C

Peak to Average Ratio

NR Band	SCS (kHz)	Bandwidth (MHz)	Arcfn	Freq (MHz)	Modulation	RB	Result (dB)	Limit (dB)	Verdict
66	15	20	424000	1720.0	DFT-s-OFDM PI/2 BPSK	100@0	4.32	13	PASS
66	15	20	424000	1720.0	DFT-s-OFDM PI/2 BPSK	1@0	3.46	13	PASS
66	15	20	424000	1720.0	DFT-s-OFDM PI/2 BPSK	1@105	3.57	13	PASS
66	15	20	424000	1720.0	DFT-s-OFDM QPSK	100@0	5.46	13	PASS
66	15	20	424000	1720.0	DFT-s-OFDM QPSK	1@0	5.36	13	PASS
66	15	20	424000	1720.0	DFT-s-OFDM QPSK	1@105	5.37	13	PASS
66	15	20	429000	1745.0	DFT-s-OFDM PI/2 BPSK	100@0	4.19	13	PASS
66	15	20	429000	1745.0	DFT-s-OFDM PI/2 BPSK	1@0	3.54	13	PASS
66	15	20	429000	1745.0	DFT-s-OFDM PI/2 BPSK	1@105	3.51	13	PASS
66	15	20	429000	1745.0	DFT-s-OFDM QPSK	100@0	5.45	13	PASS
66	15	20	429000	1745.0	DFT-s-OFDM QPSK	1@0	5.54	13	PASS
66	15	20	429000	1745.0	DFT-s-OFDM QPSK	1@105	5.63	13	PASS
66	15	20	434000	1770.0	DFT-s-OFDM PI/2 BPSK	100@0	4.28	13	PASS
66	15	20	434000	1770.0	DFT-s-OFDM PI/2 BPSK	1@0	3.58	13	PASS
66	15	20	434000	1770.0	DFT-s-OFDM PI/2 BPSK	1@105	3.51	13	PASS
66	15	20	434000	1770.0	DFT-s-OFDM QPSK	100@0	5.53	13	PASS
66	15	20	434000	1770.0	DFT-s-OFDM QPSK	1@0	5.78	13	PASS
66	15	20	434000	1770.0	DFT-s-OFDM QPSK	1@105	5.44	13	PASS


B7_N66(20M)_DFT-s-OFDM_PI_2-BPSK_Outer_Full_Low_CH




B7_N66(20M)_DFT-s-OFDM_PI_2-BPSK_Edge_1RB_Left_Low_CH




B7_N66(20M)_DFT-s-OFDM_PI_2-BPSK_Edge_1RB_Right_Low_CH




B7_N66(20M)_DFT-s-OFDM_QPSK_Outer_Full_Low_CH




B7_N66(20M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Low_CH



B7_N66(20M)_DFT-s-OFDM_QPSK_Edge_1RB_Right_Low_CH




B7_N66(20M)_DFT-s-OFDM_PI_2-BPSK_Outer_Full_Mid_CH



B7_N66(20M)_DFT-s-OFDM_PI_2-BPSK_Edge_1RB_Left_Mid_CH




B7_N66(20M)_DFT-s-OFDM_PI_2-BPSK_Edge_1RB_Right_Mid_CH




B7_N66(20M)_DFT-s-OFDM_QPSK_Outer_Full_Mid_CH



B7_N66(20M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Mid_CH



B7_N66(20M)_DFT-s-OFDM_QPSK_Edge_1RB_Right_Mid_CH




B7_N66(20M)_DFT-s-OFDM_PI_2-BPSK_Outer_Full_High_CH



B7_N66(20M)_DFT-s-OFDM_PI_2-BPSK_Edge_1RB_Left_High_CH




B7_N66(20M)_DFT-s-OFDM_PI_2-BPSK_Edge_1RB_Right_High_CH



B7_N66(20M)_DFT-s-OFDM_QPSK_Outer_Full_High_CH



B7_N66(20M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_High_CH



B7_N66(20M)_DFT-s-OFDM_QPSK_Edge_1RB_Right_High_C
H




Occupied Bandwidth

NR Band	SCS (kHz)	Bandwidth (MHz)	Arfcn	Freq (MHz)	Modulation	RB	OBW (MHz)	26dB OBW (MHz)
66	15	5	429000	1745.0	DFT-s-OFDM PI/2 BPSK	25@0	4.58	5.09
66	15	5	429000	1745.0	DFT-s-OFDM QPSK	25@0	4.56	5.05
66	15	5	429000	1745.0	CP-OFDM QPSK	25@0	4.55	5.05
66	15	5	429000	1745.0	CP-OFDM 16 QAM	25@0	4.55	5.05
66	15	5	429000	1745.0	CP-OFDM 64 QAM	25@0	4.55	5.06
66	15	5	429000	1745.0	CP-OFDM 256 QAM	25@0	4.55	5.08
66	15	10	429000	1745.0	DFT-s-OFDM PI/2 BPSK	50@0	9.15	9.88
66	15	10	429000	1745.0	DFT-s-OFDM QPSK	50@0	9.13	9.91
66	15	10	429000	1745.0	CP-OFDM QPSK	52@0	9.44	10.37
66	15	10	429000	1745.0	CP-OFDM 16 QAM	52@0	9.45	10.26
66	15	10	429000	1745.0	CP-OFDM 64 QAM	52@0	9.45	10.27
66	15	10	429000	1745.0	CP-OFDM 256 QAM	52@0	9.48	12.05
66	15	15	429000	1745.0	DFT-s-OFDM PI/2 BPSK	75@0	13.73	14.88
66	15	15	429000	1745.0	DFT-s-OFDM QPSK	75@0	13.76	14.92
66	15	15	429000	1745.0	CP-OFDM QPSK	79@0	14.4	15.59
66	15	15	429000	1745.0	CP-OFDM 16 QAM	79@0	14.48	16.43
66	15	15	429000	1745.0	CP-OFDM 64 QAM	79@0	14.41	15.58
66	15	15	429000	1745.0	CP-OFDM 256 QAM	79@0	14.37	15.55
66	15	20	429000	1745.0	DFT-s-OFDM PI/2 BPSK	100@0	18.28	19.89
66	15	20	429000	1745.0	DFT-s-OFDM QPSK	100@0	18.29	19.83
66	15	20	429000	1745.0	CP-OFDM QPSK	106@0	19.3	20.94
66	15	20	429000	1745.0	CP-OFDM 16 QAM	106@0	19.29	20.85
66	15	20	429000	1745.0	CP-OFDM 64 QAM	106@0	19.33	20.87
66	15	20	429000	1745.0	CP-OFDM 256 QAM	106@0	19.36	20.88

66	15	40	429000	1745.0	DFT-s-OFDM PI/2 BPSK	216@0	39.42	42.47
66	15	40	429000	1745.0	DFT-s-OFDM QPSK	216@0	39.51	42.48
66	15	40	429000	1745.0	CP-OFDM QPSK	216@0	39.42	42.47
66	15	40	429000	1745.0	CP-OFDM 16 QAM	216@0	39.4	42.37
66	15	40	429000	1745.0	CP-OFDM 64 QAM	216@0	39.49	42.35
66	15	40	429000	1745.0	CP-OFDM 256 QAM	216@0	39.35	42.42


B7_N66(5M)_DFT-s-OFDM_PI_2- BPSK_Outer_Full_Mid_CH




B7_N66(5M)_DFT-s- OFDM_QPSK_Outer_Full_Mid_CH




B7_N66(5M)_CP- OFDM_QPSK_Outer_Full_Mid_CH




B7_N66(5M)_CP-OFDM_16 QAM_Outer_Full_Mid_CH




B7_N66(5M)_CP-OFDM_64 QAM_Outer_Full_Mid_CH




B7_N66(5M)_CP-OFDM_256 QAM_Outer_Full_Mid_CH




B7_N66(10M)_DFT-s-OFDM_PI_2-
BPSK_Outer_Full_Mid_CH




B7_N66(10M)_DFT-s-
OFDM_QPSK_Outer_Full_Mid_CH




B7_N66(10M)_CP-
OFDM_QPSK_Outer_Full_Mid_CH




B7_N66(10M)_CP-OFDM_16
QAM_Outer_Full_Mid_CH




B7_N66(10M)_CP-OFDM_64
QAM_Outer_Full_Mid_CH




B7_N66(10M)_CP-OFDM_256
QAM_Outer_Full_Mid_CH



B7_N66(15M)_DFT-s-OFDM_PI_2-
BPSK_Outer_Full_Mid_CH




B7_N66(15M)_DFT-s-
OFDM_QPSK_Outer_Full_Mid_CH




B7_N66(15M)_CP-
OFDM_QPSK_Outer_Full_Mid_CH




B7_N66(15M)_CP-OFDM_16
QAM_Outer_Full_Mid_CH




B7_N66(15M)_CP-OFDM_64
QAM_Outer_Full_Mid_CH




B7_N66(15M)_CP-OFDM_256
QAM_Outer_Full_Mid_CH




B7_N66(20M)_DFT-s-OFDM_PI_2- BPSK_Outer_Full_Mid_CH




B7_N66(20M)_DFT-s- OFDM_QPSK_Outer_Full_Mid_CH




B7_N66(20M)_CP- OFDM_QPSK_Outer_Full_Mid_CH




B7_N66(20M)_CP-OFDM_16 QAM_Outer_Full_Mid_CH




B7_N66(20M)_CP-OFDM_64 QAM_Outer_Full_Mid_CH




B7_N66(20M)_CP-OFDM_256 QAM_Outer_Full_Mid_CH




B7_N66(40M)_DFT-s-OFDM_PI_2-
BPSK_Outer_Full_Mid_CH




B7_N66(40M)_DFT-s-
OFDM_QPSK_Outer_Full_Mid_CH




B7_N66(40M)_CP-
OFDM_QPSK_Outer_Full_Mid_CH




B7_N66(40M)_CP-OFDM_16
QAM_Outer_Full_Mid_CH



B7_N66(40M)_CP-OFDM_64
QAM_Outer_Full_Mid_CH



B7_N66(40M)_CP-OFDM_256
QAM_Outer_Full_Mid_CH




Conducted Band Edge


NR Band	SCS (kHz)	Bandwidth (MHz)	Arfcn	Freq (MHz)	Modulation	RB	Result	Verdict
66	15	5	422500	1712.5	DFT-s-OFDM BPSK	1@0	see graph	PASS
66	15	5	422500	1712.5	DFT-s-OFDM QPSK	1@0	see graph	PASS
66	15	5	422500	1712.5	DFT-s-OFDM BPSK	25@0	see graph	PASS
66	15	5	422500	1712.5	DFT-s-OFDM QPSK	25@0	see graph	PASS
66	15	5	435500	1777.5	DFT-s-OFDM BPSK	1@24	see graph	PASS
66	15	5	435500	1777.5	DFT-s-OFDM QPSK	1@24	see graph	PASS
66	15	5	435500	1777.5	DFT-s-OFDM BPSK	25@0	see graph	PASS
66	15	5	435500	1777.5	DFT-s-OFDM QPSK	25@0	see graph	PASS
66	15	20	424000	1720.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
66	15	20	424000	1720.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
66	15	20	424000	1720.0	DFT-s-OFDM BPSK	100@0	see graph	PASS
66	15	20	424000	1720.0	DFT-s-OFDM QPSK	100@0	see graph	PASS
66	15	20	434000	1770.0	DFT-s-OFDM BPSK	1@105	see graph	PASS
66	15	20	434000	1770.0	DFT-s-OFDM QPSK	1@105	see graph	PASS
66	15	20	434000	1770.0	DFT-s-OFDM BPSK	100@0	see graph	PASS
66	15	20	434000	1770.0	DFT-s-OFDM QPSK	100@0	see graph	PASS
66	15	40	426000	1730.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
66	15	40	426000	1730.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
66	15	40	426000	1730.0	DFT-s-OFDM BPSK	216@0	see graph	PASS
66	15	40	426000	1730.0	DFT-s-OFDM QPSK	216@0	see graph	PASS
66	15	40	432000	1760.0	DFT-s-OFDM BPSK	1@215	see graph	PASS
66	15	40	432000	1760.0	DFT-s-OFDM QPSK	1@215	see graph	PASS

66	15	40	432000	1760.0	DFT-s-OFDM BPSK	216@0	see graph	PASS
66	15	40	432000	1760.0	DFT-s-OFDM QPSK	216@0	see graph	PASS


B7_N66(5M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Low_CH




B7_N66(5M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Low_CH




B7_N66(5M)_DFT-s-OFDM_BPSK_Outer_Full_Low_CH




B7_N66(5M)_DFT-s-OFDM_QPSK_Outer_Full_Low_CH




B7_N66(5M)_DFT-s-OFDM_BPSK_Edge_1RB_Right_High_CH




B7_N66(5M)_DFT-s-OFDM_QPSK_Edge_1RB_Right_High_CH



B7_N66(5M)_DFT-s-OFDM_BPSK_Outer_Full_High_CH




B7_N66(5M)_DFT-s-OFDM_QPSK_Outer_Full_High_CH




B7_N66(20M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Low_CH




B7_N66(20M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Low_CH_CHP_PAS




B7_N66(20M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Low_CH




B7_N66(20M)_DFT-s-OFDM_BPSK_Outer_Full_Low_CH




B7_N66(20M)_DFT-s-OFDM_QPSK_Outer_Full_Low_CH




B7_N66(20M)_DFT-s-OFDM_BPSK_Edge_1RB_Right_High_CH



B7_N66(20M)_DFT-s-OFDM_BPSK_Edge_1RB_Right_High_CH_CHP_ASS




B7_N66(20M)_DFT-s-OFDM_QPSK_Edge_1RB_Right_High_CH




B7_N66(20M)_DFT-s-OFDM_QPSK_Edge_1RB_Right_High_CH_CHP_ASS



B7_N66(20M)_DFT-s-OFDM_BPSK_Outer_Full_High_CH




B7_N66(20M)_DFT-s-OFDM_QPSK_Outer_Full_High_CH




B7_N66(40M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Low_CH




B7_N66(40M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Low_CH_CHP_PAS




B7_N66(40M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Low_CH




B7_N66(40M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Low_CH_CHP_PAS



B7_N66(40M)_DFT-s-OFDM_BPSK_Outer_Full_Low_CH



B7_N66(40M)_DFT-s-OFDM_QPSK_Outer_Full_Low_CH



B7_N66(40M)_DFT-s-OFDM_BPSK_Edge_1RB_Right_High_CH




B7_N66(40M)_DFT-s-OFDM_QPSK_Edge_1RB_Right_High_CH



B7_N66(40M)_DFT-s-OFDM_BPSK_Outer_Full_High_CH



B7_N66(40M)_DFT-s-OFDM_QPSK_Outer_Full_High_CH




Conducted Spurious Emissions


NR Band	SCS (kHz)	Bandwidth (MHz)	Arfcn	Freq (MHz)	Modulation	RB	Result	Verdict
66	15	5	422500	1712.5	DFT-s-OFDM BPSK	1@0	see graph	---
66	15	5	422500	1712.5	DFT-s-OFDM BPSK	1@0	see graph	PASS
66	15	5	422500	1712.5	DFT-s-OFDM QPSK	1@0	see graph	---
66	15	5	422500	1712.5	DFT-s-OFDM QPSK	1@0	see graph	PASS
66	15	5	429000	1745.0	DFT-s-OFDM BPSK	1@0	see graph	---
66	15	5	429000	1745.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
66	15	5	429000	1745.0	DFT-s-OFDM QPSK	1@0	see graph	---
66	15	5	429000	1745.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
66	15	5	435500	1777.5	DFT-s-OFDM BPSK	1@0	see graph	---
66	15	5	435500	1777.5	DFT-s-OFDM BPSK	1@0	see graph	PASS
66	15	5	435500	1777.5	DFT-s-OFDM QPSK	1@0	see graph	---
66	15	5	435500	1777.5	DFT-s-OFDM QPSK	1@0	see graph	PASS
66	15	20	424000	1720.0	DFT-s-OFDM BPSK	1@0	see graph	---
66	15	20	424000	1720.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
66	15	20	424000	1720.0	DFT-s-OFDM QPSK	1@0	see graph	---
66	15	20	424000	1720.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
66	15	20	429000	1745.0	DFT-s-OFDM BPSK	1@0	see graph	---
66	15	20	429000	1745.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
66	15	20	429000	1745.0	DFT-s-OFDM QPSK	1@0	see graph	---
66	15	20	429000	1745.0	DFT-s-OFDM QPSK	1@0	see graph	PASS

66	15	20	434000	1770.0	DFT-s-OFDM BPSK	1@0	see graph	---
66	15	20	434000	1770.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
66	15	20	434000	1770.0	DFT-s-OFDM QPSK	1@0	see graph	---
66	15	20	434000	1770.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
66	15	40	426000	1730.0	DFT-s-OFDM BPSK	1@0	see graph	---
66	15	40	426000	1730.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
66	15	40	426000	1730.0	DFT-s-OFDM QPSK	1@0	see graph	---
66	15	40	426000	1730.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
66	15	40	429000	1745.0	DFT-s-OFDM BPSK	1@0	see graph	---
66	15	40	429000	1745.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
66	15	40	429000	1745.0	DFT-s-OFDM QPSK	1@0	see graph	---
66	15	40	429000	1745.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
66	15	40	432000	1760.0	DFT-s-OFDM BPSK	1@0	see graph	---
66	15	40	432000	1760.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
66	15	40	432000	1760.0	DFT-s-OFDM QPSK	1@0	see graph	---
66	15	40	432000	1760.0	DFT-s-OFDM QPSK	1@0	see graph	PASS


B7_N66(5M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Low_CH




B7_N66(5M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Low_CH




B7_N66(5M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Mid_CH




B7_N66(5M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Mid_CH




B7_N66(5M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_High_CH




B7_N66(5M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_High_CH




B7_N66(20M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Low_CH




B7_N66(20M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Low_CH




B7_N66(20M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Mid_CH



B7_N66(20M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Mid_CH



B7_N66(20M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_High_CH



B7_N66(20M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_High_CH

