




B5_N7(5M)_DFT-s-OFDM_BPSK_Outer_Full_High_CH




B5_N7(5M)_DFT-s-OFDM_QPSK_Outer_Full_High_CH



B5_N7(20M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Low_CH




B5_N7(20M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Low_CH_CHP_PA SS



B5_N7(20M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Low_CH




B5_N7(20M)_DFT-s-OFDM_BPSK_Outer_Full_Low_CH




B5_N7(20M)_DFT-s-OFDM_QPSK_Outer_Full_Low_CH




B5_N7(20M)_DFT-s-OFDM_BPSK_Edge_1RB_Right_High_CH




B5_N7(20M)_DFT-s-OFDM_QPSK_Edge_1RB_Right_High_CH




B5_N7(20M)_DFT-s-OFDM_BPSK_Outer_Full_High_CH



B5_N7(20M)_DFT-s-OFDM_QPSK_Outer_Full_High_CH




B5_N7(50M)_DFT-s-
OFDM_BPSK_Edge_1RB_Left_Low_CH



B5_N7(50M)_DFT-s-
OFDM_BPSK_Edge_1RB_Left_Low_CH_CHP_PA
SS




B5_N7(50M)_DFT-s-
OFDM_QPSK_Edge_1RB_Left_Low_CH




B5_N7(50M)_DFT-s-
OFDM_QPSK_Edge_1RB_Left_Low_CH_CHP_P
ASS




B5_N7(50M)_DFT-s-
OFDM_BPSK_Outer_Full_Low_CH




B5_N7(50M)_DFT-s-
OFDM_QPSK_Outer_Full_Low_CH




B5_N7(50M)_DFT-s-OFDM_BPSK_Edge_1RB_Right_High_CH




B5_N7(50M)_DFT-s-OFDM_BPSK_Edge_1RB_Right_High_CH_CHP_PASS




B5_N7(50M)_DFT-s-OFDM_QPSK_Edge_1RB_Right_High_CH




B5_N7(50M)_DFT-s-OFDM_QPSK_Edge_1RB_Right_High_CH_CHP_PASS



B5_N7(50M)_DFT-s-OFDM_BPSK_Outer_Full_High_CH



B5_N7(50M)_DFT-s-OFDM_QPSK_Outer_Full_High_CH



FR1 N7 for PA 2

LTE Band: 66, LTE BW: 10M, LTE ARFCN: Mid

Transmitter Conducted Output Power And ERP/EIRP, ($G_T - L_C$)=-1.2dB

NR Band	SCS (kHz)	Bandwidth (MHz)	Arfcn	Freq (MHz)	Modulation	RB	Conducted Power(dBm)	EIRP (dBm)	EIRP (W)
7	15	5	524500	2502.5	DFT-s-OFDM PI/2 BPSK	12@6	22.16	20.96	0.1247
7	15	5	524500	2502.5	DFT-s-OFDM PI/2 BPSK	1@1	21.96	20.76	0.1191
7	15	5	524500	2502.5	DFT-s-OFDM PI/2 BPSK	1@23	22.2	21	0.1259
7	15	5	524500	2502.5	DFT-s-OFDM QPSK	12@6	22.21	21.01	0.1262
7	15	5	524500	2502.5	DFT-s-OFDM QPSK	1@1	22.04	20.84	0.1213
7	15	5	524500	2502.5	DFT-s-OFDM QPSK	1@23	22.14	20.94	0.1242
7	15	5	524500	2502.5	DFT-s-OFDM 16 QAM	12@6	21.59	20.39	0.1094
7	15	5	524500	2502.5	DFT-s-OFDM 16 QAM	1@1	21.58	20.38	0.1091
7	15	5	524500	2502.5	DFT-s-OFDM 16 QAM	1@23	21.37	20.17	0.1040
7	15	5	524500	2502.5	DFT-s-OFDM 64 QAM	12@6	19.57	18.37	0.0687
7	15	5	524500	2502.5	DFT-s-OFDM 64 QAM	1@1	19.4	18.2	0.0661
7	15	5	524500	2502.5	DFT-s-OFDM 64 QAM	1@23	19.42	18.22	0.0664
7	15	5	524500	2502.5	DFT-s-OFDM 256 QAM	12@6	17.84	16.64	0.0461
7	15	5	524500	2502.5	DFT-s-OFDM 256 QAM	1@1	17.89	16.69	0.0467
7	15	5	524500	2502.5	DFT-s-OFDM 256 QAM	1@23	17.85	16.65	0.0462
7	15	5	524500	2502.5	CP-OFDM QPSK	13@6	20.58	19.38	0.0867
7	15	5	524500	2502.5	CP-OFDM QPSK	1@1	20.34	19.14	0.0820
7	15	5	524500	2502.5	CP-OFDM QPSK	1@23	20.46	19.26	0.0843
7	15	5	531000	2535	DFT-s-OFDM PI/2 BPSK	12@6	22.43	21.23	0.1327
7	15	5	531000	2535	DFT-s-OFDM PI/2 BPSK	1@1	22.28	21.08	0.1282
7	15	5	531000	2535	DFT-s-OFDM PI/2 BPSK	1@23	22.36	21.16	0.1306
7	15	5	531000	2535	DFT-s-OFDM QPSK	12@6	22.48	21.28	0.1343
7	15	5	531000	2535	DFT-s-OFDM QPSK	1@1	22.37	21.17	0.1309
7	15	5	531000	2535	DFT-s-OFDM QPSK	1@23	22.41	21.21	0.1321
7	15	5	531000	2535	DFT-s-OFDM 16 QAM	12@6	21.53	20.33	0.1079
7	15	5	531000	2535	DFT-s-OFDM	1@1	21.37	20.17	0.1040

					16 QAM				
7	15	5	531000	2535	DFT-s-OFDM 16 QAM	1@23	21.46	20.26	0.1062
7	15	5	531000	2535	DFT-s-OFDM 64 QAM	12@6	19.38	18.18	0.0658
7	15	5	531000	2535	DFT-s-OFDM 64 QAM	1@1	19.11	17.91	0.0618
7	15	5	531000	2535	DFT-s-OFDM 64 QAM	1@23	19.21	18.01	0.0632
7	15	5	531000	2535	DFT-s-OFDM 256 QAM	12@6	17.47	16.27	0.0424
7	15	5	531000	2535	DFT-s-OFDM 256 QAM	1@1	17.26	16.06	0.0404
7	15	5	531000	2535	DFT-s-OFDM 256 QAM	1@23	17.35	16.15	0.0412
7	15	5	531000	2535	CP-OFDM QPSK	13@6	20.26	19.06	0.0805
7	15	5	531000	2535	CP-OFDM QPSK	1@1	19.96	18.76	0.0752
7	15	5	531000	2535	CP-OFDM QPSK	1@23	20.34	19.14	0.0820
7	15	5	537500	2567.5	DFT-s-OFDM PI/2 BPSK	12@6	22.46	21.26	0.1337
7	15	5	537500	2567.5	DFT-s-OFDM PI/2 BPSK	1@1	22.37	21.17	0.1309
7	15	5	537500	2567.5	DFT-s-OFDM PI/2 BPSK	1@23	22.38	21.18	0.1312
7	15	5	537500	2567.5	DFT-s-OFDM QPSK	12@6	22.61	21.41	0.1384
7	15	5	537500	2567.5	DFT-s-OFDM QPSK	1@1	22.22	21.02	0.1265
7	15	5	537500	2567.5	DFT-s-OFDM QPSK	1@23	22.37	21.17	0.1309
7	15	5	537500	2567.5	DFT-s-OFDM 16 QAM	12@6	21.76	20.56	0.1138
7	15	5	537500	2567.5	DFT-s-OFDM 16 QAM	1@1	21.54	20.34	0.1081
7	15	5	537500	2567.5	DFT-s-OFDM 16 QAM	1@23	21.63	20.43	0.1104
7	15	5	537500	2567.5	DFT-s-OFDM 64 QAM	12@6	19.26	18.06	0.0640
7	15	5	537500	2567.5	DFT-s-OFDM 64 QAM	1@1	19.03	17.83	0.0607
7	15	5	537500	2567.5	DFT-s-OFDM 64 QAM	1@23	19.16	17.96	0.0625
7	15	5	537500	2567.5	DFT-s-OFDM 256 QAM	12@6	16.98	15.78	0.0378
7	15	5	537500	2567.5	DFT-s-OFDM 256 QAM	1@1	16.89	15.69	0.0371
7	15	5	537500	2567.5	DFT-s-OFDM 256 QAM	1@23	16.87	15.67	0.0369
7	15	5	537500	2567.5	CP-OFDM QPSK	13@6	20.48	19.28	0.0847
7	15	5	537500	2567.5	CP-OFDM QPSK	1@1	20.3	19.1	0.0813
7	15	5	537500	2567.5	CP-OFDM QPSK	1@23	20.38	19.18	0.0828
7	15	10	525000	2505	DFT-s-OFDM PI/2 BPSK	25@12	22.54	21.34	0.1361
7	15	10	525000	2505	DFT-s-OFDM PI/2 BPSK	1@1	22.16	20.96	0.1247
7	15	10	525000	2505	DFT-s-OFDM PI/2 BPSK	1@50	22.37	21.17	0.1309
7	15	10	525000	2505	DFT-s-OFDM QPSK	25@12	22.34	21.14	0.1300
7	15	10	525000	2505	DFT-s-OFDM QPSK	1@1	22.21	21.01	0.1262

7	15	10	525000	2505	DFT-s-OFDM QPSK	1@50	22.37	21.17	0.1309
7	15	10	525000	2505	DFT-s-OFDM 16 QAM	25@12	21.67	20.47	0.1114
7	15	10	525000	2505	DFT-s-OFDM 16 QAM	1@1	21.39	20.19	0.1045
7	15	10	525000	2505	DFT-s-OFDM 16 QAM	1@50	21.46	20.26	0.1062
7	15	10	525000	2505	DFT-s-OFDM 64 QAM	25@12	19.56	18.36	0.0685
7	15	10	525000	2505	DFT-s-OFDM 64 QAM	1@1	19.48	18.28	0.0673
7	15	10	525000	2505	DFT-s-OFDM 64 QAM	1@50	19.49	18.29	0.0675
7	15	10	525000	2505	DFT-s-OFDM 256 QAM	25@12	17.26	16.06	0.0404
7	15	10	525000	2505	DFT-s-OFDM 256 QAM	1@1	17.08	15.88	0.0387
7	15	10	525000	2505	DFT-s-OFDM 256 QAM	1@50	17.34	16.14	0.0411
7	15	10	525000	2505	CP-OFDM QPSK	26@13	20.67	19.47	0.0885
7	15	10	525000	2505	CP-OFDM QPSK	1@1	20.37	19.17	0.0826
7	15	10	525000	2505	CP-OFDM QPSK	1@50	20.49	19.29	0.0849
7	15	10	531000	2535	DFT-s-OFDM PI/2 BPSK	25@12	22.46	21.26	0.1337
7	15	10	531000	2535	DFT-s-OFDM PI/2 BPSK	1@1	22.28	21.08	0.1282
7	15	10	531000	2535	DFT-s-OFDM PI/2 BPSK	1@50	22.37	21.17	0.1309
7	15	10	531000	2535	DFT-s-OFDM QPSK	25@12	22.51	21.31	0.1352
7	15	10	531000	2535	DFT-s-OFDM QPSK	1@1	22.34	21.14	0.1300
7	15	10	531000	2535	DFT-s-OFDM QPSK	1@50	22.41	21.21	0.1321
7	15	10	531000	2535	DFT-s-OFDM 16 QAM	25@12	21.57	20.37	0.1089
7	15	10	531000	2535	DFT-s-OFDM 16 QAM	1@1	21.37	20.17	0.1040
7	15	10	531000	2535	DFT-s-OFDM 16 QAM	1@50	21.42	20.22	0.1052
7	15	10	531000	2535	DFT-s-OFDM 64 QAM	25@12	19.13	17.93	0.0621
7	15	10	531000	2535	DFT-s-OFDM 64 QAM	1@1	18.89	17.69	0.0587
7	15	10	531000	2535	DFT-s-OFDM 64 QAM	1@50	19.08	17.88	0.0614
7	15	10	531000	2535	DFT-s-OFDM 256 QAM	25@12	17.11	15.91	0.0390
7	15	10	531000	2535	DFT-s-OFDM 256 QAM	1@1	16.86	15.66	0.0368
7	15	10	531000	2535	DFT-s-OFDM 256 QAM	1@50	17.16	15.96	0.0394
7	15	10	531000	2535	CP-OFDM QPSK	26@13	20.33	19.13	0.0818
7	15	10	531000	2535	CP-OFDM QPSK	1@1	20.15	18.95	0.0785
7	15	10	531000	2535	CP-OFDM QPSK	1@50	20.24	19.04	0.0802
7	15	10	537000	2565	DFT-s-OFDM PI/2 BPSK	25@12	22.59	21.39	0.1377
7	15	10	537000	2565	DFT-s-OFDM PI/2 BPSK	1@1	22.3	21.1	0.1288
7	15	10	537000	2565	DFT-s-OFDM PI/2 BPSK	1@50	22.46	21.26	0.1337

7	15	10	537000	2565	DFT-s-OFDM QPSK	25@12	22.46	21.26	0.1337
7	15	10	537000	2565	DFT-s-OFDM QPSK	1@1	22.17	20.97	0.1250
7	15	10	537000	2565	DFT-s-OFDM QPSK	1@50	22.34	21.14	0.1300
7	15	10	537000	2565	DFT-s-OFDM 16 QAM	25@12	21.55	20.35	0.1084
7	15	10	537000	2565	DFT-s-OFDM 16 QAM	1@1	21.46	20.26	0.1062
7	15	10	537000	2565	DFT-s-OFDM 16 QAM	1@50	21.53	20.33	0.1079
7	15	10	537000	2565	DFT-s-OFDM 64 QAM	25@12	19.28	18.08	0.0643
7	15	10	537000	2565	DFT-s-OFDM 64 QAM	1@1	19.18	17.98	0.0628
7	15	10	537000	2565	DFT-s-OFDM 64 QAM	1@50	19.22	18.02	0.0634
7	15	10	537000	2565	DFT-s-OFDM 256 QAM	25@12	17.2	16	0.0398
7	15	10	537000	2565	DFT-s-OFDM 256 QAM	1@1	17.05	15.85	0.0385
7	15	10	537000	2565	DFT-s-OFDM 256 QAM	1@50	17.13	15.93	0.0392
7	15	10	537000	2565	CP-OFDM QPSK	26@13	20.34	19.14	0.0820
7	15	10	537000	2565	CP-OFDM QPSK	1@1	20.16	18.96	0.0787
7	15	10	537000	2565	CP-OFDM QPSK	1@50	20.32	19.12	0.0817
7	15	15	525500	2507.5	DFT-s-OFDM PI/2 BPSK	36@18	22.46	21.26	0.1337
7	15	15	525500	2507.5	DFT-s-OFDM PI/2 BPSK	1@1	22.34	21.14	0.1300
7	15	15	525500	2507.5	DFT-s-OFDM PI/2 BPSK	1@77	22.41	21.21	0.1321
7	15	15	525500	2507.5	DFT-s-OFDM QPSK	36@18	22.47	21.27	0.1340
7	15	15	525500	2507.5	DFT-s-OFDM QPSK	1@1	22.35	21.15	0.1303
7	15	15	525500	2507.5	DFT-s-OFDM QPSK	1@77	22.38	21.18	0.1312
7	15	15	525500	2507.5	DFT-s-OFDM 16 QAM	36@18	21.76	20.56	0.1138
7	15	15	525500	2507.5	DFT-s-OFDM 16 QAM	1@1	21.56	20.36	0.1086
7	15	15	525500	2507.5	DFT-s-OFDM 16 QAM	1@77	21.64	20.44	0.1107
7	15	15	525500	2507.5	DFT-s-OFDM 64 QAM	36@18	19.05	17.85	0.0610
7	15	15	525500	2507.5	DFT-s-OFDM 64 QAM	1@1	18.95	17.75	0.0596
7	15	15	525500	2507.5	DFT-s-OFDM 64 QAM	1@77	19.01	17.81	0.0604
7	15	15	525500	2507.5	DFT-s-OFDM 256 QAM	36@18	17.25	16.05	0.0403
7	15	15	525500	2507.5	DFT-s-OFDM 256 QAM	1@1	17.14	15.94	0.0393
7	15	15	525500	2507.5	DFT-s-OFDM 256 QAM	1@77	17.26	16.06	0.0404
7	15	15	525500	2507.5	CP-OFDM QPSK	39@19	20.37	19.17	0.0826
7	15	15	525500	2507.5	CP-OFDM QPSK	1@1	20.27	19.07	0.0807
7	15	15	525500	2507.5	CP-OFDM QPSK	1@77	20.36	19.16	0.0824
7	15	15	531000	2535	DFT-s-OFDM PI/2 BPSK	36@18	22.57	21.37	0.1371

7	15	15	531000	2535	DFT-s-OFDM PI/2 BPSK	1@1	22.37	21.17	0.1309
7	15	15	531000	2535	DFT-s-OFDM PI/2 BPSK	1@77	22.28	21.08	0.1282
7	15	15	531000	2535	DFT-s-OFDM QPSK	36@18	22.38	21.18	0.1312
7	15	15	531000	2535	DFT-s-OFDM QPSK	1@1	22.47	21.27	0.1340
7	15	15	531000	2535	DFT-s-OFDM QPSK	1@77	22.38	21.18	0.1312
7	15	15	531000	2535	DFT-s-OFDM 16 QAM	36@18	22.46	21.26	0.1337
7	15	15	531000	2535	DFT-s-OFDM 16 QAM	1@1	21.43	20.23	0.1054
7	15	15	531000	2535	DFT-s-OFDM 16 QAM	1@77	21.37	20.17	0.1040
7	15	15	531000	2535	DFT-s-OFDM 64 QAM	36@18	21.38	20.18	0.1042
7	15	15	531000	2535	DFT-s-OFDM 64 QAM	1@1	19.26	18.06	0.0640
7	15	15	531000	2535	DFT-s-OFDM 64 QAM	1@77	18.97	17.77	0.0598
7	15	15	531000	2535	DFT-s-OFDM 256 QAM	36@18	19.17	17.97	0.0627
7	15	15	531000	2535	DFT-s-OFDM 256 QAM	1@1	17.15	15.95	0.0394
7	15	15	531000	2535	DFT-s-OFDM 256 QAM	1@77	16.87	15.67	0.0369
7	15	15	531000	2535	CP-OFDM QPSK	39@19	17.03	15.83	0.0383
7	15	15	531000	2535	CP-OFDM QPSK	1@1	20.37	19.17	0.0826
7	15	15	531000	2535	CP-OFDM QPSK	1@77	20.24	19.04	0.0802
7	15	15	536500	2562.5	DFT-s-OFDM PI/2 BPSK	36@18	20.37	19.17	0.0826
7	15	15	536500	2562.5	DFT-s-OFDM PI/2 BPSK	1@1	22.43	21.23	0.1327
7	15	15	536500	2562.5	DFT-s-OFDM PI/2 BPSK	1@77	22.37	21.17	0.1309
7	15	15	536500	2562.5	DFT-s-OFDM QPSK	36@18	22.46	21.26	0.1337
7	15	15	536500	2562.5	DFT-s-OFDM QPSK	1@1	22.37	21.17	0.1309
7	15	15	536500	2562.5	DFT-s-OFDM QPSK	1@77	22.33	21.13	0.1297
7	15	15	536500	2562.5	DFT-s-OFDM 16 QAM	36@18	21.57	20.37	0.1089
7	15	15	536500	2562.5	DFT-s-OFDM 16 QAM	1@1	21.34	20.14	0.1033
7	15	15	536500	2562.5	DFT-s-OFDM 16 QAM	1@77	21.27	20.07	0.1016
7	15	15	536500	2562.5	DFT-s-OFDM 64 QAM	36@18	19.24	18.04	0.0637
7	15	15	536500	2562.5	DFT-s-OFDM 64 QAM	1@1	19.15	17.95	0.0624
7	15	15	536500	2562.5	DFT-s-OFDM 64 QAM	1@77	19.26	18.06	0.0640
7	15	15	536500	2562.5	DFT-s-OFDM 256 QAM	36@18	16.94	15.74	0.0375
7	15	15	536500	2562.5	DFT-s-OFDM 256 QAM	1@1	16.76	15.56	0.0360
7	15	15	536500	2562.5	DFT-s-OFDM 256 QAM	1@77	16.88	15.68	0.0370
7	15	15	536500	2562.5	CP-OFDM QPSK	39@19	19.97	18.77	0.0753
7	15	15	536500	2562.5	CP-OFDM QPSK	1@1	20.11	18.91	0.0778

7	15	15	536500	2562.5	CP-OFDM QPSK	1@77	20.08	18.88	0.0773
7	15	20	526000	2510	DFT-s-OFDM PI/2 BPSK	50@25	22.41	21.21	0.1321
7	15	20	526000	2510	DFT-s-OFDM PI/2 BPSK	1@1	22.34	21.14	0.1300
7	15	20	526000	2510	DFT-s-OFDM PI/2 BPSK	1@104	22.28	21.08	0.1282
7	15	20	526000	2510	DFT-s-OFDM QPSK	50@25	22.6	21.4	0.1380
7	15	20	526000	2510	DFT-s-OFDM QPSK	1@1	22.46	21.26	0.1337
7	15	20	526000	2510	DFT-s-OFDM QPSK	1@104	22.48	21.28	0.1343
7	15	20	526000	2510	DFT-s-OFDM 16 QAM	50@25	21.55	20.35	0.1084
7	15	20	526000	2510	DFT-s-OFDM 16 QAM	1@1	21.46	20.26	0.1062
7	15	20	526000	2510	DFT-s-OFDM 16 QAM	1@104	21.64	20.44	0.1107
7	15	20	526000	2510	DFT-s-OFDM 64 QAM	50@25	19.46	18.26	0.0670
7	15	20	526000	2510	DFT-s-OFDM 64 QAM	1@1	19.62	18.42	0.0695
7	15	20	526000	2510	DFT-s-OFDM 64 QAM	1@104	19.47	18.27	0.0671
7	15	20	526000	2510	DFT-s-OFDM 256 QAM	50@25	17.46	16.26	0.0423
7	15	20	526000	2510	DFT-s-OFDM 256 QAM	1@1	17.36	16.16	0.0413
7	15	20	526000	2510	DFT-s-OFDM 256 QAM	1@104	17.37	16.17	0.0414
7	15	20	526000	2510	CP-OFDM QPSK	53@26	20.37	19.17	0.0826
7	15	20	526000	2510	CP-OFDM QPSK	1@1	20.27	19.07	0.0807
7	15	20	526000	2510	CP-OFDM QPSK	1@104	20.15	18.95	0.0785
7	15	20	531000	2535	DFT-s-OFDM PI/2 BPSK	50@25	22.37	21.17	0.1309
7	15	20	531000	2535	DFT-s-OFDM PI/2 BPSK	1@1	22.3	21.1	0.1288
7	15	20	531000	2535	DFT-s-OFDM PI/2 BPSK	1@104	22.38	21.18	0.1312
7	15	20	531000	2535	DFT-s-OFDM QPSK	50@25	22.43	21.23	0.1327
7	15	20	531000	2535	DFT-s-OFDM QPSK	1@1	22.37	21.17	0.1309
7	15	20	531000	2535	DFT-s-OFDM QPSK	1@104	22.29	21.09	0.1285
7	15	20	531000	2535	DFT-s-OFDM 16 QAM	50@25	21.43	20.23	0.1054
7	15	20	531000	2535	DFT-s-OFDM 16 QAM	1@1	21.35	20.15	0.1035
7	15	20	531000	2535	DFT-s-OFDM 16 QAM	1@104	21.37	20.17	0.1040
7	15	20	531000	2535	DFT-s-OFDM 64 QAM	50@25	19.08	17.88	0.0614
7	15	20	531000	2535	DFT-s-OFDM 64 QAM	1@1	19.1	17.9	0.0617
7	15	20	531000	2535	DFT-s-OFDM 64 QAM	1@104	19.17	17.97	0.0627
7	15	20	531000	2535	DFT-s-OFDM 256 QAM	50@25	17.22	16.02	0.0400
7	15	20	531000	2535	DFT-s-OFDM 256 QAM	1@1	17.24	16.04	0.0402
7	15	20	531000	2535	DFT-s-OFDM 256 QAM	1@104	17.16	15.96	0.0394

7	15	20	531000	2535	CP-OFDM QPSK	53@26	20.16	18.96	0.0787
7	15	20	531000	2535	CP-OFDM QPSK	1@1	20.34	19.14	0.0820
7	15	20	531000	2535	CP-OFDM QPSK	1@104	20.25	19.05	0.0804
7	15	20	536000	2560	DFT-s-OFDM PI/2 BPSK	50@25	22.36	21.16	0.1306
7	15	20	536000	2560	DFT-s-OFDM PI/2 BPSK	1@1	22.24	21.04	0.1271
7	15	20	536000	2560	DFT-s-OFDM PI/2 BPSK	1@104	22.34	21.14	0.1300
7	15	20	536000	2560	DFT-s-OFDM QPSK	50@25	22.41	21.21	0.1321
7	15	20	536000	2560	DFT-s-OFDM QPSK	1@1	22.25	21.05	0.1274
7	15	20	536000	2560	DFT-s-OFDM QPSK	1@104	22.34	21.14	0.1300
7	15	20	536000	2560	DFT-s-OFDM 16 QAM	50@25	21.45	20.25	0.1059
7	15	20	536000	2560	DFT-s-OFDM 16 QAM	1@1	21.37	20.17	0.1040
7	15	20	536000	2560	DFT-s-OFDM 16 QAM	1@104	21.34	20.14	0.1033
7	15	20	536000	2560	DFT-s-OFDM 64 QAM	50@25	19.07	17.87	0.0612
7	15	20	536000	2560	DFT-s-OFDM 64 QAM	1@1	18.93	17.73	0.0593
7	15	20	536000	2560	DFT-s-OFDM 64 QAM	1@104	19.16	17.96	0.0625
7	15	20	536000	2560	DFT-s-OFDM 256 QAM	50@25	16.79	15.59	0.0362
7	15	20	536000	2560	DFT-s-OFDM 256 QAM	1@1	16.84	15.64	0.0366
7	15	20	536000	2560	DFT-s-OFDM 256 QAM	1@104	16.86	15.66	0.0368
7	15	20	536000	2560	CP-OFDM QPSK	53@26	20.14	18.94	0.0783
7	15	20	536000	2560	CP-OFDM QPSK	1@1	20.07	18.87	0.0771
7	15	20	536000	2560	CP-OFDM QPSK	1@104	20.13	18.93	0.0782
7	15	25	526500	2512.5	DFT-s-OFDM PI/2 BPSK	64@32	22.47	21.27	0.1340
7	15	25	526500	2512.5	DFT-s-OFDM PI/2 BPSK	1@1	22.41	21.21	0.1321
7	15	25	526500	2512.5	DFT-s-OFDM PI/2 BPSK	1@131	22.36	21.16	0.1306
7	15	25	526500	2512.5	DFT-s-OFDM QPSK	64@32	22.46	21.26	0.1337
7	15	25	526500	2512.5	DFT-s-OFDM QPSK	1@1	22.44	21.24	0.1330
7	15	25	526500	2512.5	DFT-s-OFDM QPSK	1@131	22.37	21.17	0.1309
7	15	25	526500	2512.5	DFT-s-OFDM 16 QAM	64@32	21.57	20.37	0.1089
7	15	25	526500	2512.5	DFT-s-OFDM 16 QAM	1@1	21.34	20.14	0.1033
7	15	25	526500	2512.5	DFT-s-OFDM 16 QAM	1@131	21.39	20.19	0.1045
7	15	25	526500	2512.5	DFT-s-OFDM 64 QAM	64@32	19.45	18.25	0.0668
7	15	25	526500	2512.5	DFT-s-OFDM 64 QAM	1@1	19.56	18.36	0.0685
7	15	25	526500	2512.5	DFT-s-OFDM 64 QAM	1@131	19.64	18.44	0.0698
7	15	25	526500	2512.5	DFT-s-OFDM 256 QAM	64@32	17.34	16.14	0.0411

7	15	25	526500	2512.5	DFT-s-OFDM 256 QAM	1@1	17.24	16.04	0.0402
7	15	25	526500	2512.5	DFT-s-OFDM 256 QAM	1@131	17.32	16.12	0.0409
7	15	25	526500	2512.5	CP-OFDM QPSK	67@33	20.34	19.14	0.0820
7	15	25	526500	2512.5	CP-OFDM QPSK	1@1	20.22	19.02	0.0798
7	15	25	526500	2512.5	CP-OFDM QPSK	1@131	20.31	19.11	0.0815
7	15	25	531000	2535	DFT-s-OFDM PI/2 BPSK	64@32	22.42	21.22	0.1324
7	15	25	531000	2535	DFT-s-OFDM PI/2 BPSK	1@1	22.39	21.19	0.1315
7	15	25	531000	2535	DFT-s-OFDM PI/2 BPSK	1@131	22.46	21.26	0.1337
7	15	25	531000	2535	DFT-s-OFDM QPSK	64@32	22.35	21.15	0.1303
7	15	25	531000	2535	DFT-s-OFDM QPSK	1@1	22.19	20.99	0.1256
7	15	25	531000	2535	DFT-s-OFDM QPSK	1@131	22.25	21.05	0.1274
7	15	25	531000	2535	DFT-s-OFDM 16 QAM	64@32	21.31	20.11	0.1026
7	15	25	531000	2535	DFT-s-OFDM 16 QAM	1@1	21.35	20.15	0.1035
7	15	25	531000	2535	DFT-s-OFDM 16 QAM	1@131	21.34	20.14	0.1033
7	15	25	531000	2535	DFT-s-OFDM 64 QAM	64@32	19.16	17.96	0.0625
7	15	25	531000	2535	DFT-s-OFDM 64 QAM	1@1	19.24	18.04	0.0637
7	15	25	531000	2535	DFT-s-OFDM 64 QAM	1@131	19.3	18.1	0.0646
7	15	25	531000	2535	DFT-s-OFDM 256 QAM	64@32	17.02	15.82	0.0382
7	15	25	531000	2535	DFT-s-OFDM 256 QAM	1@1	17.16	15.96	0.0394
7	15	25	531000	2535	DFT-s-OFDM 256 QAM	1@131	17.08	15.88	0.0387
7	15	25	531000	2535	CP-OFDM QPSK	67@33	20.3	19.1	0.0813
7	15	25	531000	2535	CP-OFDM QPSK	1@1	20.18	18.98	0.0791
7	15	25	531000	2535	CP-OFDM QPSK	1@131	20.24	19.04	0.0802
7	15	25	535500	2557.5	DFT-s-OFDM PI/2 BPSK	64@32	22.4	21.2	0.1318
7	15	25	535500	2557.5	DFT-s-OFDM PI/2 BPSK	1@1	22.37	21.17	0.1309
7	15	25	535500	2557.5	DFT-s-OFDM PI/2 BPSK	1@131	22.51	21.31	0.1352
7	15	25	535500	2557.5	DFT-s-OFDM QPSK	64@32	22.38	21.18	0.1312
7	15	25	535500	2557.5	DFT-s-OFDM QPSK	1@1	22.36	21.16	0.1306
7	15	25	535500	2557.5	DFT-s-OFDM QPSK	1@131	22.42	21.22	0.1324
7	15	25	535500	2557.5	DFT-s-OFDM 16 QAM	64@32	21.36	20.16	0.1038
7	15	25	535500	2557.5	DFT-s-OFDM 16 QAM	1@1	21.44	20.24	0.1057
7	15	25	535500	2557.5	DFT-s-OFDM 16 QAM	1@131	21.41	20.21	0.1050
7	15	25	535500	2557.5	DFT-s-OFDM 64 QAM	64@32	19.13	17.93	0.0621
7	15	25	535500	2557.5	DFT-s-OFDM 64 QAM	1@1	19.05	17.85	0.0610

7	15	25	535500	2557.5	DFT-s-OFDM 64 QAM	1@131	19.09	17.89	0.0615
7	15	25	535500	2557.5	DFT-s-OFDM 256 QAM	64@32	16.89	15.69	0.0371
7	15	25	535500	2557.5	DFT-s-OFDM 256 QAM	1@1	16.97	15.77	0.0378
7	15	25	535500	2557.5	DFT-s-OFDM 256 QAM	1@131	16.92	15.72	0.0373
7	15	25	535500	2557.5	CP-OFDM QPSK	67@33	20.13	18.93	0.0782
7	15	25	535500	2557.5	CP-OFDM QPSK	1@1	20.17	18.97	0.0789
7	15	25	535500	2557.5	CP-OFDM QPSK	1@131	20.19	18.99	0.0793
7	15	30	527000	2515	DFT-s-OFDM PI/2 BPSK	80@40	22.48	21.28	0.1343
7	15	30	527000	2515	DFT-s-OFDM PI/2 BPSK	1@1	22.43	21.23	0.1327
7	15	30	527000	2515	DFT-s-OFDM PI/2 BPSK	1@158	22.46	21.26	0.1337
7	15	30	527000	2515	DFT-s-OFDM QPSK	80@40	22.52	21.32	0.1355
7	15	30	527000	2515	DFT-s-OFDM QPSK	1@1	22.39	21.19	0.1315
7	15	30	527000	2515	DFT-s-OFDM QPSK	1@158	22.48	21.28	0.1343
7	15	30	527000	2515	DFT-s-OFDM 16 QAM	80@40	21.43	20.23	0.1054
7	15	30	527000	2515	DFT-s-OFDM 16 QAM	1@1	21.58	20.38	0.1091
7	15	30	527000	2515	DFT-s-OFDM 16 QAM	1@158	21.67	20.47	0.1114
7	15	30	527000	2515	DFT-s-OFDM 64 QAM	80@40	19.64	18.44	0.0698
7	15	30	527000	2515	DFT-s-OFDM 64 QAM	1@1	19.57	18.37	0.0687
7	15	30	527000	2515	DFT-s-OFDM 64 QAM	1@158	19.6	18.4	0.0692
7	15	30	527000	2515	DFT-s-OFDM 256 QAM	80@40	17.05	15.85	0.0385
7	15	30	527000	2515	DFT-s-OFDM 256 QAM	1@1	16.96	15.76	0.0377
7	15	30	527000	2515	DFT-s-OFDM 256 QAM	1@158	17.03	15.83	0.0383
7	15	30	527000	2515	CP-OFDM QPSK	80@40	20.32	19.12	0.0817
7	15	30	527000	2515	CP-OFDM QPSK	1@1	20.12	18.92	0.0780
7	15	30	527000	2515	CP-OFDM QPSK	1@158	20.31	19.11	0.0815
7	15	30	531000	2535	DFT-s-OFDM PI/2 BPSK	80@40	22.4	21.2	0.1318
7	15	30	531000	2535	DFT-s-OFDM PI/2 BPSK	1@1	22.35	21.15	0.1303
7	15	30	531000	2535	DFT-s-OFDM PI/2 BPSK	1@158	22.39	21.19	0.1315
7	15	30	531000	2535	DFT-s-OFDM QPSK	80@40	22.43	21.23	0.1327
7	15	30	531000	2535	DFT-s-OFDM QPSK	1@1	22.47	21.27	0.1340
7	15	30	531000	2535	DFT-s-OFDM QPSK	1@158	22.37	21.17	0.1309
7	15	30	531000	2535	DFT-s-OFDM 16 QAM	80@40	21.37	20.17	0.1040
7	15	30	531000	2535	DFT-s-OFDM 16 QAM	1@1	21.43	20.23	0.1054
7	15	30	531000	2535	DFT-s-OFDM 16 QAM	1@158	21.38	20.18	0.1042

7	15	30	531000	2535	DFT-s-OFDM 64 QAM	80@40	19.34	18.14	0.0652
7	15	30	531000	2535	DFT-s-OFDM 64 QAM	1@1	19.36	18.16	0.0655
7	15	30	531000	2535	DFT-s-OFDM 64 QAM	1@158	19.46	18.26	0.0670
7	15	30	531000	2535	DFT-s-OFDM 256 QAM	80@40	17.26	16.06	0.0404
7	15	30	531000	2535	DFT-s-OFDM 256 QAM	1@1	17.16	15.96	0.0394
7	15	30	531000	2535	DFT-s-OFDM 256 QAM	1@158	17.24	16.04	0.0402
7	15	30	531000	2535	CP-OFDM QPSK	80@40	20.22	19.02	0.0798
7	15	30	531000	2535	CP-OFDM QPSK	1@1	20.13	18.93	0.0782
7	15	30	531000	2535	CP-OFDM QPSK	1@158	20.17	18.97	0.0789
7	15	30	535000	2555	DFT-s-OFDM PI/2 BPSK	80@40	22.4	21.2	0.1318
7	15	30	535000	2555	DFT-s-OFDM PI/2 BPSK	1@1	22.37	21.17	0.1309
7	15	30	535000	2555	DFT-s-OFDM PI/2 BPSK	1@158	22.34	21.14	0.1300
7	15	30	535000	2555	DFT-s-OFDM QPSK	80@40	22.28	21.08	0.1282
7	15	30	535000	2555	DFT-s-OFDM QPSK	1@1	22.34	21.14	0.1300
7	15	30	535000	2555	DFT-s-OFDM QPSK	1@158	22.43	21.23	0.1327
7	15	30	535000	2555	DFT-s-OFDM 16 QAM	80@40	21.47	20.27	0.1064
7	15	30	535000	2555	DFT-s-OFDM 16 QAM	1@1	21.6	20.4	0.1096
7	15	30	535000	2555	DFT-s-OFDM 16 QAM	1@158	21.49	20.29	0.1069
7	15	30	535000	2555	DFT-s-OFDM 64 QAM	80@40	19.3	18.1	0.0646
7	15	30	535000	2555	DFT-s-OFDM 64 QAM	1@1	19.43	18.23	0.0665
7	15	30	535000	2555	DFT-s-OFDM 64 QAM	1@158	19.42	18.22	0.0664
7	15	30	535000	2555	DFT-s-OFDM 256 QAM	80@40	16.88	15.68	0.0370
7	15	30	535000	2555	DFT-s-OFDM 256 QAM	1@1	16.95	15.75	0.0376
7	15	30	535000	2555	DFT-s-OFDM 256 QAM	1@158	16.91	15.71	0.0372
7	15	30	535000	2555	CP-OFDM QPSK	80@40	20.04	18.84	0.0766
7	15	30	535000	2555	CP-OFDM QPSK	1@1	20.1	18.9	0.0776
7	15	30	535000	2555	CP-OFDM QPSK	1@158	20.03	18.83	0.0764
7	15	40	528000	2520	DFT-s-OFDM PI/2 BPSK	108@54	22.43	21.23	0.1327
7	15	40	528000	2520	DFT-s-OFDM PI/2 BPSK	1@1	22.4	21.2	0.1318
7	15	40	528000	2520	DFT-s-OFDM PI/2 BPSK	1@214	22.34	21.14	0.1300
7	15	40	528000	2520	DFT-s-OFDM QPSK	108@54	22.53	21.33	0.1358
7	15	40	528000	2520	DFT-s-OFDM QPSK	1@1	22.51	21.31	0.1352
7	15	40	528000	2520	DFT-s-OFDM QPSK	1@214	22.48	21.28	0.1343
7	15	40	528000	2520	DFT-s-OFDM 16 QAM	108@54	21.73	20.53	0.1130

7	15	40	528000	2520	DFT-s-OFDM 16 QAM	1@1	21.7	20.5	0.1122
7	15	40	528000	2520	DFT-s-OFDM 16 QAM	1@214	21.65	20.45	0.1109
7	15	40	528000	2520	DFT-s-OFDM 64 QAM	108@54	19.34	18.14	0.0652
7	15	40	528000	2520	DFT-s-OFDM 64 QAM	1@1	19.26	18.06	0.0640
7	15	40	528000	2520	DFT-s-OFDM 64 QAM	1@214	19.4	18.2	0.0661
7	15	40	528000	2520	DFT-s-OFDM 256 QAM	108@54	16.99	15.79	0.0379
7	15	40	528000	2520	DFT-s-OFDM 256 QAM	1@1	17.15	15.95	0.0394
7	15	40	528000	2520	DFT-s-OFDM 256 QAM	1@214	17.11	15.91	0.0390
7	15	40	528000	2520	CP-OFDM QPSK	108@54	20.14	18.94	0.0783
7	15	40	528000	2520	CP-OFDM QPSK	1@1	20.21	19.01	0.0796
7	15	40	528000	2520	CP-OFDM QPSK	1@214	20.24	19.04	0.0802
7	15	40	531000	2535	DFT-s-OFDM PI/2 BPSK	108@54	22.37	21.17	0.1309
7	15	40	531000	2535	DFT-s-OFDM PI/2 BPSK	1@1	22.34	21.14	0.1300
7	15	40	531000	2535	DFT-s-OFDM PI/2 BPSK	1@214	22.38	21.18	0.1312
7	15	40	531000	2535	DFT-s-OFDM QPSK	108@54	22.46	21.26	0.1337
7	15	40	531000	2535	DFT-s-OFDM QPSK	1@1	22.51	21.31	0.1352
7	15	40	531000	2535	DFT-s-OFDM QPSK	1@214	22.39	21.19	0.1315
7	15	40	531000	2535	DFT-s-OFDM 16 QAM	108@54	21.57	20.37	0.1089
7	15	40	531000	2535	DFT-s-OFDM 16 QAM	1@1	21.37	20.17	0.1040
7	15	40	531000	2535	DFT-s-OFDM 16 QAM	1@214	21.5	20.3	0.1072
7	15	40	531000	2535	DFT-s-OFDM 64 QAM	108@54	19.24	18.04	0.0637
7	15	40	531000	2535	DFT-s-OFDM 64 QAM	1@1	19.35	18.15	0.0653
7	15	40	531000	2535	DFT-s-OFDM 64 QAM	1@214	19.34	18.14	0.0652
7	15	40	531000	2535	DFT-s-OFDM 256 QAM	108@54	17.08	15.88	0.0387
7	15	40	531000	2535	DFT-s-OFDM 256 QAM	1@1	17.06	15.86	0.0385
7	15	40	531000	2535	DFT-s-OFDM 256 QAM	1@214	17.12	15.92	0.0391
7	15	40	531000	2535	CP-OFDM QPSK	108@54	20.28	19.08	0.0809
7	15	40	531000	2535	CP-OFDM QPSK	1@1	20.31	19.11	0.0815
7	15	40	531000	2535	CP-OFDM QPSK	1@214	20.27	19.07	0.0807
7	15	40	534000	2550	DFT-s-OFDM PI/2 BPSK	108@54	22.37	21.17	0.1309
7	15	40	534000	2550	DFT-s-OFDM PI/2 BPSK	1@1	22.34	21.14	0.1300
7	15	40	534000	2550	DFT-s-OFDM PI/2 BPSK	1@214	22.36	21.16	0.1306
7	15	40	534000	2550	DFT-s-OFDM QPSK	108@54	22.47	21.27	0.1340
7	15	40	534000	2550	DFT-s-OFDM QPSK	1@1	22.53	21.33	0.1358

7	15	40	534000	2550	DFT-s-OFDM QPSK	1@214	22.51	21.31	0.1352
7	15	40	534000	2550	DFT-s-OFDM 16 QAM	108@54	21.43	20.23	0.1054
7	15	40	534000	2550	DFT-s-OFDM 16 QAM	1@1	21.47	20.27	0.1064
7	15	40	534000	2550	DFT-s-OFDM 16 QAM	1@214	21.44	20.24	0.1057
7	15	40	534000	2550	DFT-s-OFDM 64 QAM	108@54	19.26	18.06	0.0640
7	15	40	534000	2550	DFT-s-OFDM 64 QAM	1@1	19.24	18.04	0.0637
7	15	40	534000	2550	DFT-s-OFDM 64 QAM	1@214	19.33	18.13	0.0650
7	15	40	534000	2550	DFT-s-OFDM 256 QAM	108@54	17.05	15.85	0.0385
7	15	40	534000	2550	DFT-s-OFDM 256 QAM	1@1	17.06	15.86	0.0385
7	15	40	534000	2550	DFT-s-OFDM 256 QAM	1@214	17.02	15.82	0.0382
7	15	40	534000	2550	CP-OFDM QPSK	108@54	20.26	19.06	0.0805
7	15	40	534000	2550	CP-OFDM QPSK	1@1	20.21	19.01	0.0796
7	15	40	534000	2550	CP-OFDM QPSK	1@214	20.35	19.15	0.0822
7	15	50	529000	2525	DFT-s-OFDM PI/2 BPSK	135@67	21.98	20.78	0.1197
7	15	50	529000	2525	DFT-s-OFDM PI/2 BPSK	1@1	22.09	20.89	0.1227
7	15	50	529000	2525	DFT-s-OFDM PI/2 BPSK	1@268	22.27	21.07	0.1279
7	15	50	529000	2525	DFT-s-OFDM QPSK	135@67	22.18	20.98	0.1253
7	15	50	529000	2525	DFT-s-OFDM QPSK	1@1	22.26	21.06	0.1276
7	15	50	529000	2525	DFT-s-OFDM QPSK	1@268	22.32	21.12	0.1294
7	15	50	529000	2525	DFT-s-OFDM 16 QAM	135@67	21.18	19.98	0.0995
7	15	50	529000	2525	DFT-s-OFDM 16 QAM	1@1	21.23	20.03	0.1007
7	15	50	529000	2525	DFT-s-OFDM 16 QAM	1@268	21.27	20.07	0.1016
7	15	50	529000	2525	DFT-s-OFDM 64 QAM	135@67	18.69	17.49	0.0561
7	15	50	529000	2525	DFT-s-OFDM 64 QAM	1@1	18.96	17.76	0.0597
7	15	50	529000	2525	DFT-s-OFDM 64 QAM	1@268	18.9	17.7	0.0589
7	15	50	529000	2525	DFT-s-OFDM 256 QAM	135@67	17.15	15.95	0.0394
7	15	50	529000	2525	DFT-s-OFDM 256 QAM	1@1	16.88	15.68	0.0370
7	15	50	529000	2525	DFT-s-OFDM 256 QAM	1@268	16.62	15.42	0.0348
7	15	50	529000	2525	CP-OFDM QPSK	135@67	19.62	18.42	0.0695
7	15	50	529000	2525	CP-OFDM QPSK	1@1	19.74	18.54	0.0714
7	15	50	529000	2525	CP-OFDM QPSK	1@268	19.76	18.56	0.0718
7	15	50	531000	2535	DFT-s-OFDM PI/2 BPSK	135@67	22.16	20.96	0.1247
7	15	50	531000	2535	DFT-s-OFDM PI/2 BPSK	1@1	22.19	20.99	0.1256
7	15	50	531000	2535	DFT-s-OFDM PI/2 BPSK	1@268	22.4	21.2	0.1318

7	15	50	531000	2535	DFT-s-OFDM QPSK	135@67	22.21	21.01	0.1262
7	15	50	531000	2535	DFT-s-OFDM QPSK	1@1	22.23	21.03	0.1268
7	15	50	531000	2535	DFT-s-OFDM QPSK	1@268	22.42	21.22	0.1324
7	15	50	531000	2535	DFT-s-OFDM 16 QAM	135@67	21.21	20.01	0.1002
7	15	50	531000	2535	DFT-s-OFDM 16 QAM	1@1	21.18	19.98	0.0995
7	15	50	531000	2535	DFT-s-OFDM 16 QAM	1@268	21.4	20.2	0.1047
7	15	50	531000	2535	DFT-s-OFDM 64 QAM	135@67	18.61	17.41	0.0551
7	15	50	531000	2535	DFT-s-OFDM 64 QAM	1@1	19.02	17.82	0.0605
7	15	50	531000	2535	DFT-s-OFDM 64 QAM	1@268	19.18	17.98	0.0628
7	15	50	531000	2535	DFT-s-OFDM 256 QAM	135@67	17.28	16.08	0.0406
7	15	50	531000	2535	DFT-s-OFDM 256 QAM	1@1	16.46	15.26	0.0336
7	15	50	531000	2535	DFT-s-OFDM 256 QAM	1@268	16.86	15.66	0.0368
7	15	50	531000	2535	CP-OFDM QPSK	135@67	19.67	18.47	0.0703
7	15	50	531000	2535	CP-OFDM QPSK	1@1	19.68	18.48	0.0705
7	15	50	531000	2535	CP-OFDM QPSK	1@268	19.9	18.7	0.0741
7	15	50	533000	2545	DFT-s-OFDM PI/2 BPSK	135@67	22.32	21.12	0.1294
7	15	50	533000	2545	DFT-s-OFDM PI/2 BPSK	1@1	22.17	20.97	0.1250
7	15	50	533000	2545	DFT-s-OFDM PI/2 BPSK	1@268	22.39	21.19	0.1315
7	15	50	533000	2545	DFT-s-OFDM QPSK	135@67	22.32	21.12	0.1294
7	15	50	533000	2545	DFT-s-OFDM QPSK	1@1	22.27	21.07	0.1279
7	15	50	533000	2545	DFT-s-OFDM QPSK	1@268	22.45	21.25	0.1334
7	15	50	533000	2545	DFT-s-OFDM 16 QAM	135@67	21.48	20.28	0.1067
7	15	50	533000	2545	DFT-s-OFDM 16 QAM	1@1	21.32	20.12	0.1028
7	15	50	533000	2545	DFT-s-OFDM 16 QAM	1@268	21.4	20.2	0.1047
7	15	50	533000	2545	DFT-s-OFDM 64 QAM	135@67	18.8	17.6	0.0575
7	15	50	533000	2545	DFT-s-OFDM 64 QAM	1@1	18.93	17.73	0.0593
7	15	50	533000	2545	DFT-s-OFDM 64 QAM	1@268	19.2	18	0.0631
7	15	50	533000	2545	DFT-s-OFDM 256 QAM	135@67	17.38	16.18	0.0415
7	15	50	533000	2545	DFT-s-OFDM 256 QAM	1@1	16.54	15.34	0.0342
7	15	50	533000	2545	DFT-s-OFDM 256 QAM	1@268	16.87	15.67	0.0369
7	15	50	533000	2545	CP-OFDM QPSK	135@67	19.8	18.6	0.0724
7	15	50	533000	2545	CP-OFDM QPSK	1@1	19.71	18.51	0.0710
7	15	50	533000	2545	CP-OFDM QPSK	1@268	19.96	18.76	0.0752

Frequency Stability

NR Band	SCS (kHz)	Bandwidth (MHz)	Arfcn	Freq (MHz)	Modulation	RB	Deviation (ppm)	Verdict	Environment
7	15	20	531000	2535.0	DFT-s-OFDM QPSK	100@0	-0.00304	PASS	NV
7	15	20	531000	2535.0	DFT-s-OFDM QPSK	100@0	-0.00253	PASS	LV
7	15	20	531000	2535.0	DFT-s-OFDM QPSK	100@0	-0.00651	PASS	HV
7	15	20	531000	2535.0	DFT-s-OFDM QPSK	100@0	-0.00531	PASS	-30°C
7	15	20	531000	2535.0	DFT-s-OFDM QPSK	100@0	-0.00231	PASS	-20°C
7	15	20	531000	2535.0	DFT-s-OFDM QPSK	100@0	-0.00861	PASS	-10°C
7	15	20	531000	2535.0	DFT-s-OFDM QPSK	100@0	-0.00635	PASS	0°C
7	15	20	531000	2535.0	DFT-s-OFDM QPSK	100@0	-0.00432	PASS	10°C
7	15	20	531000	2535.0	DFT-s-OFDM QPSK	100@0	-0.00513	PASS	20°C
7	15	20	531000	2535.0	DFT-s-OFDM QPSK	100@0	-0.00254	PASS	30°C
7	15	20	531000	2535.0	DFT-s-OFDM QPSK	100@0	-0.00538	PASS	40°C
7	15	20	531000	2535.0	DFT-s-OFDM QPSK	100@0	-0.00745	PASS	50°C

Peak to Average Ratio

NR Band	SCS (kHz)	Bandwidth (MHz)	Arfcn	Freq (MHz)	Modulation	RB	Result (dB)	Limit (dB)	Verdict
7	15	20	526000	2510.0	DFT-s-OFDM PI/2 BPSK	100@0	4.28	13	PASS
7	15	20	526000	2510.0	DFT-s-OFDM PI/2 BPSK	1@0	3.81	13	PASS
7	15	20	526000	2510.0	DFT-s-OFDM QPSK	100@0	5.5	13	PASS
7	15	20	526000	2510.0	DFT-s-OFDM QPSK	1@0	5.8	13	PASS
7	15	20	531000	2535.0	DFT-s-OFDM PI/2 BPSK	100@0	4.4	13	PASS
7	15	20	531000	2535.0	DFT-s-OFDM PI/2 BPSK	1@0	3.82	13	PASS
7	15	20	531000	2535.0	DFT-s-OFDM QPSK	100@0	5.67	13	PASS
7	15	20	531000	2535.0	DFT-s-OFDM QPSK	1@0	5.8	13	PASS
7	15	20	536000	2560.0	DFT-s-OFDM PI/2 BPSK	100@0	4.13	13	PASS
7	15	20	536000	2560.0	DFT-s-OFDM PI/2 BPSK	1@0	3.75	13	PASS
7	15	20	536000	2560.0	DFT-s-OFDM QPSK	100@0	5.49	13	PASS
7	15	20	536000	2560.0	DFT-s-OFDM QPSK	1@0	5.62	13	PASS

B66_N7(20M)_DFT-s-OFDM_PI_2-BPSK_Outer_Full_Low_CH



B66_N7(20M)_DFT-s-OFDM_PI_2-BPSK_Edge_1RB_Left_Low_CH



B66_N7(20M)_DFT-s-OFDM_QPSK_Outer_Full_Low_CH




B66_N7(20M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Low_CH



B66_N7(20M)_DFT-s-OFDM_PI_2-BPSK_Outer_Full_Mid_CH



B66_N7(20M)_DFT-s-OFDM_PI_2-BPSK_Edge_1RB_Left_Mid_CH



B66_N7(20M)_DFT-s-OFDM_QPSK_Outer_Full_Mid_CH



B66_N7(20M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Mid_CH



B66_N7(20M)_DFT-s-OFDM_PI_2-BPSK_Outer_Full_High_CH



B66_N7(20M)_DFT-s-OFDM_PI_2-BPSK_Edge_1RB_Left_High_CH



B66_N7(20M)_DFT-s-OFDM_QPSK_Outer_Full_High_CH



B66_N7(20M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_High_CH




Occupied Bandwidth

NR Band	SCS (kHz)	Bandwidth (MHz)	Arfcn	Freq (MHz)	Modulation	RB	OBW (MHz)	26dB OBW (MHz)
7	15	5	531000	2535.0	DFT-s-OFDM PI/2 BPSK	25@0	4.46	4.838
7	15	5	531000	2535.0	DFT-s-OFDM QPSK	25@0	4.469	4.812
7	15	5	531000	2535.0	CP-OFDM QPSK	25@0	4.4691	4.956
7	15	5	531000	2535.0	CP-OFDM 16 QAM	25@0	4.4883	4.934
7	15	5	531000	2535.0	CP-OFDM 64 QAM	25@0	4.4768	4.985
7	15	5	531000	2535.0	CP-OFDM 256 QAM	25@0	4.4638	4.918
7	15	10	531000	2535.0	DFT-s-OFDM PI/2 BPSK	50@0	8.9031	9.471
7	15	10	531000	2535.0	DFT-s-OFDM QPSK	50@0	8.9161	9.551
7	15	10	531000	2535.0	CP-OFDM QPSK	52@0	9.2765	9.927
7	15	10	531000	2535.0	CP-OFDM 16 QAM	52@0	9.2615	9.843
7	15	10	531000	2535.0	CP-OFDM 64 QAM	52@0	9.2725	9.892
7	15	10	531000	2535.0	CP-OFDM 256 QAM	52@0	9.2942	9.943
7	15	15	531000	2535.0	DFT-s-OFDM PI/2 BPSK	75@0	13.394	14.11
7	15	15	531000	2535.0	DFT-s-OFDM QPSK	75@0	13.379	14.09
7	15	15	531000	2535.0	CP-OFDM QPSK	79@0	14.127	14.81
7	15	15	531000	2535.0	CP-OFDM 16 QAM	79@0	14.117	14.82
7	15	15	531000	2535.0	CP-OFDM 64 QAM	79@0	14.128	14.81
7	15	15	531000	2535.0	CP-OFDM 256 QAM	79@0	14.072	14.82
7	15	20	531000	2535.0	DFT-s-OFDM PI/2 BPSK	100@0	17.875	18.68
7	15	20	531000	2535.0	DFT-s-OFDM QPSK	100@0	17.856	18.7
7	15	20	531000	2535.0	CP-OFDM QPSK	106@0	18.928	19.83
7	15	20	531000	2535.0	CP-OFDM 16 QAM	106@0	18.944	19.8
7	15	20	531000	2535.0	CP-OFDM 64 QAM	106@0	18.915	19.74
7	15	20	531000	2535.0	CP-OFDM 256 QAM	106@0	19.002	19.79

7	15	25	531000	2535.0	DFT-s-OFDM PI/2 BPSK	128@0	22.864	23.8
7	15	25	531000	2535.0	DFT-s-OFDM QPSK	128@0	22.9	23.73
7	15	25	531000	2535.0	CP-OFDM QPSK	133@0	23.729	24.67
7	15	25	531000	2535.0	CP-OFDM 16 QAM	133@0	23.737	24.68
7	15	25	531000	2535.0	CP-OFDM 64 QAM	133@0	23.738	24.7
7	15	25	531000	2535.0	CP-OFDM 256 QAM	133@0	23.762	24.64
7	15	30	531000	2535.0	DFT-s-OFDM PI/2 BPSK	160@0	28.582	29.59
7	15	30	531000	2535.0	DFT-s-OFDM QPSK	160@0	28.554	29.68
7	15	30	531000	2535.0	CP-OFDM QPSK	160@0	28.527	29.66
7	15	30	531000	2535.0	CP-OFDM 16 QAM	160@0	28.584	29.63
7	15	30	531000	2535.0	CP-OFDM 64 QAM	160@0	28.529	29.71
7	15	30	531000	2535.0	CP-OFDM 256 QAM	160@0	28.591	29.7
7	15	40	531000	2535.0	DFT-s-OFDM PI/2 BPSK	216@0	38.572	39.91
7	15	40	531000	2535.0	DFT-s-OFDM QPSK	216@0	38.664	39.92
7	15	40	531000	2535.0	CP-OFDM QPSK	216@0	38.512	39.92
7	15	40	531000	2535.0	CP-OFDM 16 QAM	216@0	38.543	39.86
7	15	40	531000	2535.0	CP-OFDM 64 QAM	216@0	38.553	39.86
7	15	40	531000	2535.0	CP-OFDM 256 QAM	216@0	38.556	39.84
7	15	50	531000	2535.0	DFT-s-OFDM PI/2 BPSK	270@0	48.243	49.82
7	15	50	531000	2535.0	DFT-s-OFDM QPSK	270@0	48.2	49.81
7	15	50	531000	2535.0	CP-OFDM QPSK	270@0	48.232	49.76
7	15	50	531000	2535.0	CP-OFDM 16 QAM	270@0	48.22	49.77
7	15	50	531000	2535.0	CP-OFDM 64 QAM	270@0	48.257	49.87
7	15	50	531000	2535.0	CP-OFDM 256 QAM	270@0	48.269	49.81


B66_N7(5M)_DFT-s-OFDM_PI_2-
BPSK_Outer_Full_Mid_CH



B66_N7(5M)_DFT-s-
OFDM_QPSK_Outer_Full_Mid_CH




B66_N7(5M)_CP-
OFDM_QPSK_Outer_Full_Mid_CH




B66_N7(5M)_CP-OFDM_16
QAM_Outer_Full_Mid_CH




B66_N7(5M)_CP-OFDM_64
QAM_Outer_Full_Mid_CH




B66_N7(5M)_CP-OFDM_256
QAM_Outer_Full_Mid_CH



B66_N7(10M)_DFT-s-OFDM_PI_2-
BPSK_Outer_Full_Mid_CH



B66_N7(10M)_DFT-s-
OFDM_QPSK_Outer_Full_Mid_CH




B66_N7(10M)_CP-
OFDM_QPSK_Outer_Full_Mid_CH




B66_N7(10M)_CP-OFDM_16
QAM_Outer_Full_Mid_CH




B66_N7(10M)_CP-OFDM_64
QAM_Outer_Full_Mid_CH




B66_N7(10M)_CP-OFDM_256
QAM_Outer_Full_Mid_CH



B66_N7(15M)_DFT-s-OFDM_PI_2- BPSK_Outer_Full_Mid_CH



B66_N7(15M)_DFT-s- OFDM_QPSK_Outer_Full_Mid_CH




B66_N7(15M)_CP- OFDM_QPSK_Outer_Full_Mid_CH




B66_N7(15M)_CP-OFDM_16 QAM_Outer_Full_Mid_CH




B66_N7(15M)_CP-OFDM_64 QAM_Outer_Full_Mid_CH




B66_N7(15M)_CP-OFDM_256 QAM_Outer_Full_Mid_CH




B66_N7(20M)_DFT-s-OFDM_PI_2- BPSK_Outer_Full_Mid_CH



B66_N7(20M)_DFT-s- OFDM_QPSK_Outer_Full_Mid_CH




B66_N7(20M)_CP- OFDM_QPSK_Outer_Full_Mid_CH




B66_N7(20M)_CP-OFDM_16 QAM_Outer_Full_Mid_CH




B66_N7(20M)_CP-OFDM_64 QAM_Outer_Full_Mid_CH




B66_N7(20M)_CP-OFDM_256 QAM_Outer_Full_Mid_CH




B66_N7(25M)_DFT-s-OFDM_PI_2-
BPSK_Outer_Full_Mid_CH



B66_N7(25M)_DFT-s-
OFDM_QPSK_Outer_Full_Mid_CH




B66_N7(25M)_CP-
OFDM_QPSK_Outer_Full_Mid_CH




B66_N7(25M)_CP-OFDM_16
QAM_Outer_Full_Mid_CH




B66_N7(25M)_CP-OFDM_64
QAM_Outer_Full_Mid_CH




B66_N7(25M)_CP-OFDM_256
QAM_Outer_Full_Mid_CH



B66_N7(30M)_DFT-s-OFDM_PI_2-
BPSK_Outer_Full_Mid_CH



B66_N7(30M)_DFT-s-
OFDM_QPSK_Outer_Full_Mid_CH




B66_N7(30M)_CP-
OFDM_QPSK_Outer_Full_Mid_CH




B66_N7(30M)_CP-OFDM_16
QAM_Outer_Full_Mid_CH




B66_N7(30M)_CP-OFDM_64
QAM_Outer_Full_Mid_CH




B66_N7(30M)_CP-OFDM_256
QAM_Outer_Full_Mid_CH



B66_N7(40M)_DFT-s-OFDM_PI_2- BPSK_Outer_Full_Mid_CH




B66_N7(40M)_DFT-s- OFDM_QPSK_Outer_Full_Mid_CH




B66_N7(40M)_CP- OFDM_QPSK_Outer_Full_Mid_CH




B66_N7(40M)_CP-OFDM_16 QAM_Outer_Full_Mid_CH




B66_N7(40M)_CP-OFDM_64 QAM_Outer_Full_Mid_CH



B66_N7(40M)_CP-OFDM_256 QAM_Outer_Full_Mid_CH




B66_N7(50M)_DFT-s-OFDM_PI_2-
BPSK_Outer_Full_Mid_CH




B66_N7(50M)_DFT-s-
OFDM_QPSK_Outer_Full_Mid_CH




B66_N7(50M)_CP-
OFDM_QPSK_Outer_Full_Mid_CH




B66_N7(50M)_CP-OFDM_16
QAM_Outer_Full_Mid_CH



B66_N7(50M)_CP-OFDM_64
QAM_Outer_Full_Mid_CH



B66_N7(50M)_CP-OFDM_256
QAM_Outer_Full_Mid_CH




Conducted Spurious Emissions

NR Band	SCS (kHz)	Bandwidth (MHz)	Arfcn	Freq (MHz)	Modulation	RB	Result	Verdict
7	15	5	524500	2502.5	DFT-s-OFDM BPSK	1@0	see graph	---
7	15	5	524500	2502.5	DFT-s-OFDM BPSK	1@0	see graph	PASS
7	15	5	524500	2502.5	DFT-s-OFDM BPSK	1@0	see graph	PASS
7	15	5	524500	2502.5	DFT-s-OFDM QPSK	1@0	see graph	---
7	15	5	524500	2502.5	DFT-s-OFDM QPSK	1@0	see graph	PASS
7	15	5	524500	2502.5	DFT-s-OFDM QPSK	1@0	see graph	PASS
7	15	5	531000	2535.0	DFT-s-OFDM BPSK	1@0	see graph	---
7	15	5	531000	2535.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
7	15	5	531000	2535.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
7	15	5	531000	2535.0	DFT-s-OFDM QPSK	1@0	see graph	---
7	15	5	531000	2535.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
7	15	5	531000	2535.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
7	15	5	537500	2567.5	DFT-s-OFDM BPSK	1@0	see graph	---
7	15	5	537500	2567.5	DFT-s-OFDM BPSK	1@0	see graph	PASS
7	15	5	537500	2567.5	DFT-s-OFDM BPSK	1@0	see graph	PASS
7	15	5	537500	2567.5	DFT-s-OFDM QPSK	1@0	see graph	---
7	15	5	537500	2567.5	DFT-s-OFDM QPSK	1@0	see graph	PASS
7	15	5	537500	2567.5	DFT-s-OFDM QPSK	1@0	see graph	PASS
7	15	20	526000	2510.0	DFT-s-OFDM BPSK	1@0	see graph	---
7	15	20	526000	2510.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
7	15	20	526000	2510.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
7	15	20	526000	2510.0	DFT-s-OFDM QPSK	1@0	see graph	---


7	15	20	526000	2510.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
7	15	20	526000	2510.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
7	15	20	531000	2535.0	DFT-s-OFDM BPSK	1@0	see graph	---
7	15	20	531000	2535.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
7	15	20	531000	2535.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
7	15	20	531000	2535.0	DFT-s-OFDM QPSK	1@0	see graph	---
7	15	20	531000	2535.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
7	15	20	531000	2535.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
7	15	20	536000	2560.0	DFT-s-OFDM BPSK	1@0	see graph	---
7	15	20	536000	2560.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
7	15	20	536000	2560.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
7	15	20	536000	2560.0	DFT-s-OFDM QPSK	1@0	see graph	---
7	15	20	536000	2560.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
7	15	20	536000	2560.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
7	15	50	529000	2525.0	DFT-s-OFDM BPSK	1@0	see graph	---
7	15	50	529000	2525.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
7	15	50	529000	2525.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
7	15	50	529000	2525.0	DFT-s-OFDM QPSK	1@0	see graph	---
7	15	50	529000	2525.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
7	15	50	529000	2525.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
7	15	50	531000	2535.0	DFT-s-OFDM BPSK	1@0	see graph	---
7	15	50	531000	2535.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
7	15	50	531000	2535.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
7	15	50	531000	2535.0	DFT-s-OFDM QPSK	1@0	see graph	---

7	15	50	531000	2535.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
7	15	50	531000	2535.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
7	15	50	533000	2545.0	DFT-s-OFDM BPSK	1@0	see graph	---
7	15	50	533000	2545.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
7	15	50	533000	2545.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
7	15	50	533000	2545.0	DFT-s-OFDM QPSK	1@0	see graph	---
7	15	50	533000	2545.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
7	15	50	533000	2545.0	DFT-s-OFDM QPSK	1@0	see graph	PASS


B66_N7(5M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Low_CH




B66_N7(5M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Low_CH




B66_N7(5M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Low_CH




B66_N7(5M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Low_CH




B66_N7(5M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Mid_CH




B66_N7(5M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Mid_CH




B66_N7(5M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Mid_CH




B66_N7(5M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Mid_CH



B66_N7(5M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_High_CH



B66_N7(5M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_High_CH




B66_N7(5M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_High_CH




B66_N7(5M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_High_CH




B66_N7(20M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Low_CH




B66_N7(20M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Low_CH




B66_N7(20M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Low_CH



B66_N7(20M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Low_CH



B66_N7(20M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Mid_CH



B66_N7(20M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Mid_CH

