## SC4812ET @1.9 GHz CDMA BTS

## **TEST REPORT EXHIBIT**

## Index

<u>Section</u>	<b>Description</b>
$\mathbf{A}$	Summary of RF Measurements
В	<b>Modulation Characteristics</b>
C	Spurious & Harmonic Emissions Radiated
D	Spurious & Harmonic Emissions Conducted
E	Occupied Bandwidth
${f F}$	Frequency Stability



FCC ID: IHET6YZ1

## **SECTION A**

## SUMMARY OF RF MEASUREMENTS

#### APPLICANT: MOTOROLA

## **Summary of Conducted RF Measurements**

SPUR LEVEL MEASURED (dBm)	FREQUENCY (GHz)	SPUR LEVEL SPEC (dBm Max)	
-22.51	19.8875	-13.0	

Engineer:

116/98

Date

## Summary of Radiated RF Measurements

## WORST TRANSMIT RADIATED RF SPUR LEVEL FOR SC4812ET @1.9 GHz BTS

SPUR FREQUENCY (GHz)	DISTANCE MEASURED (meters)	SPUR LEVEL MEASURED (dBµV/meter)	SPUR LEVEL MEASURED (dBm)	FCC MAX LIMIT dBm
3.862	3	69.95	-25.28	-13

#### FCC Max. Limit Per 47 CFR 22.917:

- " =Transmitted Power (10 Log10 (Pwatt)) (43 + 10 Log10 (Pwatt))dBW
- " =10 Log10 (Pwatt) (43 + 10 Log10 (Pwatt))dBW
- " =-43 dBW
- " =-13 dBm

Engineer: Very Colling 12-15-98
Date



FCC ID: IHET6YZ1

## **SECTION B**

## MODULATION CHARACTERISTICS




**SECTION B** 

FCC ID: IHET6YZ1


## MODULATION CHARACTERISTICS

**Maximum Power** 



Channel 25 Maximum Power

IHET6YZ1 SC4812ET 1.9 GHz CDMA BTS



Channel 1175 Maximum Power IHET6YZ1 SC4812ET 1.9 GHz CDMA BTS




**SECTION B** 


FCC ID: IHET6YZ1

## MODULATION CHARACTERISTICS

**Minimum Power** 



Channel 25 Minimum Power IHET6YZ1 SC4812ET 1.9 GHz CDMA BTS



Channel 1175 Minimum Power IHET6YZ1 SC4812ET 1.9 GHz CDMA BTS



FCC ID: IHET6YZ1

## **SECTION C**

## SPURIOUS & HARMONIC EMISSIONS RADIATED

### Radiated RF Measurements

#### WORST RADIATED RF SPUR LEVEL FOR SC4812ET @1.9 GHz

TRANSMIT CHANNEL	SPUR FREQUENCY (GHz)	MEASURED SIGNAL LEVEL dBuV/meter	MEASURED Signal Level (dBm)	FCC, Part 24 MAX LIMIT (dBm)
25V	3.862	69.95	-25.28	-13
25H	3.862	61.61	-33.62	-13
1175V	3.977	62.97	-32.26	-13
1175H	3.977	61.50	-33.73	-13

Converting dBuV/meter to dBm when Part 24 is done at 3 meters.

- 1. (dBuV/M/20)\*(Inverse Log) = uV/M
- 2. Log(uV/M/57735) \* 20 = dBm

Example 69.95 dBuV/m to dBm

(69.95 dBuV/m / 20) \* (Inverse Log) = 3143.54 uV/M

Log(6638.96 uV/m/ 57735) \* 20 = -25.28 dBm

If the test is done at 10 meters, the first formula would remain the same. The 2nd is as follows

Log[(uV/m \* 1/(3 \* 57735)/10)] \* 20 dBm

Lang J. Collins 12-15-98



FCC ID: IHET6YZ1

## **SECTION D**

## **SPURIOUS & HARMONIC**

## **EMISSIONS CONDUCTED**

NOTE: The plots for conducted spurious and harmonic emissions are measured in peak mode. The higher (than 40.0 watts) levels measured in peak mode are expected, due to typical CDMA peak to average performance. The average power level was set to 40.0 watts using an HP438A power meter.





## SPURIOUS & HARMONIC EMISSIONS CONDUCTED

## **CDMA Transmitter Channel 25**

**Maximum Power** 


#### Channel 25 Maximum Power








#### IHET6YZ1 SC4812ET 1.9 GHz

btsate 12-16-98 11:25:12













#### IHET6YZ1 SC4812ET 1.9 GHz CDMA BTS

btsate 12-16-98 11:38:48











#VBW 1 MHz


SWP 20.0 msec

#### IHET6YZ1 SC4812ET 1.9 GHz **CDMA BTS**


btsate 12-16-98 11:39:59












CENTER 14.484375 GHz #RES BW 1.0 MHz


#VBW 1 MHz


SPAN 5.000 MHZ SWP 20.0 msec


#### IHET6YZ1 SC4812ET 1.9 GHz

btsate 12-16-98 11:41:01










CENTER 18.346875 GHz #RES BW 1.0 MHz


#VBW 1 MHz

SPAN 5.000 MHz SWP 20.0 msec

#### IHET6YZ1 SC4812ET 1.9 GHz

btsate 12-16-98 11:42:13








## SPURIOUS & HARMONIC EMISSIONS CONDUCTED


## **CDMA Transmitter Channel 25**

**Minimum Power** 



CENTER 2.896875 GHz

#RES BW 1.0 MHz




#VBW 1 MHz


SPAN 5.000 MHz

SWP 20.0 msec

#### IHET6YZ1 SC4812ET 1.9 GHz

btsate 12-16-98 13:07:35







#VBW 1 MHZ

SWP 20.0 msec

#RES BW 1.0 MHZ


Channel 25








### SC4812ET 1.9 GHz CDMA BTS


btsate 12-16-98 13:09:03












CENTER 10.621875 GHz #RES BW 1.0 MHz

#VBW 1 MHz


SPAN 5.000 MHz SWP 20.0 msec

#### IHET6YZ1 SC4812ET 1.9 GHz

btsate 12-16-98 13:10:34









CENTER 11.5875ØØ GHZ #RES BW 1.0 MHZ

#VBW 1 MHZ


SPAN 5.000 MHZ SWP 20.0 msec








## SC4812ET 1.9 GHz

btsate 12-16-98 13:11:16











#### IHET6YZ1 SC4812ET 1.9 GHz

btsate 12-16-98 13:12:46









## SPURIOUS & HARMONIC EMISSIONS CONDUCTED

# CDMA Transmitter Channel 1175 Maximum Power







CENTER 2.983125 GHz #RES BW 1.0 MHZ

10: 48: 59 DEC 16, 1998


#VBW 1 MHZ


SPAN 5.000 MHz SWP 20.0 msec


MKR 2.983125 GHz


#### IHET6YZ1 SC4812ET 1.9 GHz

btsate 12-16-98 11:52:27













## SC4812ET 1.9 GHz

btsate 12-16-98 11:53:42












#### IHET6YZ1 SC4812ET 1.9 GHz


btsate 12-16-98 11:55:04












CENTER 14.915625 GHz #RES BW 1.0 MHz


**#VBW 1 MHZ** 

SPAN 5.000 MHZ SWP 20.0 msec

#### IHET6YZ1 SC4812ET 1.9 GHz

btsate 12-16-98 11:56:19








#VBW 1 MHZ

SWP 20.0 msec

#RES BW 1.0 MHz








CENTER 18.893125 GHz #RES BW 1.0 MHZ


#VBW 1 MHz

SPAN 5.000 MHZ SWP 20.0 msec

#### IHET6YZ1 SC4812ET 1.9 GHz

btsate 12-16-98 12:02:52





#VBW 1 MHz


SWP 20.0 msec


#RES BW 1.0 MHz



## SPURIOUS & HARMONIC EMISSIONS CONDUCTED


# CDMA Transmitter Channel 1175 Minimum Power







#### IHET6YZ1 SC4812ET 1.9 GHz


btsate 12-16-98 12:54:20






#### Channel 1175 Minimum Power








#### IHET6YZ1 SC4812ET 1.9 GHz CDMA BTS

btsate 12-16-98 12:55:17












#### IHET6YZ1 SC4812ET 1.9 GHz


btsate 12-16-98 12:56:03






#### Channel 1175







#### IHET6YZ1 SC4812ET 1.9 GHz CDMA BTS


btsate 12-16-98 12:56:52






## Channel 1175






#### IHET6YZ1 SC4812ET 1.9 GHz

btsate 12-16-98 12:57:49







# SPURIOUS & HARMONIC EMISSIONS CONDUCTED

## EMISSIONS IN THE 1 MHz BW LOCATED 1 MHz AWAY FROM THE UPPER EDGE OF THE FREQUENCY BLOCK AT 1991.5 MHz

### **Maximum Power**


CDMA TX @ 46.0 dBm CH. 1175 at (1988.75 MHz)

NOTE: The configuration which created the following plots had 30.0 dB of attenuation from the SC4812ET 1.9 GHz CDMA BTS output to the spectrum analyzer input.

12-16-98 14:46:13

13: 43: 1Ø DEC 16, 1998

REF -12.Ø dBm #AT 3Ø dB



CENTER 1.9915ØØ GHz #RES BW 10 kHz

#VBW 1ØØ kHz

SPAN 2.ØØØ MHz SWP 6Ø.Ø msec



# SPURIOUS & HARMONIC EMISSIONS CONDUCTED

## EMISSIONS IN THE 1 MHz BW LOCATED 1 MHz AWAY FROM THE UPPER EDGE OF THE FREQUENCY BLOCK AT 1991.5 MHz


### Minimum Power

CDMA TX @ 23.0 dBm CH. 1175 at (1988.75 MHz)

NOTE: The configuration which created the following plots had 30.0 dB of attenuation from the SC4812ET 1.9 GHz CDMA BTS output to the spectrum analyzer input.

13: 4Ø: 31 DEC 16, 1998

REF -35.Ø dBm #AT 1Ø dB



CENTER 1.9915ØØ GHz #RES BW 10 kHz #VBW 100 kHz

SPAN 2.ØØØ MHz SWP 6Ø.Ø msec



# SPURIOUS & HARMONIC EMISSIONS CONDUCTED

## EMISSIONS IN THE 1 MHz BW LOCATED 1 MHz AWAY FROM THE LOWER EDGE OF THE FREQUENCY BLOCK AT 1928.5 MHz

### **Maximum Power**


CDMA TX @ 46.0 dBm CH. 25 at (1931.25 MHz)

NOTE: The configuration which created the following plots had 30.0 dB of attenuation from the SC4812ET 1.9 GHz CDMA BTS output to the spectrum analyzer input.

#### Channel 25 Maximum Power

,12: 5Ø: 38 DEC 16, 1998

REF  $-12.\emptyset$  dBm #AT  $3\emptyset$  dB



CENTER 1.9285ØØ GHz #RES BW 10 kHz

#VBW 1ØØ kHz

SPAN 2.ØØØ MHz SWP 6Ø.Ø msec



# SPURIOUS & HARMONIC EMISSIONS CONDUCTED

## EMISSIONS IN THE 1 MHz BW LOCATED 1 MHz AWAY FROM THE LOWER EDGE OF THE FREQUENCY BLOCK AT 1928.5 MHz


### **Minimum Power**

CDMA TX @ 23.0 dBm CH. 25 at (1931.25 MHz)

NOTE: The configuration which created the following plots had 30.0 dB of attenuation from the SC4812ET 1.9 GHz CDMA BTS output to the spectrum analyzer input.

,12: 36: 43 DEC 16, 1998

REF -35.Ø dBm #AT 1Ø dB



CENTER 1.9285ØØ GHz #RES BW 10 kHz

#VBW 1ØØ kHz

SPAN 2.ØØØ MHz SWP 6Ø.Ø msec



## **SECTION E**

## **OCCUPIED BANDWIDTH**

NOTE: The occupied bandwidth plots are measured in a 30 kHz resolution bandwidth. The following formula is used to obtain the correct zero dB reference point relative to the bandwidth of the 1.2288 MHz CDMA signal.

Power(measured in 30 kHz bandwidth) + 
$$10 \log \frac{1.2288MHz}{30kHz}$$

Example: 29.88 dBm + 16.12 dB 46.0 dBm

The output power was set to 40.0 Watts using an HP438A power meter.




<u>SECTION E</u> FCC ID: IHET6YZ1

## **OCCUPIED BANDWIDTH**

**Maximum Power** 

12-16-98




CENTER 1.93125Ø GHz #RES BW 3Ø kHz #VBW 1ØØ kHz

SPAN 5.ØØØ MHz SWP 20.0 msec

btsate 12-16-98 14:35:33

.13: 32: 29 DEC 16, 1998

MKR 1.98875Ø GHz



CENTER 1.98875Ø GHz #RES BW 3Ø kHz

SPAN 5.ØØØ MHz #VBW 1ØØ kHz SWP 2Ø.Ø msec



SECTION E


FCC ID: IHET6YZ1

## **OCCUPIED BANDWIDTH**

## **Minimum Power**

btsate 12-16-98 14:16:27

13: 13: 23 DEC 16, 1998



CENTER 1.93125Ø GHz #RES BW 3Ø kHz

#VBW 1ØØ kHz

SPAN 5.ØØØ MHz SWP 2Ø.Ø msec Minimum Power

,13: 22: 42 DEC 16, 1998


MKR 1.98875Ø GHz

IHET6YZ1

SC4812ET 1.9 GHz

**CDMA BTS** 

REF 12.6 dBm #AT 2Ø dB 6.93 dBm



Marker Trace Type Freq / Time Amplitude 1: (A) Freq 1988.75Ø MHz 6.93 dBm 2: (A) Freq

1987.500 MHz -48.34 dBm 3: (A) Freq 199Ø.ØØØ MHz -48.38 dBm

4: Inactive

CENTER 1.98875Ø GHz #RES BW 3Ø kHz #VBW 1ØØ kHz


SPAN 5.ØØØ MHz SWP 2Ø.Ø msec



## **SECTION F**


## FREQUENCY STABILITY

### Frequency Stability with Varying Supply Voltage - CSM1




IHET6YZ1 SC4812ET 1.9 GHz CDMA BTS

### Frequency Stability Over Temperature - CSM1



### Frequency Stability with Varying Supply Voltage - CSM2



### Frequency Stability Over Temperature - CSM2

