6F, NO.1 PAU-SHENG RD., YUNG-HO CITY, TAIPEI COUNTY, TAIWAN, R.O.C. TEL:886-2-2231-6789 FAX:886-2-2231-5678

Federal Communications Commission Authorization and Evaluation Division 7435 Oakland Mills Rd. Columbia, MD. 21046

Attention: Authorization and Evaluation Division

Subject: RFI related modifications incorporated into unit with

COLOR MONITOR - FCC ID: IJE215

Dear Sirs:

This letter serves as our declaration that all modifications listed below were implemented in the sample submitted for testing. We further declare that the same modifications will be implemented into all production units to enhance compliance of the units to FCC limits.

Date: Apr. 11, 2000

The modifications include the following:

Added two ferrite cores on the video cable, one outside and one inside the monitor.

(see photo 2 & 8)

2) Added a metal cover covering the whole CRT and five spring fingers were added on the inside of this metal cover to enhance contact with the CRT. (see photo 5 &

Added a metal cover on the CRT board and it was connected to chassis by 6 3)

ground wires. (see photo 7 & 8)
Added two spring fingers on the metal cover covering the CRT board to enhance contact with another metal cover covering the whole CRT. (see photo 7)
Added a ferrite core on the harness of G2 and focus wires with one turn. (see

photo 10)

Added a ferrite core on the wires connected between mainboard and CRT board with two turns. (see photo 10)

Added a ferrite core on the wires connected between mainboard and CRT board

with two turns. (see photo 10)

Added a ferrite core on the safety ground wire with three turns. (see photo 10)
Added 2 resistors, 7 capacitors, 4 bead cores and 2 jump wires on the solder side of mainboard for EMI. They will be built into the component side after circuit re-layout. (see photo 13)

10) Added 1 resistor and 1 bead core on the solder side of CRT board for EMI.

will be built into the component side after circuit re-layout. (see photo 15)

If you have any further questions or comments regarding the above, please don't hesitate to contact Mr. Mike Su of ADT Lab. at fax No.: 886-2-2602-2943 or E-mail: mike@mail.adt.com.tw

Sincerely yours,

W. H. Chen/ Engineer

PROVIEW ELECTRONICS (TAIWAN) CO., LTD.

CC. Mr. Harris W. Lai - Advance Data Technology Corporation