6F, NO.1 PAU-SHENG RD., YUNG-HO CITY, TAIPEI COUNTY, TAIWAN, R.O.C. TEL:886-2-2231-6789 FAX:886-2-2231-5678

Federal Communications Commission Authorization and Evaluation Division 7435 Oakland Mills Rd. Columbia, MD. 21046

Date: Sept. 18, 2000

Attention: Authorization and Evaluation Division

Subject: RFI related modifications incorporated into unit with Color Monitor - FCC ID: IJE558

Dear Sirs:

This letter serves as our declaration that all modifications listed below were implemented in the sample submitted for testing. We further declare that the same modifications will be implemented into all production units to enhance compliance of the units to FCC limits.

The modifications include the following:

Added two ferrite cores on the video cable, one outside and one inside the 1) monitor. (see photo 4 & 9)

Added a metal cover on the rear side of CRT board and it was connected to chassis by six ground wires. (see photo 7 & 8)

3) Added a ferrite core on the harness of G2 wire and focus wires with two turns. (see photo 9)

Added a ferrite core on the wires connecting main board and CRT board with one turn. (see photo 9)

Added a ferrite core on the wires connecting speaker DC out & main board. (see photo 11)

Added two capacitors, two bead cores and three jump wires on the solder side of main board for electrical improvement only and not for EMI. They will be built on the component side after circuit relay-out. (see photo 19)

Added three capacitors, one bead core and one resistor on the solder side of CRT board for EMI. They will be built on the component side after circuit relay-out. (see photo 21)

If you have any further questions or comments regarding the above, please don't hesitate to contact Mr. Mike Su of ADT Lab. at fax No.: 886-2-2602-2943 or E-mail: mike@mail.adt.com.tw

Sincerely yours,

W. H. Chen/Engineer

PROVIEW ELĔCTRONICS (TAIWAN) CO., LTD.

cc. Mr. Harris W.Lai - Advance Data Technology Corporation