6F, NO.1 PAU-SHENG RD., YUNG-HO CITY, TAIPEI COUNTY, TAIWAN, R.O.C. TEL:886-2-2231-6789 FAX:886-2-2231-5678

Federal Communications Commission Authorization and Evaluation Division 7435 Oakland Mills Rd. Columbia, MD. 21046

Date: Jan. 14, 2000

Attention: Authorization and Evaluation Division

Subject: RFI related modifications incorporated into unit with COLOR MONITOR - FCC ID: IJE998A

Dear Sirs:

This letter serves as our declaration that all modifications listed below were implemented in the sample submitted for testing. We further declare that the same modifications will be implemented into all production units to enhance compliance of the units to FCC limits.

The modifications include the following:

Added two ferrite cores on the video cable, one outside and one inside the monitor. (see photo 2 & 7)

Added a metal cover on the rear side of CRT board and it was connected to chassis by eight ground wires. There is a ferrite core added on the harness of two ground wires with three turns. (see photo 5 & 6)

Added a ferrite core on the safety ground wire with three turns. (see photo 10)

Added a ferrite core on the harness of G2 and focus wires with two turns. (see photo

Added a ferrite core on the wires connected between mainboard and CRT board with two turns. (see photo 7)

Added a ferrite core on the wires connected between mainboard and CRT board with two turns. (see photo 7)

Added a ferrite core on the rotation wire with two turns. (see photo 9)

Added a ferrite core on the wires connected between mainboard and power connector of ext. speaker with one turn. (see photo 9)

Added a bead core each on the two wires, which compose the video cable of EUT.

(see photo 8)
10) Added 2 capacitors, one 4 bead cores on the solder side of mainboard for EMI. They will be built into the component side after circuit re-layout. (see photo 11)
11) Added 6 capacitors and 4 bead cores on the solder side of CRT board. They will

be built into the component side after circuit re-layout. (see photo 13)

If you have any further questions or comments regarding the above, please don't hesitate to contact Mr. Mike Su of ADT Lab. at fax No.: 886-2-2602-2943 or E-mail: mike@mail.adt.com.tw

Sincerely yours,

W. H. Chen/ Engineer

PROVIEW ELECTRONICS (TAIWAN) CO., LTD.

CC. Mr. Harris W. Lai - Advance Data Technology Corporation