



ANNEX 1 - PLOTS OF TRANSIENT FREQUENCY BEHAVIOR MEASUREMENTS PLOT # 25
For 12.5 kHz Channel Spacing Operation **FCC IDL I MA-P2085A**

Transmitter's Operation: The transmitter is being turn "ON", FM modulation is off



ANNEX 1 - PLOTS OF TRANSIENT FREQUENCY BEHAVIOR MEASUREMENTS PLOT # 26
For 12.5 kHz Channel Spacing Operation **FCC IDL I MA-P2085A**


Transmitter's Operation: The transmitter is being turn "OFF", FM modulation is off



ANNEX 1 - PLOTS OF TRANSIENT FREQUENCY BEHAVIOR MEASUREMENTS PLOT # 27
For 12.5 kHz Channel Spacing Operation **FCC IDL I MA-P2085A**


Transmitter's Operation: The transmitter is being turn "ON", FM Modulation with 1 kHz Sine Wave Signal

Remark: The voice modulation is delayed by 75 mS after the transmitter is turned on.



ANNEX 1 - PLOTS OF TRANSIENT FREQUENCY BEHAVIOR MEASUREMENTS PLOT # 28
For 12.5 kHz Channel Spacing Operation **FCC IDL I MA-P2085A**

Transmitter's Operation: The transmitter is being turn "OFF", FM Modulation with 1 kHz Sine Wave Signal



ANNEX 1 - PLOTS OF TRANSIENT FREQUENCY BEHAVIOR MEASUREMENTS PLOT # 29
For 12.5 kHz Channel Spacing Operation **FCC IDL I MA-P2085A**

Transmitter's Operation: The transmitter is being turn "ON", FM Modulation with 9600 b/s random data



ANNEX 1 - PLOTS OF TRANSIENT FREQUENCY BEHAVIOR MEASUREMENTS PLOT # 30
For 12.5 kHz Channel Spacing Operation **FCC IDL I MA-P2085A**

Transmitter's Operation: The transmitter is being turn "OFF", FM Modulation with random data

