

11Mbps Channel 6 Processing Gain							
Gp=(S/N)o+Mj+Lsys							
Freq. (MHz)	Gp (dB)	(S/N)o (dB)	Mj = J/S (dB)	Lsys (dB)	Jammer (dBm)	Lvl (dBm)	FE R
2428.50	21.4	16.4	3	2	-29.2	-32.2	7.2
2428.55	20.9	16.4	2.5	2	-29.7	-32.2	6.7
2428.60	21.4	16.4	3	2	-29.2	-32.2	7.6
2428.65	20.9	16.4	2.5	2	-29.7	-32.2	6.5
2428.70	21.1	16.4	2.7	2	-29.5	-32.2	7.8
2428.75	21.2	16.4	2.8	2	-29.4	-32.2	7.3
2428.80	20.9	16.4	2.5	2	-29.7	-32.2	6.5
2428.85	20.6	16.4	2.2	2	-30	-32.2	9.7
2428.90	20.4	16.4	2	2	-30.2	-32.2	6.9
2428.95	20.8	16.4	2.4	2	-29.8	-32.2	7.2
2429.00	20.7	16.4	2.3	2	-29.9	-32.2	6.9
2429.05	21	16.4	2.6	2	-29.6	-32.2	7.9
2429.10	21.3	16.4	2.9	2	-29.3	-32.2	7.4
2429.15	20.9	16.4	2.5	2	-29.7	-32.2	7.4
2429.20	20.8	16.4	2.4	2	-29.8	-32.2	7
2429.25	20.7	16.4	2.3	2	-29.9	-32.2	6.7
2429.30	20.6	16.4	2.2	2	-30	-32.2	6.5
2429.35	20.5	16.4	2.1	2	-30.1	-32.2	7.6
2429.40	20.4	16.4	2	2	-30.2	-32.2	7.4
2429.45	20.25	16.4	1.85	2	-30.35	-32.2	7.3
2429.50	20.2	16.4	1.8	2	-30.4	-32.2	7.3
2429.55	20	16.4	1.6	2	-30.6	-32.2	5.3
2429.60	19.8	16.4	1.4	2	-30.8	-32.2	5.6
2429.65	19.9	16.4	1.5	2	-30.7	-32.2	6.7
2429.70	20.1	16.4	1.7	2	-30.5	-32.2	6.8
2429.75	19.8	16.4	1.4	2	-30.8	-32.2	6.7
2429.80	19.7	16.4	1.3	2	-30.9	-32.2	5.5
2429.85	19.6	16.4	1.2	2	-31	-32.2	7.5
2429.90	19.5	16.4	1.1	2	-31.1	-32.2	7.8
2429.95	19.4	16.4	1	2	-31.2	-32.2	7.6
2430.00	19.4	16.4	1	2	-31.2	-32.2	5.6
2430.05	19	16.4	0.6	2	-31.6	-32.2	6.7

2430.10	18.9	16.4	0.5	2	-31.7	-32.2	5.7
2430.15	18.7	16.4	0.3	2	-31.9	-32.2	6.3
2430.20	18.7	16.4	0.3	2	-31.9	-32.2	7.6
2430.25	18.45	16.4	0.05	2	-32.15	-32.2	7
2430.30	18.3	16.4	-0.1	2	-32.3	-32.2	7.1
2430.35	18.2	16.4	-0.2	2	-32.4	-32.2	7.4
2430.40	18	16.4	-0.4	2	-32.6	-32.2	7.5
2430.45	17.8	16.4	-0.6	2	-32.8	-32.2	5.6
2430.50	17.7	16.4	-0.7	2	-32.9	-32.2	6.1
2430.55	17.5	16.4	-0.9	2	-33.1	-32.2	5.6
2430.60	17.2	16.4	-1.2	2	-33.4	-32.2	5.1
2430.65	16.8	16.4	-1.6	2	-33.8	-32.2	6.9
2430.70	16.6	16.4	-1.8	2	-34	-32.2	6.9
2430.75	16.3	16.4	-2.1	2	-34.3	-32.2	7.3
2430.80	16.3	16.4	-2.1	2	-34.3	-32.2	7.5
2430.85	16.2	16.4	-2.2	2	-34.4	-32.2	6.8
2430.90	16	16.4	-2.4	2	-34.6	-32.2	7.4
2430.95	16.2	16.4	-2.2	2	-34.4	-32.2	6.8
2431.00	16.1	16.4	-2.3	2	-34.5	-32.2	7.9
2431.05	16	16.4	-2.4	2	-34.6	-32.2	7.2
2431.10	16	16.4	-2.4	2	-34.6	-32.2	7.9
2431.15	15.6	16.4	-2.8	2	-35	-32.2	7
2431.20	15.6	16.4	-2.8	2	-35	-32.2	6.2
2431.25	15.4	16.4	-3	2	-35.2	-32.2	6.5
2431.30	15.3	16.4	-3.1	2	-35.3	-32.2	6.9
2431.35	15.1	16.4	-3.3	2	-35.5	-32.2	6.4
2431.40	15.3	16.4	-3.1	2	-35.3	-32.2	6.8
2431.45	14.9	16.4	-3.5	2	-35.7	-32.2	6.1
2431.50	14.9	16.4	-3.5	2	-35.7	-32.2	6.3
2431.55	14.7	16.4	-3.7	2	-35.9	-32.2	6.6
2431.60	14.8	16.4	-3.6	2	-35.8	-32.2	7
2431.65	14.7	16.4	-3.7	2	-35.9	-32.2	6.8
2431.70	14.6	16.4	-3.8	2	-36	-32.2	6.4
2431.75	14.5	16.4	-3.9	2	-36.1	-32.2	6.2
2431.80	14.6	16.4	-3.8	2	-36	-32.2	6.3
2431.85	14.3	16.4	-4.1	2	-36.3	-32.2	6.3

2431.90	14.1	16.4	-4.3	2	-36.5	-32.2	5.9
2431.95	13.5	16.4	-4.9	2	-37.1	-32.2	6.7
2432.00	13.4	16.4	-5	2	-37.2	-32.2	7.2
2432.05	13.3	16.4	-5.1	2	-37.3	-32.2	7.1
2432.10	13.4	16.4	-5	2	-37.2	-32.2	7.5
2432.15	13	16.4	-5.4	2	-37.6	-32.2	6.8
2432.20	12.8	16.4	-5.6	2	-37.8	-32.2	5.9
2432.25	13.1	16.4	-5.3	2	-37.5	-32.2	6.5
2432.30	13	16.4	-5.4	2	-37.6	-32.2	6.9
2432.35	12.8	16.4	-5.6	2	-37.8	-32.2	5.1
2432.40	13	16.4	-5.4	2	-37.6	-32.2	7.6
2432.45	13.2	16.4	-5.2	2	-37.4	-32.2	6.3
2432.50	12.8	16.4	-5.6	2	-37.8	-32.2	5
2432.55	13	16.4	-5.4	2	-37.6	-32.2	6.6
2432.60	12.8	16.4	-5.6	2	-37.8	-32.2	5.6
2432.65	12.7	16.4	-5.7	2	-37.9	-32.2	6.7
2432.70	12.6	16.4	-5.8	2	-38	-32.2	6.8
2432.75	12.4	16.4	-6	2	-38.2	-32.2	6.1
2432.80	12.3	16.4	-6.1	2	-38.3	-32.2	5.4
2432.85	12.2	16.4	-6.2	2	-38.4	-32.2	7
2432.90	12.1	16.4	-6.3	2	-38.5	-32.2	7.2
2432.95	11.9	16.4	-6.5	2	-38.7	-32.2	5.2
2433.00	11.6	16.4	-6.8	2	-39	-32.2	4.2
2433.05	11.9	16.4	-6.5	2	-38.7	-32.2	7.9
2433.10	11.9	16.4	-6.5	2	-38.7	-32.2	7.8
2433.15	11.9	16.4	-6.5	2	-38.7	-32.2	6.5
2433.20	11.9	16.4	-6.5	2	-38.7	-32.2	7.8
2433.25	11.8	16.4	-6.6	2	-38.8	-32.2	5.9
2433.30	11.7	16.4	-6.7	2	-38.9	-32.2	5.8
2433.35	11.7	16.4	-6.7	2	-38.9	-32.2	7.1
2433.40	11.6	16.4	-6.8	2	-39	-32.2	6.9
2433.45	11.6	16.4	-6.8	2	-39	-32.2	6.5
2433.50	11.4	16.4	-7	2	-39.2	-32.2	6
2433.55	11.4	16.4	-7	2	-39.2	-32.2	6.8
2433.60	11.4	16.4	-7	2	-39.2	-32.2	6.9
2433.65	11.1	16.4	-7.3	2	-39.5	-32.2	5.2

2433.70	11.1	16.4	-7.3	2	-39.5	-32.2	4.8
2433.75	11.1	16.4	-7.3	2	-39.5	-32.2	4.7
2433.80	11.2	16.4	-7.2	2	-39.4	-32.2	7.8
2433.85	11.1	16.4	-7.3	2	-39.5	-32.2	5.3
2433.90	11	16.4	-7.4	2	-39.6	-32.2	0.2
2433.95	10.8	16.4	-7.6	2	-39.8	-32.2	6.7
2434.00	10.7	16.4	-7.7	2	-39.9	-32.2	7.1
2434.05	10.8	16.4	-7.6	2	-39.8	-32.2	4.3
2434.10	10.4	16.4	-8	2	-40.2	-32.2	5.1
2434.15	10.8	16.4	-7.6	2	-39.8	-32.2	4.9
2434.20	10	16.4	-8.4	2	-40.6	-32.2	7.2
2434.25	10.4	16.4	-8	2	-40.2	-32.2	6.7
2434.30	10.8	16.4	-7.6	2	-39.8	-32.2	5.3
2434.35	10.7	16.4	-7.7	2	-39.9	-32.2	4.9
2434.40	10.4	16.4	-8	2	-40.2	-32.2	5.3
2434.45	10.6	16.4	-7.8	2	-40	-32.2	6.8
2434.50	10.4	16.4	-8	2	-40.2	-32.2	7.2
2434.55	10.3	16.4	-8.1	2	-40.3	-32.2	6.8
2434.60	10	16.4	-8.4	2	-40.6	-32.2	5.3
2434.65	10	16.4	-8.4	2	-40.6	-32.2	6.1
2434.70	10.1	16.4	-8.3	2	-40.5	-32.2	5.9
2434.75	10.1	16.4	-8.3	2	-40.5	-32.2	4.8
2434.80	10.1	16.4	-8.3	2	-40.5	-32.2	5.8
2434.85	10.1	16.4	-8.3	2	-40.5	-32.2	5.3
2434.90	10.1	16.4	-8.3	2	-40.5	-32.2	7.8
2434.95	10.1	16.4	-8.3	2	-40.5	-32.2	5.2
2435.00	10	16.4	-8.4	2	-40.6	-32.2	6.8
2435.05	10.2	16.4	-8.2	2	-40.4	-32.2	6.5
2435.10	10.8	16.4	-7.6	2	-39.8	-32.2	7.4
2435.15	10.4	16.4	-8	2	-40.2	-32.2	6.4
2435.20	10.4	16.4	-8	2	-40.2	-32.2	7.2
2435.25	10.4	16.4	-8	2	-40.2	-32.2	5.8
2435.30	10.4	16.4	-8	2	-40.2	-32.2	6.2
2435.35	10.4	16.4	-8	2	-40.2	-32.2	4.8
2435.40	10.4	16.4	-8	2	-40.2	-32.2	6.3
2435.45	10.1	16.4	-8.3	2	-40.5	-32.2	7.2

2435.50	10.2	16.4	-8.2	2	-40.4	-32.2	6.8
2435.55	10.3	16.4	-8.1	2	-40.3	-32.2	5.6
2435.60	10.2	16.4	-8.2	2	-40.4	-32.2	7.3
2435.65	10.4	16.4	-8	2	-40.2	-32.2	6.8
2435.70	10.4	16.4	-8	2	-40.2	-32.2	6.2
2435.75	10.8	16.4	-7.6	2	-39.8	-32.2	7.9
2435.80	10.4	16.4	-8	2	-40.2	-32.2	6.3
2435.85	10.9	16.4	-7.5	2	-39.7	-32.2	6.5
2435.90	10.4	16.4	-8	2	-40.2	-32.2	6.8
2435.95	10.8	16.4	-7.6	2	-39.8	-32.2	7.6
2436.00	10.7	16.4	-7.7	2	-39.9	-32.2	6.8
2436.05	10.6	16.4	-7.8	2	-40	-32.2	5.6
2436.10	10.4	16.4	-8	2	-40.2	-32.2	4.4
2436.15	10.6	16.4	-7.8	2	-40	-32.2	4.4
2436.20	10.8	16.4	-7.6	2	-39.8	-32.2	5.6
2436.25	10.8	16.4	-7.6	2	-39.8	-32.2	6.7
2436.30	11	16.4	-7.4	2	-39.6	-32.2	5.6
2436.35	10.6	16.4	-7.8	2	-40	-32.2	6.8
2436.40	10.8	16.4	-7.6	2	-39.8	-32.2	7.2
2436.45	10.7	16.4	-7.7	2	-39.9	-32.2	5.6
2436.50	10.8	16.4	-7.6	2	-39.8	-32.2	4.2
2436.55	10.8	16.4	-7.6	2	-39.8	-32.2	6.8
2436.60	10.9	16.4	-7.5	2	-39.7	-32.2	4.7
2436.65	10.6	16.4	-7.8	2	-40	-32.2	6.8
2436.70	10.7	16.4	-7.7	2	-39.9	-32.2	6.2
2436.75	10.4	16.4	-8	2	-40.2	-32.2	7.4
2436.80	10.5	16.4	-7.9	2	-40.1	-32.2	7.3
2436.85	10.7	16.4	-7.7	2	-39.9	-32.2	6.9
2436.90	10.8	16.4	-7.6	2	-39.8	-32.2	6.8
2436.95	10.3	16.4	-8.1	2	-40.3	-32.2	7.2
2437.00	10.4	16.4	-8	2	-40.2	-32.2	5.7
2437.05	10.4	16.4	-8	2	-40.2	-32.2	6.2
2437.10	10.5	16.4	-7.9	2	-40.1	-32.2	5.6
2437.15	10.5	16.4	-7.9	2	-40.1	-32.2	6.8
2437.20	10.5	16.4	-7.9	2	-40.1	-32.2	7.2
2437.25	10.7	16.4	-7.7	2	-39.9	-32.2	6.2

2437.30	10.8	16.4	-7.6	2	-39.8	-32.2	5.6
2437.35	11	16.4	-7.4	2	-39.6	-32.2	6.8
2437.40	11.1	16.4	-7.3	2	-39.5	-32.2	7.2
2437.45	11.1	16.4	-7.3	2	-39.5	-32.2	7
2437.50	11	16.4	-7.4	2	-39.6	-32.2	6.9
2437.55	11	16.4	-7.4	2	-39.6	-32.2	7.2
2437.60	10.8	16.4	-7.6	2	-39.8	-32.2	6.8
2437.65	10.8	16.4	-7.6	2	-39.8	-32.2	7.4
2437.70	10.7	16.4	-7.7	2	-39.9	-32.2	6.8
2437.75	10.8	16.4	-7.6	2	-39.8	-32.2	7.3
2437.80	10.7	16.4	-7.7	2	-39.9	-32.2	6.7
2437.85	10.7	16.4	-7.7	2	-39.9	-32.2	6.8
2437.90	10	16.4	-8.4	2	-40.6	-32.2	4.2
2437.95	9.8	16.4	-8.6	2	-40.8	-32.2	3.5
2438.00	10.7	16.4	-7.7	2	-39.9	-32.2	4.3
2438.05	10.7	16.4	-7.7	2	-39.9	-32.2	5.6
2438.10	10.6	16.4	-7.8	2	-40	-32.2	6.2
2438.15	10.5	16.4	-7.9	2	-40.1	-32.2	4.3
2438.20	10.5	16.4	-7.9	2	-40.1	-32.2	5.7
2438.25	10.8	16.4	-7.6	2	-39.8	-32.2	5.6
2438.30	10.8	16.4	-7.6	2	-39.8	-32.2	6.8
2438.35	10.6	16.4	-7.8	2	-40	-32.2	7.2
2438.40	10.6	16.4	-7.8	2	-40	-32.2	6.8
2438.45	10.6	16.4	-7.8	2	-40	-32.2	6.8
2438.50	10.6	16.4	-7.8	2	-40	-32.2	5.4
2438.55	10.5	16.4	-7.9	2	-40.1	-32.2	4.3
2438.60	10.5	16.4	-7.9	2	-40.1	-32.2	6.8
2438.65	10.5	16.4	-7.9	2	-40.1	-32.2	7.2
2438.70	11	16.4	-7.4	2	-39.6	-32.2	7.1
2438.75	10.8	16.4	-7.6	2	-39.8	-32.2	7.3
2438.80	10.7	16.4	-7.7	2	-39.9	-32.2	5.2
2438.85	10.4	16.4	-8	2	-40.2	-32.2	6.8
2438.90	10.1	16.4	-8.3	2	-40.5	-32.2	7.2
2438.95	10.2	16.4	-8.2	2	-40.4	-32.2	6.8
2439.00	10.3	16.4	-8.1	2	-40.3	-32.2	7.2
2439.05	10.3	16.4	-8.1	2	-40.3	-32.2	6.8

2439.10	10.5	16.4	-7.9	2	-40.1	-32.2	6.5
2439.15	10.6	16.4	-7.8	2	-40	-32.2	5.6
2439.20	10.5	16.4	-7.9	2	-40.1	-32.2	6.2
2439.25	10.6	16.4	-7.8	2	-40	-32.2	5.6
2439.30	10.6	16.4	-7.8	2	-40	-32.2	6.8
2439.35	10.6	16.4	-7.8	2	-40	-32.2	7.6
2439.40	10.8	16.4	-7.6	2	-39.8	-32.2	7.2
2439.45	10.6	16.4	-7.8	2	-40	-32.2	
2439.50	10.8	16.4	-7.6	2	-39.8	-32.2	
2439.55	10.5	16.4	-7.9	2	-40.1	-32.2	
2439.60	10.6	16.4	-7.8	2	-40	-32.2	
2439.65	10.6	16.4	-7.8	2	-40	-32.2	
2439.70	10.6	16.4	-7.8	2	-40	-32.2	
2439.75	10.6	16.4	-7.8	2	-40	-32.2	
2439.80	10.7	16.4	-7.7	2	-39.9	-32.2	
2439.85	10.7	16.4	-7.7	2	-39.9	-32.2	
2439.90	10.9	16.4	-7.5	2	-39.7	-32.2	
2439.95	11.2	16.4	-7.2	2	-39.4	-32.2	
2440.00	11.4	16.4	-7	2	-39.2	-32.2	7.7
2440.05	11.4	16.4	-7	2	-39.2	-32.2	7.2
2440.10	11.5	16.4	-6.9	2	-39.1	-32.2	6.9
2440.15	11.4	16.4	-7	2	-39.2	-32.2	6.8
2440.20	11.5	16.4	-6.9	2	-39.1	-32.2	6.5
2440.25	11.5	16.4	-6.9	2	-39.1	-32.2	6.8
2440.30	11.6	16.4	-6.8	2	-39	-32.2	6.5
2440.35	11.6	16.4	-6.8	2	-39	-32.2	6.2
2440.40	11.7	16.4	-6.7	2	-38.9	-32.2	5.6
2440.45	11.7	16.4	-6.7	2	-38.9	-32.2	5.4
2440.50	11.8	16.4	-6.6	2	-38.8	-32.2	5.6
2440.55	11.7	16.4	-6.7	2	-38.9	-32.2	4.8
2440.60	11.8	16.4	-6.6	2	-38.8	-32.2	3.4
2440.65	11.7	16.4	-6.7	2	-38.9	-32.2	6.7
2440.70	11.6	16.4	-6.8	2	-39	-32.2	6.1
2440.75	12	16.4	-6.4	2	-38.6	-32.2	5.6
2440.80	12.2	16.4	-6.2	2	-38.4	-32.2	5.1
2440.85	12.1	16.4	-6.3	2	-38.5	-32.2	6.2

2440.90	12.1	16.4	-6.3	2	-38.5	-32.2	5.6
2440.95	12	16.4	-6.4	2	-38.6	-32.2	7
2441.00	12	16.4	-6.4	2	-38.6	-32.2	7.1
2441.05	11.9	16.4	-6.5	2	-38.7	-32.2	5.8
2441.10	11.9	16.4	-6.5	2	-38.7	-32.2	6.2
2441.15	11.9	16.4	-6.5	2	-38.7	-32.2	5.3
2441.20	12	16.4	-6.4	2	-38.6	-32.2	5.6
2441.25	12.6	16.4	-5.8	2	-38	-32.2	6.2
2441.30	12.7	16.4	-5.7	2	-37.9	-32.2	7.2
2441.35	13	16.4	-5.4	2	-37.6	-32.2	5.1
2441.40	13.1	16.4	-5.3	2	-37.5	-32.2	6.8
2441.45	13	16.4	-5.4	2	-37.6	-32.2	6.5
2441.50	12.9	16.4	-5.5	2	-37.7	-32.2	6.7
2441.55	13	16.4	-5.4	2	-37.6	-32.2	5.8
2441.60	13.1	16.4	-5.3	2	-37.5	-32.2	6.2
2441.65	13.1	16.4	-5.3	2	-37.5	-32.2	6.8
2441.70	13.1	16.4	-5.3	2	-37.5	-32.2	2.2
2441.75	13.2	16.4	-5.2	2	-37.4	-32.2	4.6
2441.80	13.3	16.4	-5.1	2	-37.3	-32.2	6.2
2441.85	13.4	16.4	-5	2	-37.2	-32.2	5.4
2441.90	13.5	16.4	-4.9	2	-37.1	-32.2	6.8
2441.95	13.6	16.4	-4.8	2	-37	-32.2	6.2
2442.00	13.7	16.4	-4.7	2	-36.9	-32.2	5.6
2442.05	13.7	16.4	-4.7	2	-36.9	-32.2	6.8
2442.10	14.7	16.4	-3.7	2	-35.9	-32.2	4.2
2442.15	14.6	16.4	-3.8	2	-36	-32.2	5.9
2442.20	14.6	16.4	-3.8	2	-36	-32.2	4.4
2442.25	14.5	16.4	-3.9	2	-36.1	-32.2	6.6
2442.30	14.4	16.4	-4	2	-36.2	-32.2	7.1
2442.35	14.2	16.4	-4.2	2	-36.4	-32.2	5.6
2442.40	14.6	16.4	-3.8	2	-36	-32.2	6.4
2442.45	14.7	16.4	-3.7	2	-35.9	-32.2	6.3
2442.50	15	16.4	-3.4	2	-35.6	-32.2	6.9
2442.55	15.4	16.4	-3	2	-35.2	-32.2	7.2
2442.60	15.5	16.4	-2.9	2	-35.1	-32.2	6.2
2442.65	15.7	16.4	-2.7	2	-34.9	-32.2	5.4



2442.70	15.8	16.4	-2.6	2	-34.8	-32.2	5.1
2442.75	15.9	16.4	-2.5	2	-34.7	-32.2	4.3
2442.80	16	16.4	-2.4	2	-34.6	-32.2	6.2
2442.85	16	16.4	-2.4	2	-34.6	-32.2	5.8
2442.90	16.1	16.4	-2.3	2	-34.5	-32.2	7.2
2442.95	16.3	16.4	-2.1	2	-34.3	-32.2	6.3
2443.00	16.4	16.4	-2	2	-34.2	-32.2	5.7
2443.05	16.5	16.4	-1.9	2	-34.1	-32.2	6.5
2443.10	16.6	16.4	-1.8	2	-34	-32.2	5.5
2443.15	16.8	16.4	-1.6	2	-33.8	-32.2	5.9
2443.20	16.8	16.4	-1.6	2	-33.8	-32.2	6.4
2443.25	16.9	16.4	-1.5	2	-33.7	-32.2	6.7
2443.30	16.9	16.4	-1.5	2	-33.7	-32.2	6.2
2443.35	17.1	16.4	-1.3	2	-33.5	-32.2	5.4
2443.40	17.2	16.4	-1.2	2	-33.4	-32.2	5.1
2443.45	17.6	16.4	-0.8	2	-33	-32.2	5.6
2443.50	17.7	16.4	-0.7	2	-32.9	-32.2	4.8
2443.55	18.1	16.4	-0.3	2	-32.5	-32.2	6.8
2443.60	18.2	16.4	-0.2	2	-32.4	-32.2	4.3
2443.65	18.4	16.4	0	2	-32.2	-32.2	4.2
2443.70	18.4	16.4	0	2	-32.2	-32.2	5.6
2443.75	18.6	16.4	0.2	2	-32	-32.2	6.7
2443.80	18.6	16.4	0.2	2	-32	-32.2	7.8
2443.85	18.7	16.4	0.3	2	-31.9	-32.2	5.4
2443.90	19.5	16.4	1.1	2	-31.1	-32.2	4.9
2443.95	19.6	16.4	1.2	2	-31	-32.2	7
2444.00	19.8	16.4	1.4	2	-30.8	-32.2	5.6
2444.05	19.8	16.4	1.4	2	-30.8	-32.2	6.8
2444.10	19.7	16.4	1.3	2	-30.9	-32.2	5.3
2444.15	19.7	16.4	1.3	2	-30.9	-32.2	5.9
2444.20	19.8	16.4	1.4	2	-30.8	-32.2	5.2
2444.25	19.7	16.4	1.3	2	-30.9	-32.2	6.3
2444.30	19.7	16.4	1.3	2	-30.9	-32.2	4.8
2444.35	19.7	16.4	1.3	2	-30.9	-32.2	5.4
2444.40	20.2	16.4	1.8	2	-30.4	-32.2	4.7
2444.45	20.3	16.4	1.9	2	-30.3	-32.2	5.9

2444.50	20.6	16.4	2.2	2	-30	-32.2	7
2444.55	20.7	16.4	2.3	2	-29.9	-32.2	6.7
2444.60	20.7	16.4	2.3	2	-29.9	-32.2	4.7
2444.65	20.7	16.4	2.3	2	-29.9	-32.2	4.8
2444.70	20.7	16.4	2.3	2	-29.9	-32.2	6
2444.75	20.8	16.4	2.4	2	-29.8	-32.2	6.1
2444.80	20.8	16.4	2.4	2	-29.8	-32.2	5.9
2444.85	20.8	16.4	2.4	2	-29.8	-32.2	6.2
2444.90	20.7	16.4	2.3	2	-29.9	-32.2	7.2
2444.95	20.7	16.4	2.3	2	-29.9	-32.2	6.5
2445.00	20.6	16.4	2.2	2	-30	-32.2	6.7
2445.05	20.7	16.4	2.3	2	-29.9	-32.2	6.3
2445.10	20.9	16.4	2.5	2	-29.7	-32.2	6.2
2445.15	20.8	16.4	2.4	2	-29.8	-32.2	5.4
2445.20	20.7	16.4	2.3	2	-29.9	-32.2	5.2
2445.25	20.4	16.4	2	2	-30.2	-32.2	6
2445.30	20.1	16.4	1.7	2	-30.5	-32.2	5.6
2445.35	20.1	16.4	1.7	2	-30.5	-32.2	6.4
2445.40	20.1	16.4	1.7	2	-30.5	-32.2	6.2
2445.45	20.4	16.4	2	2	-30.2	-32.2	6.7
2445.50	20.5	16.4	2.1	2	-30.1	-32.2	7.3
Processing Gain (dB) @20th Percentile=				10.6			

11Mbps Channel 6 Processing Gain

