

TCB RF Exposure Review Procedure Statement  
FCC ID:IMK-HRFCF1

Transmitter Category	Device Type	Product Category	Approval and Review Procedures Used	Specific Procedures:
<b>V</b>	<b>Wireless LAN Transceiver</b>	<b>Part 15 Fixed and Mobile Transmitters</b>	<b>Section F</b>	SP(1), SP(3), SP(5), SP(7), SP(8) and SP(9)
<p><b>Grant Condition :</b> The antenna(s) used for this transmitter must be installed to provide a separation distance of at least 20 cm from all persons and must not be co-located or operating in conjunction with any other antenna or transmitter. End-users and installers must be provided with antenna installation instructions and transmitter operating conditions for satisfying RF exposure compliance</p>				
<b>SP1</b>	<p><b>TCB limited to review the device with EIRP not to exceed 200mW for 2.4GHz Spread Spectrum Mobile Device. The Max. measured conducted RF output is 0.074W @2402MHz ( Page 22 of test report). Antenna is attached to the transceiver at the manufacture facilities. EUT is equipped with standard 0dBi gain antenna with option to have 1dBi gain antenna. No consideration in Duty Cycle.</b></p>			
<b>SP3</b>	<p><b>Warning statement on Page 52 of user manual to indicate separation distance of 20cm must be maintained during the operation to ensure RF exposure requirement.</b></p>			
<b>SP5</b>	<p><b>As indicated in the technical description and theory of operation, EUT can only operate in 2.4 GHz band.</b></p>			
<b>SP7</b>	<p><b>End user has no need to integrate Antenna . Antenna is attached to the transceiver. This transceiver is a Compact Flash Card to be inserted directly to PDA device.</b></p>			
<b>SP8</b>	<p><b>Page 52 of user manual included such RF exposure language.</b></p>			
<b>SP9</b>	<p><b>Grant condition has been reviewed by TCB. Grant conditions are applicable to the device.</b></p>			

Reviewed by Mike Kuo

Compliance Certification Services

April 5, 2001