

TNO Electronic Products & Services (EPS) B.V.

Nederlandse Organisatie voor
toegepast-natuurwetenschappelijk
onderzoek / Netherlands Organisation
for Applied Scientific Research



Return address: P.O. Box 15, 9822 ZG Niekerk, The Netherlands

Telefication B.V.
Attn.: W. Blom
Edisonstraat 12a
6902 PK Zevenaar
The Netherlands

Smidshornerweg 18
P.O. Box 15
9822 ZG Niekerk
The Netherlands

www.tno.nl

T +31 594 505005
F +31 594 504804
E info@eps.tno.nl

Subject
Cover letter

Date
July 5, 2002

Our reference
02K0654

Your reference
-

Page
1 of 3

Dear Mr. Blom,

On behalf of our customer Agere Systems Nederland B.V., we hereby would like to apply for FCC certification (modular approval, see attachment to this letter) of the following device:

FCC ID : IMRWLPC2411R
Brand : Agere
Model number : PC24-11-FC/R
Description : 2.4 GHz low power integrated PCMCIA card

The following PDF files (exhibits) are electronically submitted:

1. Cover letter with request for FCC certification
2. Request for confidentiality
3. Form 731
4. Test reports in conformity with 47 CFR Part 15
5. Block diagram
6. Operational description
7. Bill of materials
8. Circuit diagram
9. Interior photographs
10. Exterior photographs
11. Test setup photographs
12. Label information
13. User manual including professional installer statement
14. RF exposure statement
15. Antenna information and photographs
16. Authorization letter

Best regards,
TNO Electronic Products & Services (EPS) B.V.

A handwritten signature in blue ink, appearing to read 'P.A.J.M. Robben'.

P.A.J.M. Robben, B.Sc.E.E.
Marketing Manager

Our General Terms and Conditions, as filed at the Chamber of Commerce in Groningen, are applicable to all orders given to TNO Electronic Products & Services (EPS) B.V.

TNO Electronic Products & Services (EPS) B.V. is registered at the Chamber of Commerce in Groningen with no. 27247331.



Excerpt of DA 00-1407

Date
July 5, 2002

In order to obtain a modular transmitter approval, a cover letter requesting modular approval must be submitted and the numbered requirements identified below must be addressed in the application for equipment authorization.

Our reference
02K0654

Your reference
-

Page
2 of 3

1. The modular transmitter must have its own RF shielding. This is intended to ensure that the module does not have to rely upon the shielding provided by the device into which it is installed in order for all modular transmitter emissions to comply with Part 15 limits. It is also intended to prevent coupling between the RF circuitry of the module and any wires or circuits in the device into which the module is installed. Such coupling may result in non-compliant operation.

Remark: The transmitter has its own RF shielding.

2. The modular transmitter must have buffered modulation/data inputs (if such inputs are provided) to ensure that the module will comply with Part 15 requirements under conditions of excessive data rates or over-modulation.

Remark: The transmitter has buffered modulation/data inputs.

3. The modular transmitter must have its own power supply regulation. This is intended to ensure that the module will comply with Part 15 requirements regardless of the design of the power supplying circuitry in the device into which the module is installed.

Remark: The transmitter has its own integrated and dedicated power supply regulation.

4. The modular transmitter must comply with the antenna requirements of Section 15.203 and 15.204(c). The antenna must either be permanently attached or employ a "unique" antenna coupler (at all connections between the module and the antenna, including the cable). Any antenna used with the module must be approved with the module, either at the time of initial authorization or through a Class II permissive change. The "professional installation" provision of Section 15.203 may not be applied to modules.

Remark: The transmitter has unique antenna connectors, which are manufactured solely for the manufacturer of the transmitter.

5. The modular transmitter must be tested in a stand-alone configuration, i.e., the module must not be inside another device during testing. This is intended to demonstrate that the module is capable of complying with Part 15 emission limits regardless of the device into which it is eventually installed. Unless the transmitter module will be battery powered, it must comply with the AC line conducted requirements found in Section 15.207. AC or DC power lines and data input/output lines connected to the module must not contain ferrites, unless they will be marketed with the module (see Section 15.27(a)). The length of these lines shall be length typical of actual use or, if that length is unknown, at least 10 centimeters to insure that there is no coupling between the case of the module and supporting equipment. Any accessories, peripherals, or support equipment connected to the module during testing shall be unmodified or commercially available (see Section 15.31(i)).



Remark: The transmitter will only be sold to integrators, which are instructed to retest radiated and conducted emissions in accordance with Part 15 with the transmitter built into a typical configuration.

Date
July 5, 2002

Our reference
02K0654

Your reference
-

Page
3 of 3

6. The modular transmitter must be labeled with its own FCC ID number, and, if the FCC ID is not visible when the module is installed inside another device, then the outside of the device into which the module is installed must also display a label referring to the enclosed module. This exterior label can use wording such as the following: "Contains Transmitter Module FCC ID: XYZMODEL1" or "Contains FCC ID: XYZMODEL1." Any similar wording that expresses the same meaning may be used. The Grantee may either provide such a label, an example of which must be included in the application for equipment authorization, or, must provide adequate instructions along with the module which explain this requirement. In the latter case, a copy of these instructions must be included in the application for equipment authorization.

Remark: The transmitter is labeled with its own FCC ID.

7. The modular transmitter must comply with any specific rule or operating requirements applicable to the transmitter and the manufacturer must provide adequate instructions along with the module to explain any such requirements. A copy of these instructions must be included in the application for equipment authorization. For example, there are very strict operational and timing requirements that must be met before a transmitter is authorized for operation under Section 15.231. For instance, data transmission is prohibited, except for operation under Section 15.231(e), in which case there are separate field strength level and timing requirements. Compliance with these requirements must be assured.

Remark: Not applicable.

8. The modular transmitter must comply with any applicable RF exposure requirements. For example, FCC Rules in Sections 2.1091, 2.1093 and specific Sections of Part 15, including 15.319(i), 15.407(f), 15.253(f) and 15.255(g), require that Unlicensed PCS, UNII and millimeter wave devices perform routine environmental evaluation for RF Exposure to demonstrate compliance. In addition, spread spectrum transmitters operating under Section 15.247 are required to address RF Exposure compliance in accordance with Section 15.247(b)(4). Modular transmitters approved under other Sections of Part 15, when necessary, may also need to address certain RF Exposure concerns, typically by providing specific installation and operating instructions for users, installers and other interested parties to ensure compliance.

Remark: A RF exposure statement is included in the exhibits for FCC certification.