



**FRONT VIEW**

AVID IDENTIFICATION SYSTEMS, INC.

RFID READER

MODEL: AVID1050

BATTERY MODE

FCC SUBPART C – RADIATED EMISSIONS – BELOW 30 MHz

**PHOTOGRAPH SHOWING THE EUT CONFIGURATION  
FOR MAXIMUM EMISSIONS**



**REAR VIEW**

AVID IDENTIFICATION SYSTEMS, INC.

RFID READER

MODEL: AVID1050

BATTERY MODE

FCC SUBPART C – RADIATED EMISSIONS – BELOW 30 MHz

**PHOTOGRAPH SHOWING THE EUT CONFIGURATION  
FOR MAXIMUM EMISSIONS**





**FRONT VIEW**

AVID IDENTIFICATION SYSTEMS, INC.

RFID READER

MODEL: AVID1050

USB MODE

FCC SUBPART C – RADIATED EMISSIONS – BELOW 30 MHz

**PHOTOGRAPH SHOWING THE EUT CONFIGURATION  
FOR MAXIMUM EMISSIONS**



**REAR VIEW**

AVID IDENTIFICATION SYSTEMS, INC.


RFID READER

MODEL: AVID1050

USB MODE

FCC SUBPART C – RADIATED EMISSIONS – BELOW 30 MHz

**PHOTOGRAPH SHOWING THE EUT CONFIGURATION  
FOR MAXIMUM EMISSIONS**



**FRONT VIEW**

AVID IDENTIFICATION SYSTEMS, INC.

RFID READER


MODEL: AVID1050

BATTERY MODE

FCC SUBPART B AND C – RADIATED EMISSIONS – 30 MHz to 1 GHz

**PHOTOGRAPH SHOWING THE EUT CONFIGURATION  
FOR MAXIMUM EMISSIONS**





**REAR VIEW**

AVID IDENTIFICATION SYSTEMS, INC.


RFID READER

MODEL: AVID1050

BATTERY MODE

FCC SUBPART B AND C – RADIATED EMISSIONS – 30 MHz TO 1 GHz

**PHOTOGRAPH SHOWING THE EUT CONFIGURATION  
FOR MAXIMUM EMISSIONS**



**FRONT VIEW**

AVID IDENTIFICATION SYSTEMS, INC.

RFID READER

MODEL: AVID1050

USB MODE

FCC SUBPART B AND C – RADIATED EMISSIONS – 30 MHz TO 1 GHz

**PHOTOGRAPH SHOWING THE EUT CONFIGURATION  
FOR MAXIMUM EMISSIONS**



**REAR VIEW**

AVID IDENTIFICATION SYSTEMS, INC.

RFID READER


MODEL: AVID1050

USB MODE

FCC SUBPART B AND C – RADIATED EMISSIONS – 30 MHz TO 1 GHz

**PHOTOGRAPH SHOWING THE EUT CONFIGURATION  
FOR MAXIMUM EMISSIONS**





**FRONT VIEW**

AVID IDENTIFICATION SYSTEMS, INC.


RFID READER

MODEL: AVID1050

BATTERY MODE

FCC SUBPART B AND C – RADIATED EMISSIONS – ABOVE 1 GHz

**PHOTOGRAPH SHOWING THE EUT CONFIGURATION  
FOR MAXIMUM EMISSIONS**



**REAR VIEW**

AVID IDENTIFICATION SYSTEMS, INC.


RFID READER

MODEL: AVID1050

BATTERY MODE

FCC SUBPART B AND C – RADIATED EMISSIONS – ABOVE 1 GHz

**PHOTOGRAPH SHOWING THE EUT CONFIGURATION  
FOR MAXIMUM EMISSIONS**



**FRONT VIEW**

AVID IDENTIFICATION SYSTEMS, INC.

RFID READER


MODEL: AVID1050

USB MODE

FCC SUBPART B AND C – RADIATED EMISSIONS – ABOVE 1 GHz

**PHOTOGRAPH SHOWING THE EUT CONFIGURATION  
FOR MAXIMUM EMISSIONS**





**REAR VIEW**

AVID IDENTIFICATION SYSTEMS, INC.


RFID READER

MODEL: AVID1050

USB MODE

FCC SUBPART B AND C – RADIATED EMISSIONS – ABOVE 1 GHz

**PHOTOGRAPH SHOWING THE EUT CONFIGURATION  
FOR MAXIMUM EMISSIONS**



**FRONT VIEW**

AVID IDENTIFICATION SYSTEMS, INC.

RFID READER

MODEL: AVID1050

USB MODE

FCC SUBPART B AND C – CONDUCTED EMISSIONS

**PHOTOGRAPH SHOWING THE EUT CONFIGURATION  
FOR MAXIMUM EMISSIONS**



**REAR VIEW**

AVID IDENTIFICATION SYSTEMS, INC.

RFID READER

MODEL: AVID1050

USB MODE

FCC SUBPART B AND C – CONDUCTED EMISSIONS

**PHOTOGRAPH SHOWING THE EUT CONFIGURATION  
FOR MAXIMUM EMISSIONS**