TESTED SAMPLES:	S/01
TESTED CONDITIONS MODES:	TC#02 (g mode SISO)
TEST RESULTS:	PASS

Maximum declared antenna gain: -2.5 dBi

Radio A

	Lowest frequency 2412 MHz	Middle frequency 2437 MHz	Highest frequency 2462 MHz
Maximum conducted power (dBm)	13.3	13.6	13.6
Maximum EIRP power (dBm)	10.8	11.1	11.1

The maximum directional gain of the antenna is less than 6 dBi and therefore the maximum output power is not required to be reduced from the stated values.

Lowest Channel



TEST RESULTS (Cont.):	CONDUCTED OUTPUT POWER

Middle Channel



Highest Channel



TESTED SAMPLES:	S/01
TESTED CONDITIONS MODES:	TC#02 (g mode SISO)
TEST RESULTS:	PASS

Maximum declared antenna gain: -2.5 dBi

Radio B

	Lowest frequency 2412 MHz	Middle frequency 2437 MHz	Highest frequency 2462 MHz
Maximum conducted power (dBm)	12.8	13.0	13.1
Maximum EIRP power (dBm)	10.3	10.5	10.6

The maximum directional gain of the antenna is less than 6 dBi and therefore the maximum output power is not required to be reduced from the stated values.

Lowest Channel



TEST RESULTS (Cont.):	CONDUCTED OUTPUT POWER

Middle Channel



Highest Channel



TESTED SAMPLES:	S/01
TESTED CONDITIONS MODES:	TC#02 (g mode MIMO)
TEST RESULTS:	PASS

Maximum declared antenna gain: -2.5 dBi

Radio A + B

	Lowest frequency 2412 MHz	Middle frequency 2437 MHz	Highest frequency 2462 MHz
Maximum conducted power (dBm)	16.4	16.8	16.5
Maximum EIRP power (dBm)	13.9	14.3	14.0

The maximum directional gain of the antenna is less than 6 dBi and therefore the maximum output power is not required to be reduced from the stated values.

Lowest Channel



TEST RESULTS (Cont.):	CONDUCTED OUTPUT POWER

Middle Channel



Highest Channel



TESTED SAMPLES:	S/01
TESTED CONDITIONS MODES:	TC#03 (n20 mode SISO)
TEST RESULTS:	PASS

Maximum declared antenna gain: -2.5 dBi

Radio A

	Lowest frequency 2412 MHz	Middle frequency 2437 MHz	Highest frequency 2462 MHz
Maximum conducted power (dBm)	14.0	14.5	14.3
Maximum EIRP power (dBm)	11.5	12.0	11.8

The maximum directional gain of the antenna is less than 6 dBi and therefore the maximum output power is not required to be reduced from the stated values.

Lowest Channel



TEST RESULTS (Cont.)	

Middle Channel



Highest Channel



TESTED SAMPLES:	S/01
TESTED CONDITIONS MODES:	TC#03 (n20 mode SISO)
TEST RESULTS:	PASS

Maximum declared antenna gain: -2.5 dBi

Radio B

	Lowest frequency 2412 MHz	Middle frequency 2437 MHz	Highest frequency 2462 MHz
Maximum conducted power (dBm)	13.0	13.1	13.3
Maximum EIRP power (dBm)	10.5	10.6	10.8

The maximum directional gain of the antenna is less than 6 dBi and therefore the maximum output power is not required to be reduced from the stated values.

Lowest Channel



TEST RESULTS (Cont.)	

Middle Channel



Highest Channel



TESTED SAMPLES:	S/01
TESTED CONDITIONS MODES:	TC#03 (n20 mode MIMO)
TEST RESULTS:	PASS

Maximum declared antenna gain: -2.5 dBi

Radio A + B

	Lowest frequency 2412 MHz	Middle frequency 2437 MHz	Highest frequency 2462 MHz
Maximum conducted power (dBm)	16.8	17.2	17.0
Maximum EIRP power (dBm)	14.3	14.7	14.5

The maximum directional gain of the antenna is less than 6 dBi and therefore the maximum output power is not required to be reduced from the stated values.

Lowest Channel



TEST RESULTS (Cont.)	

Middle Channel



Highest Channel



TESTED SAMPLES:	S/01
TESTED CONDITIONS MODES:	TC#03 (n40 mode SISO)
TEST RESULTS:	PASS

Maximum declared antenna gain: -2.5 dBi

Radio A

	Lowest frequency 2422 MHz	Middle frequency 2437 MHz	Highest frequency 2452 MHz
Maximum conducted power (dBm)	12.4	13.6	13.1
Maximum EIRP power (dBm)	9.9	11.1	10.6

The maximum directional gain of the antenna is less than 6 dBi and therefore the maximum output power is not required to be reduced from the stated values.

Lowest Channel



TEST RESULTS (Cont.)	

Middle Channel



Highest Channel



TESTED SAMPLES:	S/01
TESTED CONDITIONS MODES:	TC#03 (n40 mode SISO)
TEST RESULTS:	PASS

Maximum declared antenna gain: -2.5 dBi

Radio B

	Lowest frequency 2422 MHz	Middle frequency 2437 MHz	Highest frequency 2452 MHz
Maximum conducted power (dBm)	12.1	12.2	12.3
Maximum EIRP power (dBm)	9.6	9.7	9.8

The maximum directional gain of the antenna is less than 6 dBi and therefore the maximum output power is not required to be reduced from the stated values.

Lowest Channel



TEST RESULTS (Cont.)	

Middle Channel



Highest Channel



TESTED SAMPLES:	S/01
TESTED CONDITIONS MODES:	TC#03 (n40 mode MIMO)
TEST RESULTS:	PASS

Maximum declared antenna gain: -2.5 dBi

Radio A + B

	Lowest frequency 2422 MHz	Middle frequency 2437 MHz	Highest frequency 2452 MHz
Maximum conducted power (dBm)	15.9	16.0	16.1
Maximum EIRP power (dBm)	13.4	13.5	13.6

The maximum directional gain of the antenna is less than 6 dBi and therefore the maximum output power is not required to be reduced from the stated values.

Lowest Channel



TEST RESULTS (Cont.)	

Middle Channel



Highest Channel



TESTED SAMPLES:	S/01
TESTED CONDITIONS MODES:	TC#04 (ax20 mode SISO)
TEST RESULTS:	PASS

Maximum declared antenna gain: -2.5 dBi

Radio A

	Lowest frequency 2412 MHz	Middle frequency 2437 MHz	Highest frequency 2462 MHz
Maximum conducted power (dBm)	13.7	14.1	14.0
Maximum EIRP power (dBm)	11.2	11.6	11.5

The maximum directional gain of the antenna is less than 6 dBi and therefore the maximum output power is not required to be reduced from the stated values.

Lowest Channel



TEST RESULTS (Cont.)	

Middle Channel



Highest Channel



TESTED SAMPLES:	S/01
TESTED CONDITIONS MODES:	TC#04 (ax20 mode SISO)
TEST RESULTS:	PASS

Maximum declared antenna gain: -2.5 dBi

Radio B

	Lowest frequency 2412 MHz	Middle frequency 2437 MHz	Highest frequency 2462 MHz
Maximum conducted power (dBm)	13.9	13.9	14.0
Maximum EIRP power (dBm)	11.4	11.4	11.5

The maximum directional gain of the antenna is less than 6 dBi and therefore the maximum output power is not required to be reduced from the stated values.

Lowest Channel



TEST RESULTS (Cont.)	

Middle Channel



Highest Channel



TESTED SAMPLES:	S/01
TESTED CONDITIONS MODES:	TC#04 (ax20 mode MIMO)
TEST RESULTS:	PASS

Maximum declared antenna gain: -2.5 dBi

Radio A + B

	Lowest frequency 2412 MHz	Middle frequency 2437 MHz	Highest frequency 2462 MHz
Maximum conducted power (dBm)	16.6	17.0	16.9
Maximum EIRP power (dBm)	14.1	14.5	11.5

The maximum directional gain of the antenna is less than 6 dBi and therefore the maximum output power is not required to be reduced from the stated values.

Lowest Channel



TEST RESULTS (Cont.)	

Middle Channel



Highest Channel



TESTED SAMPLES:	S/01
TESTED CONDITIONS MODES:	TC#04 (ax40 mode SISO)
TEST RESULTS:	PASS

Maximum declared antenna gain: -2.5 dBi

Radio A

	Lowest frequency 2422 MHz	Middle frequency 2437 MHz	Highest frequency 2452 MHz
Maximum conducted power (dBm)	12.9	13.2	13.6
Maximum EIRP power (dBm)	10.4	10.7	11.1

The maximum directional gain of the antenna is less than 6 dBi and therefore the maximum output power is not required to be reduced from the stated values.

Lowest Channel



TEST RESULTS (Cont.)	

Middle Channel



Highest Channel



TESTED SAMPLES:	S/01
TESTED CONDITIONS MODES:	TC#04 (ax40 mode SISO)
TEST RESULTS:	PASS

Maximum declared antenna gain: -2.5 dBi

Radio B

	Lowest frequency 2422 MHz	Middle frequency 2437 MHz	Highest frequency 2452 MHz
Maximum conducted power (dBm)	12.9	12.9	13.0
Maximum EIRP power (dBm)	10.4	10.7	10.5

The maximum directional gain of the antenna is less than 6 dBi and therefore the maximum output power is not required to be reduced from the stated values.

Lowest Channel



TEST RESULTS (Cont.)	

Middle Channel



Highest Channel



TESTED SAMPLES:	S/01
TESTED CONDITIONS MODES:	TC#04 (ax40 mode MIMO)
TEST RESULTS:	PASS

Maximum declared antenna gain: -2.5 dBi

Radio A + B

	Lowest frequency 2422 MHz	Middle frequency 2437 MHz	Highest frequency 2452 MHz
Maximum conducted power (dBm)	15.8	16.0	16.2
Maximum EIRP power (dBm)	13.3	13.5	13.7

The maximum directional gain of the antenna is less than 6 dBi and therefore the maximum output power is not required to be reduced from the stated values.

Lowest Channel



TEST RESULTS (Cont.)	

Middle Channel



Highest Channel



TESTED SAMPLES:	S/01
TESTED CONDITIONS MODES:	TC#05 (ax20 mode Beam forming MIMO)
TEST RESULTS:	PASS

Maximum declared antenna gain: -2.5 dBi

Beam forming gain: +3 dBi (10log(N_{ANT}))a

Power Directional Gain: = +0.5 dBi (Antenna gain + Beam forming Gain)

Radio A + B

	Lowest frequency 2412 MHz	Middle frequency 2437 MHz	Highest frequency 2462 MHz
Maximum conducted power (dBm)	11.5	12.3	12.0
Maximum EIRP power (dBm)	12.0	12.8	12.5

The maximum directional gain of the antenna is less than 6 dBi and therefore the maximum output power is not required to be reduced from the stated values.

Lowest Channel



TEST RESULTS (Cont.)	

Middle Channel



Highest Channel



TESTED SAMPLES:	S/01
TESTED CONDITIONS MODES:	TC#05 (ax40 mode Beam forming MIMO)
TEST RESULTS:	PASS

Maximum declared antenna gain: -2.5 dBi

Beam forming gain: +3 dBi

Radio A + B

	Lowest frequency 2422 MHz	Middle frequency 2437 MHz	Highest frequency 2452 MHz
Maximum conducted power (dBm)	11.5	12.2	11.6
Maximum EIRP power (dBm)	12.0	12.7	12.1

The maximum directional gain of the antenna is less than 6 dBi and therefore the maximum output power is not required to be reduced from the stated values.

Lowest Channel



TEST RESULTS (Cont.)	

Middle Channel



Highest Channel



TEST C.3: BAND-EDGE EMISSIONS COMPLIANCE (TRANSMITTER)

LIMITS:	Product standard:	Part 15 Subpart C §15.247 and RSS-247
	Test standard:	Part 15 Subpart C §15.247(d) and RSS-247 5.5

LIMITS

In any 100 kHz bandwidth outside the frequency band in which the digitally modulated intentional radiator is operating, the radio frequency power that is produced by the intentional radiator shall be at least 20 dB below that in the 100 kHz bandwidth within the band that contains the highest level of the desired power. If the transmitter complies with the conducted power limits based on the use of RMS averaging over a time interval, the attenuation required shall be 30 dB instead of 20 dB.

TEST SETUP	



TESTED SAMPLES:	S/01
TESTED CONDITIONS MODES:	TC#01 (b mode SISO)
TEST RESULTS:	PASS

Radio A

Lowest Channel





TEST RESULTS (Cont.):	



Measurement

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
2398.525000	-43.3	17.0	-26.3	PASS
2398.475000	-43.3	17.0	-26.3	PASS
2356.475000	-43.6	17.3	-26.3	PASS
2356.425000	-43.6	17.3	-26.3	PASS
2398.775000	-43.7	17.4	-26.3	PASS
2398.725000	-43.9	17.6	-26.3	PASS
2396.975000	-43.9	17.6	-26.3	PASS
2397.675000	-44.0	17.7	-26.3	PASS
2397.625000	-44.0	17.7	-26.3	PASS
2398.025000	-44.1	17.7	-26.3	PASS
2398.975000	-44.3	18.0	-26.3	PASS
2324.275000	-44.4	18.0	-26.3	PASS
2397.025000	-44.5	18.1	-26.3	PASS
2367.275000	-44.5	18.2	-26.3	PASS
2367.225000	-44.5	18.2	-26.3	PASS

TEST RESULTS (Cont.):	Highest Channel

Highest Channel





TEST RESULTS (Cont.):	



Measurement

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
2484.075000	-44.5	17.1	-27.4	PASS
2486.475000	-44.6	17.2	-27.4	PASS
2495.275000	-44.9	17.4	-27.4	PASS
2486.425000	-44.9	17.5	-27.4	PASS
2495.225000	-45.0	17.6	-27.4	PASS
2497.875000	-45.1	17.6	-27.4	PASS
2484.125000	-45.1	17.6	-27.4	PASS
2484.025000	-45.1	17.7	-27.4	PASS
2499.025000	-45.1	17.7	-27.4	PASS
2498.975000	-45.1	17.7	-27.4	PASS
2496.675000	-45.2	17.8	-27.4	PASS
2487.675000	-45.3	17.8	-27.4	PASS
2486.375000	-45.3	17.9	-27.4	PASS
2484.675000	-45.4	18.0	-27.4	PASS
2497.825000	-45.4	18.0	-27.4	PASS

TESTED SAMPLES:	S/01
TESTED CONDITIONS MODES:	TC#01 (b mode SISO)
TEST RESULTS:	PASS

Radio B

Lowest Channel





TEST RESULTS (Cont.):	



Measurement

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
2399.425000	-43.6	16.3	-27.3	PASS
2399.475000	-43.6	16.4	-27.3	PASS
2355.775000	-43.8	16.5	-27.3	PASS
2398.475000	-44.1	16.8	-27.3	PASS
2398.525000	-44.2	16.9	-27.3	PASS
2361.575000	-44.3	17.0	-27.3	PASS
2385.875000	-44.4	17.1	-27.3	PASS
2355.725000	-44.4	17.1	-27.3	PASS
2398.625000	-44.6	17.3	-27.3	PASS
2398.675000	-44.6	17.3	-27.3	PASS
2355.825000	-44.6	17.3	-27.3	PASS
2398.575000	-44.7	17.4	-27.3	PASS
2361.525000	-44.7	17.4	-27.3	PASS
2371.725000	-44.7	17.4	-27.3	PASS
2311.725000	-44.7	17.5	-27.3	PASS

TEST RESULTS (Cont.):	Highest Channel

Highest Channel





TEST RESULTS (Cont.):	



Measurement

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
2484.675000	-44.9	16.4	-28.5	PASS
2486.875000	-45.1	16.5	-28.5	PASS
2483.675000	-45.1	16.6	-28.5	PASS
2484.625000	-45.1	16.6	-28.5	PASS
2483.625000	-45.1	16.6	-28.5	PASS
2486.825000	-45.2	16.6	-28.5	PASS
2492.475000	-45.4	16.8	-28.5	PASS
2488.025000	-45.5	17.0	-28.5	PASS
2491.725000	-45.6	17.1	-28.5	PASS
2486.575000	-45.6	17.1	-28.5	PASS
2492.525000	-45.6	17.1	-28.5	PASS
2484.725000	-45.6	17.1	-28.5	PASS
2489.325000	-45.7	17.1	-28.5	PASS
2490.625000	-45.7	17.2	-28.5	PASS
2489.025000	-45.7	17.2	-28.5	PASS

TESTED SAMPLES:	S/01
TESTED CONDITIONS MODES:	TC#01 (b mode MIMO)
TEST RESULTS:	PASS

Radio A + B

Lowest Channel





TEST RESULTS (Cont.):	



Measurement

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
2398.525000	-39.6	15.9	-23.7	PASS
2399.125000	-39.6	16.0	-23.7	PASS
2398.575000	-39.8	16.1	-23.7	PASS
2399.475000	-39.8	16.1	-23.7	PASS
2399.525000	-39.8	16.2	-23.7	PASS
2399.425000	-39.9	16.2	-23.7	PASS
2399.075000	-40.0	16.4	-23.7	PASS
2398.975000	-40.1	16.4	-23.7	PASS
2399.025000	-40.1	16.4	-23.7	PASS
2399.175000	-40.2	16.5	-23.7	PASS
2399.575000	-40.2	16.5	-23.7	PASS
2398.475000	-40.2	16.5	-23.7	PASS
2398.325000	-40.3	16.6	-23.7	PASS
2399.325000	-40.4	16.7	-23.7	PASS
2394.525000	-40.4	16.7	-23.7	PASS

TEST RESULTS (Cont.):	Highest Channel

Highest Channel





TEST RESULTS (Cont.):	



Measurement

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
2483.625000	-41.5	18.0	-23.5	PASS
2483.525000	-41.8	18.3	-23.5	PASS
2483.575000	-41.8	18.3	-23.5	PASS
2487.125000	-42.0	18.5	-23.5	PASS
2484.075000	-42.3	18.8	-23.5	PASS
2490.175000	-42.4	18.9	-23.5	PASS
2484.125000	-42.5	19.0	-23.5	PASS
2487.075000	-42.5	19.0	-23.5	PASS
2487.175000	-42.6	19.1	-23.5	PASS
2485.525000	-42.6	19.1	-23.5	PASS
2483.675000	-42.7	19.1	-23.5	PASS
2484.025000	-42.7	19.2	-23.5	PASS
2487.275000	-42.7	19.2	-23.5	PASS
2490.225000	-42.8	19.3	-23.5	PASS
2489.675000	-42.8	19.3	-23.5	PASS

TESTED SAMPLES:	S/01
TESTED CONDITIONS MODES:	TC#02 (g mode SISO)
TEST RESULTS:	PASS

Radio A

Lowest Channel





TEST RESULTS (Cont.):	



Measurement

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
2399.975000	-36.8	8.4	-28.3	PASS
2399.925000	-36.8	8.4	-28.3	PASS
2399.875000	-37.3	9.0	-28.3	PASS
2399.825000	-37.6	9.3	-28.3	PASS
2399.775000	-37.9	9.5	-28.3	PASS
2399.475000	-37.9	9.5	-28.3	PASS
2399.525000	-37.9	9.6	-28.3	PASS
2399.725000	-38.2	9.8	-28.3	PASS
2397.625000	-38.2	9.8	-28.3	PASS
2399.425000	-38.2	9.8	-28.3	PASS
2399.025000	-38.3	9.9	-28.3	PASS
2397.675000	-38.3	10.0	-28.3	PASS
2399.575000	-38.4	10.0	-28.3	PASS
2399.075000	-38.4	10.0	-28.3	PASS
2399.675000	-38.5	10.1	-28.3	PASS

TEST RESULTS (Cont.):	Highest Channel

Highest Channel





TEST RESULTS (Cont.):	



Measurement

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
2484.475000	-39.7	11.6	-28.1	PASS
2484.425000	-39.8	11.8	-28.1	PASS
2485.775000	-40.8	12.8	-28.1	PASS
2485.725000	-40.8	12.8	-28.1	PASS
2484.725000	-41.2	13.1	-28.1	PASS
2485.625000	-41.2	13.2	-28.1	PASS
2484.775000	-41.3	13.2	-28.1	PASS
2484.175000	-41.3	13.3	-28.1	PASS
2483.525000	-41.4	13.3	-28.1	PASS
2484.525000	-41.4	13.4	-28.1	PASS
2483.575000	-41.4	13.4	-28.1	PASS
2485.575000	-41.6	13.5	-28.1	PASS
2483.825000	-41.7	13.6	-28.1	PASS
2483.775000	-41.7	13.6	-28.1	PASS
2484.225000	-41.7	13.6	-28.1	PASS

TESTED SAMPLES:	S/01
TESTED CONDITIONS MODES:	TC#02 (g mode SISO)
TEST RESULTS:	PASS

Radio B

Lowest Channel





TEST RESULTS (Cont.):	



6

Measurement

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
2399.475000	-37.8	8.9	-28.9	PASS
2399.525000	-38.0	9.1	-28.9	PASS
2399.425000	-38.4	9.6	-28.9	PASS
2399.975000	-38.5	9.7	-28.9	PASS
2399.925000	-38.7	9.9	-28.9	PASS
2399.575000	-39.2	10.3	-28.9	PASS
2399.875000	-39.3	10.5	-28.9	PASS
2399.625000	-39.5	10.6	-28.9	PASS
2398.575000	-39.7	10.8	-28.9	PASS
2398.875000	-39.7	10.9	-28.9	PASS
2398.825000	-39.8	10.9	-28.9	PASS
2398.325000	-39.8	10.9	-28.9	PASS
2398.625000	-39.8	10.9	-28.9	PASS
2398.525000	-39.9	11.0	-28.9	PASS
2398.275000	-40.0	11.1	-28.9	PASS

TEST RESULTS (Cont.):	Highest Channel

Highest Channel





TEST RESULTS (Cont.):	



Measurement

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
2484.375000	-43.9	15.2	-28.7	PASS
2484.325000	-44.0	15.3	-28.7	PASS
2483.575000	-44.1	15.5	-28.7	PASS
2483.525000	-44.3	15.6	-28.7	PASS
2485.675000	-44.3	15.6	-28.7	PASS
2484.175000	-44.3	15.6	-28.7	PASS
2484.125000	-44.4	15.7	-28.7	PASS
2485.725000	-44.5	15.8	-28.7	PASS
2483.625000	-44.5	15.8	-28.7	PASS
2486.825000	-44.5	15.8	-28.7	PASS
2483.925000	-44.5	15.8	-28.7	PASS
2486.775000	-44.5	15.8	-28.7	PASS
2483.725000	-44.6	15.9	-28.7	PASS
2483.975000	-44.6	15.9	-28.7	PASS
2487.225000	-44.6	15.9	-28.7	PASS

TESTED SAMPLES:	S/01
TESTED CONDITIONS MODES:	TC#02 (g mode MIMO)
TEST RESULTS:	PASS

Radio A + B

Lowest Channel





TEST RESULTS (Cont.):	



Measurement

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
2399.775000	-31.3	6.8	-24.5	PASS
2399.825000	-31.4	6.9	-24.5	PASS
2399.475000	-31.5	6.9	-24.5	PASS
2398.625000	-31.5	7.0	-24.5	PASS
2398.575000	-31.5	7.0	-24.5	PASS
2399.525000	-31.6	7.1	-24.5	PASS
2398.675000	-32.0	7.5	-24.5	PASS
2399.225000	-32.1	7.6	-24.5	PASS
2399.975000	-32.2	7.6	-24.5	PASS
2399.275000	-32.2	7.7	-24.5	PASS
2397.875000	-32.2	7.7	-24.5	PASS
2399.725000	-32.2	7.7	-24.5	PASS
2397.825000	-32.3	7.8	-24.5	PASS
2398.175000	-32.4	7.9	-24.5	PASS
2398.325000	-32.5	8.0	-24.5	PASS

TEST RESULTS (Cont.):	

Highest Channel





TEST RESULTS (Cont.):	



Measurement

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
2483.575000	-34.8	10.3	-24.5	PASS
2483.525000	-35.1	10.6	-24.5	PASS
2483.625000	-35.3	10.8	-24.5	PASS
2483.675000	-36.3	11.8	-24.5	PASS
2483.875000	-36.9	12.4	-24.5	PASS
2483.825000	-37.0	12.5	-24.5	PASS
2484.475000	-37.3	12.8	-24.5	PASS
2484.525000	-37.4	12.9	-24.5	PASS
2483.775000	-37.5	13.0	-24.5	PASS
2483.925000	-37.6	13.1	-24.5	PASS
2483.725000	-37.6	13.1	-24.5	PASS
2484.425000	-37.9	13.4	-24.5	PASS
2485.075000	-38.0	13.5	-24.5	PASS
2485.125000	-38.0	13.5	-24.5	PASS
2484.175000	-38.2	13.6	-24.5	PASS