


TEST RESULTS (Cont.)

Highest Channel



Measurement


Setting	Instrument Value	Instrument Value	Instrument Value
Start Frequency	5.73500 GHz	5.77500 GHz	5.81500 GHz
Stop Frequency	5.75500 GHz	5.79500 GHz	5.83500 GHz
Span	20.000 MHz	20.000 MHz	20.000 MHz
RBW	500.000 kHz	500.000 kHz	500.000 kHz
VBW	2.000 MHz	2.000 MHz	2.000 MHz
Sweep Points	101	101	101
Sweep time	11.000 μ s	11.000 μ s	11.000 μ s
Reference Level	0.000 dBm	0.000 dBm	0.000 dBm
Attenuation	20.000 dB	20.000 dB	20.000 dB
Detector	RMS	RMS	RMS
Sweep Count	0	0	0
Filter	3 dB	3 dB	3 dB
Trace Mode	Max Hold	Max Hold	Max Hold
Sweep type	FFT	FFT	FFT
Preamp	off	off	off
Stable mode	Trace	Trace	Trace
Stable value	0.30 dB	0.30 dB	0.30 dB
Run	13 / max. 15	15 / max. 15	12 / max. 15
Stable	2 / 3	3 / 3	3 / 3
Max Stable Difference	0.00 dB	2.72 dB	0.00 dB

TESTED SAMPLES:	S/01
TESTED CONDITIONS MODES:	TC#04 (ax Mode SISO Radio B)
TEST RESULTS:	PASS


Bandwidth: 20 MHz

	Lowest frequency	Middle frequency	Highest frequency
	5745 MHz	5785 MHz	5825 MHz
Power spectral density (dBm)	-3.062	-2.759	-3.136

Lowest Channel




Middle Channel



TEST RESULTS (Cont.)

Highest Channel



Measurement


Setting	Instrument Value	Instrument Value	Instrument Value
Start Frequency	5.73500 GHz	5.77500 GHz	5.81500 GHz
Stop Frequency	5.75500 GHz	5.79500 GHz	5.83500 GHz
Span	20.000 MHz	20.000 MHz	20.000 MHz
RBW	500.000 kHz	500.000 kHz	500.000 kHz
VBW	2.000 MHz	2.000 MHz	2.000 MHz
Sweep Points	101	101	101
Sweep time	11.000 μ s	11.000 μ s	11.000 μ s
Reference Level	0.000 dBm	0.000 dBm	0.000 dBm
Attenuation	20.000 dB	20.000 dB	20.000 dB
Detector	RMS	RMS	RMS
Sweep Count	0	0	0
Filter	3 dB	3 dB	3 dB
Trace Mode	Max Hold	Max Hold	Max Hold
Sweep type	FFT	FFT	FFT
Preamp	off	off	off
Stable mode	Trace	Trace	Trace
Stable value	0.30 dB	0.30 dB	0.30 dB
Run	15 / max. 15	15 / max. 15	15 / max. 15
Stable	3 / 3	3 / 3	3 / 3
Max Stable Difference	0.00 dB	0.00 dB	0.00 dB

TESTED SAMPLES:	S/01
TESTED CONDITIONS MODES:	TC#04 (ax Mode MIMO Radio A+B)
TEST RESULTS:	PASS


Bandwidth: 20 MHz

	Lowest frequency	Middle frequency	Highest frequency
	5745 MHz	5785 MHz	5825 MHz
Power spectral density (dBm)	-1.121	-0.054	-0.791

Lowest Channel




Middle Channel



TEST RESULTS (Cont.)

Highest Channel



Measurement


Setting	Instrument Value	Instrument Value	Instrument Value
Start Frequency	5.73500 GHz	5.77500 GHz	5.81500 GHz
Stop Frequency	5.75500 GHz	5.79500 GHz	5.83500 GHz
Span	20.000 MHz	20.000 MHz	20.000 MHz
RBW	500.000 kHz	500.000 kHz	500.000 kHz
VBW	2.000 MHz	2.000 MHz	2.000 MHz
Sweep Points	101	101	101
Sweep time	11.000 μ s	11.000 μ s	11.000 μ s
Reference Level	0.000 dBm	0.000 dBm	0.000 dBm
Attenuation	20.000 dB	20.000 dB	20.000 dB
Detector	RMS	RMS	RMS
Sweep Count	0	0	0
Filter	3 dB	3 dB	3 dB
Trace Mode	Max Hold	Max Hold	Max Hold
Sweep type	FFT	FFT	FFT
Preamp	off	off	off
Stable mode	Trace	Trace	Trace
Stable value	0.30 dB	0.30 dB	0.30 dB
Run	15 / max. 15	15 / max. 15	15 / max. 15
Stable	3 / 3	3 / 3	1 / 3
Max Stable Difference	0.00 dB	0.00 dB	0.00 dB

TESTED SAMPLES:	S/01
TESTED CONDITIONS MODES:	TC#04 (ax Mode SISO Radio A)
TEST RESULTS:	PASS


Bandwidth: 40 MHz

	Lowest frequency 5755 MHz	Highest frequency 5795 MHz
Power spectral density (dBm)	-3.131	-5.640

Lowest Channel



Highest Channel



TEST RESULTS (Cont.)

Measurement


Setting	Instrument Value	Instrument Value
Start Frequency	5.73500 GHz	5.77500 GHz
Stop Frequency	5.77500 GHz	5.81500 GHz
Span	40.000 MHz	40.000 MHz
RBW	500.000 kHz	500.000 kHz
VBW	2.000 MHz	2.000 MHz
Sweep Points	160	160
Sweep time	16.000 μ s	16.000 μ s
Reference Level	0.000 dBm	0.000 dBm
Attenuation	20.000 dB	20.000 dB
Detector	RMS	RMS
Sweep Count	0	0
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
Sweep type	FFT	FFT
Preamp	off	off
Stable mode	Trace	Trace
Stable value	0.30 dB	0.30 dB
Run	15 / max. 15	14 / max. 15
Stable	2 / 3	3 / 3
Max Stable Difference	0.00 dB	0.00 dB

TESTED SAMPLES:	S/01
TESTED CONDITIONS MODES:	TC#04 (ax Mode SISO Radio B)
TEST RESULTS:	PASS


Bandwidth: 40 MHz

	Lowest frequency	Highest frequency
	5755 MHz	5795 MHz
Power spectral density (dBm)	-2.936	-5.155

Lowest Channel



Highest Channel



TEST RESULTS (Cont.)

Measurement


Setting	Instrument Value	Instrument Value
Start Frequency	5.73500 GHz	5.77500 GHz
Stop Frequency	5.77500 GHz	5.81500 GHz
Span	40.000 MHz	40.000 MHz
RBW	500.000 kHz	500.000 kHz
VBW	2.000 MHz	2.000 MHz
Sweep Points	160	160
Sweep time	16.000 μ s	16.000 μ s
Reference Level	0.000 dBm	0.000 dBm
Attenuation	20.000 dB	20.000 dB
Detector	RMS	RMS
Sweep Count	0	0
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
Sweep type	FFT	FFT
Preamp	off	off
Stable mode	Trace	Trace
Stable value	0.30 dB	0.30 dB
Run	15 / max. 15	14 / max. 15
Stable	3 / 3	3 / 3
Max Stable Difference	0.00 dB	0.00 dB

TESTED SAMPLES:	S/01
TESTED CONDITIONS MODES:	TC#04 (ax Mode MIMO Radio A+B)
TEST RESULTS:	PASS


Bandwidth: 40 MHz

	Lowest frequency	Highest frequency
	5755 MHz	5795 MHz
Power spectral density (dBm)	-1.567	-2.516

Lowest Channel



Highest Channel



TEST RESULTS (Cont.)

Measurement


Setting	Instrument Value	Instrument Value
Start Frequency	5.73500 GHz	5.77500 GHz
Stop Frequency	5.77500 GHz	5.81500 GHz
Span	40.000 MHz	40.000 MHz
RBW	500.000 kHz	500.000 kHz
VBW	2.000 MHz	2.000 MHz
Sweep Points	160	160
Sweep time	16.000 μ s	16.000 μ s
Reference Level	0.000 dBm	0.000 dBm
Attenuation	20.000 dB	20.000 dB
Detector	RMS	RMS
Sweep Count	0	0
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
Sweep type	FFT	FFT
Preamp	off	off
Stable mode	Trace	Trace
Stable value	0.30 dB	0.30 dB
Run	15 / max. 15	14 / max. 15
Stable	2 / 3	2 / 3
Max Stable Difference	0.00 dB	0.00 dB

TESTED SAMPLES:	S/01
TESTED CONDITIONS MODES:	TC#04 (ax Mode MIMO Radio A)
TEST RESULTS:	PASS

Bandwidth: 80 MHz

	Lowest frequency 5775 MHz
Power spectral density (dBm)	-6.200

Lowest Channel



— Limit — Sum Level ◆ PSD
Measurement


Setting	Instrument Value
Start Frequency	5.73500 GHz
Stop Frequency	5.81500 GHz
Span	80.000 MHz
RBW	500.000 kHz
VBW	2.000 MHz
Sweep Points	320
Sweep time	32.000 μ s
Reference Level	0.000 dBm
Attenuation	20.000 dB
Detector	RMS
Sweep Count	0
Filter	3 dB
Trace Mode	Max Hold
Sweep type	FFT
Preamp	off
Stable mode	Trace
Stable value	0.30 dB
Run	15 / max. 15
Stable	2 / 3
Max Stable Difference	0.00 dB

TESTED SAMPLES:	S/01
TESTED CONDITIONS MODES:	TC#04 (ax Mode SISO Radio B)
TEST RESULTS:	PASS

Bandwidth: 80 MHz

	Lowest frequency
	5775 MHz
Power spectral density (dBm)	-6.228

Lowest Channel



— Limit — Sum Level ◆ PSD
Measurement


Setting	Instrument Value
Start Frequency	5.73500 GHz
Stop Frequency	5.81500 GHz
Span	80.000 MHz
RBW	500.000 kHz
VBW	2.000 MHz
Sweep Points	320
Sweep time	32.000 μ s
Reference Level	0.000 dBm
Attenuation	20.000 dB
Detector	RMS
Sweep Count	0
Filter	3 dB
Trace Mode	Max Hold
Sweep type	FFT
Preamp	off
Stable mode	Trace
Stable value	0.30 dB
Run	15 / max. 15
Stable	2 / 3
Max Stable Difference	0.00 dB

TESTED SAMPLES:	S/01
TESTED CONDITIONS MODES:	TC#04 (ax Mode MIMO Radio A+B)
TEST RESULTS:	PASS

Bandwidth: 80 MHz

	Lowest frequency
	5775 MHz
Power spectral density (dBm)	-3.566

Lowest Channel



— Limit ◆ PSD — Sum Level

Measurement


Setting	Instrument Value
Start Frequency	5.73500 GHz
Stop Frequency	5.81500 GHz
Span	80.000 MHz
RBW	500.000 kHz
VBW	2.000 MHz
Sweep Points	320
Sweep time	32.000 μ s
Reference Level	0.000 dBm
Attenuation	20.000 dB
Detector	RMS
Sweep Count	0
Filter	3 dB
Trace Mode	Max Hold
Sweep type	FFT
Preamp	off
Stable mode	Trace
Stable value	0.30 dB
Run	15 / max. 15
Stable	2 / 3
Max Stable Difference	0.00 dB

TESTED SAMPLES:	S/01
TESTED CONDITIONS MODES:	TC#05 (ac Mode Beam forming)
TEST RESULTS:	PASS


Bandwidth: 20 MHz

	Lowest frequency	Middle frequency	Highest frequency
	5745 MHz	5785 MHz	5825 MHz
Power spectral density (dBm)	-6.816	-7.465	-9.036

Lowest Channel




Middle Channel



TEST RESULTS (Cont.)

Highest Channel



Measurement


Setting	Instrument Value	Instrument Value	Instrument Value
Start Frequency	5.73500 GHz	5.77500 GHz	5.81500 GHz
Stop Frequency	5.75500 GHz	5.79500 GHz	5.83500 GHz
Span	20.000 MHz	20.000 MHz	20.000 MHz
RBW	500.000 kHz	500.000 kHz	500.000 kHz
VBW	2.000 MHz	2.000 MHz	2.000 MHz
Sweep Points	101	101	101
Sweep time	11.000 μ s	11.000 μ s	11.000 μ s
Reference Level	0.000 dBm	0.000 dBm	0.000 dBm
Attenuation	20.000 dB	20.000 dB	20.000 dB
Detector	RMS	RMS	RMS
Sweep Count	0	0	0
Filter	3 dB	3 dB	3 dB
Trace Mode	Max Hold	Max Hold	Max Hold
Sweep type	FFT	FFT	FFT
Preamp	off	off	off
Stable mode	Trace	Trace	Trace
Stable value	0.30 dB	0.30 dB	0.30 dB
Run	13 / max. 15	15 / max. 15	12 / max. 15
Stable	2 / 3	3 / 3	3 / 3
Max Stable Difference	0.00 dB	2.72 dB	0.00 dB

TESTED SAMPLES:	S/01
TESTED CONDITIONS MODES:	TC#05 (ac Mode Beam forming)
TEST RESULTS:	PASS


Bandwidth: 40 MHz

	Lowest frequency	Highest frequency
	5755 MHz	5795 MHz
Power spectral density (dBm)	-4.820	-3.126

Lowest Channel



Highest Channel



TEST RESULTS (Cont.)

Measurement


Setting	Instrument Value	Instrument Value
Start Frequency	5.73500 GHz	5.77500 GHz
Stop Frequency	5.77500 GHz	5.81500 GHz
Span	40.000 MHz	40.000 MHz
RBW	500.000 kHz	500.000 kHz
VBW	2.000 MHz	2.000 MHz
Sweep Points	160	160
Sweep time	16.000 μ s	16.000 μ s
Reference Level	0.000 dBm	0.000 dBm
Attenuation	20.000 dB	20.000 dB
Detector	RMS	RMS
Sweep Count	0	0
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
Sweep type	FFT	FFT
Preamp	off	off
Stable mode	Trace	Trace
Stable value	0.30 dB	0.30 dB
Run	15 / max. 15	14 / max. 15
Stable	3 / 3	3 / 3
Max Stable Difference	0.00 dB	0.00 dB

TESTED SAMPLES:	S/01
TESTED CONDITIONS MODES:	TC#05 (ac Mode Beam forming)
TEST RESULTS:	PASS

Bandwidth: 80 MHz

	Lowest frequency 5775 MHz
Power spectral density (dBm)	-3.341

Lowest Channel



— Limit ◆ PSD — Sum Level

Measurement


Setting	Instrument Value
Start Frequency	5.73500 GHz
Stop Frequency	5.81500 GHz
Span	80.000 MHz
RBW	500.000 kHz
VBW	2.000 MHz
Sweep Points	320
Sweep time	32.000 μ s
Reference Level	0.000 dBm
Attenuation	20.000 dB
Detector	RMS
Sweep Count	0
Filter	3 dB
Trace Mode	Max Hold
Sweep type	FFT
Preamp	off
Stable mode	Trace
Stable value	0.30 dB
Run	15 / max. 15
Stable	2 / 3
Max Stable Difference	0.00 dB

TESTED SAMPLES:	S/01
TESTED CONDITIONS MODES:	TC#06 (ax Mode Beam forming)
TEST RESULTS:	PASS


Bandwidth: 20 MHz

	Lowest frequency	Middle frequency	Highest frequency
	5745 MHz	5785 MHz	5825 MHz
Power spectral density (dBm)	-7.727	-7.390	-8.012

Lowest Channel




Middle Channel



TEST RESULTS (Cont.)

Highest Channel



Measurement


Setting	Instrument Value	Instrument Value	Instrument Value
Start Frequency	5.73500 GHz	5.77500 GHz	5.81500 GHz
Stop Frequency	5.75500 GHz	5.79500 GHz	5.83500 GHz
Span	20.000 MHz	20.000 MHz	20.000 MHz
RBW	500.000 kHz	500.000 kHz	500.000 kHz
VBW	2.000 MHz	2.000 MHz	2.000 MHz
Sweep Points	101	101	101
Sweep time	11.000 μ s	11.000 μ s	11.000 μ s
Reference Level	0.000 dBm	0.000 dBm	0.000 dBm
Attenuation	20.000 dB	20.000 dB	20.000 dB
Detector	RMS	RMS	RMS
Sweep Count	0	0	0
Filter	3 dB	3 dB	3 dB
Trace Mode	Max Hold	Max Hold	Max Hold
Sweep type	FFT	FFT	FFT
Preamp	off	off	off
Stable mode	Trace	Trace	Trace
Stable value	0.30 dB	0.30 dB	0.30 dB
Run	13 / max. 15	15 / max. 15	12 / max. 15
Stable	2 / 3	3 / 3	3 / 3
Max Stable Difference	0.00 dB	2.72 dB	0.00 dB

TESTED SAMPLES:	S/01
TESTED CONDITIONS MODES:	TC#06 (ax Mode Beam forming)
TEST RESULTS:	PASS


Bandwidth: 40 MHz

	Lowest frequency	Highest frequency
	5755 MHz	5795 MHz
Power spectral density (dBm)	-6.343	-9.257

Lowest Channel



Highest Channel



TEST RESULTS (Cont.)

Measurement


Setting	Instrument Value	Instrument Value
Start Frequency	5.73500 GHz	5.77500 GHz
Stop Frequency	5.77500 GHz	5.81500 GHz
Span	40.000 MHz	40.000 MHz
RBW	500.000 kHz	500.000 kHz
VBW	2.000 MHz	2.000 MHz
Sweep Points	160	160
Sweep time	16.000 μ s	16.000 μ s
Reference Level	0.000 dBm	0.000 dBm
Attenuation	20.000 dB	20.000 dB
Detector	RMS	RMS
Sweep Count	0	0
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
Sweep type	FFT	FFT
Preamp	off	off
Stable mode	Trace	Trace
Stable value	0.30 dB	0.30 dB
Run	15 / max. 15	14 / max. 15
Stable	3 / 3	3 / 3
Max Stable Difference	0.00 dB	0.00 dB

TESTED SAMPLES:	S/01
TESTED CONDITIONS MODES:	TC#06 (ax Mode Beam forming)
TEST RESULTS:	PASS

Bandwidth: 80 MHz

	Lowest frequency 5775 MHz
Power spectral density (dBm)	-4.946

Lowest Channel



Measurement

Setting	Instrument Value
Start Frequency	5.73500 GHz
Stop Frequency	5.81500 GHz
Span	80.000 MHz
RBW	500.000 kHz
VBW	2.000 MHz
Sweep Points	320
Sweep time	32.000 μ s
Reference Level	0.000 dBm
Attenuation	20.000 dB
Detector	RMS
Sweep Count	0
Filter	3 dB
Trace Mode	Max Hold
Sweep type	FFT
Preamp	off
Stable mode	Trace
Stable value	0.30 dB
Run	15 / max. 15
Stable	2 / 3
Max Stable Difference	0.00 dB


SECTION C.5: BAND-EDGE EMISSIONS COMPLIANCE (TRANSMITTER)

LIMITS:	Product standard:	Part 15 Subpart C §15.407 and RSS-247
	Test standard:	Part 15 Subpart C §15.407(b)(4) and RSS-247 6.2.4.2

LIMITS

For transmitters operating in the 5.725 – 5.850 GHz band: All emissions shall be limited to a level of -27 dBm/MHz at 75 MHz or more above or below the band edge increasing linearly to 10 dBm/MHz at 25 MHz above or below the band edge, and from 25 MHz above or below the band edge increasing linearly to a level of 15.6 dBm/MHz at 5 MHz above or below the band edge, and from 5 MHz above or below the band edge increasing linearly to a level of 27 dBm/MHz at the band edge.]


TEST SETUP



TESTED SAMPLES:	S/01
TESTED CONDITIONS MODES:	TC#01 (a Mode SISO Radio A)
TEST RESULTS:	PASS

Bandwidth: 20 MHz


Lowest Channel



Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
5647.250000	-55.0	28.0	-27.0	PASS
5640.250000	-55.1	28.1	-27.0	PASS
5605.750000	-55.1	28.1	-27.0	PASS
5646.250000	-55.3	28.3	-27.0	PASS
5636.250000	-55.3	28.3	-27.0	PASS
5634.250000	-55.3	28.3	-27.0	PASS
5646.750000	-55.3	28.3	-27.0	PASS
5641.250000	-55.3	28.3	-27.0	PASS
5648.250000	-55.3	28.3	-27.0	PASS
5637.250000	-55.3	28.3	-27.0	PASS
5649.750000	-55.4	28.4	-27.0	PASS
5638.250000	-55.4	28.4	-27.0	PASS
5623.250000	-55.4	28.4	-27.0	PASS
5609.750000	-55.5	28.5	-27.0	PASS
5592.750000	-55.5	28.5	-27.0	PASS

TEST RESULTS (Cont.)

Highest Channel




— Limit — Sum Level × Fail

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
5941.250000	-53.2	26.2	-27.0	PASS
5976.750000	-53.4	26.4	-27.0	PASS
6622.250000	-53.4	26.4	-27.0	PASS
5932.750000	-53.5	26.5	-27.0	PASS
6822.750000	-53.6	26.6	-27.0	PASS
5931.750000	-53.6	26.6	-27.0	PASS
6794.750000	-53.6	26.6	-27.0	PASS
6801.750000	-53.7	26.7	-27.0	PASS
6043.250000	-53.7	26.7	-27.0	PASS
6802.250000	-53.9	26.9	-27.0	PASS
6836.250000	-53.9	26.9	-27.0	PASS
6059.750000	-53.9	26.9	-27.0	PASS
5965.750000	-53.9	26.9	-27.0	PASS
5962.250000	-54.0	27.0	-27.0	PASS
6750.250000	-54.0	27.0	-27.0	PASS

TESTED SAMPLES:	S/01
TESTED CONDITIONS MODES:	TC#01 (a Mode SISO Radio B)
TEST RESULTS:	PASS

Bandwidth: 20 MHz


Lowest Channel



Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
5600.750000	-53.6	26.6	-27.0	PASS
5649.250000	-53.7	26.7	-27.0	PASS
5647.250000	-54.1	27.1	-27.0	PASS
5601.250000	-54.2	27.2	-27.0	PASS
5644.250000	-54.2	27.2	-27.0	PASS
5639.750000	-54.2	27.2	-27.0	PASS
5597.750000	-54.3	27.3	-27.0	PASS
5604.750000	-54.4	27.4	-27.0	PASS
5649.750000	-54.4	27.4	-27.0	PASS
5643.250000	-54.4	27.4	-27.0	PASS
5645.750000	-54.5	27.5	-27.0	PASS
5602.250000	-54.5	27.5	-27.0	PASS
5642.750000	-54.5	27.5	-27.0	PASS
5600.250000	-54.6	27.6	-27.0	PASS
5648.750000	-54.6	27.6	-27.0	PASS

TEST RESULTS (Cont.)

Highest Channel




Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6829.250000	-53.1	26.1	-27.0	PASS
6828.750000	-53.1	26.1	-27.0	PASS
6633.250000	-53.1	26.1	-27.0	PASS
6818.250000	-53.2	26.2	-27.0	PASS
6804.750000	-53.2	26.2	-27.0	PASS
6819.250000	-53.2	26.2	-27.0	PASS
6832.750000	-53.2	26.2	-27.0	PASS
6775.250000	-53.3	26.3	-27.0	PASS
6832.250000	-53.3	26.3	-27.0	PASS
6801.750000	-53.3	26.3	-27.0	PASS
6460.750000	-53.4	26.4	-27.0	PASS
5972.250000	-53.4	26.4	-27.0	PASS
6424.750000	-53.5	26.5	-27.0	PASS
6804.250000	-53.5	26.5	-27.0	PASS
6826.750000	-53.5	26.5	-27.0	PASS

TESTED SAMPLES:	S/01
TESTED CONDITIONS MODES:	TC#01 (a Mode MIMO Radio A+B)
TEST RESULTS:	PASS

Bandwidth: 20 MHz


Lowest Channel



Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
5647.250000	-51.7	24.7	-27.0	PASS
5645.750000	-51.7	24.7	-27.0	PASS
5641.250000	-51.8	24.8	-27.0	PASS
5646.250000	-51.9	24.9	-27.0	PASS
5649.750000	-52.1	25.1	-27.0	PASS
5635.750000	-52.1	25.1	-27.0	PASS
5644.750000	-52.1	25.1	-27.0	PASS
5647.750000	-52.2	25.2	-27.0	PASS
5641.750000	-52.2	25.2	-27.0	PASS
5640.250000	-52.2	25.2	-27.0	PASS
5626.250000	-52.2	25.2	-27.0	PASS
5645.250000	-52.3	25.3	-27.0	PASS
5646.750000	-52.3	25.3	-27.0	PASS
5649.250000	-52.3	25.3	-27.0	PASS
5648.750000	-52.3	25.3	-27.0	PASS

TEST RESULTS (Cont.)

Highest Channel




— Limit × Fail — Sum Level

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6687.750000	-50.9	23.9	-27.0	PASS
6841.750000	-51.0	24.0	-27.0	PASS
6848.750000	-51.0	24.0	-27.0	PASS
6846.750000	-51.0	24.0	-27.0	PASS
6843.250000	-51.1	24.1	-27.0	PASS
6821.250000	-51.1	24.1	-27.0	PASS
6827.750000	-51.1	24.1	-27.0	PASS
6840.250000	-51.2	24.2	-27.0	PASS
6814.250000	-51.2	24.2	-27.0	PASS
6840.750000	-51.2	24.2	-27.0	PASS
6428.250000	-51.2	24.2	-27.0	PASS
6780.750000	-51.2	24.2	-27.0	PASS
6824.750000	-51.2	24.2	-27.0	PASS
6810.750000	-51.2	24.2	-27.0	PASS
6844.250000	-51.2	24.2	-27.0	PASS

TESTED SAMPLES:	S/01
TESTED CONDITIONS MODES:	TC#02 (n Mode SISO Radio A)
TEST RESULTS:	PASS

Bandwidth: 20 MHz


Lowest Channel



Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
5641.250000	-54.6	27.6	-27.0	PASS
5642.250000	-54.6	27.6	-27.0	PASS
5637.750000	-54.9	27.9	-27.0	PASS
5638.750000	-55.0	28.0	-27.0	PASS
5643.750000	-55.1	28.1	-27.0	PASS
5639.750000	-55.1	28.1	-27.0	PASS
5638.250000	-55.1	28.1	-27.0	PASS
5648.250000	-55.3	28.3	-27.0	PASS
5646.250000	-55.3	28.3	-27.0	PASS
5646.750000	-55.4	28.4	-27.0	PASS
5643.250000	-55.4	28.4	-27.0	PASS
5637.250000	-55.6	28.6	-27.0	PASS
5633.750000	-55.6	28.6	-27.0	PASS
5645.750000	-55.6	28.6	-27.0	PASS
5642.750000	-55.6	28.6	-27.0	PASS

TEST RESULTS (Cont.)

Highest Channel




— Limit — Sum Level × Fail

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6825.750000	-52.8	25.8	-27.0	PASS
6827.250000	-53.1	26.1	-27.0	PASS
6685.750000	-53.3	26.3	-27.0	PASS
6837.250000	-53.4	26.4	-27.0	PASS
6770.750000	-53.4	26.4	-27.0	PASS
6843.750000	-53.4	26.4	-27.0	PASS
6840.250000	-53.5	26.5	-27.0	PASS
6509.750000	-53.5	26.5	-27.0	PASS
6410.750000	-53.6	26.6	-27.0	PASS
6482.250000	-53.6	26.6	-27.0	PASS
6849.250000	-53.6	26.6	-27.0	PASS
5929.750000	-53.6	26.6	-27.0	PASS
6797.750000	-53.6	26.6	-27.0	PASS
6665.750000	-53.6	26.6	-27.0	PASS
6830.250000	-53.6	26.6	-27.0	PASS

TESTED SAMPLES:	S/01
TESTED CONDITIONS MODES:	TC#02 (n Mode SISO Radio B)
TEST RESULTS:	PASS

Bandwidth: 20 MHz


Lowest Channel



Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
5645.750000	-53.6	26.6	-27.0	PASS
5649.750000	-53.8	26.8	-27.0	PASS
5608.750000	-53.8	26.8	-27.0	PASS
5648.750000	-53.9	26.9	-27.0	PASS
5601.250000	-54.0	27.0	-27.0	PASS
5605.250000	-54.0	27.0	-27.0	PASS
5604.750000	-54.1	27.1	-27.0	PASS
5638.750000	-54.1	27.1	-27.0	PASS
5640.250000	-54.1	27.1	-27.0	PASS
5646.750000	-54.2	27.2	-27.0	PASS
5596.250000	-54.3	27.3	-27.0	PASS
5600.250000	-54.5	27.5	-27.0	PASS
5641.250000	-54.5	27.5	-27.0	PASS
5602.750000	-54.5	27.5	-27.0	PASS
5595.750000	-54.5	27.5	-27.0	PASS

TEST RESULTS (Cont.)

Highest Channel




— Limit — Sum Level × Fail

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6831.750000	-52.6	25.6	-27.0	PASS
6831.250000	-52.9	25.9	-27.0	PASS
6842.750000	-53.1	26.1	-27.0	PASS
6736.250000	-53.3	26.3	-27.0	PASS
5974.250000	-53.4	26.4	-27.0	PASS
6839.250000	-53.5	26.5	-27.0	PASS
6777.750000	-53.5	26.5	-27.0	PASS
6722.750000	-53.5	26.5	-27.0	PASS
6815.750000	-53.5	26.5	-27.0	PASS
6826.750000	-53.5	26.5	-27.0	PASS
6754.250000	-53.6	26.6	-27.0	PASS
6813.250000	-53.6	26.6	-27.0	PASS
6832.750000	-53.6	26.6	-27.0	PASS
6428.250000	-53.7	26.7	-27.0	PASS
6837.750000	-53.7	26.7	-27.0	PASS

TESTED SAMPLES:	S/01
TESTED CONDITIONS MODES:	TC#02 (n Mode MIMO Radio A+B)
TEST RESULTS:	PASS

Bandwidth: 20 MHz

Lowest Channel




— Limit × Fail — Sum Level

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
5649.750000	-51.3	24.3	-27.0	PASS
5642.250000	-51.7	24.7	-27.0	PASS
5646.250000	-51.8	24.8	-27.0	PASS
5643.250000	-51.8	24.8	-27.0	PASS
5648.250000	-51.8	24.8	-27.0	PASS
5641.750000	-51.8	24.8	-27.0	PASS
5648.750000	-51.8	24.8	-27.0	PASS
5647.250000	-51.8	24.8	-27.0	PASS
5643.750000	-51.9	24.9	-27.0	PASS
5639.750000	-51.9	24.9	-27.0	PASS
5645.750000	-51.9	24.9	-27.0	PASS
5635.250000	-52.0	25.0	-27.0	PASS
5644.250000	-52.1	25.1	-27.0	PASS
5646.750000	-52.1	25.1	-27.0	PASS
5647.750000	-52.1	25.1	-27.0	PASS

TEST RESULTS (Cont.)

Highest Channel



— Limit × Fail — Sum Level


Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6810.250000	-50.9	23.9	-27.0	PASS
6813.750000	-50.9	23.9	-27.0	PASS
6779.250000	-51.0	24.0	-27.0	PASS
6842.250000	-51.0	24.0	-27.0	PASS
6834.750000	-51.0	24.0	-27.0	PASS
6784.750000	-51.0	24.0	-27.0	PASS
6825.250000	-51.0	24.0	-27.0	PASS
6821.750000	-51.1	24.1	-27.0	PASS
6830.250000	-51.1	24.1	-27.0	PASS
6743.750000	-51.1	24.1	-27.0	PASS
6841.250000	-51.1	24.1	-27.0	PASS
6843.750000	-51.1	24.1	-27.0	PASS
6794.250000	-51.1	24.1	-27.0	PASS
6835.750000	-51.1	24.1	-27.0	PASS
6848.750000	-51.1	24.1	-27.0	PASS

TESTED SAMPLES:	S/01
TESTED CONDITIONS MODES:	TC#02* (n Mode SISO Radio A)
TEST RESULTS:	PASS

*Tested worst case from n40 and ac40 modulation.

Bandwidth: 40 MHz


Lowest Channel



Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
5640.750000	-53.2	26.2	-27.0	PASS
5649.750000	-53.3	26.3	-27.0	PASS
5650.250000	-53.5	26.7	-26.8	PASS
5647.750000	-53.8	26.8	-27.0	PASS
5648.750000	-53.8	26.8	-27.0	PASS
5632.250000	-53.9	26.9	-27.0	PASS
5641.750000	-53.9	26.9	-27.0	PASS
5645.250000	-54.0	27.0	-27.0	PASS
5647.250000	-54.0	27.0	-27.0	PASS
5643.250000	-54.0	27.0	-27.0	PASS
5635.250000	-54.0	27.0	-27.0	PASS
5649.250000	-54.0	27.0	-27.0	PASS
5646.250000	-54.0	27.0	-27.0	PASS
5641.250000	-54.1	27.1	-27.0	PASS
5631.250000	-54.1	27.1	-27.0	PASS

TEST RESULTS (Cont.)

Highest Channel




Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6839.250000	-53.0	26.0	-27.0	PASS
6824.250000	-53.0	26.0	-27.0	PASS
6827.250000	-53.1	26.1	-27.0	PASS
5931.250000	-53.3	26.3	-27.0	PASS
6616.250000	-53.4	26.4	-27.0	PASS
6735.750000	-53.4	26.4	-27.0	PASS
6827.750000	-53.4	26.4	-27.0	PASS
6490.250000	-53.5	26.5	-27.0	PASS
6836.250000	-53.5	26.5	-27.0	PASS
6814.250000	-53.6	26.6	-27.0	PASS
6736.750000	-53.7	26.7	-27.0	PASS
6806.250000	-53.8	26.8	-27.0	PASS
6623.250000	-53.8	26.8	-27.0	PASS
6399.750000	-53.8	26.8	-27.0	PASS
6790.250000	-53.8	26.8	-27.0	PASS

TESTED SAMPLES:	S/01
TESTED CONDITIONS MODES:	TC#02* (n Mode SISO Radio B)
TEST RESULTS:	PASS

*Tested worst case from n40 and ac40 modulation.

Bandwidth: 40 MHz

Lowest Channel




— Limit — Sum Level × Fail

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
5640.750000	-53.2	26.2	-27.0	PASS
5649.750000	-53.3	26.3	-27.0	PASS
5650.250000	-53.5	26.7	-26.8	PASS
5647.750000	-53.8	26.8	-27.0	PASS
5648.750000	-53.8	26.8	-27.0	PASS
5632.250000	-53.9	26.9	-27.0	PASS
5641.750000	-53.9	26.9	-27.0	PASS
5645.250000	-54.0	27.0	-27.0	PASS
5647.250000	-54.0	27.0	-27.0	PASS
5643.250000	-54.0	27.0	-27.0	PASS
5635.250000	-54.0	27.0	-27.0	PASS
5649.250000	-54.0	27.0	-27.0	PASS
5646.250000	-54.0	27.0	-27.0	PASS
5641.250000	-54.1	27.1	-27.0	PASS
5631.250000	-54.1	27.1	-27.0	PASS

TEST RESULTS (Cont.)

Highest Channel



— Limit — Sum Level × Fail


Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6839.250000	-53.0	26.0	-27.0	PASS
6824.250000	-53.0	26.0	-27.0	PASS
6827.250000	-53.1	26.1	-27.0	PASS
5931.250000	-53.3	26.3	-27.0	PASS
6616.250000	-53.4	26.4	-27.0	PASS
6735.750000	-53.4	26.4	-27.0	PASS
6827.750000	-53.4	26.4	-27.0	PASS
6490.250000	-53.5	26.5	-27.0	PASS
6836.250000	-53.5	26.5	-27.0	PASS
6814.250000	-53.6	26.6	-27.0	PASS
6736.750000	-53.7	26.7	-27.0	PASS
6806.250000	-53.8	26.8	-27.0	PASS
6623.250000	-53.8	26.8	-27.0	PASS
6399.750000	-53.8	26.8	-27.0	PASS
6790.250000	-53.8	26.8	-27.0	PASS

TESTED SAMPLES:	S/01
TESTED CONDITIONS MODES:	TC#02* (n Mode MIMO Radio A+B)
TEST RESULTS:	PASS

*Tested worst case from n40 and ac40 modulation.

Bandwidth: 40 MHz


Lowest Channel



Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
5630.250000	-48.6	21.6	-27.0	PASS
5650.250000	-48.4	21.6	-26.8	PASS
5630.750000	-48.7	21.7	-27.0	PASS
5626.250000	-48.8	21.8	-27.0	PASS
5646.250000	-49.0	22.0	-27.0	PASS
5645.750000	-49.0	22.0	-27.0	PASS
5631.250000	-49.0	22.0	-27.0	PASS
5646.750000	-49.1	22.1	-27.0	PASS
5625.750000	-49.2	22.2	-27.0	PASS
5624.250000	-49.2	22.2	-27.0	PASS
5644.750000	-49.2	22.2	-27.0	PASS
5649.750000	-49.3	22.3	-27.0	PASS
5631.750000	-49.3	22.3	-27.0	PASS
5632.250000	-49.3	22.3	-27.0	PASS
5629.250000	-49.3	22.3	-27.0	PASS

TEST RESULTS (Cont.)

Highest Channel




— Limit × Fail — Sum Level

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
5925.250000	-50.4	23.4	-27.0	PASS
5925.750000	-50.4	23.4	-27.0	PASS
5929.250000	-50.6	23.6	-27.0	PASS
5934.750000	-50.6	23.6	-27.0	PASS
5935.250000	-50.8	23.8	-27.0	PASS
6830.750000	-50.8	23.8	-27.0	PASS
5933.250000	-50.8	23.8	-27.0	PASS
5940.750000	-50.8	23.8	-27.0	PASS
5928.250000	-50.9	23.9	-27.0	PASS
5939.250000	-50.9	23.9	-27.0	PASS
5941.750000	-50.9	23.9	-27.0	PASS
5947.750000	-51.0	24.0	-27.0	PASS
5931.250000	-51.0	24.0	-27.0	PASS
6827.750000	-51.0	24.0	-27.0	PASS
5932.250000	-51.0	24.0	-27.0	PASS

TESTED SAMPLES:	S/01
TESTED CONDITIONS MODES:	TC#03 (ac Mode SISO Radio A)
TEST RESULTS:	PASS

Bandwidth: 20 MHz


Lowest Channel



Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
5648.750000	-55.1	28.1	-27.0	PASS
5639.750000	-55.1	28.1	-27.0	PASS
5646.750000	-55.2	28.2	-27.0	PASS
5640.250000	-55.3	28.3	-27.0	PASS
5591.750000	-55.3	28.3	-27.0	PASS
5646.250000	-55.3	28.3	-27.0	PASS
5648.250000	-55.3	28.3	-27.0	PASS
5647.250000	-55.3	28.3	-27.0	PASS
5649.750000	-55.3	28.3	-27.0	PASS
5637.750000	-55.4	28.4	-27.0	PASS
5636.250000	-55.4	28.4	-27.0	PASS
5642.250000	-55.5	28.5	-27.0	PASS
5631.750000	-55.5	28.5	-27.0	PASS
5634.250000	-55.5	28.5	-27.0	PASS
5633.750000	-55.5	28.5	-27.0	PASS

TEST RESULTS (Cont.)

Highest Channel




— Limit — Sum Level × Fail

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6846.25000	-53.1	26.1	-27.0	PASS
5964.25000	-53.2	26.2	-27.0	PASS
5970.75000	-53.2	26.2	-27.0	PASS
6847.25000	-53.3	26.3	-27.0	PASS
6826.25000	-53.3	26.3	-27.0	PASS
5965.25000	-53.3	26.3	-27.0	PASS
6805.25000	-53.4	26.4	-27.0	PASS
6840.75000	-53.4	26.4	-27.0	PASS
5977.25000	-53.5	26.5	-27.0	PASS
6837.75000	-53.5	26.5	-27.0	PASS
6817.25000	-53.5	26.5	-27.0	PASS
6756.75000	-53.6	26.6	-27.0	PASS
5959.25000	-53.6	26.6	-27.0	PASS
6793.25000	-53.7	26.7	-27.0	PASS
6701.25000	-53.7	26.7	-27.0	PASS

TESTED SAMPLES:	S/01
TESTED CONDITIONS MODES:	TC#03 (ac Mode SISO Radio B)
TEST RESULTS:	PASS

Bandwidth: 20 MHz


Lowest Channel



Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
5644.250000	-53.8	26.8	-27.0	PASS
5642.250000	-54.0	27.0	-27.0	PASS
5607.750000	-54.2	27.2	-27.0	PASS
5635.750000	-54.3	27.3	-27.0	PASS
5586.750000	-54.3	27.3	-27.0	PASS
5649.750000	-54.4	27.4	-27.0	PASS
5596.250000	-54.4	27.4	-27.0	PASS
5610.750000	-54.5	27.5	-27.0	PASS
5587.750000	-54.5	27.5	-27.0	PASS
5600.250000	-54.5	27.5	-27.0	PASS
5647.250000	-54.5	27.5	-27.0	PASS
5638.750000	-54.6	27.6	-27.0	PASS
5606.250000	-54.6	27.6	-27.0	PASS
5643.250000	-54.6	27.6	-27.0	PASS
5641.250000	-54.6	27.6	-27.0	PASS

TEST RESULTS (Cont.)

Highest Channel




Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6843.250000	-52.9	25.9	-27.0	PASS
6834.750000	-53.2	26.2	-27.0	PASS
6833.750000	-53.3	26.3	-27.0	PASS
6835.750000	-53.3	26.3	-27.0	PASS
6820.250000	-53.4	26.4	-27.0	PASS
6805.250000	-53.4	26.4	-27.0	PASS
6822.250000	-53.4	26.4	-27.0	PASS
6815.750000	-53.4	26.4	-27.0	PASS
6636.750000	-53.5	26.5	-27.0	PASS
5926.750000	-53.6	26.6	-27.0	PASS
6789.250000	-53.6	26.6	-27.0	PASS
6801.250000	-53.6	26.6	-27.0	PASS
6733.250000	-53.6	26.6	-27.0	PASS
6794.750000	-53.6	26.6	-27.0	PASS
6813.750000	-53.7	26.7	-27.0	PASS

TESTED SAMPLES:	S/01
TESTED CONDITIONS MODES:	TC#03 (ac Mode MIMO Radio A+B)
TEST RESULTS:	PASS

Bandwidth: 20 MHz

Lowest Channel




— Limit X Fail — Sum Level

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
5647.250000	-51.3	24.3	-27.0	PASS
5649.250000	-51.6	24.6	-27.0	PASS
5649.750000	-51.7	24.7	-27.0	PASS
5650.250000	-51.6	24.8	-26.8	PASS
5643.750000	-51.8	24.8	-27.0	PASS
5645.250000	-51.9	24.9	-27.0	PASS
5607.250000	-51.9	24.9	-27.0	PASS
5633.750000	-52.0	25.0	-27.0	PASS
5648.250000	-52.0	25.0	-27.0	PASS
5638.750000	-52.0	25.0	-27.0	PASS
5644.750000	-52.0	25.0	-27.0	PASS
5646.250000	-52.0	25.0	-27.0	PASS
5641.750000	-52.0	25.0	-27.0	PASS
5641.250000	-52.1	25.1	-27.0	PASS
5639.750000	-52.1	25.1	-27.0	PASS

TEST RESULTS (Cont.)

Highest Channel



— Limit × Fail — Sum Level


Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6805.250000	-50.4	23.4	-27.0	PASS
6837.250000	-50.5	23.5	-27.0	PASS
6812.750000	-50.5	23.5	-27.0	PASS
6817.250000	-50.5	23.5	-27.0	PASS
6825.250000	-50.6	23.6	-27.0	PASS
6797.250000	-50.7	23.7	-27.0	PASS
6850.000000	-50.7	23.7	-27.0	PASS
6849.750000	-50.7	23.7	-27.0	PASS
6835.250000	-50.7	23.7	-27.0	PASS
6831.750000	-50.7	23.7	-27.0	PASS
6802.750000	-50.7	23.7	-27.0	PASS
6810.750000	-50.7	23.7	-27.0	PASS
6847.750000	-50.7	23.7	-27.0	PASS
6742.250000	-50.8	23.8	-27.0	PASS
6824.750000	-50.8	23.8	-27.0	PASS

TESTED SAMPLES:	S/01
TESTED CONDITIONS MODES:	TC#03* (ac Mode SISO Radio A)
TEST RESULTS:	PASS

*Tested worst case from n40 and ac40 modulation.

Bandwidth: 40 MHz


Lowest Channel



Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
5650.250000	-51.3	24.4	-26.8	PASS
5641.250000	-51.5	24.5	-27.0	PASS
5649.750000	-51.6	24.6	-27.0	PASS
5635.250000	-51.6	24.6	-27.0	PASS
5641.750000	-51.7	24.7	-27.0	PASS
5650.750000	-51.3	24.9	-26.4	PASS
5634.250000	-52.0	25.0	-27.0	PASS
5638.750000	-52.1	25.1	-27.0	PASS
5643.750000	-52.1	25.1	-27.0	PASS
5646.750000	-52.1	25.1	-27.0	PASS
5644.750000	-52.3	25.3	-27.0	PASS
5649.250000	-52.3	25.3	-27.0	PASS
5644.250000	-52.3	25.3	-27.0	PASS
5645.250000	-52.3	25.3	-27.0	PASS
5647.250000	-52.4	25.4	-27.0	PASS

TEST RESULTS (Cont.)

Highest Channel



— Limit — Sum Level × Fail


Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
5925.250000	-52.1	25.1	-27.0	PASS
5928.750000	-52.2	25.2	-27.0	PASS
5952.250000	-52.2	25.2	-27.0	PASS
5938.250000	-52.3	25.3	-27.0	PASS
5932.250000	-52.4	25.4	-27.0	PASS
5943.250000	-52.6	25.6	-27.0	PASS
5926.250000	-52.6	25.6	-27.0	PASS
5998.750000	-52.7	25.7	-27.0	PASS
5930.250000	-52.8	25.8	-27.0	PASS
5985.250000	-52.8	25.8	-27.0	PASS
5949.750000	-52.8	25.8	-27.0	PASS
5932.750000	-52.8	25.8	-27.0	PASS
5924.750000	-52.6	25.8	-26.8	PASS
5939.750000	-52.8	25.8	-27.0	PASS
6724.750000	-52.8	25.8	-27.0	PASS

TESTED SAMPLES:	S/01
TESTED CONDITIONS MODES:	TC#03* (ac Mode SISO Radio B)
TEST RESULTS:	PASS

*Tested worst case from n40 and ac40 modulation.

Bandwidth: 40 MHz


Lowest Channel



Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
5647.750000	-53.2	26.2	-27.0	PASS
5649.750000	-53.3	26.3	-27.0	PASS
5647.250000	-53.4	26.4	-27.0	PASS
5645.250000	-53.7	26.7	-27.0	PASS
5642.250000	-53.8	26.8	-27.0	PASS
5648.750000	-53.8	26.8	-27.0	PASS
5649.250000	-53.8	26.8	-27.0	PASS
5646.750000	-54.0	27.0	-27.0	PASS
5646.250000	-54.0	27.0	-27.0	PASS
5640.750000	-54.0	27.0	-27.0	PASS
5631.750000	-54.0	27.0	-27.0	PASS
5644.250000	-54.0	27.0	-27.0	PASS
5636.750000	-54.1	27.1	-27.0	PASS
5644.750000	-54.2	27.2	-27.0	PASS
5645.750000	-54.2	27.2	-27.0	PASS

TEST RESULTS (Cont.)

Highest Channel



— Limit — Sum Level × Fail


Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6796.250000	-52.9	25.9	-27.0	PASS
6791.250000	-53.0	26.0	-27.0	PASS
6842.250000	-53.2	26.2	-27.0	PASS
6765.250000	-53.3	26.3	-27.0	PASS
6655.250000	-53.4	26.4	-27.0	PASS
6835.250000	-53.4	26.4	-27.0	PASS
6685.750000	-53.4	26.4	-27.0	PASS
6845.250000	-53.4	26.4	-27.0	PASS
6737.750000	-53.6	26.6	-27.0	PASS
6847.250000	-53.6	26.6	-27.0	PASS
6840.250000	-53.6	26.6	-27.0	PASS
6780.250000	-53.6	26.6	-27.0	PASS
6760.250000	-53.6	26.6	-27.0	PASS
6780.750000	-53.7	26.7	-27.0	PASS
6779.250000	-53.7	26.7	-27.0	PASS

TESTED SAMPLES:	S/01
TESTED CONDITIONS MODES:	TC#03* (ac Mode MIMO Radio A+B)
TEST RESULTS:	PASS

*Tested worst case from n40 and ac40 modulation.

Bandwidth: 40 MHz

Lowest Channel




— Limit × Fail — Sum Level

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
5650.750000	-47.3	20.8	-26.4	PASS
5650.250000	-47.6	20.8	-26.8	PASS
5651.250000	-47.5	21.4	-26.1	PASS
5648.750000	-48.5	21.5	-27.0	PASS
5649.750000	-48.7	21.7	-27.0	PASS
5640.750000	-49.1	22.1	-27.0	PASS
5647.250000	-49.2	22.2	-27.0	PASS
5643.750000	-49.2	22.2	-27.0	PASS
5651.750000	-48.0	22.3	-25.7	PASS
5645.750000	-49.3	22.3	-27.0	PASS
5647.750000	-49.3	22.3	-27.0	PASS
5644.750000	-49.3	22.3	-27.0	PASS
5646.750000	-49.3	22.3	-27.0	PASS
5649.250000	-49.3	22.3	-27.0	PASS
5636.250000	-49.4	22.4	-27.0	PASS

TEST RESULTS (Cont.)

Highest Channel




— Limit × Fail — Sum Level

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
5929.750000	-50.0	23.0	-27.0	PASS
5934.750000	-50.2	23.2	-27.0	PASS
5937.250000	-50.6	23.6	-27.0	PASS
5930.250000	-50.6	23.6	-27.0	PASS
5927.750000	-50.6	23.6	-27.0	PASS
5926.750000	-50.7	23.7	-27.0	PASS
5927.250000	-50.7	23.7	-27.0	PASS
5931.250000	-50.8	23.8	-27.0	PASS
5932.250000	-50.8	23.8	-27.0	PASS
5924.750000	-50.6	23.8	-26.8	PASS
5945.750000	-50.8	23.8	-27.0	PASS
5929.250000	-50.8	23.8	-27.0	PASS
5942.750000	-50.9	23.9	-27.0	PASS
5950.750000	-50.9	23.9	-27.0	PASS
5933.250000	-50.9	23.9	-27.0	PASS

TESTED SAMPLES:	S/01
TESTED CONDITIONS MODES:	TC#03* (ac Mode SISO Radio A)
TEST RESULTS:	PASS

Bandwidth: 80 MHz

Lowest Channel




— Limit — Sum Level × Fail

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
5650.250000	-38.7	11.9	-26.8	PASS
5648.250000	-39.5	12.5	-27.0	PASS
5650.750000	-39.1	12.6	-26.4	PASS
5648.750000	-40.0	13.0	-27.0	PASS
5646.250000	-40.1	13.1	-27.0	PASS
5647.750000	-40.2	13.2	-27.0	PASS
5649.750000	-40.3	13.3	-27.0	PASS
5645.750000	-40.4	13.4	-27.0	PASS
5647.250000	-40.6	13.6	-27.0	PASS
5652.250000	-39.1	13.7	-25.3	PASS
5646.750000	-40.9	13.9	-27.0	PASS
5652.750000	-38.8	13.9	-25.0	PASS
5649.250000	-40.9	13.9	-27.0	PASS
5651.250000	-40.0	13.9	-26.1	PASS
5653.250000	-38.5	13.9	-24.6	PASS

TEST RESULTS (Cont.)

Lowest Channel




— Limit — Sum Level × Fail

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
5930.250000	-46.2	19.2	-27.0	PASS
5925.750000	-46.4	19.4	-27.0	PASS
5930.750000	-46.8	19.8	-27.0	PASS
5926.750000	-46.9	19.9	-27.0	PASS
5941.250000	-47.0	20.0	-27.0	PASS
5929.750000	-47.0	20.0	-27.0	PASS
5928.750000	-47.2	20.2	-27.0	PASS
5925.250000	-47.2	20.2	-27.0	PASS
5933.250000	-47.5	20.5	-27.0	PASS
5942.250000	-47.5	20.5	-27.0	PASS
5943.250000	-47.6	20.6	-27.0	PASS
5927.750000	-47.6	20.6	-27.0	PASS
5932.750000	-47.7	20.7	-27.0	PASS
5927.250000	-47.7	20.7	-27.0	PASS
5929.250000	-47.8	20.8	-27.0	PASS

TESTED SAMPLES:	S/01
TESTED CONDITIONS MODES:	TC#03* (ac Mode SISO Radio B)
TEST RESULTS:	PASS

Bandwidth: 80 MHz


Lowest Channel



Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
5635.750000	-48.3	21.3	-27.0	PASS
5646.250000	-49.1	22.1	-27.0	PASS
5643.250000	-49.3	22.3	-27.0	PASS
5649.250000	-49.7	22.7	-27.0	PASS
5648.250000	-49.9	22.9	-27.0	PASS
5645.250000	-50.1	23.1	-27.0	PASS
5645.750000	-50.1	23.1	-27.0	PASS
5641.250000	-50.2	23.2	-27.0	PASS
5643.750000	-50.2	23.2	-27.0	PASS
5644.750000	-50.5	23.5	-27.0	PASS
5641.750000	-50.7	23.7	-27.0	PASS
5647.750000	-50.8	23.8	-27.0	PASS
5621.750000	-50.8	23.8	-27.0	PASS
5644.250000	-50.9	23.9	-27.0	PASS
5640.750000	-50.9	23.9	-27.0	PASS

TEST RESULTS (Cont.)

Highest Channel




Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
5925.250000	-50.6	23.6	-27.0	PASS
5926.750000	-50.9	23.9	-27.0	PASS
5928.250000	-51.0	24.0	-27.0	PASS
5925.750000	-51.0	24.0	-27.0	PASS
5923.750000	-50.2	24.1	-26.1	PASS
5926.250000	-51.2	24.2	-27.0	PASS
5924.250000	-50.7	24.3	-26.4	PASS
5928.750000	-51.3	24.3	-27.0	PASS
5929.250000	-51.5	24.5	-27.0	PASS
5922.750000	-49.9	24.5	-25.3	PASS
5927.750000	-51.5	24.5	-27.0	PASS
5927.250000	-51.6	24.6	-27.0	PASS
5923.250000	-50.3	24.6	-25.7	PASS
5930.250000	-51.7	24.7	-27.0	PASS
5932.250000	-51.8	24.8	-27.0	PASS

TESTED SAMPLES:	S/01
TESTED CONDITIONS MODES:	TC#03 (ac Mode MIMO Radio A+B)
TEST RESULTS:	PASS

Bandwidth: 80 MHz

Lowest Channel




— Limit X Fail — Sum Level

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
5650.250000	-38.3	11.5	-26.8	PASS
5650.750000	-38.2	11.8	-26.4	PASS
5648.250000	-38.9	11.9	-27.0	PASS
5648.750000	-39.0	12.0	-27.0	PASS
5649.750000	-39.3	12.3	-27.0	PASS
5647.750000	-39.3	12.3	-27.0	PASS
5649.250000	-39.5	12.5	-27.0	PASS
5651.250000	-38.9	12.8	-26.1	PASS
5647.250000	-39.9	12.9	-27.0	PASS
5652.750000	-38.0	13.0	-25.0	PASS
5646.250000	-40.0	13.0	-27.0	PASS
5652.250000	-38.7	13.3	-25.3	PASS
5645.750000	-40.4	13.4	-27.0	PASS
5651.750000	-39.2	13.5	-25.7	PASS
5644.750000	-40.5	13.5	-27.0	PASS

TEST RESULTS (Cont.)

Highest Channel




Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
5925.750000	-43.5	16.5	-27.0	PASS
5925.250000	-43.7	16.7	-27.0	PASS
5930.250000	-43.8	16.8	-27.0	PASS
5927.750000	-44.2	17.2	-27.0	PASS
5927.250000	-44.4	17.4	-27.0	PASS
5923.750000	-43.5	17.4	-26.1	PASS
5926.250000	-44.5	17.5	-27.0	PASS
5924.750000	-44.3	17.5	-26.8	PASS
5929.750000	-44.7	17.7	-27.0	PASS
5930.750000	-44.7	17.7	-27.0	PASS
5923.250000	-43.5	17.8	-25.7	PASS
5928.250000	-44.9	17.9	-27.0	PASS
5940.750000	-44.9	17.9	-27.0	PASS
5941.250000	-45.0	18.0	-27.0	PASS
5934.750000	-45.0	18.0	-27.0	PASS

TESTED SAMPLES:	S/01
TESTED CONDITIONS MODES:	TC#04 (ax Mode SISO Radio A)
TEST RESULTS:	PASS

Bandwidth: 20 MHz


Lowest Channel



Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
5645.750000	-54.0	27.0	-27.0	PASS
5646.250000	-54.3	27.3	-27.0	PASS
5597.250000	-54.8	27.8	-27.0	PASS
5648.750000	-54.8	27.8	-27.0	PASS
5649.250000	-54.9	27.9	-27.0	PASS
5646.750000	-55.1	28.1	-27.0	PASS
5647.750000	-55.1	28.1	-27.0	PASS
5649.750000	-55.2	28.2	-27.0	PASS
5638.250000	-55.2	28.2	-27.0	PASS
5562.250000	-55.2	28.2	-27.0	PASS
5636.750000	-55.2	28.2	-27.0	PASS
5596.250000	-55.3	28.3	-27.0	PASS
5634.750000	-55.3	28.3	-27.0	PASS
5644.250000	-55.3	28.3	-27.0	PASS
5648.250000	-55.5	28.5	-27.0	PASS

TEST RESULTS (Cont.)

Highest Channel




— Limit — Sum Level × Fail

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6733.250000	-52.7	25.7	-27.0	PASS
6840.250000	-52.8	25.8	-27.0	PASS
6672.250000	-53.0	26.0	-27.0	PASS
5927.250000	-53.2	26.2	-27.0	PASS
6839.250000	-53.4	26.4	-27.0	PASS
6821.750000	-53.4	26.4	-27.0	PASS
6834.250000	-53.5	26.5	-27.0	PASS
6848.250000	-53.6	26.6	-27.0	PASS
6717.750000	-53.6	26.6	-27.0	PASS
6836.750000	-53.7	26.7	-27.0	PASS
5934.750000	-53.7	26.7	-27.0	PASS
5938.250000	-53.8	26.8	-27.0	PASS
6840.750000	-53.8	26.8	-27.0	PASS
6828.250000	-53.8	26.8	-27.0	PASS
6832.750000	-53.9	26.9	-27.0	PASS

TESTED SAMPLES:	S/01
TESTED CONDITIONS MODES:	TC#04 (ax Mode SISO Radio B)
TEST RESULTS:	PASS

Bandwidth: 20 MHz


Lowest Channel



Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
5648.750000	-53.7	26.7	-27.0	PASS
5602.750000	-54.6	27.6	-27.0	PASS
5647.250000	-54.6	27.6	-27.0	PASS
5648.250000	-54.7	27.7	-27.0	PASS
5639.750000	-54.8	27.8	-27.0	PASS
5638.750000	-54.9	27.9	-27.0	PASS
5644.250000	-54.9	27.9	-27.0	PASS
5643.750000	-54.9	27.9	-27.0	PASS
5598.750000	-54.9	27.9	-27.0	PASS
5649.250000	-54.9	27.9	-27.0	PASS
5603.750000	-55.1	28.1	-27.0	PASS
5599.250000	-55.1	28.1	-27.0	PASS
5650.250000	-55.0	28.2	-26.8	PASS
5638.250000	-55.2	28.2	-27.0	PASS
5643.250000	-55.2	28.2	-27.0	PASS

TEST RESULTS (Cont.)

Highest Channel




— Limit — Sum Level × Fail

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6731.750000	-53.1	26.1	-27.0	PASS
6845.250000	-53.2	26.2	-27.0	PASS
6780.750000	-53.2	26.2	-27.0	PASS
6572.750000	-53.3	26.3	-27.0	PASS
6823.750000	-53.5	26.5	-27.0	PASS
6813.750000	-53.6	26.6	-27.0	PASS
6837.250000	-53.6	26.6	-27.0	PASS
6840.250000	-53.6	26.6	-27.0	PASS
6842.250000	-53.6	26.6	-27.0	PASS
6828.750000	-53.6	26.6	-27.0	PASS
6819.250000	-53.7	26.7	-27.0	PASS
6701.250000	-53.7	26.7	-27.0	PASS
6744.250000	-53.7	26.7	-27.0	PASS
6846.750000	-53.7	26.7	-27.0	PASS
6821.750000	-53.8	26.8	-27.0	PASS

TESTED SAMPLES:	S/01
TESTED CONDITIONS MODES:	TC#04 (ax Mode SISO Radio A+B)
TEST RESULTS:	PASS

Bandwidth: 20 MHz

Lowest Channel




— Limit × Fail — Sum Level

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
5644.750000	-51.5	24.5	-27.0	PASS
5645.750000	-51.7	24.7	-27.0	PASS
5640.250000	-51.8	24.8	-27.0	PASS
5647.750000	-51.8	24.8	-27.0	PASS
5648.250000	-51.8	24.8	-27.0	PASS
5644.250000	-51.9	24.9	-27.0	PASS
5646.250000	-51.9	24.9	-27.0	PASS
5643.250000	-51.9	24.9	-27.0	PASS
5645.250000	-52.0	25.0	-27.0	PASS
5649.750000	-52.0	25.0	-27.0	PASS
5636.750000	-52.0	25.0	-27.0	PASS
5642.250000	-52.1	25.1	-27.0	PASS
5648.750000	-52.1	25.1	-27.0	PASS
5641.750000	-52.1	25.1	-27.0	PASS
5642.750000	-52.1	25.1	-27.0	PASS

TEST RESULTS (Cont.)

Highest Channel



— Limit × Fail — Sum Level


Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6815.250000	-50.4	23.4	-27.0	PASS
6788.250000	-50.8	23.8	-27.0	PASS
6801.750000	-50.8	23.8	-27.0	PASS
6815.750000	-50.8	23.8	-27.0	PASS
6779.750000	-50.8	23.8	-27.0	PASS
6842.750000	-50.8	23.8	-27.0	PASS
6848.750000	-50.8	23.8	-27.0	PASS
6794.250000	-50.8	23.8	-27.0	PASS
6821.250000	-50.9	23.9	-27.0	PASS
6840.750000	-50.9	23.9	-27.0	PASS
6837.250000	-50.9	23.9	-27.0	PASS
6832.250000	-50.9	23.9	-27.0	PASS
6838.750000	-50.9	23.9	-27.0	PASS
6828.250000	-50.9	23.9	-27.0	PASS
6830.750000	-50.9	23.9	-27.0	PASS

TESTED SAMPLES:	S/01
TESTED CONDITIONS MODES:	TC#04* (ax Mode SISO Radio A)
TEST RESULTS:	PASS

*Tested worst case from n40 and ac40 modulation.

Bandwidth: 40 MHz


Lowest Channel



Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
5647.750000	-52.0	25.0	-27.0	PASS
5647.250000	-52.2	25.2	-27.0	PASS
5649.750000	-52.3	25.3	-27.0	PASS
5646.250000	-52.4	25.4	-27.0	PASS
5649.250000	-52.4	25.4	-27.0	PASS
5648.250000	-52.5	25.5	-27.0	PASS
5645.250000	-52.5	25.5	-27.0	PASS
5632.250000	-52.6	25.6	-27.0	PASS
5646.750000	-52.7	25.7	-27.0	PASS
5650.250000	-52.5	25.7	-26.8	PASS
5650.750000	-52.2	25.7	-26.4	PASS
5651.250000	-51.9	25.8	-26.1	PASS
5648.750000	-52.8	25.8	-27.0	PASS
5642.750000	-52.9	25.9	-27.0	PASS
5641.250000	-52.9	25.9	-27.0	PASS

TEST RESULTS (Cont.)

Highest Channel



— Limit — Sum Level × Fail


Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
5926.750000	-52.1	25.1	-27.0	PASS
5935.750000	-52.3	25.3	-27.0	PASS
5930.750000	-52.3	25.3	-27.0	PASS
5929.250000	-52.4	25.4	-27.0	PASS
5951.250000	-52.6	25.6	-27.0	PASS
5928.750000	-52.7	25.7	-27.0	PASS
5948.250000	-52.7	25.7	-27.0	PASS
5940.250000	-52.7	25.7	-27.0	PASS
5927.750000	-52.8	25.8	-27.0	PASS
5925.750000	-52.8	25.8	-27.0	PASS
5948.750000	-52.8	25.8	-27.0	PASS
5945.750000	-53.0	26.0	-27.0	PASS
5931.750000	-53.0	26.0	-27.0	PASS
5937.750000	-53.0	26.0	-27.0	PASS
5956.750000	-53.0	26.0	-27.0	PASS

TESTED SAMPLES:	S/01
TESTED CONDITIONS MODES:	TC#04* (ax Mode SISO Radio B)
TEST RESULTS:	PASS

*Tested worst case from n40 and ac40 modulation.

Bandwidth: 40 MHz


Lowest Channel



Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
5645.250000	-52.6	25.6	-27.0	PASS
5649.250000	-52.7	25.7	-27.0	PASS
5649.750000	-52.8	25.8	-27.0	PASS
5650.250000	-52.7	25.9	-26.8	PASS
5647.750000	-53.0	26.0	-27.0	PASS
5642.250000	-53.1	26.1	-27.0	PASS
5646.250000	-53.1	26.1	-27.0	PASS
5643.250000	-53.1	26.1	-27.0	PASS
5643.750000	-53.1	26.1	-27.0	PASS
5648.750000	-53.2	26.2	-27.0	PASS
5644.250000	-53.2	26.2	-27.0	PASS
5629.750000	-53.3	26.3	-27.0	PASS
5648.250000	-53.3	26.3	-27.0	PASS
5601.250000	-53.4	26.4	-27.0	PASS
5637.250000	-53.4	26.4	-27.0	PASS

TEST RESULTS (Cont.)

Highest Channel



— Limit — Sum Level × Fail


Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6821.750000	-53.2	26.2	-27.0	PASS
6785.250000	-53.3	26.3	-27.0	PASS
6759.250000	-53.4	26.4	-27.0	PASS
6848.750000	-53.5	26.5	-27.0	PASS
6737.750000	-53.7	26.7	-27.0	PASS
6773.750000	-53.7	26.7	-27.0	PASS
6520.750000	-53.7	26.7	-27.0	PASS
6831.750000	-53.8	26.8	-27.0	PASS
6825.750000	-53.8	26.8	-27.0	PASS
6846.250000	-53.8	26.8	-27.0	PASS
6825.250000	-53.9	26.9	-27.0	PASS
6730.750000	-53.9	26.9	-27.0	PASS
6567.250000	-53.9	26.9	-27.0	PASS
6804.750000	-53.9	26.9	-27.0	PASS
6703.750000	-54.0	27.0	-27.0	PASS

TESTED SAMPLES:	S/01
TESTED CONDITIONS MODES:	TC#04* (ax Mode MIMO Radio A+B)
TEST RESULTS:	PASS

*Tested worst case from n40 and ac40 modulation.

Bandwidth: 40 MHz

Lowest Channel




— Limit × Fail — Sum Level

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
5648.250000	-49.4	22.4	-27.0	PASS
5647.250000	-49.9	22.9	-27.0	PASS
5649.250000	-50.0	23.0	-27.0	PASS
5645.750000	-50.0	23.0	-27.0	PASS
5648.750000	-50.1	23.1	-27.0	PASS
5646.750000	-50.1	23.1	-27.0	PASS
5642.750000	-50.1	23.1	-27.0	PASS
5641.250000	-50.2	23.2	-27.0	PASS
5647.750000	-50.2	23.2	-27.0	PASS
5645.250000	-50.2	23.2	-27.0	PASS
5646.250000	-50.3	23.3	-27.0	PASS
5650.250000	-50.1	23.3	-26.8	PASS
5649.750000	-50.3	23.3	-27.0	PASS
5643.750000	-50.4	23.4	-27.0	PASS
5650.750000	-49.8	23.4	-26.4	PASS

TEST RESULTS (Cont.)

Highest Channel




Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
5924.750000	-50.2	23.4	-26.8	PASS
5931.250000	-50.4	23.4	-27.0	PASS
5935.250000	-50.5	23.5	-27.0	PASS
5925.750000	-50.5	23.5	-27.0	PASS
5952.750000	-50.5	23.5	-27.0	PASS
5933.750000	-50.6	23.6	-27.0	PASS
5939.750000	-50.6	23.6	-27.0	PASS
5929.750000	-50.7	23.7	-27.0	PASS
5936.250000	-50.7	23.7	-27.0	PASS
5933.250000	-50.7	23.7	-27.0	PASS
6772.250000	-50.8	23.8	-27.0	PASS
6787.750000	-50.8	23.8	-27.0	PASS
5932.250000	-50.8	23.8	-27.0	PASS
6837.750000	-50.8	23.8	-27.0	PASS
5929.250000	-50.8	23.8	-27.0	PASS

TESTED SAMPLES:	S/01
TESTED CONDITIONS MODES:	TC#04* (ax Mode SISO Radio A)
TEST RESULTS:	PASS

Bandwidth: 80 MHz


Lowest Channel



Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
5645.750000	-42.7	15.7	-27.0	PASS
5648.750000	-42.7	15.7	-27.0	PASS
5651.250000	-42.4	16.3	-26.1	PASS
5646.750000	-43.5	16.5	-27.0	PASS
5649.250000	-43.5	16.5	-27.0	PASS
5646.250000	-43.7	16.7	-27.0	PASS
5648.250000	-43.8	16.8	-27.0	PASS
5650.250000	-43.6	16.8	-26.8	PASS
5644.750000	-43.8	16.8	-27.0	PASS
5650.750000	-43.4	17.0	-26.4	PASS
5649.750000	-44.1	17.1	-27.0	PASS
5641.250000	-44.1	17.1	-27.0	PASS
5645.250000	-44.2	17.2	-27.0	PASS
5640.750000	-44.2	17.2	-27.0	PASS
5643.250000	-44.4	17.4	-27.0	PASS

TEST RESULTS (Cont.)

Lowest Channel




— Limit — Sum Level × Fail

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
5925.750000	-46.8	19.8	-27.0	PASS
5932.250000	-46.9	19.9	-27.0	PASS
5926.250000	-46.9	19.9	-27.0	PASS
5925.250000	-46.9	19.9	-27.0	PASS
5928.750000	-47.1	20.1	-27.0	PASS
5930.750000	-47.2	20.2	-27.0	PASS
5927.250000	-47.2	20.2	-27.0	PASS
5933.250000	-47.3	20.3	-27.0	PASS
5926.750000	-47.3	20.3	-27.0	PASS
5929.750000	-47.3	20.3	-27.0	PASS
5931.750000	-47.5	20.5	-27.0	PASS
5923.250000	-46.2	20.5	-25.7	PASS
5924.750000	-47.4	20.6	-26.8	PASS
5931.250000	-47.8	20.8	-27.0	PASS
5932.750000	-47.8	20.8	-27.0	PASS

TESTED SAMPLES:	S/01
TESTED CONDITIONS MODES:	TC#04* (ax Mode SISO Radio B)
TEST RESULTS:	PASS

Bandwidth: 80 MHz


Lowest Channel



Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
5651.250000	-42.1	16.0	-26.1	PASS
5648.750000	-43.6	16.6	-27.0	PASS
5650.750000	-43.5	17.0	-26.4	PASS
5649.250000	-44.0	17.0	-27.0	PASS
5650.250000	-44.0	17.2	-26.8	PASS
5648.250000	-44.2	17.2	-27.0	PASS
5645.750000	-44.2	17.2	-27.0	PASS
5639.250000	-44.2	17.2	-27.0	PASS
5652.750000	-42.2	17.3	-25.0	PASS
5652.250000	-42.6	17.3	-25.3	PASS
5646.250000	-44.3	17.3	-27.0	PASS
5644.750000	-44.3	17.3	-27.0	PASS
5646.750000	-44.4	17.4	-27.0	PASS
5644.250000	-44.5	17.5	-27.0	PASS
5641.250000	-44.6	17.6	-27.0	PASS

TEST RESULTS (Cont.)

Highest Channel




Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
5932.750000	-50.5	23.5	-27.0	PASS
5925.250000	-50.5	23.5	-27.0	PASS
5927.250000	-50.7	23.7	-27.0	PASS
5928.250000	-50.7	23.7	-27.0	PASS
5929.750000	-50.8	23.8	-27.0	PASS
5930.750000	-51.1	24.1	-27.0	PASS
5926.250000	-51.1	24.1	-27.0	PASS
5925.750000	-51.1	24.1	-27.0	PASS
5933.250000	-51.2	24.2	-27.0	PASS
5926.750000	-51.3	24.3	-27.0	PASS
5928.750000	-51.4	24.4	-27.0	PASS
5927.750000	-51.5	24.5	-27.0	PASS
5937.750000	-51.6	24.6	-27.0	PASS
5931.250000	-51.7	24.7	-27.0	PASS
5923.250000	-50.4	24.7	-25.7	PASS

TESTED SAMPLES:	S/01
TESTED CONDITIONS MODES:	TC#04 (ax Mode MIMO Radio A+B)
TEST RESULTS:	PASS

Bandwidth: 80 MHz

Lowest Channel




— Limit × Fail — Sum Level

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
5646.250000	-40.0	13.0	-27.0	PASS
5649.250000	-40.2	13.2	-27.0	PASS
5645.750000	-40.2	13.2	-27.0	PASS
5648.750000	-40.8	13.8	-27.0	PASS
5647.250000	-40.8	13.8	-27.0	PASS
5650.250000	-40.7	13.9	-26.8	PASS
5646.750000	-40.9	13.9	-27.0	PASS
5648.250000	-40.9	13.9	-27.0	PASS
5636.750000	-41.0	14.0	-27.0	PASS
5649.750000	-41.0	14.0	-27.0	PASS
5651.250000	-40.1	14.0	-26.1	PASS
5647.750000	-41.1	14.1	-27.0	PASS
5650.750000	-40.6	14.1	-26.4	PASS
5641.250000	-41.2	14.2	-27.0	PASS
5645.250000	-41.2	14.2	-27.0	PASS

TEST RESULTS (Cont.)

Highest Channel




Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
5925.750000	-44.1	17.1	-27.0	PASS
5927.250000	-44.6	17.6	-27.0	PASS
5927.750000	-44.7	17.7	-27.0	PASS
5926.750000	-45.0	18.0	-27.0	PASS
5925.250000	-45.2	18.2	-27.0	PASS
5926.250000	-45.3	18.3	-27.0	PASS
5930.750000	-45.4	18.4	-27.0	PASS
5928.250000	-45.4	18.4	-27.0	PASS
5931.750000	-45.6	18.6	-27.0	PASS
5928.750000	-45.8	18.8	-27.0	PASS
5924.250000	-45.3	18.8	-26.4	PASS
5932.250000	-45.9	18.9	-27.0	PASS
5929.250000	-46.0	19.0	-27.0	PASS
5937.250000	-46.1	19.1	-27.0	PASS
5929.750000	-46.1	19.1	-27.0	PASS

TESTED SAMPLES:	S/01
TESTED CONDITIONS MODES:	TC#05 (ac Mode Beam forming)
TEST RESULTS:	PASS

Bandwidth: 20 MHz

Lowest Channel




— Limit × Fail — Sum Level

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
5627.750000	-53.0	26.0	-27.0	PASS
5649.750000	-53.0	26.0	-27.0	PASS
5640.750000	-53.4	26.4	-27.0	PASS
5646.750000	-53.4	26.4	-27.0	PASS
5634.750000	-53.4	26.4	-27.0	PASS
5539.750000	-53.4	26.4	-27.0	PASS
5625.250000	-53.4	26.4	-27.0	PASS
5625.750000	-53.5	26.5	-27.0	PASS
5640.250000	-53.5	26.5	-27.0	PASS
5593.250000	-53.5	26.5	-27.0	PASS
5633.750000	-53.6	26.6	-27.0	PASS
5587.750000	-53.6	26.6	-27.0	PASS
5584.250000	-53.6	26.6	-27.0	PASS
5626.750000	-53.6	26.6	-27.0	PASS
5644.750000	-53.7	26.7	-27.0	PASS

TEST RESULTS (Cont.)

Highest Channel




Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6845.750000	-49.6	22.6	-27.0	PASS
6832.750000	-49.8	22.8	-27.0	PASS
6848.250000	-49.8	22.8	-27.0	PASS
6843.250000	-49.9	22.9	-27.0	PASS
6840.750000	-49.9	22.9	-27.0	PASS
6823.750000	-50.0	23.0	-27.0	PASS
6833.250000	-50.0	23.0	-27.0	PASS
6847.250000	-50.1	23.1	-27.0	PASS
6843.750000	-50.1	23.1	-27.0	PASS
6781.250000	-50.2	23.2	-27.0	PASS
6783.250000	-50.2	23.2	-27.0	PASS
6835.250000	-50.2	23.2	-27.0	PASS
6840.250000	-50.2	23.2	-27.0	PASS
6829.250000	-50.3	23.3	-27.0	PASS
6822.750000	-50.3	23.3	-27.0	PASS

TESTED SAMPLES:	S/01
TESTED CONDITIONS MODES:	TC#05* (ac Mode Beam forming)
TEST RESULTS:	PASS

*Tested worst case from n40 and ac40 modulation.

Bandwidth: 40 MHz


Lowest Channel



Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
5646.250000	-51.7	24.7	-27.0	PASS
5649.250000	-51.7	24.7	-27.0	PASS
5650.750000	-51.2	24.8	-26.4	PASS
5628.750000	-51.8	24.8	-27.0	PASS
5622.250000	-52.0	25.0	-27.0	PASS
5645.250000	-52.0	25.0	-27.0	PASS
5648.250000	-52.4	25.4	-27.0	PASS
5633.750000	-52.4	25.4	-27.0	PASS
5650.250000	-52.3	25.5	-26.8	PASS
5628.250000	-52.5	25.5	-27.0	PASS
5645.750000	-52.5	25.5	-27.0	PASS
5643.250000	-52.6	25.6	-27.0	PASS
5642.750000	-52.7	25.7	-27.0	PASS
5652.750000	-50.6	25.7	-25.0	PASS
5649.750000	-52.7	25.7	-27.0	PASS

TEST RESULTS (Cont.)

Highest Channel




Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6832.750000	-50.0	23.0	-27.0	PASS
6836.750000	-50.2	23.2	-27.0	PASS
6838.250000	-50.3	23.3	-27.0	PASS
6816.750000	-50.3	23.3	-27.0	PASS
6849.250000	-50.3	23.3	-27.0	PASS
6707.750000	-50.3	23.3	-27.0	PASS
6818.250000	-50.3	23.3	-27.0	PASS
6827.750000	-50.4	23.4	-27.0	PASS
6840.250000	-50.4	23.4	-27.0	PASS
6819.250000	-50.4	23.4	-27.0	PASS
6848.750000	-50.4	23.4	-27.0	PASS
6835.750000	-50.4	23.4	-27.0	PASS
6846.250000	-50.4	23.4	-27.0	PASS
6844.250000	-50.5	23.5	-27.0	PASS
6841.250000	-50.5	23.5	-27.0	PASS

TESTED SAMPLES:	S/01
TESTED CONDITIONS MODES:	TC#05 (ac Mode Beam forming)
TEST RESULTS:	PASS

Bandwidth: 80 MHz

Lowest Channel




— Limit X Fail — Sum Level

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
5631.250000	-32.5	5.5	-27.0	PASS
5656.250000	-31.5	9.1	-22.4	PASS
5622.750000	-38.5	11.5	-27.0	PASS
5625.750000	-38.6	11.6	-27.0	PASS
5648.250000	-38.8	11.8	-27.0	PASS
5647.750000	-39.0	12.0	-27.0	PASS
5647.250000	-39.4	12.4	-27.0	PASS
5650.750000	-39.1	12.7	-26.4	PASS
5635.750000	-39.7	12.7	-27.0	PASS
5646.250000	-39.8	12.8	-27.0	PASS
5642.250000	-39.9	12.9	-27.0	PASS
5617.250000	-39.9	12.9	-27.0	PASS
5633.250000	-40.0	13.0	-27.0	PASS
5621.250000	-40.0	13.0	-27.0	PASS
5652.750000	-38.1	13.2	-25.0	PASS

TEST RESULTS (Cont.)

Highest Channel




— Limit × Fail — Sum Level

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
5927.750000	-36.8	9.8	-27.0	PASS
5932.250000	-40.7	13.7	-27.0	PASS
5927.250000	-43.1	16.1	-27.0	PASS
5928.250000	-45.1	18.1	-27.0	PASS
5931.750000	-45.7	18.7	-27.0	PASS
5925.750000	-45.8	18.8	-27.0	PASS
5926.750000	-45.9	18.9	-27.0	PASS
5928.750000	-46.0	19.0	-27.0	PASS
5923.750000	-45.1	19.0	-26.1	PASS
5932.750000	-46.2	19.2	-27.0	PASS
5924.750000	-46.1	19.3	-26.8	PASS
5930.250000	-46.5	19.5	-27.0	PASS
5922.750000	-44.9	19.6	-25.3	PASS
5930.750000	-46.6	19.6	-27.0	PASS
5926.250000	-46.6	19.6	-27.0	PASS

TESTED SAMPLES:	S/01
TESTED CONDITIONS MODES:	TC#06 (ax Mode Beam forming)
TEST RESULTS:	PASS

Bandwidth: 20 MHz


Lowest Channel



Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
5649.750000	-53.3	26.3	-27.0	PASS
5622.750000	-53.3	26.3	-27.0	PASS
5641.250000	-53.3	26.3	-27.0	PASS
5647.750000	-53.4	26.4	-27.0	PASS
5593.750000	-53.4	26.4	-27.0	PASS
5633.750000	-53.4	26.4	-27.0	PASS
5598.750000	-53.4	26.4	-27.0	PASS
5585.750000	-53.4	26.4	-27.0	PASS
5618.250000	-53.4	26.4	-27.0	PASS
5630.750000	-53.4	26.4	-27.0	PASS
5645.250000	-53.5	26.5	-27.0	PASS
5632.250000	-53.5	26.5	-27.0	PASS
5573.750000	-53.5	26.5	-27.0	PASS
5617.750000	-53.6	26.6	-27.0	PASS
5579.250000	-53.6	26.6	-27.0	PASS

TEST RESULTS (Cont.)

Highest Channel




— Limit × Fail — Sum Level

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6831.250000	-49.9	22.9	-27.0	PASS
6848.750000	-50.1	23.1	-27.0	PASS
6841.250000	-50.2	23.2	-27.0	PASS
6834.750000	-50.2	23.2	-27.0	PASS
6838.750000	-50.2	23.2	-27.0	PASS
6847.250000	-50.2	23.2	-27.0	PASS
6776.250000	-50.2	23.2	-27.0	PASS
6804.750000	-50.2	23.2	-27.0	PASS
6787.750000	-50.3	23.3	-27.0	PASS
6825.250000	-50.3	23.3	-27.0	PASS
6821.250000	-50.3	23.3	-27.0	PASS
6836.250000	-50.3	23.3	-27.0	PASS
6827.750000	-50.3	23.3	-27.0	PASS
6834.250000	-50.4	23.4	-27.0	PASS
6827.250000	-50.4	23.4	-27.0	PASS

TESTED SAMPLES:	S/01
TESTED CONDITIONS MODES:	TC#06 (ax Mode Beam forming)
TEST RESULTS:	PASS

Bandwidth: 40 MHz


Lowest Channel



Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
5524.250000	-42.4	15.4	-27.0	PASS
5523.750000	-43.1	16.1	-27.0	PASS
5575.250000	-46.1	19.1	-27.0	PASS
5478.750000	-46.3	19.3	-27.0	PASS
5575.750000	-46.8	19.8	-27.0	PASS
5479.250000	-47.2	20.2	-27.0	PASS
5574.750000	-48.2	21.2	-27.0	PASS
5524.750000	-50.0	23.0	-27.0	PASS
5638.750000	-51.5	24.5	-27.0	PASS
5648.250000	-51.7	24.7	-27.0	PASS
5649.250000	-51.8	24.8	-27.0	PASS
5650.750000	-51.3	24.9	-26.4	PASS
5637.250000	-52.0	25.0	-27.0	PASS
5620.250000	-52.1	25.1	-27.0	PASS
5647.750000	-52.3	25.3	-27.0	PASS

TEST RESULTS (Cont.)

Highest Channel




— Limit × Fail — Sum Level

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6827.750000	-50.1	23.1	-27.0	PASS
6801.750000	-50.1	23.1	-27.0	PASS
6822.250000	-50.2	23.2	-27.0	PASS
6823.750000	-50.2	23.2	-27.0	PASS
6806.250000	-50.3	23.3	-27.0	PASS
6838.250000	-50.3	23.3	-27.0	PASS
6844.750000	-50.4	23.4	-27.0	PASS
6812.250000	-50.4	23.4	-27.0	PASS
6836.250000	-50.4	23.4	-27.0	PASS
6824.750000	-50.4	23.4	-27.0	PASS
6835.250000	-50.4	23.4	-27.0	PASS
6745.250000	-50.4	23.4	-27.0	PASS
6802.750000	-50.4	23.4	-27.0	PASS
6817.250000	-50.4	23.4	-27.0	PASS
6847.750000	-50.4	23.4	-27.0	PASS

TESTED SAMPLES:	S/01
TESTED CONDITIONS MODES:	TC#06 (ax Mode Beam forming)
TEST RESULTS:	PASS

Bandwidth: 80 MHz

Lowest Channel




— Limit × Fail — Sum Level

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
5607.250000	-33.5	6.5	-27.0	PASS
5649.750000	-39.0	12.0	-27.0	PASS
5607.750000	-39.4	12.4	-27.0	PASS
5650.250000	-39.3	12.5	-26.8	PASS
5620.750000	-39.6	12.6	-27.0	PASS
5648.250000	-40.0	13.0	-27.0	PASS
5649.250000	-40.1	13.1	-27.0	PASS
5648.750000	-40.1	13.1	-27.0	PASS
5647.250000	-40.3	13.3	-27.0	PASS
5623.750000	-40.3	13.3	-27.0	PASS
5653.250000	-38.0	13.4	-24.6	PASS
5650.750000	-40.0	13.5	-26.4	PASS
5622.250000	-40.5	13.5	-27.0	PASS
5621.250000	-40.5	13.5	-27.0	PASS
5647.750000	-40.5	13.5	-27.0	PASS

TEST RESULTS (Cont.)

Highest Channel



— Limit × Fail — Sum Level

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
5923.750000	-44.6	18.5	-26.1	PASS
5929.250000	-45.7	18.7	-27.0	PASS
5925.750000	-45.7	18.7	-27.0	PASS
5930.250000	-45.8	18.8	-27.0	PASS
5924.750000	-45.9	19.1	-26.8	PASS
5925.250000	-46.4	19.4	-27.0	PASS
5926.750000	-46.7	19.7	-27.0	PASS
5926.250000	-46.7	19.7	-27.0	PASS
5928.250000	-47.0	20.0	-27.0	PASS
5934.250000	-47.0	20.0	-27.0	PASS
5928.750000	-47.1	20.1	-27.0	PASS
5931.250000	-47.1	20.1	-27.0	PASS
5930.750000	-47.2	20.2	-27.0	PASS
5929.750000	-47.3	20.3	-27.0	PASS
5931.750000	-47.4	20.4	-27.0	PASS

SECTION C.6: UNDESIRABLE RADIATED EMISSIONS (TRANSMITTER)

LIMITS:	Product standard:	Part 15 Subpart C §15.407 and RSS-247
	Test standard:	Part 15 Subpart E §15.407(b) (4) and RSS-Gen 8.9 and 8.10

LIMITS

For transmitters operating in the 5.15 – 5.25 GHz band: all emissions outside of the 5.15 – 5.25 GHz band shall not exceed an EIRP of -27 dBm/MHz (68.23 dB μ V/m at 3m distance).

Radiated emissions which fall in the restricted bands, as defined in §15.205(a), must also comply with the radiated emission limits specified in §15.209(a) (see §15.205(c) / RSS-Gen):

Frequency Range (MHz)	Field strength (μ V/m)	Field strength (dB μ V/m)	Measurement distance (m)
0.009-0.490	2400/F(kHz)	-	300
0.490-1.705	24000/F(kHz)	-	30
1.705 - 30.0	30	-	30
30 - 88	100	40	3
88 - 216	150	43.5	3
216 - 960	200	46	3
960 - 25000	500	54	3

The emission limits shown in the above table are based on measurements employing CISPR quasi-peak detector except for the frequency bands 9-90 kHz, 110-490 kHz and above 1000 MHz. Radiated emission limits in these three bands are based on measurements employing an average detector.

For average radiated emission measurements above 1000 MHz, there is also a limit corresponding to 20 dB above the indicated values in the table is specified when measuring with peak detector function

TEST SETUP

All radiated tests were performed in a semi-anechoic chamber. The measurement antenna is situated at 3 m for the frequency range 30-1000 MHz (Bilog antenna) and for the frequency range 1-18 GHz (Double ridge horn antenna) and at 1m for the frequency range 18-40 GHz (Double ridge horn antenna).

For radiated emissions in the range 18-40 GHz that is performed at a distance closer than the specified distance, an inverse proportionality factor of 20 dB per decade is used to normalize the measured data for determining compliance.

The equipment under test was set up on a non-conductive platform above the ground plane and the situation and orientation was varied to find the maximum radiated emission. It was also rotated 360° and the antenna height was varied from 1 to 4 meters to find the maximum radiated emission.

Measurements were made in both horizontal and vertical planes of polarization.

The field strength is calculated by adding correction factor to the measured level from the spectrum analyzer. This correction factor includes antenna factor, cable loss and pre-amplifiers gain.