


TESTED SAMPLES:	S/01
TESTED CONDITIONS MODES:	TC#01 (a Mode SISO Radio A)
TEST RESULTS:	PASS

Bandwidth: 20 MHz

Lowest Channel




— Limit — Sum Level × Fail

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
5469.750000	-27.2	0.2	-27.0	PASS
5468.750000	-27.4	0.4	-27.0	PASS
5469.250000	-27.6	0.6	-27.0	PASS
5467.750000	-28.7	1.7	-27.0	PASS
5468.250000	-28.8	1.8	-27.0	PASS
5467.250000	-28.8	1.8	-27.0	PASS
5465.750000	-29.0	2.0	-27.0	PASS
5466.250000	-29.0	2.0	-27.0	PASS
5466.750000	-29.6	2.6	-27.0	PASS
5463.750000	-29.8	2.8	-27.0	PASS
5463.250000	-29.8	2.8	-27.0	PASS
5464.750000	-30.2	3.2	-27.0	PASS
5465.250000	-30.2	3.2	-27.0	PASS
5462.750000	-30.4	3.4	-27.0	PASS
5464.250000	-31.2	4.2	-27.0	PASS

TEST RESULTS (Cont.)

Bandwidth: 20 MHz

Highest Channel




— Limit — Sum Level × Fail

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
5725.250000	-32.0	5.0	-27.0	PASS
5725.750000	-32.3	5.3	-27.0	PASS
5727.750000	-32.5	5.5	-27.0	PASS
5727.250000	-32.6	5.6	-27.0	PASS
5728.250000	-32.6	5.6	-27.0	PASS
5726.250000	-32.7	5.7	-27.0	PASS
5726.750000	-32.7	5.7	-27.0	PASS
5728.750000	-33.0	6.0	-27.0	PASS
5732.750000	-33.5	6.5	-27.0	PASS
5732.250000	-34.4	7.4	-27.0	PASS
5729.250000	-34.4	7.4	-27.0	PASS
5730.250000	-34.6	7.6	-27.0	PASS
5730.750000	-34.7	7.7	-27.0	PASS
5729.750000	-35.1	8.1	-27.0	PASS
5731.750000	-35.2	8.2	-27.0	PASS

TESTED SAMPLES:	S/01
TESTED CONDITIONS MODES:	TC#01 (a Mode SISO Radio B)
TEST RESULTS:	PASS

Bandwidth: 20 MHz

Lowest Channel




Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
5469.250000	-47.3	20.3	-27.0	PASS
5468.750000	-48.8	21.8	-27.0	PASS
5469.750000	-48.8	21.8	-27.0	PASS
5466.750000	-49.3	22.3	-27.0	PASS
5467.750000	-49.3	22.3	-27.0	PASS
5467.250000	-49.5	22.5	-27.0	PASS
5468.250000	-49.7	22.7	-27.0	PASS
5466.250000	-50.2	23.2	-27.0	PASS
5465.750000	-50.3	23.3	-27.0	PASS
5465.250000	-50.4	23.4	-27.0	PASS
5462.250000	-50.8	23.8	-27.0	PASS
5463.250000	-50.8	23.8	-27.0	PASS
5463.750000	-50.8	23.8	-27.0	PASS
5464.750000	-51.0	24.0	-27.0	PASS
5461.250000	-51.2	24.2	-27.0	PASS

TEST RESULTS (Cont.)

Bandwidth: 20 MHz

Highest Channel




— Limit — Sum Level × Fail

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
5725.250000	-35.3	8.3	-27.0	PASS
5726.250000	-35.4	8.4	-27.0	PASS
5728.250000	-35.8	8.8	-27.0	PASS
5727.750000	-36.2	9.2	-27.0	PASS
5726.750000	-36.3	9.3	-27.0	PASS
5725.750000	-36.3	9.3	-27.0	PASS
5733.750000	-36.7	9.7	-27.0	PASS
5733.250000	-36.7	9.7	-27.0	PASS
5734.250000	-36.8	9.8	-27.0	PASS
5728.750000	-36.9	9.9	-27.0	PASS
5734.750000	-36.9	9.9	-27.0	PASS
5727.250000	-36.9	9.9	-27.0	PASS
5729.750000	-37.0	10.0	-27.0	PASS
5732.750000	-37.0	10.0	-27.0	PASS
5735.250000	-37.1	10.1	-27.0	PASS

TESTED SAMPLES:	S/01
TESTED CONDITIONS MODES:	TC#01 (a Mode MIMO Radio A+B)
TEST RESULTS:	PASS

Bandwidth: 20 MHz

Lowest Channel




— Limit × Fail — Sum Level

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
5469.250000	-29.8	2.8	-27.0	PASS
5468.750000	-29.8	2.8	-27.0	PASS
5469.750000	-29.9	2.9	-27.0	PASS
5468.250000	-30.5	3.5	-27.0	PASS
5467.750000	-30.7	3.7	-27.0	PASS
5466.750000	-31.1	4.1	-27.0	PASS
5465.750000	-31.2	4.2	-27.0	PASS
5467.250000	-31.2	4.2	-27.0	PASS
5466.250000	-31.3	4.3	-27.0	PASS
5464.750000	-32.1	5.1	-27.0	PASS
5465.250000	-32.6	5.6	-27.0	PASS
5462.750000	-32.7	5.7	-27.0	PASS
5461.750000	-32.7	5.7	-27.0	PASS
5463.250000	-32.7	5.7	-27.0	PASS
5460.750000	-32.8	5.8	-27.0	PASS

TEST RESULTS (Cont.)

Bandwidth: 20 MHz

Highest Channel




— Limit × Fail — Sum Level

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
5725.250000	-30.0	3.0	-27.0	PASS
5726.250000	-30.3	3.3	-27.0	PASS
5725.750000	-30.3	3.3	-27.0	PASS
5726.750000	-31.7	4.7	-27.0	PASS
5727.250000	-32.4	5.4	-27.0	PASS
5727.750000	-32.5	5.5	-27.0	PASS
5728.250000	-32.8	5.8	-27.0	PASS
5728.750000	-33.6	6.6	-27.0	PASS
5729.250000	-34.0	7.0	-27.0	PASS
5730.750000	-34.0	7.0	-27.0	PASS
5731.750000	-34.0	7.0	-27.0	PASS
5731.250000	-34.0	7.0	-27.0	PASS
5730.250000	-34.1	7.1	-27.0	PASS
5729.750000	-34.2	7.2	-27.0	PASS
5732.250000	-34.5	7.5	-27.0	PASS

TESTED SAMPLES:	S/01
TESTED CONDITIONS MODES:	TC#02 (n Mode SISO Radio A)
TEST RESULTS:	PASS

Bandwidth: 20 MHz

Lowest Channel




— Limit — Sum Level × Fail

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
5147.250000	-29.0	2.0	-27.0	PASS
5146.750000	-29.8	2.8	-27.0	PASS
5149.250000	-30.6	3.6	-27.0	PASS
5145.250000	-30.7	3.7	-27.0	PASS
5149.750000	-31.3	4.3	-27.0	PASS
5148.250000	-31.5	4.5	-27.0	PASS
5143.750000	-31.5	4.5	-27.0	PASS
5148.750000	-31.8	4.8	-27.0	PASS
5147.750000	-31.9	4.9	-27.0	PASS
5143.250000	-32.4	5.4	-27.0	PASS
5146.250000	-33.0	6.0	-27.0	PASS
5142.750000	-33.4	6.4	-27.0	PASS
5145.750000	-33.7	6.7	-27.0	PASS
5144.750000	-33.9	6.9	-27.0	PASS
5142.250000	-34.2	7.2	-27.0	PASS

TEST RESULTS (Cont.)

Bandwidth: 20 MHz

Highest Channel




— Limit × Fail — Sum Level

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
5725.250000	-30.0	3.0	-27.0	PASS
5726.250000	-30.3	3.3	-27.0	PASS
5725.750000	-30.3	3.3	-27.0	PASS
5726.750000	-31.7	4.7	-27.0	PASS
5727.250000	-32.4	5.4	-27.0	PASS
5727.750000	-32.5	5.5	-27.0	PASS
5728.250000	-32.8	5.8	-27.0	PASS
5728.750000	-33.6	6.6	-27.0	PASS
5729.250000	-34.0	7.0	-27.0	PASS
5730.750000	-34.0	7.0	-27.0	PASS
5731.750000	-34.0	7.0	-27.0	PASS
5731.250000	-34.0	7.0	-27.0	PASS
5730.250000	-34.1	7.1	-27.0	PASS
5729.750000	-34.2	7.2	-27.0	PASS
5732.250000	-34.5	7.5	-27.0	PASS

TESTED SAMPLES:	S/01
TESTED CONDITIONS MODES:	TC#02 (n Mode SISO Radio B)
TEST RESULTS:	PASS

Bandwidth: 20 MHz

Lowest Channel




— Limit — Sum Level × Fail

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
5148.25000	-36.2	9.2	-27.0	PASS
5149.75000	-36.2	9.2	-27.0	PASS
5147.75000	-38.4	11.4	-27.0	PASS
5148.75000	-38.8	11.8	-27.0	PASS
5147.25000	-38.9	11.9	-27.0	PASS
5149.25000	-38.9	11.9	-27.0	PASS
5146.75000	-39.4	12.4	-27.0	PASS
5144.25000	-39.4	12.4	-27.0	PASS
5144.75000	-39.5	12.5	-27.0	PASS
5146.25000	-39.8	12.8	-27.0	PASS
5145.25000	-40.0	13.0	-27.0	PASS
5141.75000	-40.2	13.2	-27.0	PASS
5145.75000	-40.2	13.2	-27.0	PASS
5143.25000	-40.3	13.3	-27.0	PASS
5143.75000	-40.3	13.3	-27.0	PASS

TEST RESULTS (Cont.)

Bandwidth: 20 MHz

Highest Channel




— Limit × Fail — Sum Level

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
5725.250000	-30.0	3.0	-27.0	PASS
5726.250000	-30.3	3.3	-27.0	PASS
5725.750000	-30.3	3.3	-27.0	PASS
5726.750000	-31.7	4.7	-27.0	PASS
5727.250000	-32.4	5.4	-27.0	PASS
5727.750000	-32.5	5.5	-27.0	PASS
5728.250000	-32.8	5.8	-27.0	PASS
5728.750000	-33.6	6.6	-27.0	PASS
5729.250000	-34.0	7.0	-27.0	PASS
5730.750000	-34.0	7.0	-27.0	PASS
5731.750000	-34.0	7.0	-27.0	PASS
5731.250000	-34.0	7.0	-27.0	PASS
5730.250000	-34.1	7.1	-27.0	PASS
5729.750000	-34.2	7.2	-27.0	PASS
5732.250000	-34.5	7.5	-27.0	PASS

TESTED SAMPLES:	S/01
TESTED CONDITIONS MODES:	TC#02 (n Mode MIMO Radio A+B)
TEST RESULTS:	PASS

Bandwidth: 20 MHz

Lowest Channel




— Limit × Fail — Sum Level

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
5469.750000	-28.8	1.8	-27.0	PASS
5467.750000	-29.9	2.9	-27.0	PASS
5469.250000	-30.1	3.1	-27.0	PASS
5468.250000	-30.1	3.1	-27.0	PASS
5468.750000	-30.5	3.5	-27.0	PASS
5467.250000	-31.1	4.1	-27.0	PASS
5466.750000	-31.4	4.4	-27.0	PASS
5465.750000	-31.7	4.7	-27.0	PASS
5466.250000	-32.3	5.3	-27.0	PASS
5463.750000	-32.4	5.4	-27.0	PASS
5464.250000	-33.8	6.8	-27.0	PASS
5462.750000	-33.9	6.9	-27.0	PASS
5464.750000	-34.1	7.1	-27.0	PASS
5458.750000	-34.1	7.1	-27.0	PASS
5465.250000	-34.2	7.2	-27.0	PASS

TEST RESULTS (Cont.)

Bandwidth: 20 MHz

Highest Channel



— Limit × Fail — Sum Level


Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
5725.250000	-31.0	4.0	-27.0	PASS
5725.750000	-32.3	5.3	-27.0	PASS
5726.750000	-32.3	5.3	-27.0	PASS
5726.250000	-32.7	5.7	-27.0	PASS
5727.250000	-32.8	5.8	-27.0	PASS
5728.750000	-34.0	7.0	-27.0	PASS
5727.750000	-34.1	7.1	-27.0	PASS
5730.250000	-34.7	7.7	-27.0	PASS
5728.250000	-34.8	7.8	-27.0	PASS
5731.250000	-34.9	7.9	-27.0	PASS
5729.250000	-34.9	7.9	-27.0	PASS
5729.750000	-35.0	8.0	-27.0	PASS
5732.250000	-35.3	8.3	-27.0	PASS
5730.750000	-35.8	8.8	-27.0	PASS
5731.750000	-35.8	8.8	-27.0	PASS

TESTED SAMPLES:	S/01
TESTED CONDITIONS MODES:	TC#02 (n Mode SISO Radio A)
TEST RESULTS:	PASS

Bandwidth: 40 MHz

Lowest Channel

Band Edge



— Limit — Sum Level × Fail


Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
5143.750000	-29.5	2.5	-27.0	PASS
5149.250000	-29.8	2.8	-27.0	PASS
5149.750000	-29.8	2.8	-27.0	PASS
5148.250000	-29.9	2.9	-27.0	PASS
5148.750000	-30.0	3.0	-27.0	PASS
5147.750000	-30.1	3.1	-27.0	PASS
5142.750000	-30.2	3.2	-27.0	PASS
5144.250000	-30.2	3.2	-27.0	PASS
5147.250000	-30.4	3.4	-27.0	PASS
5146.250000	-30.6	3.6	-27.0	PASS
5144.750000	-30.6	3.6	-27.0	PASS
5143.250000	-30.7	3.7	-27.0	PASS
5146.750000	-30.7	3.7	-27.0	PASS
5145.750000	-31.1	4.1	-27.0	PASS
5138.250000	-31.3	4.3	-27.0	PASS

TEST RESULTS (Cont.)

Bandwidth: 40 MHz

Highest Channel

Band Edge




— Limit — Sum Level ✗ Fail

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
5725.250000	-38.4	11.4	-27.0	PASS
5735.750000	-38.5	11.5	-27.0	PASS
5732.250000	-38.8	11.8	-27.0	PASS
5725.750000	-39.1	12.1	-27.0	PASS
5732.750000	-39.2	12.2	-27.0	PASS
5735.250000	-39.3	12.3	-27.0	PASS
5730.750000	-39.4	12.4	-27.0	PASS
5726.250000	-39.9	12.9	-27.0	PASS
5730.250000	-39.9	12.9	-27.0	PASS
5727.250000	-40.0	13.0	-27.0	PASS
5736.250000	-40.0	13.0	-27.0	PASS
5737.250000	-40.1	13.1	-27.0	PASS
5731.250000	-40.1	13.1	-27.0	PASS
5738.750000	-40.4	13.4	-27.0	PASS
5737.750000	-40.4	13.4	-27.0	PASS

TESTED SAMPLES:	S/01
TESTED CONDITIONS MODES:	TC#02 (n Mode SISO Radio B)
TEST RESULTS:	PASS

Bandwidth: 40 MHz

Lowest Channel




Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
5469.250000	-38.5	11.5	-27.0	PASS
5466.750000	-38.9	11.9	-27.0	PASS
5469.750000	-39.1	12.1	-27.0	PASS
5467.750000	-39.2	12.2	-27.0	PASS
5468.750000	-39.5	12.5	-27.0	PASS
5468.250000	-39.5	12.5	-27.0	PASS
5464.750000	-39.9	12.9	-27.0	PASS
5467.250000	-40.1	13.1	-27.0	PASS
5466.250000	-40.4	13.4	-27.0	PASS
5465.750000	-41.1	14.1	-27.0	PASS
5465.250000	-41.9	14.9	-27.0	PASS
5463.250000	-42.2	15.2	-27.0	PASS
5462.750000	-42.5	15.5	-27.0	PASS
5463.750000	-42.8	15.8	-27.0	PASS
5461.250000	-43.3	16.3	-27.0	PASS

TEST RESULTS (Cont.)

Bandwidth: 40 MHz

Highest Channel




— Limit — Sum Level × Fail

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
5732.750000	-47.3	20.3	-27.0	PASS
5725.250000	-48.8	21.8	-27.0	PASS
5725.750000	-48.8	21.8	-27.0	PASS
5727.750000	-49.1	22.1	-27.0	PASS
5726.250000	-49.1	22.1	-27.0	PASS
5727.250000	-49.4	22.4	-27.0	PASS
5728.750000	-49.5	22.5	-27.0	PASS
5729.250000	-49.5	22.5	-27.0	PASS
5735.750000	-49.5	22.5	-27.0	PASS
5732.250000	-49.9	22.9	-27.0	PASS
5730.250000	-49.9	22.9	-27.0	PASS
5735.250000	-50.0	23.0	-27.0	PASS
5726.750000	-50.0	23.0	-27.0	PASS
5729.750000	-50.0	23.0	-27.0	PASS
5736.250000	-50.0	23.0	-27.0	PASS

TESTED SAMPLES:	S/01
TESTED CONDITIONS MODES:	TC#02 (n Mode MIMO Radio A+B)
TEST RESULTS:	PASS

Bandwidth: 40 MHz

Lowest Channel




— Limit × Fail — Sum Level

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
5466.250000	-29.4	2.4	-27.0	PASS
5469.250000	-29.4	2.4	-27.0	PASS
5469.750000	-29.5	2.5	-27.0	PASS
5468.750000	-29.6	2.6	-27.0	PASS
5468.250000	-29.6	2.6	-27.0	PASS
5467.750000	-29.9	2.9	-27.0	PASS
5466.750000	-30.0	3.0	-27.0	PASS
5467.250000	-30.3	3.3	-27.0	PASS
5463.750000	-30.8	3.8	-27.0	PASS
5464.750000	-31.0	4.0	-27.0	PASS
5465.750000	-31.1	4.1	-27.0	PASS
5464.250000	-31.5	4.5	-27.0	PASS
5460.750000	-31.5	4.5	-27.0	PASS
5463.250000	-31.6	4.6	-27.0	PASS
5457.250000	-31.6	4.6	-27.0	PASS

TEST RESULTS (Cont.)

Bandwidth: 40 MHz

Highest Channel




— Limit × Fail — Sum Level

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
5732.250000	-40.8	13.8	-27.0	PASS
5732.750000	-41.1	14.1	-27.0	PASS
5747.250000	-41.4	14.4	-27.0	PASS
5745.750000	-41.5	14.5	-27.0	PASS
5735.750000	-41.6	14.6	-27.0	PASS
5740.250000	-41.7	14.7	-27.0	PASS
5727.750000	-41.7	14.7	-27.0	PASS
5740.750000	-41.7	14.7	-27.0	PASS
5742.250000	-41.8	14.8	-27.0	PASS
5725.250000	-41.9	14.9	-27.0	PASS
5726.750000	-41.9	14.9	-27.0	PASS
5730.750000	-42.1	15.1	-27.0	PASS
5737.750000	-42.2	15.2	-27.0	PASS
5735.250000	-42.2	15.2	-27.0	PASS
5727.250000	-42.2	15.2	-27.0	PASS

TESTED SAMPLES:	S/01
TESTED CONDITIONS MODES:	TC#03 (ac Mode SISO Radio A)
TEST RESULTS:	PASS

Bandwidth: 20 MHz

Lowest Channel




— Limit — Sum Level × Fail

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
5466.250000	-27.6	0.6	-27.0	PASS
5469.750000	-27.6	0.6	-27.0	PASS
5467.750000	-27.8	0.8	-27.0	PASS
5467.250000	-27.9	0.9	-27.0	PASS
5469.250000	-28.4	1.4	-27.0	PASS
5468.750000	-28.5	1.5	-27.0	PASS
5466.750000	-28.8	1.8	-27.0	PASS
5468.250000	-29.0	2.0	-27.0	PASS
5465.750000	-29.5	2.5	-27.0	PASS
5464.750000	-29.5	2.5	-27.0	PASS
5465.250000	-29.8	2.8	-27.0	PASS
5463.750000	-30.5	3.5	-27.0	PASS
5462.250000	-30.6	3.6	-27.0	PASS
5464.250000	-30.6	3.6	-27.0	PASS
5463.250000	-30.6	3.6	-27.0	PASS

TEST RESULTS (Cont.)

Bandwidth: 20 MHz

Highest Channel




— Limit — Sum Level × Fail

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
5725.250000	-31.3	4.3	-27.0	PASS
5725.750000	-31.3	4.3	-27.0	PASS
5726.250000	-31.3	4.3	-27.0	PASS
5726.750000	-31.7	4.7	-27.0	PASS
5729.250000	-32.3	5.3	-27.0	PASS
5729.750000	-32.4	5.4	-27.0	PASS
5728.250000	-32.6	5.6	-27.0	PASS
5727.250000	-32.6	5.6	-27.0	PASS
5728.750000	-32.8	5.8	-27.0	PASS
5727.750000	-32.9	5.9	-27.0	PASS
5730.250000	-33.2	6.2	-27.0	PASS
5731.250000	-34.2	7.2	-27.0	PASS
5733.250000	-34.2	7.2	-27.0	PASS
5731.750000	-34.3	7.3	-27.0	PASS
5730.750000	-34.4	7.4	-27.0	PASS

TESTED SAMPLES:	S/01
TESTED CONDITIONS MODES:	TC#03 (ac Mode SISO Radio B)
TEST RESULTS:	PASS

Bandwidth: 20 MHz

Lowest Channel




— Limit — Sum Level × Fail

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
5469.250000	-44.2	17.2	-27.0	PASS
5469.750000	-44.6	17.6	-27.0	PASS
5468.750000	-44.6	17.6	-27.0	PASS
5466.750000	-45.3	18.3	-27.0	PASS
5465.250000	-45.4	18.4	-27.0	PASS
5467.750000	-45.4	18.4	-27.0	PASS
5468.250000	-45.5	18.5	-27.0	PASS
5466.250000	-45.6	18.6	-27.0	PASS
5467.250000	-45.8	18.8	-27.0	PASS
5465.750000	-46.1	19.1	-27.0	PASS
5463.250000	-46.3	19.3	-27.0	PASS
5462.250000	-46.4	19.4	-27.0	PASS
5463.750000	-46.5	19.5	-27.0	PASS
5464.750000	-46.6	19.6	-27.0	PASS
5462.750000	-46.6	19.6	-27.0	PASS

TEST RESULTS (Cont.)

Bandwidth: 20 MHz

Highest Channel




— Limit — Sum Level × Fail

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
5725.750000	-37.5	10.5	-27.0	PASS
5726.250000	-37.6	10.6	-27.0	PASS
5725.250000	-37.8	10.8	-27.0	PASS
5726.750000	-39.1	12.1	-27.0	PASS
5727.250000	-39.6	12.6	-27.0	PASS
5727.750000	-40.1	13.1	-27.0	PASS
5728.750000	-40.2	13.2	-27.0	PASS
5728.250000	-40.9	13.9	-27.0	PASS
5735.750000	-41.0	14.0	-27.0	PASS
5729.750000	-41.3	14.3	-27.0	PASS
5729.250000	-41.6	14.6	-27.0	PASS
5734.750000	-41.6	14.6	-27.0	PASS
5730.750000	-42.2	15.2	-27.0	PASS
5734.250000	-42.3	15.3	-27.0	PASS
5731.750000	-42.4	15.4	-27.0	PASS

TESTED SAMPLES:	S/01
TESTED CONDITIONS MODES:	TC#03 (ac Mode MIMO Radio A+B)
TEST RESULTS:	PASS

Bandwidth: 20 MHz

Lowest Channel




— Limit × Fail — Sum Level

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
5468.250000	-28.9	1.9	-27.0	PASS
5468.750000	-29.1	2.1	-27.0	PASS
5469.250000	-29.2	2.2	-27.0	PASS
5469.750000	-29.6	2.6	-27.0	PASS
5467.250000	-29.8	2.8	-27.0	PASS
5467.750000	-29.8	2.8	-27.0	PASS
5466.750000	-30.0	3.0	-27.0	PASS
5465.250000	-30.3	3.3	-27.0	PASS
5465.750000	-30.5	3.5	-27.0	PASS
5466.250000	-30.5	3.5	-27.0	PASS
5464.250000	-30.8	3.8	-27.0	PASS
5464.750000	-30.8	3.8	-27.0	PASS
5459.750000	-31.3	4.3	-27.0	PASS
5463.750000	-31.4	4.4	-27.0	PASS
5460.250000	-31.7	4.7	-27.0	PASS

TEST RESULTS (Cont.)

Bandwidth: 20 MHz

Highest Channel




— Limit × Fail — Sum Level

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
5725.250000	-30.7	3.7	-27.0	PASS
5725.750000	-31.8	4.8	-27.0	PASS
5727.750000	-32.1	5.1	-27.0	PASS
5728.250000	-32.3	5.3	-27.0	PASS
5726.750000	-32.5	5.5	-27.0	PASS
5726.250000	-32.7	5.7	-27.0	PASS
5728.750000	-32.8	5.8	-27.0	PASS
5729.750000	-32.9	5.9	-27.0	PASS
5729.250000	-32.9	5.9	-27.0	PASS
5727.250000	-33.2	6.2	-27.0	PASS
5730.250000	-34.3	7.3	-27.0	PASS
5730.750000	-34.7	7.7	-27.0	PASS
5733.250000	-35.0	8.0	-27.0	PASS
5731.750000	-35.1	8.1	-27.0	PASS
5731.250000	-35.5	8.5	-27.0	PASS

TESTED SAMPLES:	S/01
TESTED CONDITIONS MODES:	TC#03 (ac Mode SISO Radio A)
TEST RESULTS:	PASS

Bandwidth: 40 MHz

Lowest Channel




Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
5469.250000	-27.5	0.5	-27.0	PASS
5467.750000	-27.7	0.7	-27.0	PASS
5466.750000	-27.8	0.8	-27.0	PASS
5468.750000	-28.3	1.3	-27.0	PASS
5466.250000	-28.6	1.6	-27.0	PASS
5468.250000	-28.7	1.7	-27.0	PASS
5469.750000	-28.8	1.8	-27.0	PASS
5467.250000	-29.0	2.0	-27.0	PASS
5465.750000	-29.3	2.3	-27.0	PASS
5465.250000	-29.9	2.9	-27.0	PASS
5464.750000	-30.0	3.0	-27.0	PASS
5464.250000	-30.0	3.0	-27.0	PASS
5463.750000	-30.3	3.3	-27.0	PASS
5461.250000	-30.3	3.3	-27.0	PASS
5461.750000	-30.3	3.3	-27.0	PASS

TEST RESULTS (Cont.)

Bandwidth: 40 MHz

Highest Channel




— Limit — Sum Level × Fail

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
5732.250000	-37.4	10.4	-27.0	PASS
5732.750000	-37.8	10.8	-27.0	PASS
5731.250000	-38.6	11.6	-27.0	PASS
5731.750000	-38.7	11.7	-27.0	PASS
5727.750000	-38.8	11.8	-27.0	PASS
5729.250000	-38.8	11.8	-27.0	PASS
5726.750000	-39.0	12.0	-27.0	PASS
5725.250000	-39.0	12.0	-27.0	PASS
5729.750000	-39.1	12.1	-27.0	PASS
5741.250000	-39.2	12.2	-27.0	PASS
5735.250000	-39.3	12.3	-27.0	PASS
5741.750000	-39.4	12.4	-27.0	PASS
5725.750000	-39.5	12.5	-27.0	PASS
5726.250000	-39.5	12.5	-27.0	PASS
5728.750000	-39.6	12.6	-27.0	PASS

TESTED SAMPLES:	S/01
TESTED CONDITIONS MODES:	TC#03 (ac Mode SISO Radio B)
TEST RESULTS:	PASS

Bandwidth: 40 MHz

Lowest Channel




— Limit — Sum Level × Fail

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
5467.250000	-43.1	16.1	-27.0	PASS
5466.250000	-43.8	16.8	-27.0	PASS
5469.750000	-44.1	17.1	-27.0	PASS
5468.250000	-44.2	17.2	-27.0	PASS
5464.250000	-44.3	17.3	-27.0	PASS
5469.250000	-44.5	17.5	-27.0	PASS
5468.750000	-44.6	17.6	-27.0	PASS
5463.250000	-44.9	17.9	-27.0	PASS
5467.750000	-45.1	18.1	-27.0	PASS
5463.750000	-45.3	18.3	-27.0	PASS
5464.750000	-45.4	18.4	-27.0	PASS
5465.250000	-45.4	18.4	-27.0	PASS
5465.750000	-45.4	18.4	-27.0	PASS
5466.750000	-45.5	18.5	-27.0	PASS
5462.750000	-46.6	19.6	-27.0	PASS

TEST RESULTS (Cont.)

Bandwidth: 40 MHz

Highest Channel




Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
5732.250000	-37.4	10.4	-27.0	PASS
5732.750000	-37.8	10.8	-27.0	PASS
5731.250000	-38.6	11.6	-27.0	PASS
5731.750000	-38.7	11.7	-27.0	PASS
5727.750000	-38.8	11.8	-27.0	PASS
5729.250000	-38.8	11.8	-27.0	PASS
5726.750000	-39.0	12.0	-27.0	PASS
5725.250000	-39.0	12.0	-27.0	PASS
5729.750000	-39.1	12.1	-27.0	PASS
5741.250000	-39.2	12.2	-27.0	PASS
5735.250000	-39.3	12.3	-27.0	PASS
5741.750000	-39.4	12.4	-27.0	PASS
5725.750000	-39.5	12.5	-27.0	PASS
5726.250000	-39.5	12.5	-27.0	PASS
5728.750000	-39.6	12.6	-27.0	PASS

TESTED SAMPLES:	S/01
TESTED CONDITIONS MODES:	TC#03 (ac Mode MIMO Radio A+B)
TEST RESULTS:	PASS

Bandwidth: 40 MHz

Lowest Channel




— Limit × Fail — Sum Level

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
5467.250000	-31.2	4.2	-27.0	PASS
5465.750000	-31.2	4.2	-27.0	PASS
5468.750000	-31.2	4.2	-27.0	PASS
5469.250000	-31.5	4.5	-27.0	PASS
5469.750000	-31.5	4.5	-27.0	PASS
5466.750000	-31.6	4.6	-27.0	PASS
5468.250000	-31.6	4.6	-27.0	PASS
5465.250000	-31.6	4.6	-27.0	PASS
5467.750000	-31.7	4.7	-27.0	PASS
5464.750000	-31.8	4.8	-27.0	PASS
5463.250000	-31.9	4.9	-27.0	PASS
5464.250000	-32.0	5.0	-27.0	PASS
5466.250000	-32.1	5.1	-27.0	PASS
5463.750000	-32.5	5.5	-27.0	PASS
5458.750000	-32.9	5.9	-27.0	PASS

TEST RESULTS (Cont.)

Bandwidth: 40 MHz

Highest Channel




— Limit × Fail — Sum Level

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
5725.250000	-38.2	11.2	-27.0	PASS
5732.750000	-39.0	12.0	-27.0	PASS
5730.250000	-39.1	12.1	-27.0	PASS
5732.250000	-39.1	12.1	-27.0	PASS
5731.250000	-39.1	12.1	-27.0	PASS
5730.750000	-39.2	12.2	-27.0	PASS
5731.750000	-39.7	12.7	-27.0	PASS
5725.750000	-39.9	12.9	-27.0	PASS
5727.250000	-40.0	13.0	-27.0	PASS
5729.750000	-40.1	13.1	-27.0	PASS
5733.250000	-40.7	13.7	-27.0	PASS
5728.750000	-40.9	13.9	-27.0	PASS
5726.250000	-40.9	13.9	-27.0	PASS
5741.250000	-41.0	14.0	-27.0	PASS
5729.250000	-41.0	14.0	-27.0	PASS

TESTED SAMPLES:	S/01
TESTED CONDITIONS MODES:	TC#03 (ac Mode SISO Radio A)
TEST RESULTS:	PASS

Bandwidth: 80 MHz

Lowest Channel




— Limit — Sum Level × Fail

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
5465.25000	-27.8	0.8	-27.0	PASS
5465.75000	-28.8	1.8	-27.0	PASS
5466.75000	-28.9	1.9	-27.0	PASS
5469.75000	-29.0	2.0	-27.0	PASS
5467.25000	-29.4	2.4	-27.0	PASS
5463.25000	-29.5	2.5	-27.0	PASS
5464.75000	-29.7	2.7	-27.0	PASS
5467.75000	-30.0	3.0	-27.0	PASS
5460.25000	-30.0	3.0	-27.0	PASS
5464.25000	-30.1	3.1	-27.0	PASS
5463.75000	-30.1	3.1	-27.0	PASS
5461.25000	-30.2	3.2	-27.0	PASS
5469.25000	-30.4	3.4	-27.0	PASS
5458.75000	-30.4	3.4	-27.0	PASS
5466.25000	-30.5	3.5	-27.0	PASS

TEST RESULTS (Cont.)

Bandwidth: 80 MHz

Highest Channel




Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
5729.750000	-38.3	11.3	-27.0	PASS
5731.250000	-38.5	11.5	-27.0	PASS
5730.250000	-38.7	11.7	-27.0	PASS
5726.750000	-38.9	11.9	-27.0	PASS
5727.250000	-39.0	12.0	-27.0	PASS
5725.750000	-39.1	12.1	-27.0	PASS
5730.750000	-39.1	12.1	-27.0	PASS
5729.250000	-39.1	12.1	-27.0	PASS
5726.250000	-39.2	12.2	-27.0	PASS
5725.250000	-39.3	12.3	-27.0	PASS
5728.250000	-39.4	12.4	-27.0	PASS
5733.250000	-39.5	12.5	-27.0	PASS
5728.750000	-39.6	12.6	-27.0	PASS
5727.750000	-39.7	12.7	-27.0	PASS
5731.750000	-40.0	13.0	-27.0	PASS

TESTED SAMPLES:	S/01
TESTED CONDITIONS MODES:	TC#03 (ac Mode SISO Radio B)
TEST RESULTS:	PASS

Bandwidth: 80 MHz

Lowest Channel




— Limit — Sum Level × Fail

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
5465.250000	-40.2	13.2	-27.0	PASS
5456.750000	-40.5	13.5	-27.0	PASS
5436.750000	-40.5	13.5	-27.0	PASS
5443.250000	-40.6	13.6	-27.0	PASS
5460.750000	-40.7	13.7	-27.0	PASS
5468.750000	-40.7	13.7	-27.0	PASS
5441.750000	-40.8	13.8	-27.0	PASS
5466.750000	-40.9	13.9	-27.0	PASS
5461.750000	-40.9	13.9	-27.0	PASS
5438.750000	-40.9	13.9	-27.0	PASS
5461.250000	-41.0	14.0	-27.0	PASS
5441.250000	-41.0	14.0	-27.0	PASS
5439.250000	-41.0	14.0	-27.0	PASS
5467.250000	-41.1	14.1	-27.0	PASS
5465.750000	-41.2	14.2	-27.0	PASS

TEST RESULTS (Cont.)

Bandwidth: 80 MHz

Highest Channel




Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
5762.250000	-52.5	25.5	-27.0	PASS
5763.750000	-53.3	26.3	-27.0	PASS
5763.250000	-53.4	26.4	-27.0	PASS
5761.750000	-53.4	26.4	-27.0	PASS
5754.750000	-53.5	26.5	-27.0	PASS
5762.750000	-53.6	26.6	-27.0	PASS
6824.250000	-53.6	26.6	-27.0	PASS
5759.250000	-53.7	26.7	-27.0	PASS
5755.250000	-53.7	26.7	-27.0	PASS
5759.750000	-53.7	26.7	-27.0	PASS
6782.750000	-53.8	26.8	-27.0	PASS
5758.750000	-53.8	26.8	-27.0	PASS
5764.750000	-53.8	26.8	-27.0	PASS
5766.250000	-53.9	26.9	-27.0	PASS
5760.750000	-53.9	26.9	-27.0	PASS

TESTED SAMPLES:	S/01
TESTED CONDITIONS MODES:	TC#03 (ac Mode MIMO Radio A+B)
TEST RESULTS:	PASS

Bandwidth: 80 MHz

Lowest Channel




— Limit × Fail — Sum Level

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
5465.250000	-27.3	0.3	-27.0	PASS
5465.750000	-28.1	1.1	-27.0	PASS
5467.250000	-28.7	1.7	-27.0	PASS
5466.750000	-28.7	1.7	-27.0	PASS
5456.750000	-28.8	1.8	-27.0	PASS
5468.750000	-29.0	2.0	-27.0	PASS
5469.750000	-29.3	2.3	-27.0	PASS
5464.750000	-29.3	2.3	-27.0	PASS
5460.250000	-29.4	2.4	-27.0	PASS
5466.250000	-29.4	2.4	-27.0	PASS
5460.750000	-29.7	2.7	-27.0	PASS
5468.250000	-29.8	2.8	-27.0	PASS
5467.750000	-29.9	2.9	-27.0	PASS
5462.750000	-30.0	3.0	-27.0	PASS
5457.250000	-30.1	3.1	-27.0	PASS

TEST RESULTS (Cont.)

Bandwidth: 80 MHz

Highest Channel




— Limit × Fail — Sum Level

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
5730.250000	-39.3	12.3	-27.0	PASS
5731.250000	-39.4	12.4	-27.0	PASS
5727.750000	-39.6	12.6	-27.0	PASS
5730.750000	-39.8	12.8	-27.0	PASS
5729.250000	-39.9	12.9	-27.0	PASS
5728.750000	-40.0	13.0	-27.0	PASS
5726.250000	-40.0	13.0	-27.0	PASS
5727.250000	-40.1	13.1	-27.0	PASS
5728.250000	-40.1	13.1	-27.0	PASS
5725.250000	-40.2	13.2	-27.0	PASS
5726.750000	-40.4	13.4	-27.0	PASS
5725.750000	-40.4	13.4	-27.0	PASS
5731.750000	-40.6	13.6	-27.0	PASS
5729.750000	-40.6	13.6	-27.0	PASS
5732.250000	-40.6	13.6	-27.0	PASS

TESTED SAMPLES:	S/01
TESTED CONDITIONS MODES:	TC#04 (ax Mode SISO Radio A)
TEST RESULTS:	PASS

Bandwidth: 20 MHz

Lowest Channel



— Limit × Fail — Sum Level


Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
5467.250000	-31.2	4.2	-27.0	PASS
5467.750000	-32.4	5.4	-27.0	PASS
5468.250000	-33.0	6.0	-27.0	PASS
5466.750000	-33.0	6.0	-27.0	PASS
5466.250000	-33.5	6.5	-27.0	PASS
5468.750000	-33.6	6.6	-27.0	PASS
5465.750000	-33.9	6.9	-27.0	PASS
5465.250000	-34.3	7.3	-27.0	PASS
5469.750000	-35.6	8.6	-27.0	PASS
5469.250000	-35.7	8.7	-27.0	PASS
5464.750000	-36.5	9.5	-27.0	PASS
5459.250000	-39.6	12.6	-27.0	PASS
5464.250000	-39.7	12.7	-27.0	PASS
5458.750000	-39.9	12.9	-27.0	PASS
5456.250000	-40.0	13.0	-27.0	PASS

TEST RESULTS (Cont.)

Bandwidth: 20 MHz

Highest Channel

Band Edge




— Limit — Sum Level ✘ Fail

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
5725.750000	-39.1	12.1	-27.0	PASS
5726.250000	-39.3	12.3	-27.0	PASS
5725.250000	-39.4	12.4	-27.0	PASS
5729.750000	-39.9	12.9	-27.0	PASS
5727.750000	-40.1	13.1	-27.0	PASS
5726.750000	-40.4	13.4	-27.0	PASS
5728.250000	-40.5	13.5	-27.0	PASS
5729.250000	-40.8	13.8	-27.0	PASS
5728.750000	-41.0	14.0	-27.0	PASS
5730.250000	-41.2	14.2	-27.0	PASS
5727.250000	-41.4	14.4	-27.0	PASS
5730.750000	-41.5	14.5	-27.0	PASS
5731.250000	-41.8	14.8	-27.0	PASS
5741.750000	-42.4	15.4	-27.0	PASS
5742.250000	-42.5	15.5	-27.0	PASS

TESTED SAMPLES:	S/01
TESTED CONDITIONS MODES:	TC#04 (ax Mode SISO Radio B)
TEST RESULTS:	PASS

Bandwidth: 20 MHz

Lowest Channel



— Limit — Sum Level × Fail


Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
5468.250000	-45.3	18.3	-27.0	PASS
5466.750000	-45.5	18.5	-27.0	PASS
5468.750000	-46.6	19.6	-27.0	PASS
5467.750000	-46.6	19.6	-27.0	PASS
5464.750000	-47.4	20.4	-27.0	PASS
5465.250000	-48.0	21.0	-27.0	PASS
5466.250000	-48.6	21.6	-27.0	PASS
5465.750000	-49.6	22.6	-27.0	PASS
5467.250000	-49.6	22.6	-27.0	PASS
5463.750000	-49.8	22.8	-27.0	PASS
5469.250000	-50.3	23.3	-27.0	PASS
5464.250000	-51.6	24.6	-27.0	PASS
5453.750000	-51.8	24.8	-27.0	PASS
5413.750000	-51.8	24.8	-27.0	PASS
5469.750000	-52.0	25.0	-27.0	PASS

TEST RESULTS (Cont.)

Bandwidth: 20 MHz

Highest Channel

Band Edge




— Limit — Sum Level ✗ Fail

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
5745.750000	-40.2	13.2	-27.0	PASS
5745.250000	-40.5	13.5	-27.0	PASS
5746.250000	-40.7	13.7	-27.0	PASS
5732.750000	-40.9	13.9	-27.0	PASS
5747.250000	-41.3	14.3	-27.0	PASS
5744.750000	-41.6	14.6	-27.0	PASS
5734.750000	-41.8	14.8	-27.0	PASS
5733.750000	-42.2	15.2	-27.0	PASS
5732.250000	-42.5	15.5	-27.0	PASS
5744.250000	-42.9	15.9	-27.0	PASS
5746.750000	-43.0	16.0	-27.0	PASS
5743.750000	-43.0	16.0	-27.0	PASS
5734.250000	-43.0	16.0	-27.0	PASS
5731.750000	-43.5	16.5	-27.0	PASS
5730.750000	-43.9	16.9	-27.0	PASS

TESTED SAMPLES:	S/01
TESTED CONDITIONS MODES:	TC#04 (ax Mode MIMO Radio A+B)
TEST RESULTS:	PASS

Bandwidth: 20 MHz

Lowest Channel



— Limit × Fail — Sum Level


Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
5467.250000	-31.2	4.2	-27.0	PASS
5467.750000	-32.4	5.4	-27.0	PASS
5468.250000	-33.0	6.0	-27.0	PASS
5466.750000	-33.0	6.0	-27.0	PASS
5466.250000	-33.5	6.5	-27.0	PASS
5468.750000	-33.6	6.6	-27.0	PASS
5465.750000	-33.9	6.9	-27.0	PASS
5465.250000	-34.3	7.3	-27.0	PASS
5469.750000	-35.6	8.6	-27.0	PASS
5469.250000	-35.7	8.7	-27.0	PASS
5464.750000	-36.5	9.5	-27.0	PASS
5459.250000	-39.6	12.6	-27.0	PASS
5464.250000	-39.7	12.7	-27.0	PASS
5458.750000	-39.9	12.9	-27.0	PASS
5456.250000	-40.0	13.0	-27.0	PASS

TEST RESULTS (Cont.)

Bandwidth: 20 MHz

Highest Channel

Band Edge




— Limit × Fail — Sum Level

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
5726.250000	-39.5	12.5	-27.0	PASS
5727.750000	-40.0	13.0	-27.0	PASS
5725.750000	-40.2	13.2	-27.0	PASS
5725.250000	-40.5	13.5	-27.0	PASS
5726.750000	-41.2	14.2	-27.0	PASS
5728.250000	-41.5	14.5	-27.0	PASS
5747.250000	-41.6	14.6	-27.0	PASS
5744.250000	-41.7	14.7	-27.0	PASS
5746.250000	-41.7	14.7	-27.0	PASS
5727.250000	-41.7	14.7	-27.0	PASS
5728.750000	-42.2	15.2	-27.0	PASS
5732.250000	-42.3	15.3	-27.0	PASS
5745.750000	-42.4	15.4	-27.0	PASS
5731.250000	-42.5	15.5	-27.0	PASS
5729.750000	-42.6	15.6	-27.0	PASS

TESTED SAMPLES:	S/01
TESTED CONDITIONS MODES:	TC#04 (ax Mode SISO Radio A)
TEST RESULTS:	PASS

Bandwidth: 40 MHz

Lowest Channel




Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
5469.750000	-38.0	11.0	-27.0	PASS
5465.250000	-38.2	11.2	-27.0	PASS
5466.750000	-38.8	11.8	-27.0	PASS
5464.750000	-39.1	12.1	-27.0	PASS
5464.250000	-39.2	12.2	-27.0	PASS
5467.250000	-39.3	12.3	-27.0	PASS
5468.250000	-39.3	12.3	-27.0	PASS
5467.750000	-39.3	12.3	-27.0	PASS
5466.250000	-39.4	12.4	-27.0	PASS
5465.750000	-39.5	12.5	-27.0	PASS
5463.250000	-39.9	12.9	-27.0	PASS
5461.250000	-40.3	13.3	-27.0	PASS
5462.750000	-40.4	13.4	-27.0	PASS
5462.250000	-40.5	13.5	-27.0	PASS
5461.750000	-40.6	13.6	-27.0	PASS

TEST RESULTS (Cont.)

Bandwidth: 40 MHz

Highest Channel




— Limit — Sum Level × Fail

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
5738.250000	-50.2	23.2	-27.0	PASS
5748.750000	-50.5	23.5	-27.0	PASS
5748.250000	-50.5	23.5	-27.0	PASS
5749.250000	-50.9	23.9	-27.0	PASS
5742.750000	-51.2	24.2	-27.0	PASS
5726.250000	-51.5	24.5	-27.0	PASS
5737.750000	-51.5	24.5	-27.0	PASS
5726.750000	-51.5	24.5	-27.0	PASS
5734.250000	-51.6	24.6	-27.0	PASS
5725.750000	-51.6	24.6	-27.0	PASS
5751.750000	-51.6	24.6	-27.0	PASS
5725.250000	-51.7	24.7	-27.0	PASS
5728.250000	-51.8	24.8	-27.0	PASS
5739.250000	-51.8	24.8	-27.0	PASS
5729.250000	-51.9	24.9	-27.0	PASS

TESTED SAMPLES:	S/01
TESTED CONDITIONS MODES:	TC#04 (ax Mode SISO Radio B)
TEST RESULTS:	PASS

Bandwidth: 40 MHz

Lowest Channel




Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
5429.250000	-51.3	24.3	-27.0	PASS
5428.250000	-51.4	24.4	-27.0	PASS
5428.750000	-52.0	25.0	-27.0	PASS
5467.250000	-52.2	25.2	-27.0	PASS
5427.750000	-52.3	25.3	-27.0	PASS
5468.250000	-53.3	26.3	-27.0	PASS
5429.750000	-53.3	26.3	-27.0	PASS
5460.750000	-53.4	26.4	-27.0	PASS
5469.750000	-53.4	26.4	-27.0	PASS
5463.750000	-53.5	26.5	-27.0	PASS
5456.750000	-53.5	26.5	-27.0	PASS
5457.250000	-53.6	26.6	-27.0	PASS
5457.750000	-53.6	26.6	-27.0	PASS
5466.750000	-53.6	26.6	-27.0	PASS
5456.250000	-53.7	26.7	-27.0	PASS

TEST RESULTS (Cont.)

Bandwidth: 40 MHz

Highest Channel



— Limit — Sum Level × Fail


Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
5747.250000	-50.1	23.1	-27.0	PASS
5748.250000	-51.4	24.4	-27.0	PASS
5749.250000	-52.4	25.4	-27.0	PASS
5748.750000	-52.5	25.5	-27.0	PASS
5747.750000	-52.7	25.7	-27.0	PASS
6684.750000	-53.4	26.4	-27.0	PASS
6817.750000	-53.5	26.5	-27.0	PASS
6438.750000	-53.5	26.5	-27.0	PASS
6432.750000	-53.5	26.5	-27.0	PASS
5725.250000	-53.6	26.6	-27.0	PASS
6831.750000	-53.7	26.7	-27.0	PASS
6675.250000	-53.7	26.7	-27.0	PASS
5728.750000	-53.8	26.8	-27.0	PASS
6841.250000	-53.8	26.8	-27.0	PASS
6807.250000	-53.8	26.8	-27.0	PASS

TESTED SAMPLES:	S/01
TESTED CONDITIONS MODES:	TC#04 (ax Mode MIMO Radio A+B)
TEST RESULTS:	PASS

Bandwidth: 40 MHz

Lowest Channel

Band Edge




— Limit — Sum Level x Fail

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
5469.750000	-37.3	10.3	-27.0	PASS
5469.250000	-38.7	11.7	-27.0	PASS
5465.250000	-38.7	11.7	-27.0	PASS
5467.250000	-38.7	11.7	-27.0	PASS
5467.750000	-38.9	11.9	-27.0	PASS
5465.750000	-38.9	11.9	-27.0	PASS
5466.750000	-39.0	12.0	-27.0	PASS
5468.250000	-39.1	12.1	-27.0	PASS
5466.250000	-39.2	12.2	-27.0	PASS
5461.750000	-39.2	12.2	-27.0	PASS
5463.250000	-39.3	12.3	-27.0	PASS
5461.250000	-39.3	12.3	-27.0	PASS
5468.750000	-39.3	12.3	-27.0	PASS
5462.250000	-39.3	12.3	-27.0	PASS
5462.750000	-39.5	12.5	-27.0	PASS

TEST RESULTS (Cont.)

Bandwidth: 40 MHz

Highest Channel




— Limit × Fail — Sum Level

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
5748.250000	-47.0	20.0	-27.0	PASS
5749.250000	-47.1	20.1	-27.0	PASS
5748.750000	-48.0	21.0	-27.0	PASS
5747.750000	-48.6	21.6	-27.0	PASS
5749.750000	-48.9	21.9	-27.0	PASS
6830.750000	-49.2	22.2	-27.0	PASS
5728.750000	-49.3	22.3	-27.0	PASS
6840.750000	-49.8	22.8	-27.0	PASS
5734.250000	-50.0	23.0	-27.0	PASS
5743.750000	-50.0	23.0	-27.0	PASS
5730.250000	-50.0	23.0	-27.0	PASS
6823.750000	-50.0	23.0	-27.0	PASS
5734.750000	-50.1	23.1	-27.0	PASS
6807.750000	-50.2	23.2	-27.0	PASS
6791.750000	-50.3	23.3	-27.0	PASS

TESTED SAMPLES:	S/01
TESTED CONDITIONS MODES:	TC#04 (ax Mode SISO Radio A)
TEST RESULTS:	PASS

Bandwidth: 80 MHz

Lowest Channel




Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
5423.750000	-28.8	1.8	-27.0	PASS
5418.250000	-29.4	2.4	-27.0	PASS
5424.750000	-29.5	2.5	-27.0	PASS
5418.750000	-29.5	2.5	-27.0	PASS
5425.250000	-29.7	2.7	-27.0	PASS
5417.250000	-30.1	3.1	-27.0	PASS
5419.750000	-30.1	3.1	-27.0	PASS
5425.750000	-30.1	3.1	-27.0	PASS
5417.750000	-30.2	3.2	-27.0	PASS
5426.750000	-30.3	3.3	-27.0	PASS
5427.250000	-30.4	3.4	-27.0	PASS
5420.250000	-30.7	3.7	-27.0	PASS
5423.250000	-30.7	3.7	-27.0	PASS
5420.750000	-30.8	3.8	-27.0	PASS
5419.250000	-30.8	3.8	-27.0	PASS

TEST RESULTS (Cont.)

Bandwidth: 80 MHz

Highest Channel

Band Edge




— Limit — Sum Level ✗ Fail

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
5726.250000	-34.1	7.1	-27.0	PASS
5725.750000	-36.2	9.2	-27.0	PASS
5725.250000	-36.3	9.3	-27.0	PASS
5733.750000	-36.4	9.4	-27.0	PASS
5729.750000	-36.5	9.5	-27.0	PASS
5728.250000	-36.6	9.6	-27.0	PASS
5730.750000	-36.6	9.6	-27.0	PASS
5733.250000	-36.6	9.6	-27.0	PASS
5728.750000	-36.7	9.7	-27.0	PASS
5727.750000	-36.8	9.8	-27.0	PASS
5739.250000	-36.8	9.8	-27.0	PASS
5736.250000	-36.8	9.8	-27.0	PASS
5735.250000	-36.9	9.9	-27.0	PASS
5731.750000	-36.9	9.9	-27.0	PASS
5734.250000	-36.9	9.9	-27.0	PASS

TESTED SAMPLES:	S/01
TESTED CONDITIONS MODES:	TC#04 (ax Mode SISO Radio B)
TEST RESULTS:	PASS

Bandwidth: 80 MHz

Lowest Channel



— Limit — Sum Level × Fail


Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
5418.250000	-34.2	7.2	-27.0	PASS
5417.250000	-34.7	7.7	-27.0	PASS
5418.750000	-35.4	8.4	-27.0	PASS
5416.750000	-35.6	8.6	-27.0	PASS
5420.750000	-35.8	8.8	-27.0	PASS
5421.250000	-36.0	9.0	-27.0	PASS
5419.250000	-36.1	9.1	-27.0	PASS
5419.750000	-36.3	9.3	-27.0	PASS
5421.750000	-36.5	9.5	-27.0	PASS
5420.250000	-36.6	9.6	-27.0	PASS
5422.250000	-37.4	10.4	-27.0	PASS
5423.750000	-37.8	10.8	-27.0	PASS
5424.250000	-38.1	11.1	-27.0	PASS
5417.750000	-38.2	11.2	-27.0	PASS
5423.250000	-38.7	11.7	-27.0	PASS

TEST RESULTS (Cont.)

Bandwidth: 80 MHz

Highest Channel

Band Edge




— Limit — Sum Level ✗ Fail

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
5725.250000	-50.1	23.1	-27.0	PASS
5725.750000	-50.3	23.3	-27.0	PASS
5727.250000	-50.5	23.5	-27.0	PASS
5728.750000	-50.6	23.6	-27.0	PASS
5731.750000	-51.0	24.0	-27.0	PASS
5726.750000	-51.1	24.1	-27.0	PASS
5728.250000	-51.5	24.5	-27.0	PASS
5732.250000	-51.6	24.6	-27.0	PASS
5743.250000	-51.7	24.7	-27.0	PASS
5765.750000	-51.7	24.7	-27.0	PASS
5734.750000	-51.8	24.8	-27.0	PASS
5730.250000	-51.8	24.8	-27.0	PASS
5760.750000	-51.9	24.9	-27.0	PASS
5727.750000	-52.0	25.0	-27.0	PASS
5729.750000	-52.1	25.1	-27.0	PASS

TESTED SAMPLES:	S/01
TESTED CONDITIONS MODES:	TC#04 (ax Mode MIMO Radio A+B)
TEST RESULTS:	PASS

Bandwidth: 80 MHz

Lowest Channel




Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
5418.75000	-27.8	0.8	-27.0	PASS
5419.75000	-28.1	1.1	-27.0	PASS
5424.75000	-28.2	1.2	-27.0	PASS
5418.25000	-28.3	1.3	-27.0	PASS
5417.75000	-28.5	1.5	-27.0	PASS
5420.25000	-28.7	1.7	-27.0	PASS
5425.75000	-28.8	1.8	-27.0	PASS
5426.25000	-28.8	1.8	-27.0	PASS
5425.25000	-28.8	1.8	-27.0	PASS
5420.75000	-28.8	1.8	-27.0	PASS
5423.75000	-28.9	1.9	-27.0	PASS
5421.25000	-29.3	2.3	-27.0	PASS
5419.25000	-29.8	2.8	-27.0	PASS
5426.75000	-30.0	3.0	-27.0	PASS
5427.75000	-30.0	3.0	-27.0	PASS

TEST RESULTS (Cont.)

Bandwidth: 80 MHz

Highest Channel

Band Edge




— Limit × Fail — Sum Level

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
5726.250000	-34.9	7.9	-27.0	PASS
5725.250000	-35.9	8.9	-27.0	PASS
5728.750000	-36.3	9.3	-27.0	PASS
5725.750000	-36.7	9.7	-27.0	PASS
5731.250000	-36.7	9.7	-27.0	PASS
5759.750000	-36.9	9.9	-27.0	PASS
5734.250000	-37.2	10.2	-27.0	PASS
5726.750000	-37.2	10.2	-27.0	PASS
5731.750000	-37.2	10.2	-27.0	PASS
5728.250000	-37.3	10.3	-27.0	PASS
5736.750000	-37.4	10.4	-27.0	PASS
5733.250000	-37.4	10.4	-27.0	PASS
5729.750000	-37.6	10.6	-27.0	PASS
5733.750000	-37.6	10.6	-27.0	PASS
5735.250000	-37.7	10.7	-27.0	PASS

TESTED SAMPLES:	S/01
TESTED CONDITIONS MODES:	TC#05 (ac Mode Beam forming)
TEST RESULTS:	PASS

Bandwidth: 20 MHz

Lowest Channel




— Limit × Fail — Sum Level

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
5469.750000	-27.8	0.8	-27.0	PASS
5465.750000	-28.1	1.1	-27.0	PASS
5468.750000	-28.2	1.2	-27.0	PASS
5469.250000	-28.6	1.6	-27.0	PASS
5467.250000	-29.4	2.4	-27.0	PASS
5464.750000	-29.5	2.5	-27.0	PASS
5468.250000	-29.9	2.9	-27.0	PASS
5467.750000	-30.4	3.4	-27.0	PASS
5464.250000	-30.4	3.4	-27.0	PASS
5466.750000	-31.1	4.1	-27.0	PASS
5466.250000	-31.1	4.1	-27.0	PASS
5456.750000	-31.6	4.6	-27.0	PASS
5463.750000	-32.1	5.1	-27.0	PASS
5465.250000	-32.4	5.4	-27.0	PASS
5460.750000	-32.9	5.9	-27.0	PASS

TEST RESULTS (Cont.)

Bandwidth: 20 MHz

Highest Channel




— Limit × Fail — Sum Level

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
5725.250000	-37.1	10.1	-27.0	PASS
5730.750000	-39.8	12.8	-27.0	PASS
5725.750000	-40.1	13.1	-27.0	PASS
5727.250000	-40.5	13.5	-27.0	PASS
5729.250000	-41.2	14.2	-27.0	PASS
5728.250000	-41.5	14.5	-27.0	PASS
5726.250000	-41.5	14.5	-27.0	PASS
5727.750000	-41.6	14.6	-27.0	PASS
5726.750000	-41.9	14.9	-27.0	PASS
5730.250000	-42.4	15.4	-27.0	PASS
5728.750000	-42.4	15.4	-27.0	PASS
5729.750000	-42.5	15.5	-27.0	PASS
5731.750000	-42.5	15.5	-27.0	PASS
5733.250000	-42.5	15.5	-27.0	PASS
5733.750000	-43.1	16.1	-27.0	PASS

TESTED SAMPLES:	S/01
TESTED CONDITIONS MODES:	TC#05 (ac Mode Beam forming)
TEST RESULTS:	PASS

Bandwidth: 40 MHz

Lowest Channel




— Limit × Fail — Sum Level

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
5469.750000	-32.3	5.3	-27.0	PASS
5461.250000	-33.1	6.1	-27.0	PASS
5469.250000	-33.5	6.5	-27.0	PASS
5465.750000	-34.2	7.2	-27.0	PASS
5468.250000	-35.0	8.0	-27.0	PASS
5460.250000	-35.3	8.3	-27.0	PASS
5466.750000	-35.4	8.4	-27.0	PASS
5466.250000	-35.9	8.9	-27.0	PASS
5467.250000	-36.1	9.1	-27.0	PASS
5467.750000	-36.1	9.1	-27.0	PASS
5464.250000	-36.3	9.3	-27.0	PASS
5464.750000	-36.5	9.5	-27.0	PASS
5465.250000	-37.2	10.2	-27.0	PASS
5468.750000	-37.7	10.7	-27.0	PASS
5462.750000	-37.7	10.7	-27.0	PASS

TEST RESULTS (Cont.)	
-----------------------------	--

Bandwidth: 40 MHz

Highest Channel




Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
5727.250000	-49.5	22.5	-27.0	PASS
5726.750000	-50.1	23.1	-27.0	PASS
6750.750000	-50.4	23.4	-27.0	PASS
6841.250000	-50.4	23.4	-27.0	PASS
6833.250000	-50.5	23.5	-27.0	PASS
6848.250000	-50.5	23.5	-27.0	PASS
6810.250000	-50.5	23.5	-27.0	PASS
5743.750000	-50.5	23.5	-27.0	PASS
6830.750000	-50.6	23.6	-27.0	PASS
6836.750000	-50.7	23.7	-27.0	PASS
6814.750000	-50.7	23.7	-27.0	PASS
6774.750000	-50.7	23.7	-27.0	PASS
6720.250000	-50.8	23.8	-27.0	PASS
6798.250000	-50.8	23.8	-27.0	PASS
6812.250000	-50.8	23.8	-27.0	PASS

TESTED SAMPLES:	S/01
TESTED CONDITIONS MODES:	TC#05 (ac Mode Beam forming)
TEST RESULTS:	PASS

Bandwidth: 80 MHz

Lowest Channel




Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
5467.250000	-28.8	1.8	-27.0	PASS
5466.250000	-29.0	2.0	-27.0	PASS
5466.750000	-29.1	2.1	-27.0	PASS
5467.750000	-29.1	2.1	-27.0	PASS
5468.750000	-29.2	2.2	-27.0	PASS
5469.750000	-29.2	2.2	-27.0	PASS
5469.250000	-29.2	2.2	-27.0	PASS
5465.250000	-29.4	2.4	-27.0	PASS
5463.750000	-29.6	2.6	-27.0	PASS
5463.250000	-29.7	2.7	-27.0	PASS
5468.250000	-29.7	2.7	-27.0	PASS
5459.250000	-29.8	2.8	-27.0	PASS
5464.250000	-29.8	2.8	-27.0	PASS
5436.250000	-29.8	2.8	-27.0	PASS
5462.750000	-29.8	2.8	-27.0	PASS

TEST RESULTS (Cont.)

Bandwidth: 80 MHz

Highest Channel



— Limit × Fail — Sum Level

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6846.250000	-50.6	23.6	-27.0	PASS
6834.250000	-50.6	23.6	-27.0	PASS
6839.250000	-50.7	23.7	-27.0	PASS
6842.250000	-50.7	23.7	-27.0	PASS
6799.750000	-50.8	23.8	-27.0	PASS
6825.750000	-50.9	23.9	-27.0	PASS
6819.250000	-50.9	23.9	-27.0	PASS
6830.750000	-50.9	23.9	-27.0	PASS
6796.750000	-51.0	24.0	-27.0	PASS
6849.250000	-51.0	24.0	-27.0	PASS
6840.750000	-51.0	24.0	-27.0	PASS
6824.750000	-51.0	24.0	-27.0	PASS
6838.750000	-51.0	24.0	-27.0	PASS
6812.250000	-51.1	24.1	-27.0	PASS
6810.750000	-51.1	24.1	-27.0	PASS

SECTION D.5: UNDESIRABLE RADIATED EMISSIONS (TRANSMITTER)

LIMITS:	Product standard:	Part 15 Subpart C §15.407 and RSS-247
	Test standard:	Part 15 Subpart E §15.407(b) (1) & (4) and RSS-Gen 8.9 and 8.10

LIMITS

For transmitters operating in the 5.15 – 5.25 GHz band: all emissions outside of the 5.15 – 5.25 GHz band shall not exceed an EIRP of -27 dBm/MHz (68.23 dBμ V/m at 3m distance).

Radiated emissions which fall in the restricted bands, as defined in §15.205(a), must also comply with the radiated emission limits specified in §15.209(a) (see §15.205(c) / RSS-Gen):

Frequency Range (MHz)	Field strength (μV/m)	Field strength (dBμV/m)	Measurement distance (m)
0.009-0.490	2400/F(kHz)	-	300
0.490-1.705	24000/F(kHz)	-	30
1.705 - 30.0	30	-	30
30 - 88	100	40	3
88 - 216	150	43.5	3
216 - 960	200	46	3
960 - 25000	500	54	3

The emission limits shown in the above table are based on measurements employing CISPR quasi-peak detector except for the frequency bands 9-90 kHz, 110-490 kHz and above 1000 MHz. Radiated emission limits in these three bands are based on measurements employing an average detector.

For average radiated emission measurements above 1000 MHz, there is also a limit corresponding to 20 dB above the indicated values in the table is specified when measuring with peak detector function

TEST SETUP

All radiated tests were performed in a semi-anechoic chamber. The measurement antenna is situated at 3 m for the frequency ranges 30-1000 MHz (Bilog antenna) and 1-18 GHz (Double ridge horn antennas) and at 1m for the frequency range 18-40 GHz (Double ridge horn antennas).

For radiated emissions in the range 18-40 GHz that is performed at a distance closer than the specified distance, an inverse proportionality factor of 20 dB per decade is used to normalize the measured data for determining compliance.


The equipment under test was set up on a non-conductive platform above the ground plane and the situation and orientation was varied to find the maximum radiated emission. It was also rotated 360° and the antenna height was varied from 1 to 4 meters to find the maximum radiated emission.

Measurements were made in both horizontal and vertical planes of polarization.


The field strength is calculated by adding correction factor to the measured level from the spectrum analyzer. This correction factor includes antenna factor, cable loss and pre-amplifiers gain.

TEST SETUP (CONT.)


Radiated measurements Setup $f < 1$ GHz



Radiated measurements setup $1 < f < 18$ GHz



Radiated measurements setup $f > 18$ GHz



TESTED SAMPLES:	S/02
TESTED CONDITIONS MODES:	TC#05 (ac Mode MIMO Radio A+B)
TEST RESULTS:	PASS

Frequency range 1 GHz – 40 GHz


The results and plots below show the maximum measured levels in the 1- 40 GHz range and the restricted band 4.5 – 5.46 GHz. Selected operation mode for this range (ac mode MIMO Radio A+B).

The results for the worst operation mode of ac20 mode are shown below.

FREQUENCY RANGE	1 GHz – 18 GHz
------------------------	-----------------------

Bandwidth: 20 MHz

Lowest Channel



- AVG_MAXH
- PK+_MAXH
- TX limits to Spurious Emission FCC15.407 (1 GHz to 40 GHz)
- TX limits to Spurious Emission FCC15.407 (1 GHz to 40 GHz)


Frequency (MHz)	PK+_MAXH (dBµV/m)	AVG_MAXH (dBµV/m)	PoI	Margin - AVG (dB)	Limit - AVG (dBµV/m)	Comment
5505.000000	103.8	94.6	H	---	---	Fundamental
17941.500000	60.6	50.4	H	3.6	54.0	

TEST RESULTS (Cont.)

1 GHz – 18 GHz

Bandwidth: 20 MHz

Middle Channel



- AVG_MAXH
- PK+_MAXH
- TX limits to Spurious Emission FCC15.407 (1 GHz to 40 GHz)
- TX limits to Spurious Emission FCC15.407 (1 GHz to 40 GHz)


Frequency (MHz)	PK+_MAXH (dBµV/m)	AVG_MAXH (dBµV/m)	Pol	Margin - AVG (dB)	Limit - AVG (dBµV/m)	Comment
5582.000000	100.6	93.9	H	---	---	Fundamental
17924.500000	59.1	50.3	V	3.7	54.0	

TEST RESULTS (Cont.)

1 GHz – 18 GHz

Bandwidth: 20 MHz

Highest Channel



— AVG_MAXH
— PK+_MAXH
- - - TX limits to Spurious Emission FCC15.407 (1 GHz to 40 GHz)
- - - TX limits to Spurious Emission FCC15.407 (1 GHz to 40 GHz)


Frequency (MHz)	PK+_MAXH (dBµV/m)	AVG_MAXH (dBµV/m)	Pol	Margin - AVG (dB)	Limit - AVG (dBµV/m)	Comment
5703.500000	104.6	97.1	H	---	---	Fundamental
17940.000000	59.7	50.2	V	3.8	54.0	

FREQUENCY RANGE

18 GHz – 40 GHz

Bandwidth: 20 MHz

Lowest Channel



- AVG_MAXH
- PK+_MAXH
- TX limits to Spurious Emission FCC15.407 (1 GHz to 40 GHz)
- TX limits to Spurious Emission FCC15.407 (1 GHz to 40 GHz)


Frequency (MHz)	PK+_MAXH (dBµV/m)	AVG_MAXH (dBµV/m)	Pol	Margin - AVG (dB)	Limit - AVG (dBµV/m)
21999.875000	41.9	34.8	V	---	---
39988.312500	49.1	40.7	H	13.3	54.0

TEST RESULTS (Cont.)

18 GHz – 40 GHz

Bandwidth: 20 MHz

Middle Channel



- AVG_MAXH
- PK+_MAXH
- TX limits to Spurious Emission FCC15.407 (1 GHz to 40 GHz)
- TX limits to Spurious Emission FCC15.407 (1 GHz to 40 GHz)


Frequency (MHz)	PK+_MAXH (dBµV/m)	AVG_MAXH (dBµV/m)	Pol	Margin - AVG (dB)	Limit - AVG (dBµV/m)
22319.562500	42.9	36.5	V	17.5	54.0
39977.312500	49.9	41.0	V	13.0	54.0

TEST RESULTS (Cont.)

18 GHz – 40 GHz

Bandwidth: 20 MHz

Highest Channel



- AVG_MAXH
- PK+_MAXH
- TX limits to Spurious Emission FCC15.407 (1 GHz to 40 GHz)
- TX limits to Spurious Emission FCC15.407 (1 GHz to 40 GHz)


Frequency (MHz)	PK+_MAXH (dBµV/m)	AVG_MAXH (dBµV/m)	Pol	Margin - AVG (dB)	Limit - AVG (dBµV/m)
24216.375000	43.8	34.5	H	---	---
39962.875000	49.4	40.5	H	13.5	54.0

TEST RESULTS (Cont.)

1 GHz – 18 GHz

Bandwidth: 40 MHz

Lowest Channel



— AVG_MAXH
 — PK+_MAXH
 — TX limits to Spurious Emission FCC15.407 (1 GHz to 40 GHz)
 — TX limits to Spurious Emission FCC15.407 (1 GHz to 40 GHz)


Frequency (MHz)	PK+_MAXH (dBµV/m)	AVG_MAXH (dBµV/m)	Pol	Margin - AVG (dB)	Limit - AVG (dBµV/m)	Comment
5517.500000	101.1	93.1	H	---	---	Fundamental
17941.000000	61.0	50.3	H	3.7	54.0	

TEST RESULTS (Cont.)

1 GHz – 18 GHz

Bandwidth: 40 MHz

Middle Channel



— AVG_MAXH
 — PK+_MAXH
 - - - TX limits to Spurious Emission FCC15.407 (1 GHz to 40 GHz)
 - - - TX limits to Spurious Emission FCC15.407 (1 GHz to 40 GHz)

Frequency (MHz)	PK+_MAXH (dBµV/m)	AVG_MAXH (dBµV/m)	Pol	Margin - AVG (dB)	Limit - AVG (dBµV/m)	Comment
5533.000000	101.1	93.0	H	---	---	Fundamental
17927.000000	60.0	50.4	V	3.6	54.0	