


















dBi	XY Plane	XZ Plane	YZ Plane
Total (Max.)	-6.75	-2.27	-2.26
Horizontal (Max.)	-7.29	-2.40	-13.35
Vertical (Max.)	-10.32	-8.34	-2.40
LHCP (Max.)	-10.40	-4.80	-5.09
RHCP (Max.)	-8.18	-5.39	-5.29
Total (Min.)	-14.43	-24.22	-25.34
Horizontal (Min.)	-25.11	-26.63	-33.95
Vertical (Min.)	-38.25	-55.89	-41.95
LHCP (Min.)	-29.27	-45.65	-36.45
RHCP (Min.)	-21.57	-33.35	-46.02
Total (Avg.)	-10.25	-9.58	-12.63
Horizontal (Avg.)	-13.91	-10.51	-20.16
Vertical (Avg.)	-14.99	-19.13	-14.63
LHCP (Avg.)	-15.95	-13.27	-16.26
RHCP (Avg.)	-12.65	-12.87	-17.85
deg	XY Plane	XZ Plane	YZ Plane
Total (Max.)	315.00	1.00	2.00
Horizontal (Max.)	357.00	1.00	16.00
Vertical (Max.)	18.00	56.00	1.00
LHCP (Max.)	343.00	5.00	-1.00
RHCP (Max.)	314.00	-3.00	6.00
Total (Min.)	53.00	-174.00	162.00
Horizontal (Min.)	53.00	-174.00	114.00
Vertical (Min.)	290.00	151.00	158.00
LHCP (Min.)	237.00	-174.00	-175.00
RHCP (Min.)	50.00	170.00	-153.00
Total (Avg.)	92.00	66.00	52.00
Horizontal (Avg.)	31.00	57.00	38.00
Vertical (Avg.)	38.00	49.00	51.00
LHCP (Avg.)	121.00	76.00	56.00
RHCP (Avg.)	33.00	53.00	47.00
















dBi	XY Plane	XZ Plane	YZ Plane
Total (Max.)	-6.75	-2.40	-2.40
Horizontal (Max.)	-7.27	-2.53	-13.26
Vertical (Max.)	-10.31	-8.50	-2.54
LHCP (Max.)	-10.39	-5.00	-5.27
RHCP (Max.)	-8.33	-5.47	-5.46
Total (Min.)	-14.55	-24.72	-25.56
Horizontal (Min.)	-24.99	-27.14	-33.92
Vertical (Min.)	-39.68	-53.88	-41.23
LHCP (Min.)	-30.13	-46.70	-37.69
RHCP (Min.)	-21.89	-32.83	-47.24
Total (Avg.)	-10.35	-9.67	-12.74
Horizontal (Avg.)	-13.97	-10.60	-20.23
Vertical (Avg.)	-15.10	-19.17	-14.74
LHCP (Avg.)	-16.06	-13.37	-16.32
RHCP (Avg.)	-12.77	-12.97	-18.09
deg	XY Plane	XZ Plane	YZ Plane
Total (Max.)	1.00	1.00	2.00
Horizontal (Max.)	357.00	1.00	16.00
Vertical (Max.)	18.00	59.00	0.00
LHCP (Max.)	343.00	5.00	-1.00
RHCP (Max.)	315.00	-3.00	5.00
Total (Min.)	53.00	-174.00	-172.00
Horizontal (Min.)	53.00	-174.00	114.00
Vertical (Min.)	290.00	151.00	158.00
LHCP (Min.)	237.00	-174.00	-175.00
RHCP (Min.)	49.00	170.00	-152.00
Total (Avg.)	91.00	66.00	52.00
Horizontal (Avg.)	31.00	58.00	39.00
Vertical (Avg.)	37.00	50.00	50.00
LHCP (Avg.)	120.00	77.00	55.00
RHCP (Avg.)	33.00	53.00	48.00
















dBi	XY Plane	XZ Plane	YZ Plane
Total (Max.)	-6.64	-2.45	-2.45
Horizontal (Max.)	-7.20	-2.60	-12.98
Vertical (Max.)	-10.27	-8.53	-2.60
LHCP (Max.)	-10.16	-5.14	-5.39
RHCP (Max.)	-8.38	-5.45	-5.51
Total (Min.)	-14.60	-25.02	-25.75
Horizontal (Min.)	-25.00	-27.37	-34.21
Vertical (Min.)	-41.80	-52.68	-39.62
LHCP (Min.)	-29.21	-45.54	-38.35
RHCP (Min.)	-22.07	-32.43	-50.91
Total (Avg.)	-10.37	-9.67	-12.78
Horizontal (Avg.)	-13.96	-10.62	-20.17
Vertical (Avg.)	-15.14	-19.08	-14.80
LHCP (Avg.)	-16.04	-13.40	-16.31
RHCP (Avg.)	-12.82	-12.95	-18.30
deg	XY Plane	XZ Plane	YZ Plane
Total (Max.)	1.00	1.00	1.00
Horizontal (Max.)	357.00	1.00	16.00
Vertical (Max.)	18.00	60.00	0.00
LHCP (Max.)	343.00	4.00	0.00
RHCP (Max.)	314.00	-2.00	2.00
Total (Min.)	53.00	-174.00	-171.00
Horizontal (Min.)	53.00	-174.00	179.00
Vertical (Min.)	290.00	151.00	158.00
LHCP (Min.)	237.00	-174.00	-175.00
RHCP (Min.)	49.00	170.00	-151.00
Total (Avg.)	91.00	68.00	52.00
Horizontal (Avg.)	31.00	60.00	39.00
Vertical (Avg.)	37.00	52.00	50.00
LHCP (Avg.)	115.00	77.00	56.00
RHCP (Avg.)	34.00	54.00	49.00
















dBi	XY Plane	XZ Plane	YZ Plane
Total (Max.)	-6.65	-2.52	-2.53
Horizontal (Max.)	-7.19	-2.69	-13.01
Vertical (Max.)	-10.27	-8.32	-2.68
LHCP (Max.)	-10.02	-5.26	-5.52
RHCP (Max.)	-8.44	-5.49	-5.57
Total (Min.)	-14.66	-25.32	-26.16
Horizontal (Min.)	-25.04	-27.81	-34.37
Vertical (Min.)	-42.64	-51.37	-39.40
LHCP (Min.)	-28.33	-48.87	-39.75
RHCP (Min.)	-22.21	-31.87	-54.19
Total (Avg.)	-10.43	-9.69	-12.87
Horizontal (Avg.)	-13.98	-10.65	-20.21
Vertical (Avg.)	-15.25	-19.02	-14.91
LHCP (Avg.)	-16.00	-13.39	-16.37
RHCP (Avg.)	-12.92	-13.01	-18.53
deg	XY Plane	XZ Plane	YZ Plane
Total (Max.)	1.00	1.00	0.00
Horizontal (Max.)	357.00	1.00	16.00
Vertical (Max.)	18.00	69.00	-1.00
LHCP (Max.)	342.00	4.00	0.00
RHCP (Max.)	314.00	-2.00	1.00
Total (Min.)	53.00	-174.00	-171.00
Horizontal (Min.)	53.00	-174.00	179.00
Vertical (Min.)	290.00	151.00	158.00
LHCP (Min.)	238.00	-174.00	-175.00
RHCP (Min.)	49.00	170.00	-150.00
Total (Avg.)	91.00	69.00	52.00
Horizontal (Avg.)	31.00	60.00	39.00
Vertical (Avg.)	37.00	50.00	50.00
LHCP (Avg.)	110.00	78.00	57.00
RHCP (Avg.)	34.00	55.00	49.00
















dBi	XY Plane	XZ Plane	YZ Plane
Total (Max.)	-6.68	-2.71	-2.72
Horizontal (Max.)	-7.22	-2.89	-13.15
Vertical (Max.)	-10.43	-8.30	-2.88
LHCP (Max.)	-10.03	-5.53	-5.78
RHCP (Max.)	-8.61	-5.60	-5.68
Total (Min.)	-14.80	-25.74	-26.61
Horizontal (Min.)	-25.13	-28.39	-34.44
Vertical (Min.)	-44.19	-53.21	-38.84
LHCP (Min.)	-27.98	-52.73	-41.65
RHCP (Min.)	-22.51	-31.37	-58.85
Total (Avg.)	-10.60	-9.81	-13.02
Horizontal (Avg.)	-14.17	-10.78	-20.33
Vertical (Avg.)	-15.41	-19.05	-15.04
LHCP (Avg.)	-16.12	-13.56	-16.48
RHCP (Avg.)	-13.11	-13.13	-18.76
deg	XY Plane	XZ Plane	YZ Plane
Total (Max.)	1.00	1.00	0.00
Horizontal (Max.)	357.00	1.00	16.00
Vertical (Max.)	18.00	60.00	-1.00
LHCP (Max.)	343.00	4.00	0.00
RHCP (Max.)	314.00	-2.00	0.00
Total (Min.)	53.00	-174.00	-171.00
Horizontal (Min.)	53.00	-174.00	179.00
Vertical (Min.)	290.00	151.00	158.00
LHCP (Min.)	239.00	-174.00	-175.00
RHCP (Min.)	48.00	170.00	-150.00
Total (Avg.)	90.00	69.00	53.00
Horizontal (Avg.)	32.00	59.00	41.00
Vertical (Avg.)	57.00	48.00	50.00
LHCP (Avg.)	105.00	79.00	59.00
RHCP (Avg.)	35.00	56.00	50.00
















dBi	XY Plane	XZ Plane	YZ Plane
Total (Max.)	-6.85	-2.86	-2.87
Horizontal (Max.)	-7.42	-3.06	-13.19
Vertical (Max.)	-10.32	-8.34	-3.05
LHCP (Max.)	-10.16	-5.73	-5.97
RHCP (Max.)	-8.81	-5.72	-5.78
Total (Min.)	-14.83	-26.25	-26.98
Horizontal (Min.)	-24.29	-29.01	-35.29
Vertical (Min.)	-42.34	-47.24	-40.81
LHCP (Min.)	-27.36	-58.18	-44.19
RHCP (Min.)	-23.04	-30.83	-66.99
Total (Avg.)	-10.73	-9.91	-13.17
Horizontal (Avg.)	-14.33	-10.88	-20.44
Vertical (Avg.)	-15.51	-19.08	-15.19
LHCP (Avg.)	-16.11	-13.67	-16.56
RHCP (Avg.)	-13.30	-13.23	-19.11
deg	XY Plane	XZ Plane	YZ Plane
Total (Max.)	1.00	1.00	-1.00
Horizontal (Max.)	357.00	1.00	16.00
Vertical (Max.)	18.00	60.00	-1.00
LHCP (Max.)	343.00	4.00	0.00
RHCP (Max.)	314.00	-2.00	-1.00
Total (Min.)	265.00	-175.00	-171.00
Horizontal (Min.)	53.00	-174.00	179.00
Vertical (Min.)	289.00	151.00	-171.00
LHCP (Min.)	239.00	-174.00	-175.00
RHCP (Min.)	48.00	170.00	-139.00
Total (Avg.)	91.00	69.00	53.00
Horizontal (Avg.)	32.00	51.00	41.00
Vertical (Avg.)	36.00	50.00	49.00
LHCP (Avg.)	103.00	80.00	61.00
RHCP (Avg.)	35.00	56.00	49.00
















	XY Plane	XZ Plane	YZ Plane
Total (Max.)	-6.88	-2.92	-2.92
Horizontal (Max.)	-7.49	-3.14	-13.29
Vertical (Max.)	-10.25	-8.30	-3.12
LHCP (Max.)	-10.15	-5.84	-6.12
RHCP (Max.)	-8.91	-5.71	-5.75
Total (Min.)	-14.87	-26.59	-27.15
Horizontal (Min.)	-24.13	-29.65	-35.31
Vertical (Min.)	-36.55	-52.30	-43.50
LHCP (Min.)	-26.02	-59.42	-47.19
RHCP (Min.)	-23.14	-30.56	-68.36
Total (Avg.)	-10.75	-9.88	-13.19
Horizontal (Avg.)	-14.40	-10.88	-20.40
Vertical (Avg.)	-15.41	-18.98	-15.24
LHCP (Avg.)	-15.97	-13.66	-16.59
RHCP (Avg.)	-13.37	-13.23	-19.20
deg	XY Plane	XZ Plane	YZ Plane
Total (Max.)	1.00	1.00	-1.00
Horizontal (Max.)	357.00	1.00	17.00
Vertical (Max.)	18.00	60.00	-2.00
LHCP (Max.)	343.00	30.00	0.00
RHCP (Max.)	314.00	-2.00	-1.00
Total (Min.)	265.00	-175.00	-171.00
Horizontal (Min.)	52.00	-175.00	179.00
Vertical (Min.)	289.00	151.00	-171.00
LHCP (Min.)	239.00	-174.00	-175.00
RHCP (Min.)	47.00	170.00	-139.00
Total (Avg.)	93.00	70.00	54.00
Horizontal (Avg.)	32.00	52.00	42.00
Vertical (Avg.)	36.00	49.00	50.00
LHCP (Avg.)	100.00	80.00	62.00
RHCP (Avg.)	35.00	57.00	50.00
















dB	XY Plane	XZ Plane	YZ Plane
Total (Max.)	-7.28	-3.30	-3.31
Horizontal (Max.)	-7.93	-3.57	-13.53
Vertical (Max.)	-10.46	-8.25	-3.55
LHCP (Max.)	-10.55	-6.09	-6.61
RHCP (Max.)	-9.27	-6.02	-6.04
Total (Min.)	-14.92	-27.55	-28.03
Horizontal (Min.)	-23.28	-31.48	-36.50
Vertical (Min.)	-31.14	-49.13	-50.68
LHCP (Min.)	-24.82	-46.77	-49.80
RHCP (Min.)	-23.62	-30.12	-53.84
Total (Avg.)	-11.03	-10.12	-13.51
Horizontal (Avg.)	-14.85	-11.14	-20.73
Vertical (Avg.)	-15.42	-19.10	-15.48
LHCP (Avg.)	-15.96	-13.90	-16.82
RHCP (Avg.)	-13.78	-13.44	-19.62
deg	XY Plane	XZ Plane	YZ Plane
Total (Max.)	2.00	1.00	-1.00
Horizontal (Max.)	357.00	1.00	20.00
Vertical (Max.)	18.00	60.00	-2.00
LHCP (Max.)	343.00	31.00	-1.00
RHCP (Max.)	314.00	-2.00	-1.00
Total (Min.)	296.00	-175.00	-172.00
Horizontal (Min.)	52.00	-175.00	179.00
Vertical (Min.)	287.00	152.00	-171.00
LHCP (Min.)	237.00	-174.00	-175.00
RHCP (Min.)	46.00	170.00	-138.00
Total (Avg.)	94.00	71.00	55.00
Horizontal (Avg.)	32.00	55.00	49.00
Vertical (Avg.)	36.00	49.00	51.00
LHCP (Avg.)	99.00	81.00	63.00
RHCP (Avg.)	35.00	61.00	50.00
















dBi	XY Plane	XZ Plane	YZ Plane
Total (Max.)	-7.56	-3.42	-3.43
Horizontal (Max.)	-8.33	-3.74	-13.45
Vertical (Max.)	-10.36	-8.23	-3.74
LHCP (Max.)	-10.71	-6.08	-6.81
RHCP (Max.)	-9.46	-6.06	-6.09
Total (Min.)	-14.55	-28.17	-28.48
Horizontal (Min.)	-22.44	-32.97	-37.93
Vertical (Min.)	-26.24	-52.72	-56.91
LHCP (Min.)	-22.83	-42.60	-57.79
RHCP (Min.)	-23.22	-30.39	-54.29
Total (Avg.)	-10.98	-10.11	-13.49
Horizontal (Avg.)	-14.99	-11.17	-20.66
Vertical (Avg.)	-15.01	-18.99	-15.39
LHCP (Avg.)	-15.71	-13.88	-16.77
RHCP (Avg.)	-13.83	-13.44	-19.84
deg	XY Plane	XZ Plane	YZ Plane
Total (Max.)	2.00	2.00	-1.00
Horizontal (Max.)	357.00	1.00	21.00
Vertical (Max.)	18.00	59.00	-2.00
LHCP (Max.)	22.00	34.00	-3.00
RHCP (Max.)	313.00	-2.00	-1.00
Total (Min.)	266.00	-176.00	-173.00
Horizontal (Min.)	51.00	-175.00	179.00
Vertical (Min.)	287.00	153.00	-172.00
LHCP (Min.)	235.00	-175.00	-176.00
RHCP (Min.)	45.00	170.00	-166.00
Total (Avg.)	99.00	95.00	57.00
Horizontal (Avg.)	31.00	60.00	56.00
Vertical (Avg.)	37.00	50.00	53.00
LHCP (Avg.)	124.00	80.00	64.00
RHCP (Avg.)	35.00	64.00	52.00
















dBi	XY Plane	XZ Plane	YZ Plane
Total (Max.)	-7.94	-3.77	-3.79
Horizontal (Max.)	-8.67	-4.12	-13.71
Vertical (Max.)	-10.75	-8.37	-4.12
LHCP (Max.)	-11.19	-6.39	-7.16
RHCP (Max.)	-9.68	-6.38	-6.43
Total (Min.)	-14.45	-28.79	-29.15
Horizontal (Min.)	-22.71	-33.29	-38.70
Vertical (Min.)	-24.72	-56.07	-51.13
LHCP (Min.)	-22.55	-43.59	-58.12
RHCP (Min.)	-23.93	-30.73	-63.54
Total (Avg.)	-11.17	-10.38	-13.72
Horizontal (Avg.)	-15.32	-11.46	-20.92
Vertical (Avg.)	-15.01	-19.23	-15.56
LHCP (Avg.)	-15.81	-14.12	-16.99
RHCP (Avg.)	-14.08	-13.74	-20.18
deg	XY Plane	XZ Plane	YZ Plane
Total (Max.)	2.00	2.00	-1.00
Horizontal (Max.)	357.00	1.00	22.00
Vertical (Max.)	19.00	60.00	-2.00
LHCP (Max.)	343.00	35.00	-4.00
RHCP (Max.)	313.00	-2.00	0.00
Total (Min.)	266.00	-176.00	-174.00
Horizontal (Min.)	50.00	-175.00	179.00
Vertical (Min.)	288.00	153.00	-173.00
LHCP (Min.)	234.00	-175.00	-176.00
RHCP (Min.)	274.00	170.00	-166.00
Total (Avg.)	101.00	97.00	58.00
Horizontal (Avg.)	32.00	61.00	58.00
Vertical (Avg.)	38.00	50.00	54.00
LHCP (Avg.)	132.00	82.00	64.00
RHCP (Avg.)	34.00	66.00	53.00
















dBi	XY Plane	XZ Plane	YZ Plane
Total (Max.)	-8.11	-3.78	-3.82
Horizontal (Max.)	-8.83	-4.16	-13.54
Vertical (Max.)	-10.72	-8.22	-4.17
LHCP (Max.)	-11.22	-6.35	-7.14
RHCP (Max.)	-9.71	-6.37	-6.43
Total (Min.)	-13.93	-29.12	-29.61
Horizontal (Min.)	-22.59	-33.42	-39.30
Vertical (Min.)	-23.59	-55.36	-56.56
LHCP (Min.)	-21.77	-43.94	-49.55
RHCP (Min.)	-24.30	-30.86	-62.54
Total (Avg.)	-11.05	-10.37	-13.67
Horizontal (Avg.)	-15.34	-11.45	-20.86
Vertical (Avg.)	-14.74	-19.14	-15.47
LHCP (Avg.)	-15.62	-14.11	-16.92
RHCP (Avg.)	-13.99	-13.75	-20.05
deg	XY Plane	XZ Plane	YZ Plane
Total (Max.)	2.00	3.00	-1.00
Horizontal (Max.)	357.00	2.00	22.00
Vertical (Max.)	19.00	59.00	-2.00
LHCP (Max.)	343.00	38.00	-6.00
RHCP (Max.)	313.00	-3.00	0.00
Total (Min.)	50.00	-176.00	-174.00
Horizontal (Min.)	49.00	-176.00	179.00
Vertical (Min.)	288.00	153.00	-173.00
LHCP (Min.)	146.00	-175.00	-176.00
RHCP (Min.)	275.00	170.00	-167.00
Total (Avg.)	104.00	98.00	59.00
Horizontal (Avg.)	33.00	62.00	59.00
Vertical (Avg.)	39.00	49.00	56.00
LHCP (Avg.)	135.00	82.00	63.00
RHCP (Avg.)	33.00	69.00	54.00
















dBi	XY Plane	XZ Plane	YZ Plane
Total (Max.)	-7.95	-3.67	-3.73
Horizontal (Max.)	-8.88	-4.10	-13.40
Vertical (Max.)	-10.47	-8.12	-4.12
LHCP (Max.)	-11.05	-6.08	-6.98
RHCP (Max.)	-9.58	-6.21	-6.28
Total (Min.)	-13.61	-28.98	-29.80
Horizontal (Min.)	-22.72	-32.97	-39.80
Vertical (Min.)	-22.37	-49.73	-45.32
LHCP (Min.)	-21.89	-44.89	-44.30
RHCP (Min.)	-24.53	-31.41	-53.31
Total (Avg.)	-10.77	-10.20	-13.43
Horizontal (Avg.)	-15.18	-11.29	-20.66
Vertical (Avg.)	-14.31	-18.81	-15.15
LHCP (Avg.)	-15.31	-13.91	-16.62
RHCP (Avg.)	-13.74	-13.62	-19.63
deg	XY Plane	XZ Plane	YZ Plane
Total (Max.)	314.00	3.00	-1.00
Horizontal (Max.)	357.00	2.00	22.00
Vertical (Max.)	19.00	58.00	-2.00
LHCP (Max.)	22.00	40.00	-8.00
RHCP (Max.)	313.00	-4.00	1.00
Total (Min.)	49.00	-176.00	-175.00
Horizontal (Min.)	106.00	-176.00	-180.00
Vertical (Min.)	350.00	154.00	-173.00
LHCP (Min.)	147.00	-176.00	-176.00
RHCP (Min.)	276.00	170.00	-167.00
Total (Avg.)	105.00	99.00	59.00
Horizontal (Avg.)	33.00	64.00	60.00
Vertical (Avg.)	38.00	50.00	57.00
LHCP (Avg.)	137.00	80.00	63.00
RHCP (Avg.)	33.00	69.00	55.00
















dBi	XY Plane	XZ Plane	YZ Plane
Total (Max.)	-7.89	-3.70	-3.80
Horizontal (Max.)	-8.96	-4.16	-13.18
Vertical (Max.)	-10.44	-7.97	-4.21
LHCP (Max.)	-11.09	-6.00	-6.94
RHCP (Max.)	-9.59	-6.23	-6.29
Total (Min.)	-13.45	-28.80	-30.08
Horizontal (Min.)	-22.98	-32.25	-40.25
Vertical (Min.)	-22.09	-50.39	-41.73
LHCP (Min.)	-22.18	-49.71	-42.43
RHCP (Min.)	-25.18	-31.83	-51.58
Total (Avg.)	-10.65	-10.18	-13.37
Horizontal (Avg.)	-15.17	-11.28	-20.59
Vertical (Avg.)	-14.06	-18.76	-15.04
LHCP (Avg.)	-15.15	-13.89	-16.55
RHCP (Avg.)	-13.65	-13.62	-19.50
deg	XY Plane	XZ Plane	YZ Plane
Total (Max.)	314.00	4.00	0.00
Horizontal (Max.)	357.00	3.00	21.00
Vertical (Max.)	95.00	58.00	-1.00
LHCP (Max.)	21.00	43.00	-10.00
RHCP (Max.)	313.00	-5.00	2.00
Total (Min.)	-48.00	-176.00	-175.00
Horizontal (Min.)	105.00	-176.00	-180.00
Vertical (Min.)	350.00	178.00	-173.00
LHCP (Min.)	146.00	-176.00	-176.00
RHCP (Min.)	276.00	170.00	-168.00
Total (Avg.)	105.00	101.00	60.00
Horizontal (Avg.)	32.00	65.00	60.00
Vertical (Avg.)	117.00	50.00	57.00
LHCP (Avg.)	139.00	81.00	61.00
RHCP (Avg.)	33.00	71.00	55.00
















dBi	XY Plane	XZ Plane	YZ Plane
Total (Max.)	-7.67	-3.58	-3.73
Horizontal (Max.)	-8.78	-4.11	-12.99
Vertical (Max.)	-10.21	-7.75	-4.19
LHCP (Max.)	-10.88	-5.84	-6.78
RHCP (Max.)	-9.47	-6.11	-6.15
Total (Min.)	-13.36	-28.28	-29.91
Horizontal (Min.)	-23.30	-31.31	-39.34
Vertical (Min.)	-21.54	-57.17	-38.37
LHCP (Min.)	-22.24	-56.16	-40.34
RHCP (Min.)	-25.26	-32.17	-50.41
Total (Avg.)	-10.42	-10.04	-13.18
Horizontal (Avg.)	-15.04	-11.15	-20.40
Vertical (Avg.)	-13.75	-18.60	-14.80
LHCP (Avg.)	-14.95	-13.75	-16.34
RHCP (Avg.)	-13.44	-13.50	-19.31
deg			
Total (Max.)	313.00	6.00	1.00
Horizontal (Max.)	356.00	4.00	20.00
Vertical (Max.)	96.00	58.00	0.00
LHCP (Max.)	342.00	44.00	-10.00
RHCP (Max.)	314.00	-7.00	4.00
Total (Min.)	48.00	-177.00	-175.00
Horizontal (Min.)	104.00	-176.00	-180.00
Vertical (Min.)	350.00	178.00	-173.00
LHCP (Min.)	146.00	-176.00	-176.00
RHCP (Min.)	277.00	169.00	-153.00
Total (Avg.)	104.00	104.00	61.00
Horizontal (Avg.)	34.00	65.00	59.00
Vertical (Avg.)	117.00	80.00	58.00
LHCP (Avg.)	139.00	81.00	60.00
RHCP (Avg.)	32.00	71.00	56.00















dBi	XY Plane	XZ Plane	YZ Plane
Total (Max.)	-7.59	-3.53	-3.66
Horizontal (Max.)	-8.63	-4.08	-12.77
Vertical (Max.)	-10.03	-7.73	-4.17
LHCP (Max.)	-10.73	-5.75	-6.70
RHCP (Max.)	-9.50	-6.02	-5.99
Total (Min.)	-13.44	-27.90	-29.53
Horizontal (Min.)	-23.52	-30.51	-39.30
Vertical (Min.)	-21.28	-59.75	-36.28
LHCP (Min.)	-22.91	-52.05	-38.89
RHCP (Min.)	-25.08	-32.90	-58.83
Total (Avg.)	-10.27	-9.96	-13.10
Horizontal (Avg.)	-14.95	-11.09	-20.30
Vertical (Avg.)	-13.53	-18.40	-14.69
LHCP (Avg.)	-14.82	-13.64	-16.25
RHCP (Avg.)	-13.31	-13.47	-19.13
deg	XY Plane	XZ Plane	YZ Plane
Total (Max.)	313.00	7.00	5.00
Horizontal (Max.)	356.00	5.00	17.00
Vertical (Max.)	95.00	57.00	2.00
LHCP (Max.)	343.00	44.00	-11.00
RHCP (Max.)	314.00	-8.00	5.00
Total (Min.)	48.00	-176.00	-175.00
Horizontal (Min.)	47.00	-176.00	-180.00
Vertical (Min.)	350.00	178.00	-173.00
LHCP (Min.)	145.00	-176.00	-176.00
RHCP (Min.)	277.00	169.00	-153.00
Total (Avg.)	106.00	103.00	60.00
Horizontal (Avg.)	34.00	66.00	59.00
Vertical (Avg.)	116.00	51.00	58.00
LHCP (Avg.)	139.00	80.00	59.00
RHCP (Avg.)	32.00	71.00	54.00







dBi	XY Plane	XZ Plane	YZ Plane
Total (Max.)	-7.58	-3.63	-3.70
Horizontal (Max.)	-8.82	-4.23	-12.44
Vertical (Max.)	-9.97	-7.87	-4.30
LHCP (Max.)	-10.81	-5.83	-6.81
RHCP (Max.)	-9.65	-6.07	-6.01
Total (Min.)	-13.35	-27.62	-29.13
Horizontal (Min.)	-23.82	-29.85	-38.86
Vertical (Min.)	-21.45	-57.54	-34.89
LHCP (Min.)	-23.09	-47.33	-37.99
RHCP (Min.)	-25.19	-33.73	-61.98
Total (Avg.)	-10.30	-10.03	-13.14
Horizontal (Avg.)	-15.03	-11.17	-20.35
Vertical (Avg.)	-13.50	-18.31	-14.70
LHCP (Avg.)	-14.85	-13.68	-16.26
RHCP (Avg.)	-13.35	-13.57	-19.15
deg	XY Plane	XZ Plane	YZ Plane
Total (Max.)	315.00	8.00	7.00
Horizontal (Max.)	356.00	6.00	13.00
Vertical (Max.)	95.00	55.00	6.00
LHCP (Max.)	19.00	44.00	-11.00
RHCP (Max.)	314.00	-10.00	7.00
Total (Min.)	47.00	-176.00	-175.00
Horizontal (Min.)	47.00	-176.00	-180.00
Vertical (Min.)	350.00	178.00	-173.00
LHCP (Min.)	144.00	-176.00	-176.00
RHCP (Min.)	278.00	169.00	-153.00
Total (Avg.)	104.00	103.00	59.00
Horizontal (Avg.)	33.00	66.00	54.00
Vertical (Avg.)	117.00	52.00	58.00
LHCP (Avg.)	139.00	80.00	59.00
RHCP (Avg.)	32.00	67.00	53.00



Avg. Gain vs. Frequency





Max. position	Axial Ratio	Theta	Phi
2400MHz	32.693825	0	0
2405MHz	35.333943	0	0
2410MHz	41.061741	0	0
2415MHz	50.065286	0	0
2420MHz	44.67924	0	0
2425MHz	39.405328	0	0
2430MHz	34.00676	0	0
2435MHz	32.067829	0	0
2440MHz	30.051265	0	0
2445MHz	28.687912	0	0
2450MHz	27.425476	0	0
2455MHz	26.654589	0	0
2460MHz	26.237513	0	0
2465MHz	25.092638	0	0
2470MHz	24.738227	0	0
2475MHz	24.515117	0	0
2480MHz	24.013164	0	0
2485MHz	23.885639	0	0
2490MHz	24.02901	0	0
2495MHz	23.843951	0	0
2500MHz	23.947357	0	0

XY Plane	Total (Max.)	Horizontal (Max.)	Vertical (Max.)	L2CP (Max.)	R2CP (Max.)	Total (Min.)	Horizontal (Min.)	Vertical (Min.)	L2CP (Min.)	R2CP (Min.)	Total (Avg.)	Horizontal (Avg.)	Vertical (Avg.)	L2CP (Avg.)	R2CP (Avg.)
3000 MHz	-6.55	-7.50	-10.51	-10.40	-8.18	-14.43	-25.11	-28.25	-20.77	-21.57	-10.25	-11.01	-14.90	-15.05	-12.65
3050 MHz	-6.25	-7.27	-10.31	-10.29	-8.13	-14.55	-24.09	-29.08	-20.13	-21.60	-10.35	-11.07	-15.10	-15.09	-12.77
3100 MHz	-6.64	-7.30	-10.37	-10.36	-8.38	-14.60	-25.00	-29.40	-20.11	-22.07	-10.37	-11.07	-15.96	-15.14	-13.87
3150 MHz	-6.65	-7.19	-10.21	-10.00	-8.44	-14.66	-25.04	-28.64	-20.53	-22.14	-10.43	-11.08	-15.25	-15.00	-12.90
3200 MHz	-6.68	-7.22	-10.43	-10.05	-8.63	-14.80	-25.15	-29.19	-20.00	-22.11	-10.49	-11.11	-15.61	-15.13	-13.15
3250 MHz	-6.45	-7.47	-10.32	-10.16	-8.41	-14.83	-24.20	-27.86	-20.64	-22.10	-10.71	-11.43	-15.41	-15.11	-13.30
3300 MHz	-6.46	-7.46	-10.25	-10.15	-8.41	-14.85	-24.21	-28.85	-20.61	-22.14	-10.75	-11.40	-15.61	-15.07	-13.47
3350 MHz	-6.08	-7.40	-10.37	-10.49	-8.08	-14.90	-23.82	-28.43	-20.34	-22.45	-10.84	-11.44	-15.66	-15.41	-13.84
3400 MHz	-7.20	-7.93	-10.46	-10.55	-8.27	-14.92	-23.28	-29.14	-21.82	-22.62	-11.03	-11.48	-15.43	-15.96	-14.28
3450 MHz	-7.40	-8.30	-10.30	-10.53	-8.27	-14.99	-22.90	-27.99	-22.73	-22.89	-10.95	-11.47	-15.17	-15.76	-13.94
3500 MHz	-7.56	-8.33	-10.36	-10.71	-8.46	-14.55	-22.40	-26.24	-22.83	-23.22	-10.98	-11.09	-15.01	-15.71	-13.83
3550 MHz	-7.20	-8.49	-10.75	-11.00	-8.66	-14.44	-22.71	-28.23	-22.84	-23.60	-11.17	-11.13	-15.01	-16.14	-14.00
3600 MHz	-8.11	-8.83	-10.77	-11.22	-9.71	-13.93	-22.59	-23.90	-23.77	-24.30	-11.05	-11.34	-14.74	-15.63	-13.69
3650 MHz	-7.05	-8.88	-10.47	-11.05	-8.38	-13.61	-22.72	-22.37	-21.49	-24.53	-10.77	-11.18	-14.31	-15.31	-13.74
3700 MHz	-7.20	-8.96	-10.44	-11.00	-8.59	-13.45	-22.88	-22.08	-21.84	-25.18	-10.85	-11.17	-14.06	-15.15	-13.65
3750 MHz	-7.07	-8.78	-10.21	-10.88	-8.47	-13.96	-23.30	-23.54	-23.84	-25.26	-10.83	-11.04	-13.75	-14.95	-13.44
3800 MHz	-7.50	-8.83	-10.03	-10.71	-8.50	-13.44	-23.52	-22.28	-22.01	-26.06	-10.77	-11.05	-13.53	-14.82	-13.31
3850 MHz	-7.58	-8.82	-9.97	-10.81	-8.69	-13.33	-23.82	-21.45	-22.09	-26.30	-10.70	-11.03	-13.20	-14.85	-13.25
3900 MHz	-7.68	-8.81	-10.00	-10.80	-8.68	-13.41	-24.48	-20.78	-21.88	-26.47	-10.70	-11.00	-13.48	-14.88	-13.30
3950 MHz	-7.47	-8.66	-10.48	-10.66	-8.46	-13.68	-24.77	-21.04	-21.66	-26.46	-10.64	-11.01	-13.66	-14.77	-13.25
3980 MHz	-7.45	-8.50	-10.44	-10.54	-8.27	-13.90	-24.84	-20.11	-21.36	-26.76	-10.18	-11.03	-13.33	-14.68	-13.13

XY Plane	Total (Max.)	Horizontal (Max.)	Vertical (Max.)	L2CP (Max.)	R2CP (Max.)	Total (Min.)	Horizontal (Min.)	Vertical (Min.)	L2CP (Min.)	R2CP (Min.)	Total (Avg.)	Horizontal (Avg.)	Vertical (Avg.)	L2CP (Avg.)	R2CP (Avg.)
3000 MHz	-3.27	-3.80	-5.34	-4.40	-3.36	-10.32	-18.61	-20.48	-15.65	-13.39	-6.94	-8.01	-10.13	-10.37	-11.27
3050 MHz	-3.46	-3.55	-5.20	-4.41	-3.47	-10.11	-18.28	-20.46	-15.61	-13.60	-7.02	-8.04	-10.11	-10.41	-11.21
3100 MHz	-3.45	-3.54	-5.14	-4.45	-3.45	-10.00	-17.71	-20.00	-15.54	-13.63	-7.02	-8.07	-10.09	-10.40	-11.20
3150 MHz	-3.52	-3.49	-4.83	-5.28	-3.49	-10.31	-17.81	-21.37	-16.47	-13.87	-6.89	-8.05	-10.08	-10.39	-11.01
3200 MHz	-3.21	-3.89	-5.30	-4.53	-3.50	-10.56	-20.36	-21.93	-16.31	-14.31	-6.88	-8.08	-10.28	-10.56	-11.13
3250 MHz	-3.46	-3.86	-5.34	-5.71	-3.72	-10.25	-20.01	-21.24	-16.01	-14.61	-6.91	-8.04	-10.08	-10.47	-11.11
3300 MHz	-3.01	-3.14	-4.20	-5.84	-3.71	-10.50	-20.25	-20.30	-15.91	-15.56	-6.88	-8.08	-10.08	-10.66	-11.21
3350 MHz	-3.07	-3.31	-4.40	-5.92	-3.83	-10.00	-20.58	-20.22	-16.17	-15.19	-7.09	-8.05	-10.09	-10.77	-11.28
3400 MHz	-3.30	-3.32	-4.35	-6.00	-3.60	-10.11	-20.12	-19.46	-16.77	-15.11	-7.10	-8.10	-10.00	-10.90	-11.40
3450 MHz	-3.47	-3.75	-4.81	-6.05	-3.66	-10.17	-20.27	-20.20	-16.71	-15.09	-7.11	-8.10	-10.00	-11.00	-11.40
3500 MHz	-3.37	-4.12	-4.87	-6.39	-3.38	-10.29	-20.29	-20.07	-16.59	-15.73	-7.08	-8.11	-10.06	-11.13	-11.74
3550 MHz	-3.38	-4.16	-4.76	-6.33	-3.62	-10.13	-20.41	-20.36	-16.36	-15.85	-7.13	-8.11	-10.13	-11.13	-11.75
3600 MHz	-3.47	-4.10	-4.11	-6.01	-3.61	-10.08	-20.07	-20.71	-16.40	-16.41	-7.10	-8.11	-10.01	-11.01	-11.67
3650 MHz	-3.76	-4.16	-5.07	-6.00	-3.71	-10.30	-20.78	-20.39	-16.71	-16.15	-7.12	-8.11	-10.78	-11.00	-11.66
3700 MHz	-3.41	-4.38	-5.28	-6.11	-3.63	-10.38	-21.11	-20.38	-16.71	-16.04	-7.11	-8.10	-10.78	-11.10	-11.50
3750 MHz	-3.53	-4.08	-5.73	-6.25	-3.60	-10.70	-20.53	-20.75	-16.98	-16.06	-7.10	-8.10	-10.64	-11.07	-11.47
3800 MHz	-3.45	-4.21	-5.44	-6.34	-3.61	-10.51	-20.72	-20.81	-17.13	-16.01	-7.11	-8.10	-10.64	-11.06	-11.46
3850 MHz	-3.68	-4.31	-5.85	-6.54	-3.60	-10.75	-20.31	-20.67	-17.00	-16.05	-7.10	-8.10	-10.66	-11.06	-11.43
3900 MHz	-3.68	-4.30	-5.76	-6.50	-3.60	-10.83	-20.53	-20.44	-17.03	-16.07	-7.10	-8.10	-10.63	-11.03	-11.43
3950 MHz	-3.64	-4.34	-5.69	-6.50	-3.61	-10.68	-20.26	-20.82	-17.04	-16.01	-7.10	-8.10	-10.63	-11.03	-11.42

XY Plane	Total (Max.)	Horizontal (Max.)	Vertical (Max.)	L2CP (Max.)	R2CP (Max.)	Total (Min.)	Horizontal (Min.)	Vertical (Min.)	L2CP (Min.)	R2CP (Min.)	Total (Avg.)	Horizontal (Avg.)	Vertical (Avg.)	L2CP (Avg.)	R2CP (Avg.)
3000 MHz	-3.58	-4.40	-5.99	-5.94	-3.94	-13.95	-24.05	-26.45	-19.43	-18.45	-8.43	-9.46	-11.63	-11.88	-12.88
3050 MHz	-3.40	-4.36	-5.84	-5.27	-3.46	-13.86	-23.60	-25.11	-17.89	-17.74	-8.74	-9.53	-11.54	-11.83	-12.68
3100 MHz	-3.45	-4.28	-5.80	-5.51	-3.53	-13.92	-24.02	-25.42	-18.01	-18.01	-8.70	-9.48	-11.50	-11.80	-12.68
3150 MHz	-3.53	-4.29	-5.83	-5.28	-3.49	-13.81	-23.78	-24.37	-18.47	-18.87	-8.69	-9.48	-11.65	-11.90	-12.61
3200 MHz	-3.24	-4.06	-5.34	-5.71	-3.72	-13.85	-23.80	-24.24	-18.81	-18.81	-8.69	-9.48	-11.68	-11.87	-12.51
3250 MHz	-3.01	-3.14	-4.20	-5.84	-3.71	-13.50	-20.25	-20.30	-15.91	-15.56	-6.88	-8.08	-10.08	-10.66	-11.21
3300 MHz	-3.07	-3.31	-4.40	-5.92	-3.83	-13.00	-20.58	-20.22	-16.17	-15.19	-7.09	-8.05	-10.09	-10.77	-11.28
3350 MHz	-3.30	-3.32	-4.35	-6.00	-3.60	-13.11	-20.12	-19.46	-16.77	-15.11	-7.10	-8.10	-10.00	-10.90	-11.40
3400 MHz	-3.47	-3.75	-4.81	-6.05	-3.66	-13.17	-20.27	-20.20	-16.71	-15.09	-7.11	-8.10	-10.00	-11.00	-11.40
3450 MHz	-3.37	-4.12	-4.87	-6.39	-3.38	-13.29	-20.29	-20.07	-16.59	-15.73	-7.08	-8.11	-10.06	-11.13	-11.74
3500 MHz	-3.38	-4.16	-4.76	-6.33	-3.62	-13.13	-20.41	-20.36	-16.36	-15.85	-7.13	-8.11	-10.13	-11.13	-11.75
3550 MHz	-3.47	-4.10	-4.11	-6.01	-3.61	-13.08	-20.07	-20.71	-16.40	-16.41	-7.10	-8.11	-10.01	-11.01	-11.67
3600 MHz	-3.76	-4.16	-5.07	-6.00	-3.71	-13.30	-20.78	-20.39	-16.71	-16.15	-7.12	-8.11	-10.78	-11.00	-11.66
3650 MHz	-3.41	-4.38	-5.28	-6.11	-3.63	-13.38	-21.11	-20.38	-16.71	-16.04	-7.11	-8.10	-10.78	-11.10	-11.50
3700 MHz	-3.53	-4.08	-5.73	-6.25	-3.60	-13.70	-20.53	-20.75	-16.98	-16.06	-7.10	-8.10	-10.64	-11.07	-11.47
3750 MHz	-3.45	-4.21	-5.44	-6.34	-3.61	-13.51	-20.72	-20.81	-17.13	-16.01	-7.11	-8.10	-10.64	-11.06	-11.46
3800 MHz	-3.68	-4.31	-5.85	-6.54	-3.60	-13.75	-20.31	-20.67	-17.00	-16.05	-7.10	-8.10	-10.66	-11.06	-11.43
3850 MHz	-3.68	-4.30	-5.76	-6.50	-3.60	-13.83	-20.53	-20.44	-17.03	-16.07	-7.10	-8.10	-10.63	-11.03	-11.43
3900 MHz	-3.64	-4.34	-5.69	-6.50	-3.61	-13.68	-20.26	-20.82	-17.04	-16.01	-7.10	-8.10	-10.63	-11.03	-11.42

XY Plane	Total (Max.)	Horizontal (Max.)	Vertical (Max.)	L2CP (Max.)	R2CP (Max.)	Total (Min.)	Horizontal (Min.)	Vertical (Min.)	L2CP (Min.)	R2CP (Min.)	Total (Avg.)	Horizontal (Avg.)	Vertical (Avg.)	L2CP (Avg.)	R2CP (Avg.)
3000 MHz	-3.58	-4.40	-5.99	-5.94	-3.94	-13.95	-24.05	-26.45	-19.43	-18.45	-8.43	-9.46	-11.63	-11.88	-12.88
3050 MHz	-3.40	-4.36	-5.84	-5.27	-3.46	-13.86	-23.60	-25.11	-17.89	-17.74	-8.74	-9.53	-11.54	-11.83	-12.68
3100 MHz	-3.45	-4.28	-5.80	-5.51	-3.53	-13.92	-24.02	-25.42	-18.01	-18.01	-8.70	-9.48	-11.50	-11.80	-12.68
3150 MHz	-3.53	-4.29	-5.83	-5.28	-3.49	-13.81	-23.78	-24.37	-18.47	-18.87	-8.69	-9.48	-11.65	-11.90	-12.61
3200 MHz	-3.24	-4.06	-5.34	-5.71	-3.72	-13.85	-23.80	-24.24	-18.81	-18.81	-8.69	-9.48	-11.68	-11.87	-12.51
3250 MHz	-3.01	-3.14	-4.20	-5.84	-3.71	-13.50	-20.25	-20.30	-15.91	-15.56	-6.88	-8.08	-10.08	-10.66	-11.21
3300 MHz	-3.07	-3.31	-4.40	-5.92	-3.83	-13.00	-20.58	-20.22	-16.17	-15.19	-7.09	-8.05	-10.09	-10.77	-11.28
3350 MHz	-3.30	-3.32	-4.35	-6.00	-3.60	-13.11	-20.12	-19.46	-16.77	-15.11	-7.10	-8.10	-10.00	-10.90	-11.40
3400 MHz	-3.47	-3.75	-4.81	-6.05	-3.66	-13.17	-20.27	-20.20	-16.71	-15.09	-7.11	-8.10	-10.00	-11.00	-11.40
3450 MHz	-3.37	-4.12	-4.87	-6.39	-3.38	-13.29	-20.29	-20.07	-16.59	-15.73	-7.08	-8.11	-10.06	-11.13	-11.74
3500 MHz	-3.38	-4.16	-4.76	-6.33	-3.62	-13.13	-20.41	-20.36	-16.36	-15.85	-7.13	-8.11	-10.13	-11.13	-11.75
3550 MHz	-3.47	-4.10	-4.11	-6.01	-3.61	-13.08	-20.07	-20.71	-16.40	-16.41	-7.10	-8.11	-10.01	-11.01	-11.67
3600 MHz	-3.76	-4.16	-5.07	-6.00</											