



Attachment B

(Photo documentation of the test set-up)

Type / Model Name : IPH-HH50

Product Description : Slid on device with integrated LF-RFID Reader (125 kHz)

Type / Model Name : IQH1-HH50

Product Description : Slid on device with integrated HF-RFID Reader (13,56MHz)

Applicant : Pepperl+Fuchs Inc.

Address : 1600 Enterprise Parkway
Twinsburg OH 44087

Manufacturer : ACD Elektronik GmbH

Address : Engelberg 2
88480 Achstetten, Germany

according to

File No. : T46680-00HU	22. December 2020
	Date of issue

The Attachment A merely corresponds to the test sample.
It is not permitted to copy extracts of these test results
without the written permission of the test laboratory.

Contents

1	<u>Photo documentation of the test set-up</u>	3
1.1	Field strength of fundamental wave:	3
1.2	Spurious emissions (magnetic field) 9 kHz – 30 MHz:	4
1.3	Spurious emissions 30 MHz – 1 GHz:	5
1.4	Emission bandwidth / Occupied bandwidth:	6
1.5	Frequency tolerance / Transmitter spectrum mask:	7

1 Photo documentation of the test set-up

1.1 Field strength of fundamental wave:



1.2 Spurious emissions (magnetic field) 9 kHz – 30 MHz:





The test report merely corresponds to the test sample. It is not permitted to copy extracts of these test results without the written permission of the test laboratory.

1.3 Spurious emissions 30 MHz – 1 GHz:



The test report merely corresponds to the test sample. It is not permitted to copy extracts of these test results without the written permission of the test laboratory.

1.4 Emission bandwidth / Occupied bandwidth:



1.5 Frequency tolerance / Transmitter spectrum mask:

