



APPENDIX B. Test Pattern

1.1. Hopping Channel Separation


Model : CH00 (2402MHz)



Mode 2 : CH39 (2441MHz)




Mode 3 : CH78 (2480MHz)



1.2. Number of Hopping Channel


Mode 1 : BT-NO-HP



Date: 20.JAN.2004 14:54:07

1.3. Hopping Channel Bandwidth


Mode 1 : CH00 (2402MHz)



Mode 2 : CH39 (2441MHz)




Ref 16 dBm *Att 25 dB *RBW 100 kHz Marker 1 [T1] 0.87 dBm
 *VBW 100 kHz 2.440976000 GHz
 *SWT 500 ms



Mode 3 : CH78 (2480MHz)



Ref 16 dBm *Att 25 dB *RBW 100 kHz Marker 1 [T1]
 *VBW 100 kHz -0.32 dBm
 *SWT 500 ms 2.479972000 GHz




Date: 18.FEB.2004 22:32:40

1.4. Dwell Time of Each Frequency

Mode 1 : CH00 (2402MHz)



Ref 11 dBm *Att 20 dB RBW 1 MHz Marker 2 [T1]
 *VBW 1 MHz -38.11 dBm
 SWT 2 ms 1.268000 ms




Date: 20.JAN.2004 15:07:37

Mode 2 : CH39 (2441MHz)



Ref 11 dBm *Att 20 dB RBW 1 MHz Marker 2 [T1]
*VBW 1 MHz -20.76 dBm
SWT 2 ms 1.264000 ms




Date: 20.JAN.2004 15:08:21

Mode 3 : CH78 (2480MHz)




Ref 11 dBm *Att 20 dB RBW 1 MHz Marker 2 [T1]
*VBW 1 MHz -20.80 dBm
SWT 2 ms 1.264000 ms



Date: 20.JAN.2004 15:09:02

1.5. Output Power

Mode 1 : CH00 (2402MHz)




Mode 2 : CH39 (2441MHz)



*RBW 1 MHz Marker 1 [T1]
*VBW 1 MHz 1.94 dBm
*SWT 500 ms 2.441120000 GHz

Ref 16 dBm

*Att 25 dB



Mode 3 : CH78 (2480MHz)



Ref 16 dBm *Att 25 dB *RBW 1 MHz Marker 1 [T1]
*VBW 1 MHz 0.95 dBm
*SWT 500 ms 2.48012000 GHz

