



NOTES:

1. MATERIAL: 3M7222 SILVER MATTE THERMAL TRANSFER POLYESTER LABEL.
2. THICKNESS: 0.05MM (.002") WITH 0.02MM (.0008") THICK ADHESIVE.
3. GRAPHICS COLOR: BLACK
4. ALL MATERIALS AND PROCESS MUST BE ROHS COMPLIANT PER EU DIRECTIVE 2002/95/EC.
5. CAMERA READY ARTWORK PROVIDED IN .eps FORMAT.

REV	DESCRIPTION	INITIALS	CONTROL #	DATE
25	RELEASE TO DEVELOPMENT	TW	CUB01558	12-AUG-10
26	CHANGE TO "MADE IN USA"	LI	CUB01603	24-SEP-10
27	ADD COMPLIANCE ARTWORK. MODIFY INNER GEOMETRY	LN	CUB01620	13-OCT-10



PROPRIETARY AND CONFIDENTIAL

This document and the specifications and information contained herein are the exclusive property of Echelon and shall not be copied, reproduced, or disclosed outside of Echelon except as required to execute the terms of a contract or purchase order issued by Echelon. They shall not be included in any proposal or presentation materials without prior written direction of Echelon Corporation.

**ECHELON**

550 Meridian Avenue
San Jose, CA 95126
408-938-5200
fax 790-3800

DIMENSIONS ARE IN MM

TOLERANCES UNLESS
OTHERWISE SPECIFIED:

ANGULAR/BEND: ± 0.5 °
0.50 - 6.00: ± 0.05
6.01 - 30.00: ± 0.1
30.01 - 120.00: ± 0.2
120.01 - 400.00: ± 0.4
>400.00: ± 0.5

Title:

LABEL, PRODUCT - SLB

Doc. #:

272-0479-51

Rev

27

Eng:

TW

Drawn By:

TW

Date:

12-AUG-10

Material:

SEE NOTES

Finish:

NA

Sheet

1

of

1



This device complies with Part 15 of FCC rules. Operation is subject to the following two conditions: 1) This device may not cause harmful interference and, 2) This device must accept any interference that may be received, including interference that may cause undesired operation. FCC Class B
FCC ID: IZP76510R



Made in USA

Model No.
76520R

Month/Year Installed



100-277 VAC 50/60Hz 37-22mA OUTPUT LOAD CURRENT: 15A

