


## APPENDIX I PHOTOGRAPHS OF TEST SETUP



## APPENDIX II TEST PROCEDURE



Set up EUT and AP





### Set up AP Channel at 5500MHz

```
1 - 超級終端機
檔案(F) 編輯(E) 檢視(V) 呼叫(C) 轉送(T) 說明(H)
[Icons]


ap>
ap>
ap>
ap>en
Password:
ap#debug dot11 dot11 1 dfs test
ap#
ap#debug dot11 dot11 1 dfs clear
ap#
ap#config terminal
Enter configuration commands, one per line. End with CNTL/Z.
ap(config)#
ap(config)#int dot11 1
ap(config-if)#
ap(config-if)#dfs chan 5500
ap(config-if)#
ap(config-if)#end
ap#
*Mar 1 00:11:08.007: %LINK-5-CHANGED: Interface Dot11Radio1, changed state to r
eset
*Mar 1 00:11:08.009: %SYS-5-CONFIG_I: Configured from console by console
ap#
*Mar 1 00:11:08.035: %LINK-3-UPDOWN: Interface Dot11Radio1, changed state to up
*Mar 1 00:11:10.007: %LINK-3-UPDOWN: Interface BVI1, changed state to down_

連線 00:11:30 自動偵測 9600 8-N-1 SCROLL CAPS NUM 關 列印
開始 [Icons] Yahoo! 新增文... 711080... robert... Set up ... 1-超... CH 下午 07:06
```


### Connect to USB port



## Setup Driver- Step1-Select “No”




## Step2 Select (S) & “Next”




### Step3


Select “Yathish walkbuild from Majid”file & OK



Select “Continue”




Select "OK"



Please wait & Refresh




### Select "CCS-DFS" Link to AP




### Successful link to AP



### Setup IP address “10.0.0.XX”



### Done



Play the MPEG test video file from the Master to the Slave.