





FR1 n77 / 80MHz / DFT-S OFDM / PI/2 BPSK

Lowest Band Edge / Full RB



Highest Band Edge / Full RB



FR1 n77 / 80MHz / DFT-S OFDM / QPSK

Lowest Band Edge / Full RB

Highest Band Edge / Full RB







FR1 n77 / 80MHz / DFT-S OFDM / 16QAM

Lowest Band Edge / Full RB



Highest Band Edge / Full RB



FR1 n77 / 80MHz / DFT-S OFDM / 64QAM

Lowest Band Edge / Full RB

Highest Band Edge / Full RB







FR1 n77 / 80MHz / DFT-S OFDM / 256QAM

Lowest Band Edge / Full RB



Highest Band Edge / Full RB



FR1 n77 / 80MHz / CP OFDM / QPSK / Full RB

Lowest Band Edge

Highest Band Edge







FR1 n77 / 90MHz / DFT-S OFDM / PI/2 BPSK

Lowest Band Edge / Full RB



Highest Band Edge / Full RB



FR1 n77 / 90MHz / DFT-S OFDM / QPSK

Lowest Band Edge / Full RB

Highest Band Edge / Full RB







FR1 n77 / 90MHz / DFT-S OFDM / 16QAM

Lowest Band Edge / Full RB



Highest Band Edge / Full RB



FR1 n77 / 90MHz / DFT-S OFDM / 64QAM

Lowest Band Edge / Full RB

Highest Band Edge / Full RB







FR1 n77 / 90MHz / DFT-S OFDM / 256QAM

Lowest Band Edge / Full RB



Highest Band Edge / Full RB



FR1 n77 / 90MHz / CP OFDM / QPSK / Full RB

Lowest Band Edge

Highest Band Edge







FR1 n77 / 100MHz / DFT-S OFDM / PI/2 BPSK

Lowest Band Edge / Full RB



Highest Band Edge / Full RB



FR1 n77 / 100MHz / DFT-S OFDM / QPSK

Lowest Band Edge / Full RB

Highest Band Edge / Full RB







FR1 n77 / 100MHz / DFT-S OFDM / 16QAM

Lowest Band Edge / Full RB



Highest Band Edge / Full RB



FR1 n77 / 100MHz / DFT-S OFDM / 64QAM

Lowest Band Edge / Full RB

Highest Band Edge / Full RB









FR1 n77 / 100MHz / DFT-S OFDM / 256QAM

Lowest Band Edge / Full RB



Highest Band Edge / Full RB



FR1 n77 / 100MHz / CP OFDM / QPSK / Full RB

Lowest Band Edge

Highest Band Edge







# Conducted Spurious Emission


FR1 n77 / 10MHz / DFT-S OFDM / QPSK / 1RB1

## Lowest Channel

## Middle Channel



## Highest Channel





### Frequency Stability

Test Conditions		FR1 n77 (BPSK) / Middle Channel	Limit
Temperature (°C)	Voltage (Volt)	BW 20MHz	Note 2.
		Deviation (ppm)	Result
50	Normal Voltage	0.0041	PASS
40	Normal Voltage	0.0047	
30	Normal Voltage	0.0035	
20(Ref.)	Normal Voltage	0.0000	
10	Normal Voltage	0.0040	
0	Normal Voltage	0.0032	
-10	Normal Voltage	0.0038	
-20	Normal Voltage	0.0043	
-30	Normal Voltage	0.0032	
20	Maximum Voltage	0.0009	
20	Normal Voltage	0.0000	
20	Battery End Point	0.0029	

**Note:**

1. Normal Voltage = 3.3 V. ; Battery End Point (BEP) = 3.135 V. ; Maximum Voltage = 3.465 V.
2. The frequency fundamental emissions stay within the authorized frequency block.



## Appendix B. Test Results of Radiated Test

### B1. Summary of each worse mode

Mode	Part	Band	Ch	Freq (MHz)	Level (dBm)	Det	Ant Factor (dB)	Amp\Cbl (dB)	Filter (dB)	EIRPCF (dB)	Reading (dBUV)	Limit (dBm)	Margin (dB)	Pol	Ant
4	Part 22H	NR SA n26	H	3321	-58.12	RMS	29.60	-25.07	0.25	-95.23	32.33	-13.00	-45.12	H	0
14	Part 24E	NR SA n25	H	5631	-48.33	RMS	33.06	-22.11	0.49	-95.23	35.46	-13.00	-35.33	V	0
15	Part 24E	NR SA n25	M	7459	-49.28	RMS	36.28	-20.82	0.62	-95.23	29.87	-13.00	-36.28	H	3
16	Part 24E	NR SA n25	M	5594	-48.82	RMS	32.99	-22.12	0.49	-95.23	35.05	-13.00	-35.82	H	1
17	Part 24E	NR SA n25	M	7459	-49.15	RMS	36.28	-20.82	0.62	-95.23	30.00	-13.00	-36.15	H	2
18	Part 24E	NR SA n25 MIMO	H	7509	-48.49	RMS	36.16	-20.73	0.59	-95.23	30.72	-13.00	-35.49	H	0+2
19	Part 24E	NR SA n25 MIMO	M	7459	-49.76	RMS	36.28	-20.82	0.62	-95.23	29.39	-13.00	-36.76	V	0+1
20	Part 24E	NR SA n25 MIMO	M	7459	-49.40	RMS	36.28	-20.82	0.62	-95.23	29.75	-13.00	-36.40	V	0+3
21	Part 24E	NR SA n25 MIMO	M	7459	-49.36	RMS	36.28	-20.82	0.62	-95.23	29.79	-13.00	-36.36	H	1+2
22	Part 24E	NR SA n25 MIMO	M	7459	-49.14	RMS	36.28	-20.82	0.62	-95.23	30.01	-13.00	-36.14	H	1+0
23	Part 24E	NR SA n25 MIMO	M	7459	-49.47	RMS	36.28	-20.82	0.62	-95.23	29.68	-13.00	-36.47	V	1+3
24	Part 24E	NR SA n25 MIMO	M	7459	-49.55	RMS	36.28	-20.82	0.62	-95.23	29.60	-13.00	-36.55	H	2+0
25	Part 24E	NR SA n25 MIMO	M	7459	-49.46	RMS	36.28	-20.82	0.62	-95.23	29.69	-13.00	-36.46	H	2+1
26	Part 24E	NR SA n25 MIMO	M	7459	-49.42	RMS	36.28	-20.82	0.62	-95.23	29.73	-13.00	-36.42	V	2+3
27	Part 24E	NR SA n25 MIMO	M	7459	-49.69	RMS	36.28	-20.82	0.62	-95.23	29.46	-13.00	-36.69	V	3+2
28	Part 24E	NR SA n25 MIMO	M	7459	-49.13	RMS	36.28	-20.82	0.62	-95.23	30.02	-13.00	-36.13	H	3+0
29	Part 24E	NR SA n25 MIMO	M	7459	-49.52	RMS	36.28	-20.82	0.62	-95.23	29.63	-13.00	-36.52	V	3+1
43	Part 27L	NR SA n66	H	6969	-49.30	RMS	35.84	-20.62	0.47	-95.23	30.24	-13.00	-36.30	V	0
44	Part 27L	NR SA n66	M	6909	-50.22	RMS	35.80	-20.62	0.46	-95.23	29.37	-13.00	-37.22	V	3
45	Part 27L	NR SA n66	M	6909	-50.57	RMS	35.80	-20.62	0.46	-95.23	29.02	-13.00	-37.57	V	1
46	Part 27L	NR SA n66	M	6909	-50.04	RMS	35.80	-20.62	0.46	-95.23	29.55	-13.00	-37.04	V	2
47	Part 27L	NR SA n70	H	6803	-49.67	RMS	35.89	-20.63	0.45	-95.23	29.85	-13.00	-36.67	H	0
48	Part 27L	NR SA n70	M	6793	-50.47	RMS	35.89	-20.66	0.45	-95.23	29.08	-13.00	-37.47	V	3
49	Part 27L	NR SA n70	M	6793	-50.23	RMS	35.89	-20.66	0.45	-95.23	29.32	-13.00	-37.23	V	1
50	Part 27L	NR SA n70	M	6793	-50.27	RMS	35.89	-20.66	0.45	-95.23	29.28	-13.00	-37.27	H	2
52	Part 27H	NR SA n12	H	2104	-56.81	RMS	27.28	-26.86	0.14	-95.23	37.86	-13.00	-43.81	V	0
54	Part 27F	NR SA n13	H	1565	-63.70	RMS	25.20	-28.70	0.45	-95.23	34.58	-42.15	-21.55	H	0



Mode	Part	Band	Ch	Freq (MHz)	Level (dBm)	Det	Ant Factor (dB)	Amp\Cbl (dB)	Filter (dB)	EIRPCF (dB)	Reading (dBuV)	Limit (dBm)	Margin (dB)	Pol	Ant
61	Part 27D	NR SA n30	M	6930	-50.88	RMS	35.80	-44.33	0.46	-95.23	52.42	-40.00	-10.88	V	0
62	Part 27D	NR SA n30	M	6930	-52.79	RMS	35.80	-43.87	0.46	-95.23	50.05	-40.00	-12.79	V	3
63	Part 27D	NR SA n30	M	11550	-52.44	RMS	38.90	-43.09	0.53	-95.23	46.45	-40.00	-12.44	V	1
64	Part 27D	NR SA n30	M	11539	-52.92	RMS	38.92	-43.07	0.53	-95.23	45.93	-40.00	-12.92	V	2
66	Part 27N	NR SA n71	M	2687	-59.31	RMS	28.33	-26.08	0.22	-95.23	33.45	-13.00	-46.31	V	0
85	Part 27M	NR SA n7	M	10069	-43.82	RMS	38.66	-18.07	0.58	-95.23	30.24	-25.00	-18.82	H	0
86	Part 27M	NR SA n7	M	10069	-44.69	RMS	38.66	-18.07	0.58	-95.23	29.37	-25.00	-19.69	V	3
87	Part 27M	NR SA n7	M	10069	-45.02	RMS	38.66	-18.07	0.58	-95.23	29.04	-25.00	-20.02	H	1
88	Part 27M	NR SA n7	M	10069	-44.80	RMS	38.66	-18.07	0.58	-95.23	29.26	-25.00	-19.80	V	2
89	Part 27M	NR SA n41 HPUE	H	10365	-44.16	RMS	38.80	-17.97	0.57	-95.23	29.67	-25.00	-19.16	H	0
90	Part 27M	NR SA n41 HPUE	M	10371	-43.99	RMS	38.80	-17.97	0.57	-95.23	29.84	-25.00	-18.99	V	3
91	Part 27M	NR SA n41 HPUE	M	10371	-44.15	RMS	38.80	-17.97	0.57	-95.23	29.68	-25.00	-19.15	H	1
92	Part 27M	NR SA n41 HPUE	M	10371	-44.03	RMS	38.80	-17.97	0.57	-95.23	29.80	-25.00	-19.03	V	2
93	Part 27M	NR SA n7 MIMO	H	7596	-42.81	RMS	36.09	-20.58	0.54	-95.23	36.37	-25.00	-17.81	V	0+2
94	Part 27M	NR SA n7 MIMO	M	7551	-43.74	RMS	36.00	-20.66	0.57	-95.23	35.58	-25.00	-18.74	V	0+1
95	Part 27M	NR SA n7 MIMO	M	10069	-46.03	RMS	38.66	-18.07	0.58	-95.23	28.03	-25.00	-21.03	H	0+3
96	Part 27M	NR SA n7 MIMO	M	10069	-45.90	RMS	38.66	-18.07	0.58	-95.23	28.16	-25.00	-20.90	H	1+2
97	Part 27M	NR SA n7 MIMO	M	10069	-46.15	RMS	38.66	-18.07	0.58	-95.23	27.91	-25.00	-21.15	V	1+0
98	Part 27M	NR SA n7 MIMO	M	10069	-45.43	RMS	38.66	-18.07	0.58	-95.23	28.63	-25.00	-20.43	V	1+3
99	Part 27M	NR SA n7 MIMO	M	7551	-43.85	RMS	36.00	-20.66	0.57	-95.23	35.47	-25.00	-18.85	V	2+0
100	Part 27M	NR SA n7 MIMO	M	10069	-45.19	RMS	38.66	-18.07	0.58	-95.23	28.87	-25.00	-20.19	H	2+1
101	Part 27M	NR SA n7 MIMO	M	10069	-45.32	RMS	38.66	-18.07	0.58	-95.23	28.74	-25.00	-20.32	V	2+3
102	Part 27M	NR SA n7 MIMO	M	10069	-45.51	RMS	38.66	-18.07	0.58	-95.23	28.55	-25.00	-20.51	H	3+2
103	Part 27M	NR SA n7 MIMO	M	10069	-45.40	RMS	38.66	-18.07	0.58	-95.23	28.66	-25.00	-20.40	H	3+0
104	Part 27M	NR SA n7 MIMO	M	10069	-45.16	RMS	38.66	-18.07	0.58	-95.23	28.90	-25.00	-20.16	V	3+1
105	Part 27M	NR SA n41 MIMO(PC1.5)	L	7491	-39.20	RMS	36.22	-20.76	0.60	-95.23	39.97	-25.00	-14.20	H	0+2
106	Part 27M	NR SA n41 MIMO(PC1.5)	M	10177	-44.70	RMS	38.65	-18.03	0.57	-95.23	29.34	-25.00	-19.70	H	0+1
107	Part 27M	NR SA n41 MIMO(PC1.5)	M	10177	-43.85	RMS	38.65	-18.03	0.57	-95.23	30.19	-25.00	-18.85	H	0+3
108	Part 27M	NR SA n41 MIMO(PC1.5)	M	10177	-44.40	RMS	38.65	-18.03	0.57	-95.23	29.64	-25.00	-19.40	V	1+2



Mode	Part	Band	Ch	Freq (MHz)	Level (dBm)	Det	Ant Factor (dB)	Amp\Cbl (dB)	Filter (dB)	EIRPCF (dB)	Reading (dBuV)	Limit (dBm)	Margin (dB)	Pol	Ant
109	Part 27M	NR SA n41 MIMO(PC1.5)	M	10177	-44.13	RMS	38.65	-18.03	0.57	-95.23	29.91	-25.00	-19.13	H	1+0
110	Part 27M	NR SA n41 MIMO(PC1.5)	M	10177	-44.72	RMS	38.65	-18.03	0.57	-95.23	29.32	-25.00	-19.72	H	1+3
111	Part 27M	NR SA n41 MIMO(PC1.5)	M	10177	-44.15	RMS	38.65	-18.03	0.57	-95.23	29.89	-25.00	-19.15	H	2+0
112	Part 27M	NR SA n41 MIMO(PC1.5)	M	10177	-44.62	RMS	38.65	-18.03	0.57	-95.23	29.42	-25.00	-19.62	H	2+1
113	Part 27M	NR SA n41 MIMO(PC1.5)	M	10177	-44.73	RMS	38.65	-18.03	0.57	-95.23	29.31	-25.00	-19.73	V	2+3
114	Part 27M	NR SA n41 MIMO(PC1.5)	M	10177	-44.43	RMS	38.65	-18.03	0.57	-95.23	29.61	-25.00	-19.43	H	3+2
115	Part 27M	NR SA n41 MIMO(PC1.5)	M	10177	-44.73	RMS	38.65	-18.03	0.57	-95.23	29.31	-25.00	-19.73	H	3+0
116	Part 27M	NR SA n41 MIMO(PC1.5)	M	10177	-44.76	RMS	38.65	-18.03	0.57	-95.23	29.28	-25.00	-19.76	H	3+1
125	Part 27Q	NR SA n77 HPUE	H	10385	-41.11	RMS	38.80	-17.96	0.28	-95.23	33.00	-13.00	-28.11	H	2
126	Part 27Q	NR SA n77 HPUE	L	10363	-40.48	RMS	38.80	-17.97	0.28	-95.23	33.64	-13.00	-27.48	V	0
127	Part 27Q	NR SA n77 HPUE	M	10369	-41.36	RMS	38.80	-17.97	0.28	-95.23	32.76	-13.00	-28.36	V	1
128	Part 27Q	NR SA n77 HPUE	M	13825	-40.75	RMS	40.10	-16.69	-0.05	-95.23	31.12	-13.00	-27.75	V	3
129	Part 27Q	NR SA n77 MIMO HPUE(PC1.5)	M	13837	-41.67	RMS	40.10	-16.68	-0.05	-95.23	30.19	-13.00	-28.67	V	2+0
130	Part 27Q	NR SA n77 MIMO HPUE(PC1.5)	M	13837	-42.00	RMS	40.10	-16.68	-0.05	-95.23	29.86	-13.00	-29.00	V	2+1
131	Part 27Q	NR SA n77 MIMO HPUE(PC1.5)	M	13837	-42.11	RMS	40.10	-16.68	-0.05	-95.23	29.75	-13.00	-29.11	H	2+3
132	Part 27Q	NR SA n77 MIMO HPUE(PC1.5)	M	13837	-41.99	RMS	40.10	-16.68	-0.05	-95.23	29.87	-13.00	-28.99	H	0+1
133	Part 27Q	NR SA n77 MIMO HPUE(PC1.5)	L	13817	-41.53	RMS	40.10	-16.69	-0.04	-95.23	30.33	-13.00	-28.53	V	0+2
134	Part 27Q	NR SA n77 MIMO HPUE(PC1.5)	M	13837	-42.21	RMS	40.10	-16.68	-0.05	-95.23	29.65	-13.00	-29.21	V	0+3
135	Part 27Q	NR SA n77 MIMO HPUE(PC1.5)	M	13837	-41.93	RMS	40.10	-16.68	-0.05	-95.23	29.93	-13.00	-28.93	V	1+0
136	Part 27Q	NR SA n77 MIMO HPUE(PC1.5)	M	13837	-42.10	RMS	40.10	-16.68	-0.05	-95.23	29.76	-13.00	-29.10	V	1+2
137	Part 27Q	NR SA n77 MIMO HPUE(PC1.5)	M	13837	-41.98	RMS	40.10	-16.68	-0.05	-95.23	29.88	-13.00	-28.98	H	1+3
138	Part 27Q	NR SA n77 MIMO HPUE(PC1.5)	M	13837	-41.90	RMS	40.10	-16.68	-0.05	-95.23	29.96	-13.00	-28.90	H	3+0
139	Part 27Q	NR SA n77 MIMO HPUE(PC1.5)	M	13837	-42.13	Average	40.10	-16.69	-0.04	-95.23	29.73	-13.00	-29.13	V	3+1
140	Part 27Q	NR SA n77 MIMO HPUE(PC1.5)	M	13837	-41.79	RMS	40.10	-16.68	-0.05	-95.23	30.07	-13.00	-28.79	V	3+2



Mode	Part	Band	Ch	Freq (MHz)	Level (dBm)	Det	Ant Factor (dB)	Ampl\Cbl (dB)	Filter (dB)	EIRPCF (dB)	Reading (dBuV)	Limit (dBm)	Margin (dB)	Pol	Ant
149	Part 270	NR SA n77 HPUE	L	11103	-34.13	RMS	38.72	-17.95	0.29	-95.23	40.04	-13.00	-21.13	V	2
150	Part 270	NR SA n77 HPUE	H	11643	-34.90	RMS	38.61	-17.78	0.30	-95.23	39.20	-13.00	-21.90	H	0
151	Part 270	NR SA n77 HPUE	M	11373	-34.94	RMS	39.10	-17.87	0.30	-95.23	38.76	-13.00	-21.94	V	1
152	Part 270	NR SA n77 HPUE	M	11373	-39.27	RMS	39.10	-17.87	0.30	-95.23	34.43	-13.00	-26.27	V	3
153	Part 270	NR SA n77 MIMO HPUE(PC1.5)	H	11650	-37.23	RMS	38.60	-17.78	0.30	-95.23	36.88	-13.00	-24.23	H	2+0
154	Part 270	NR SA n77 MIMO HPUE(PC1.5)	M	15169	-41.24	RMS	38.90	-15.90	0.13	-95.23	30.86	-13.00	-28.24	H	2+1
155	Part 270	NR SA n77 MIMO HPUE(PC1.5)	M	15169	-41.97	RMS	38.90	-15.90	0.13	-95.23	30.13	-13.00	-28.97	V	2+3
156	Part 270	NR SA n77 MIMO HPUE(PC1.5)	M	15169	-41.91	RMS	38.90	-15.90	0.13	-95.23	30.19	-13.00	-28.91	V	0+1
157	Part 270	NR SA n77 MIMO HPUE(PC1.5)	L	11106	-40.35	RMS	38.73	-17.95	0.29	-95.23	33.81	-13.00	-27.35	H	0+2
158	Part 270	NR SA n77 MIMO HPUE(PC1.5)	M	15169	-41.95	RMS	38.90	-15.90	0.13	-95.23	30.15	-13.00	-28.95	V	0+3
159	Part 270	NR SA n77 MIMO HPUE(PC1.5)	M	15169	-41.72	RMS	38.90	-15.90	0.13	-95.23	30.38	-13.00	-28.72	V	1+0
160	Part 270	NR SA n77 MIMO HPUE(PC1.5)	M	15169	-39.61	RMS	38.90	-15.90	0.13	-95.23	32.49	-13.00	-26.61	V	1+2
161	Part 270	NR SA n77 MIMO HPUE(PC1.5)	M	15169	-41.75	RMS	38.90	-15.90	0.13	-95.23	30.35	-13.00	-28.75	H	1+3
162	Part 270	NR SA n77 MIMO HPUE(PC1.5)	M	15169	-41.48	RMS	38.90	-15.90	0.13	-95.23	30.62	-13.00	-28.48	H	3+0
163	Part 270	NR SA n77 MIMO HPUE(PC1.5)	M	15169	-41.73	RMS	38.90	-15.90	0.13	-95.23	30.37	-13.00	-28.73	V	3+1
164	Part 270	NR SA n77 MIMO HPUE(PC1.5)	M	15169	-41.59	RMS	38.90	-15.90	0.13	-95.23	30.51	-13.00	-28.59	V	3+2
56	Part 90R	NR SA n14	L	1577	-63.52	RMS	25.37	-28.65	0.43	-95.23	34.56	-42.15	-21.37	V	0
68	Part 90S	NR SA n26	M	3268	-57.67	RMS	29.66	-25.15	0.26	-95.23	32.79	-13.00	-44.67	H	0




Antenna 0

Part 22H Mode 4


NR SA n26 20M Ch166800 1RB1 BPSK

L



Site : 03CH11-HY  
 Condition: -13 3m 9120D\_01620\_230817 Horizontal  
 : 5GNR n26 20M Ch166800 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Reading	Limit	Margin	Pol	
				Factor	1						dB
1	1650.54	-63.72	RMS	25.20	-28.42	0.35	-95.23	34.38	-13.00	-50.72	Horizontal
2	2475.81	-60.32	RMS	27.66	-26.39	0.22	-95.23	33.42	-13.00	-47.32	Horizontal
3	3301.08	-58.72	RMS	29.60	-25.10	0.25	-95.23	31.76	-13.00	-45.72	Horizontal



Site : 03CH11-HY  
 Condition: -13 3m 9120D\_01620\_230817 Vertical  
 : 5GNR n26 20M Ch166800 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Reading	Limit	Margin	Pol	
				Factor	1						dB
1	1650.54	-63.98	RMS	25.20	-28.42	0.35	-95.23	34.12	-13.00	-50.98	Vertical
2	2475.81	-60.89	RMS	27.66	-26.39	0.22	-95.23	32.85	-13.00	-47.89	Vertical
3	3301.08	-58.66	RMS	29.60	-25.10	0.25	-95.23	31.82	-13.00	-45.66	Vertical






Antenna 0


Part 22H Mode 4  
NR SA n26 20M Ch167300 1RB1 BPSK

M



Site : 03CH11-HY  
Condition: -13 3m 9120D\_01620\_230817 Horizontal  
: 5GNR n26 20M Ch167300 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Reading	Limit	Margin	Pol	
				Factor	1						dB
1	1655.54	-64.21	RMS	25.20	-28.40	0.35	-95.23	33.87	-13.00	-51.21	Horizontal
2	2483.31	-60.53	RMS	27.70	-26.37	0.22	-95.23	33.15	-13.00	-47.53	Horizontal
3	3311.08	-58.39	RMS	29.60	-25.08	0.25	-95.23	32.07	-13.00	-45.39	Horizontal




Site : 03CH11-HY  
Condition: -13 3m 9120D\_01620\_230817 Vertical  
: 5GNR n26 20M Ch167300 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Reading	Limit	Margin	Pol	
				Factor	1						dB
1	1655.54	-64.19	RMS	25.20	-28.40	0.35	-95.23	33.89	-13.00	-51.19	Vertical
2	2483.31	-60.48	RMS	27.70	-26.37	0.22	-95.23	33.20	-13.00	-47.48	Vertical
3	3311.08	-58.76	RMS	29.60	-25.08	0.25	-95.23	31.70	-13.00	-45.76	Vertical




Antenna 0

Part 22H Mode 4  
NR SA n26 20M Ch167800 1RB1 BPSK  
H



Site : 03CH11-HY  
Condition: -13 3m 9120D\_01620\_230817 Horizontal  
: 5GNR n26 20M Ch167800 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Reading	Limit	Margin Pol		
				Factor	1				dB	dB	dB
1	1660.54	-64.11	RMS	25.21	-28.39	0.34	-95.23	33.96	-13.00	-51.11	Horizontal
2	2490.81	-60.44	RMS	27.70	-26.35	0.22	-95.23	33.22	-13.00	-47.44	Horizontal
3	3321.08	-58.12	RMS	29.60	-25.07	0.25	-95.23	32.33	-13.00	-45.12	Horizontal



Site : 03CH11-HY  
Condition: -13 3m 9120D\_01620\_230817 Vertical  
: 5GNR n26 20M Ch167800 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Reading	Limit	Margin Pol		
				Factor	1				dB	dB	dB
1	1660.54	-64.18	RMS	25.21	-28.39	0.34	-95.23	33.89	-13.00	-51.18	Vertical
2	2490.81	-60.43	RMS	27.70	-26.35	0.22	-95.23	33.23	-13.00	-47.43	Vertical
3	3321.08	-58.40	RMS	29.60	-25.07	0.25	-95.23	32.05	-13.00	-45.40	Vertical




Antenna 0

Part 24E Mode 14


NR SA n25 40M Ch374000 1RB1 BPSK

L



Site : 03CH11-HY  
 Condition: -13 1m SHF\_00993\_231124 Horizontal  
 : 5GNR n25 40M Ch374000 1RB1 BPSK

1	2	3	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit dBm	Margin dB	Pol	
						Factor	1						
						dB/m	dB	dB	dBuV				
1	2	3	3704.54	-54.76	RMS	29.64	-24.41	0.76	-95.23	34.48	-13.00	-41.76	Horizontal
			5556.81	-49.50	RMS	32.91	-22.15	0.51	-95.23	34.46	-13.00	-36.50	Horizontal
			7409.08	-50.56	RMS	36.38	-20.91	0.65	-95.23	28.55	-13.00	-37.56	Horizontal



Site : 03CH11-HY  
 Condition: -13 1m SHF\_00993\_231124 Vertical  
 : 5GNR n25 40M Ch374000 1RB1 BPSK

1	2	3	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit dBm	Margin dB	Pol	
						Factor	1						
						dB/m	dB	dB	dBuV				
1	2	3	3704.54	-57.45	RMS	29.64	-24.41	0.76	-95.23	31.79	-13.00	-44.45	Vertical
			5556.81	-50.09	RMS	32.91	-22.15	0.51	-95.23	33.87	-13.00	-37.09	Vertical
			7409.08	-50.37	RMS	36.38	-20.91	0.65	-95.23	28.74	-13.00	-37.37	Vertical




Antenna 0

Part 24E Mode 14


NR SA n25 40M Ch376500 1RB1 BPSK

M



Site : 03CH11-HY  
 Condition: -13 1m SHF\_00993\_231124 Horizontal  
 : 5GNR n25 40M Ch376500 1RB1 BPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
			Factor	1				g	
MHz	dBm		dB/m	dB	dB	dBuV	dBm	dB	
1 3729.54	-55.75	RMS	29.84	-24.34	0.73	-95.23	33.25	-13.00	-42.75 Horizontal
2 5594.31	-51.32	RMS	32.99	-22.12	0.49	-95.23	32.55	-13.00	-38.32 Horizontal
3 7459.08	-50.35	RMS	36.28	-20.82	0.62	-95.23	28.80	-13.00	-37.35 Horizontal



Site : 03CH11-HY  
 Condition: -13 1m SHF\_00993\_231124 Vertical  
 : 5GNR n25 40M Ch376500 1RB1 BPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
			Factor	1				g	
MHz	dBm		dB/m	dB	dB	dBuV	dBm	dB	
1 3729.54	-54.27	RMS	29.84	-24.34	0.73	-95.23	34.73	-13.00	-41.27 Vertical
2 5594.31	-50.29	RMS	32.99	-22.12	0.49	-95.23	33.58	-13.00	-37.29 Vertical
3 7459.08	-50.55	RMS	36.28	-20.82	0.62	-95.23	28.60	-13.00	-37.55 Vertical




Antenna 0

Part 24E Mode 14


NR SA n25 40M Ch379000 1RB1 BPSK

H



Site : 03CH11-HY  
 Condition: -13 1m SHF\_00993\_231124 Horizontal  
 : 5GNR n25 40M Ch379000 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit dBm	Margin dB	Pol	
				Factor	1						
				dB/m	dB	dB	dBuV				
1	3754.54	-57.42	RMS	30.05	-24.27	0.70	-95.23	31.33	-13.00	-44.42	Horizontal
2	5631.81	-49.13	RMS	33.06	-22.11	0.49	-95.23	34.66	-13.00	-36.13	Horizontal
3	7509.08	-50.39	RMS	36.16	-20.73	0.59	-95.23	28.82	-13.00	-37.39	Horizontal



Site : 03CH11-HY  
 Condition: -13 1m SHF\_00993\_231124 Vertical  
 : 5GNR n25 40M Ch379000 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit dBm	Margin dB	Pol	
				Factor	1						
				dB/m	dB	dB	dBuV				
1	3754.54	-57.14	RMS	30.05	-24.27	0.70	-95.23	31.61	-13.00	-44.14	Vertical
2	5631.81	-48.33	RMS	33.06	-22.11	0.49	-95.23	35.46	-13.00	-35.33	Vertical
3	7509.08	-49.13	RMS	36.16	-20.73	0.59	-95.23	30.08	-13.00	-36.13	Vertical




Antenna 3

Part 24E Mode 15


NR SA n25 40M Ch376500 1RB1 BPSK

M



Site : 03CH11-HY  
 Condition: -13 1m SHF\_00993\_231124 Horizontal  
 : 5GNR n25 40M Ch376500 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit dBm	Margin dB	Pol	
				Factor	1						
1	3729.54	-57.10	RMS	29.84	-24.34	0.73	-95.23	31.90	-13.00	-44.10	Horizontal
2	5594.31	-54.21	RMS	32.99	-22.12	0.49	-95.23	29.66	-13.00	-41.21	Horizontal
3	7459.08	-49.28	RMS	36.28	-20.82	0.62	-95.23	29.87	-13.00	-36.28	Horizontal



Site : 03CH11-HY  
 Condition: -13 1m SHF\_00993\_231124 Vertical  
 : 5GNR n25 40M Ch376500 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit dBm	Margin dB	Pol	
				Factor	1						
1	3729.54	-57.50	RMS	29.84	-24.34	0.73	-95.23	31.50	-13.00	-44.50	Vertical
2	5594.31	-54.22	RMS	32.99	-22.12	0.49	-95.23	29.65	-13.00	-41.22	Vertical
3	7459.08	-49.59	RMS	36.28	-20.82	0.62	-95.23	29.56	-13.00	-36.59	Vertical




Antenna 1

Part 24E Mode 16


NR SA n25 40M Ch376500 1RB1 BPSK

M



Site : 03CH11-HY  
 Condition: -13 1m SHF\_00993\_231124 Horizontal  
 : 5GNR n25 40M Ch376500 1RB1 BPSK

1	2	3	MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit dBm	Margin dB	Pol	
						Factor	1						dB
			3729.54	-56.60	RMS	29.84	-24.34	0.73	-95.23	0.00	-13.00	-43.60	Horizontal
			5594.31	-48.82	RMS	32.99	-22.12	0.49	-95.23	35.05	-13.00	-35.82	Horizontal
			7459.08	-48.88	RMS	36.28	-20.82	0.62	-95.23	30.27	-13.00	-35.88	Horizontal




Site : 03CH11-HY  
 Condition: -13 1m SHF\_00993\_231124 Vertical  
 : 5GNR n25 40M Ch376500 1RB1 BPSK

1	2	3	MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit dBm	Margin dB	Pol	
						Factor	1						dB
			3729.54	-57.06	RMS	29.84	-24.34	0.73	-95.23	31.94	-13.00	-44.06	Vertical
			5594.31	-50.53	RMS	32.99	-22.12	0.49	-95.23	33.34	-13.00	-37.53	Vertical
			7459.08	-49.30	RMS	36.28	-20.82	0.62	-95.23	29.85	-13.00	-36.30	Vertical




Antenna 2

Part 24E Mode 17  
NR SA n25 40M Ch376500 1RB1 BPSK  
M



Site : 03CH11-HY  
Condition: -13 1m SHF\_00993\_231124 Horizontal  
: 5GNR n25 40M Ch376500 1RB1 BPSK

1	2	3	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit dBm	Margin dB	Pol	
						Factor	1						
						dB/m	dB	dB	dBuV				
1	2	3	3729.54	-57.24	RMS	29.84	-24.34	0.73	-95.23	0.00	-13.00	-44.24	Horizontal
			5594.31	-49.18	RMS	32.99	-22.12	0.49	-95.23	34.69	-13.00	-36.18	Horizontal
			7459.08	-49.15	RMS	36.28	-20.82	0.62	-95.23	30.00	-13.00	-36.15	Horizontal



Site : 03CH11-HY  
Condition: -13 1m SHF\_00993\_231124 Vertical  
: 5GNR n25 40M Ch376500 1RB1 BPSK

1	2	3	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit dBm	Margin dB	Pol	
						Factor	1						
						dB/m	dB	dB	dBuV				
1	2	3	3729.54	-57.26	RMS	29.84	-24.34	0.73	-95.23	31.74	-13.00	-44.26	Vertical
			5594.31	-49.29	RMS	32.99	-22.12	0.49	-95.23	34.58	-13.00	-36.29	Vertical
			7459.08	-49.30	RMS	36.28	-20.82	0.62	-95.23	29.85	-13.00	-36.30	Vertical






Antenna 0+2

Part 24E Mode 18


NR SA n25 MIMO 40M Ch374000 1RB1 BPSK

L



Site : 03CH11-HY  
 Condition: -13 1m SHF\_00993\_231124 Horizontal  
 : 5GNR n25 40M Ch374000 1RB1 BPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol		
			Factor	1						dB	dB
1	3704.54	-57.17	RMS	29.64	-24.41	0.76	-95.23	32.07	-13.00	-44.17	Horizontal
2	5556.81	-53.69	RMS	32.91	-22.15	0.51	-95.23	30.27	-13.00	-40.69	Horizontal
3	7409.08	-49.00	RMS	36.38	-20.91	0.65	-95.23	30.11	-13.00	-36.00	Horizontal



Site : 03CH11-HY  
 Condition: -13 1m SHF\_00993\_231124 Vertical  
 : 5GNR n25 40M Ch374000 1RB1 BPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol		
			Factor	1						dB	dB
1	3704.54	-56.98	RMS	29.64	-24.41	0.76	-95.23	32.26	-13.00	-43.98	Vertical
2	5556.81	-53.91	RMS	32.91	-22.15	0.51	-95.23	30.05	-13.00	-40.91	Vertical
3	7409.08	-48.59	RMS	36.38	-20.91	0.65	-95.23	30.52	-13.00	-35.59	Vertical




Antenna 0+2

Part 24E Mode 18


NR SA n25 MIMO 40M Ch376500 1RB1 BPSK

M



Site : 03CH11-HY  
 Condition: -13 1m SHF\_00993\_231124 Horizontal  
 : 5GNR n25 40M Ch376500 1RB1 BPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol		
			Factor	1				g		
MHz	dBm		dB/m	dB	dB	dBuV	dBm	dB		
1 3729.54	-56.59	RMS	29.84	-24.34	0.73	-95.23	32.41	-13.00	-43.59	Horizontal
2 5594.31	-53.95	RMS	32.99	-22.12	0.49	-95.23	29.92	-13.00	-40.95	Horizontal
3 7459.08	-48.80	RMS	36.28	-20.82	0.62	-95.23	30.35	-13.00	-35.80	Horizontal



Site : 03CH11-HY  
 Condition: -13 1m SHF\_00993\_231124 Vertical  
 : 5GNR n25 40M Ch376500 1RB1 BPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol		
			Factor	1				g		
MHz	dBm		dB/m	dB	dB	dBuV	dBm	dB		
1 3729.54	-57.39	RMS	29.84	-24.34	0.73	-95.23	31.61	-13.00	-44.39	Vertical
2 5594.31	-54.11	RMS	32.99	-22.12	0.49	-95.23	29.76	-13.00	-41.11	Vertical
3 7459.08	-49.00	RMS	36.28	-20.82	0.62	-95.23	30.15	-13.00	-36.00	Vertical




Antenna 0+2

Part 24E Mode 18


NR SA n25 MIMO 40M Ch379000 1RB1 BPSK

H



Site : 03CH11-HY  
 Condition: -13 1m SHF\_00993\_231124 Horizontal  
 : 5GNR n25 40M Ch379000 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit dBm	Margin dB	Pol	
				Factor	1						
				dB/m	dB	dB	dBuV				
1	3754.54	-56.72	RMS	30.05	-24.27	0.70	-95.23	32.03	-13.00	-43.72	Horizontal
2	5631.81	-54.12	RMS	33.06	-22.11	0.49	-95.23	29.67	-13.00	-41.12	Horizontal
3	7509.08	-48.49	RMS	36.16	-20.73	0.59	-95.23	30.72	-13.00	-35.49	Horizontal



Site : 03CH11-HY  
 Condition: -13 1m SHF\_00993\_231124 Vertical  
 : 5GNR n25 40M Ch379000 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit dBm	Margin dB	Pol	
				Factor	1						
				dB/m	dB	dB	dBuV				
1	3754.54	-57.12	RMS	30.05	-24.27	0.70	-95.23	31.63	-13.00	-44.12	Vertical
2	5631.81	-54.09	RMS	33.06	-22.11	0.49	-95.23	29.70	-13.00	-41.09	Vertical
3	7509.08	-48.73	RMS	36.16	-20.73	0.59	-95.23	30.48	-13.00	-35.73	Vertical




Antenna 0+1

Part 24E Mode 19


NR SA n25 MIMO 40M Ch376500 1RB1 BPSK

M



Site : 03CH11-HY  
 Condition: -13 1m SHF\_00993\_231124 Horizontal  
 : 5GNR n25 40M Ch376500 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit dBm	Margin dB	Pol	
				Factor	1						
1	3729.54	-57.25	RMS	29.84	-24.34	0.73	-95.23	31.75	-13.00	-44.25	Horizontal
2	5594.31	-54.20	RMS	32.99	-22.12	0.49	-95.23	29.67	-13.00	-41.20	Horizontal
3	7459.08	-49.89	RMS	36.28	-20.82	0.62	-95.23	29.26	-13.00	-36.89	Horizontal



Site : 03CH11-HY  
 Condition: -13 1m SHF\_00993\_231124 Vertical  
 : 5GNR n25 40M Ch376500 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit dBm	Margin dB	Pol	
				Factor	1						
1	3729.54	-57.16	RMS	29.84	-24.34	0.73	-95.23	31.84	-13.00	-44.16	Vertical
2	5594.31	-54.19	RMS	32.99	-22.12	0.49	-95.23	29.68	-13.00	-41.19	Vertical
3	7459.08	-49.76	RMS	36.28	-20.82	0.62	-95.23	29.39	-13.00	-36.76	Vertical




Antenna 0+3

Part 24E Mode 20


NR SA n25 MIMO 40M Ch376500 1RB1 BPSK

M



Site : 03CH11-HY  
 Condition: -13 1m SHF\_00993\_231124 Horizontal  
 : 5GNR n25 40M Ch376500 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol	
				Factor	1						dB
	MHz	dBm		dB/m	dB	dB	dBuV	dBm	dB		
1	3729.54	-57.04	RMS	29.84	-24.34	0.73	-95.23	31.96	-13.00	-44.04	Horizontal
2	5594.31	-53.85	RMS	32.99	-22.12	0.49	-95.23	30.02	-13.00	-40.85	Horizontal
3	7459.08	-49.78	RMS	36.28	-20.82	0.62	-95.23	29.37	-13.00	-36.78	Horizontal



Site : 03CH11-HY  
 Condition: -13 1m SHF\_00993\_231124 Vertical  
 : 5GNR n25 40M Ch376500 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol	
				Factor	1						dB
	MHz	dBm		dB/m	dB	dB	dBuV	dBm	dB		
1	3729.54	-56.46	RMS	29.84	-24.34	0.73	-95.23	32.54	-13.00	-43.46	Vertical
2	5594.31	-51.75	RMS	32.99	-22.12	0.49	-95.23	32.12	-13.00	-38.75	Vertical
3	7459.08	-49.40	RMS	36.28	-20.82	0.62	-95.23	29.75	-13.00	-36.40	Vertical




Antenna 1+2

Part 24E Mode 21


NR SA n25 MIMO 40M Ch376500 1RB1 BPSK

M



Site : 03CH11-HY  
 Condition: -13 1m SHF\_00993\_231124 Horizontal  
 : 5GNR n25 40M Ch376500 1RB1 BPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol		
			Factor	1						dB	dB
1	3729.54	-57.06	RMS	29.84	-24.34	0.73	-95.23	31.94	-13.00	-44.06	Horizontal
2	5594.31	-54.05	RMS	32.99	-22.12	0.49	-95.23	29.82	-13.00	-41.05	Horizontal
3	7459.08	-49.36	RMS	36.28	-20.82	0.62	-95.23	29.79	-13.00	-36.36	Horizontal



Site : 03CH11-HY  
 Condition: -13 1m SHF\_00993\_231124 Vertical  
 : 5GNR n25 40M Ch376500 1RB1 BPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol		
			Factor	1						dB	dB
1	3729.54	-57.13	RMS	29.84	-24.34	0.73	-95.23	31.87	-13.00	-44.13	Vertical
2	5594.31	-54.03	RMS	32.99	-22.12	0.49	-95.23	29.84	-13.00	-41.03	Vertical
3	7459.08	-49.50	RMS	36.28	-20.82	0.62	-95.23	29.65	-13.00	-36.50	Vertical




Antenna 1+0

Part 24E Mode 22


NR SA n25 MIMO 40M Ch376500 1RB1 BPSK

M



Site : 03CH11-HY  
 Condition: -13 1m SHF\_00993\_231124 Horizontal  
 : 5GNR n25 40M Ch376500 1RB1 BPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol		
			Factor	1				g		
MHz	dBm		dB/m	dB	dB	dBuV	dBm	dB		
1 3729.54	-56.62	RMS	29.84	-24.34	0.73	-95.23	32.38	-13.00	-43.62	Horizontal
2 5594.31	-53.78	RMS	32.99	-22.12	0.49	-95.23	30.09	-13.00	-40.78	Horizontal
3 7459.08	-49.14	RMS	36.28	-20.82	0.62	-95.23	30.01	-13.00	-36.14	Horizontal



Site : 03CH11-HY  
 Condition: -13 1m SHF\_00993\_231124 Vertical  
 : 5GNR n25 40M Ch376500 1RB1 BPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol		
			Factor	1				g		
MHz	dBm		dB/m	dB	dB	dBuV	dBm	dB		
1 3729.54	-57.15	RMS	29.84	-24.34	0.73	-95.23	31.85	-13.00	-44.15	Vertical
2 5594.31	-53.78	RMS	32.99	-22.12	0.49	-95.23	30.09	-13.00	-40.78	Vertical
3 7459.08	-49.47	RMS	36.28	-20.82	0.62	-95.23	29.68	-13.00	-36.47	Vertical




Antenna 1+3

Part 24E Mode 23


NR SA n25 MIMO 40M Ch376500 1RB1 BPSK

M



Site : 03CH11-HY  
 Condition: -13 1m SHF\_00993\_231124 Horizontal  
 : 5GNR n25 40M Ch376500 1RB1 BPSK

1	2	3	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit dBm	Margin dB	Pol
						Factor	1					



Site : 03CH11-HY  
 Condition: -13 1m SHF\_00993\_231124 Vertical  
 : 5GNR n25 40M Ch376500 1RB1 BPSK

1	2	3	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit dBm	Margin dB	Pol
						Factor	1					






Antenna 2+0

Part 24E Mode 24


NR SA n25 MIMO 40M Ch376500 1RB1 BPSK

M



Site : 03CH11-HY  
 Condition: -13 1m SHF\_00993\_231124 Horizontal  
 : 5GNR n25 40M Ch376500 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol	
				Factor	1						dB
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	3729.54	-57.20	RMS	29.84	-24.34	0.73	-95.23	31.80	-13.00	-44.20	Horizontal
2	5594.31	-53.70	RMS	32.99	-22.12	0.49	-95.23	30.17	-13.00	-40.70	Horizontal
3	7459.08	-49.55	RMS	36.28	-20.82	0.62	-95.23	29.60	-13.00	-36.55	Horizontal



Site : 03CH11-HY  
 Condition: -13 1m SHF\_00993\_231124 Vertical  
 : 5GNR n25 40M Ch376500 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol	
				Factor	1						dB
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	3729.54	-57.32	RMS	29.84	-24.34	0.73	-95.23	31.68	-13.00	-44.32	Vertical
2	5594.31	-54.21	RMS	32.99	-22.12	0.49	-95.23	29.66	-13.00	-41.21	Vertical
3	7459.08	-49.60	RMS	36.28	-20.82	0.62	-95.23	29.55	-13.00	-36.60	Vertical




Antenna 2+1

Part 24E Mode 25


NR SA n25 MIMO 40M Ch376500 1RB1 BPSK

M



Site : 03CH11-HY  
 Condition: -13 1m SHF\_00993\_231124 Horizontal  
 : 5GNR n25 40M Ch376500 1RB1 BPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol		
			Factor	1						dB	dB
1	3729.54	-57.24	RMS	29.84	-24.34	0.73	-95.23	31.76	-13.00	-44.24	Horizontal
2	5594.31	-54.04	RMS	32.99	-22.12	0.49	-95.23	29.83	-13.00	-41.04	Horizontal
3	7459.08	-49.46	RMS	36.28	-20.82	0.62	-95.23	29.69	-13.00	-36.46	Horizontal



Site : 03CH11-HY  
 Condition: -13 1m SHF\_00993\_231124 Vertical  
 : 5GNR n25 40M Ch376500 1RB1 BPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol		
			Factor	1						dB	dB
1	3729.54	-57.07	RMS	29.84	-24.34	0.73	-95.23	31.93	-13.00	-44.07	Vertical
2	5594.31	-54.01	RMS	32.99	-22.12	0.49	-95.23	29.86	-13.00	-41.01	Vertical
3	7459.08	-49.78	RMS	36.28	-20.82	0.62	-95.23	29.37	-13.00	-36.78	Vertical




Antenna 2+3

Part 24E Mode 26


NR SA n25 MIMO 40M Ch376500 1RB1 BPSK

M



Site : 03CH11-HY  
 Condition: -13 1m SHF\_00993\_231124 Horizontal  
 : 5GNR n25 40M Ch376500 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit dBm	Margin dB	Pol
				Factor	1					
1	3729.54	-57.04	RMS	29.84	-24.34	0.73 -95.23	31.96	-13.00	-44.04	Horizontal
2	5594.31	-53.90	RMS	32.99	-22.12	0.49 -95.23	29.97	-13.00	-40.90	Horizontal
3	7459.08	-49.64	RMS	36.28	-20.82	0.62 -95.23	29.51	-13.00	-36.64	Horizontal



Site : 03CH11-HY  
 Condition: -13 1m SHF\_00993\_231124 Vertical  
 : 5GNR n25 40M Ch376500 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit dBm	Margin dB	Pol
				Factor	1					
1	3729.54	-57.21	RMS	29.84	-24.34	0.73 -95.23	31.79	-13.00	-44.21	Vertical
2	5594.31	-54.06	RMS	32.99	-22.12	0.49 -95.23	29.81	-13.00	-41.06	Vertical
3	7459.08	-49.42	RMS	36.28	-20.82	0.62 -95.23	29.73	-13.00	-36.42	Vertical




Antenna 3+2

Part 24E Mode 27


NR SA n25 MIMO 40M Ch376500 1RB1 BPSK

M



Site : 03CH11-HY  
 Condition: -13 1m SHF\_00993\_231124 Horizontal  
 : 5GNR n25 40M Ch376500 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol	
				Factor	1						dB
	MHz	dBm		dB/m	dB	dB	dBuV	dBm	dB		
1	3729.54	-57.29	RMS	29.84	-24.34	0.73	-95.23	31.71	-13.00	-44.29	Horizontal
2	5594.31	-54.14	RMS	32.99	-22.12	0.49	-95.23	29.73	-13.00	-41.14	Horizontal
3	7459.08	-49.74	RMS	36.28	-20.82	0.62	-95.23	29.41	-13.00	-36.74	Horizontal



Site : 03CH11-HY  
 Condition: -13 1m SHF\_00993\_231124 Vertical  
 : 5GNR n25 40M Ch376500 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol	
				Factor	1						dB
	MHz	dBm		dB/m	dB	dB	dBuV	dBm	dB		
1	3729.54	-57.07	RMS	29.84	-24.34	0.73	-95.23	31.93	-13.00	-44.07	Vertical
2	5594.31	-54.03	RMS	32.99	-22.12	0.49	-95.23	29.84	-13.00	-41.03	Vertical
3	7459.08	-49.69	RMS	36.28	-20.82	0.62	-95.23	29.46	-13.00	-36.69	Vertical




Antenna 3+0

Part 24E Mode 28


NR SA n25 MIMO 40M Ch376500 1RB1 BPSK

M



Site : 03CH11-HY  
 Condition: -13 1m SHF\_00993\_231124 Horizontal  
 : 5GNR n25 40M Ch376500 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol	
				Factor	1						dB
	MHz	dBm		dB/m	dB	dB	dBuV	dBm	dB		
1	3729.54	-57.23	RMS	29.84	-24.34	0.73	-95.23	31.77	-13.00	-44.23	Horizontal
2	5594.31	-53.79	RMS	32.99	-22.12	0.49	-95.23	30.08	-13.00	-40.79	Horizontal
3	7459.08	-49.13	RMS	36.28	-20.82	0.62	-95.23	30.02	-13.00	-36.13	Horizontal



Site : 03CH11-HY  
 Condition: -13 1m SHF\_00993\_231124 Vertical  
 : 5GNR n25 40M Ch376500 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol	
				Factor	1						dB
	MHz	dBm		dB/m	dB	dB	dBuV	dBm	dB		
1	3729.54	-57.16	RMS	29.84	-24.34	0.73	-95.23	31.84	-13.00	-44.16	Vertical
2	5594.31	-53.44	RMS	32.99	-22.12	0.49	-95.23	30.43	-13.00	-40.44	Vertical
3	7459.08	-49.50	RMS	36.28	-20.82	0.62	-95.23	29.65	-13.00	-36.50	Vertical




Antenna 3+1

Part 24E Mode 29


NR SA n25 MIMO 40M Ch376500 1RB1 BPSK

M



Site : 03CH11-HY  
 Condition: -13 1m SHF\_00993\_231124 Horizontal  
 : 5GNR n25 40M Ch376500 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol	
				Factor	1						dB
	MHz	dBm		dB/m	dB	dB	dBuV	dBm	dB		
1	3729.54	-57.36	RMS	29.84	-24.34	0.73	-95.23	31.64	-13.00	-44.36	Horizontal
2	5594.31	-53.78	RMS	32.99	-22.12	0.49	-95.23	30.09	-13.00	-40.78	Horizontal
3	7459.08	-49.67	RMS	36.28	-20.82	0.62	-95.23	29.48	-13.00	-36.67	Horizontal



Site : 03CH11-HY  
 Condition: -13 1m SHF\_00993\_231124 Vertical  
 : 5GNR n25 40M Ch376500 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol	
				Factor	1						dB
	MHz	dBm		dB/m	dB	dB	dBuV	dBm	dB		
1	3729.54	-57.39	RMS	29.84	-24.34	0.73	-95.23	31.61	-13.00	-44.39	Vertical
2	5594.31	-54.23	RMS	32.99	-22.12	0.49	-95.23	29.64	-13.00	-41.23	Vertical
3	7459.08	-49.52	RMS	36.28	-20.82	0.62	-95.23	29.63	-13.00	-36.52	Vertical




Antenna 0

Part 27L Mode 43


NR SA n66 40M Ch346000 1RB1 BPSK

L



Site : 03CH11-HY  
 Condition: -13 3m 9120D\_01620\_230817 Horizontal  
 : NR n66 40M Ch346000 1RB1 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol	
				Factor	1						dB
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	3420.00	-57.65	RMS	29.50	-24.91	0.91	-95.23	0.00	-13.00	-44.65	Horizontal
2	5136.81	-52.76	RMS	33.20	-22.51	0.51	-95.23	31.27	-13.00	-39.76	Horizontal
3	6849.08	-50.40	RMS	35.80	-20.62	0.45	-95.23	29.20	-13.00	-37.40	Horizontal



Site : 03CH11-HY  
 Condition: -13 3m 9120D\_01620\_230817 Vertical  
 : NR n66 40M Ch346000 1RB1 QPSK


	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol	
				Factor	1						dB
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	3424.54	-57.85	RMS	29.50	-24.91	0.91	-95.23	31.88	-13.00	-44.85	Vertical
2	5136.81	-52.94	RMS	33.20	-22.51	0.51	-95.23	31.09	-13.00	-39.94	Vertical
3	6855.00	-50.11	RMS	35.80	-20.62	0.46	-95.23	29.48	-13.00	-37.11	Vertical



Antenna 0


Part 27L Mode 43  
NR SA n66 40M Ch349000 1RB1 BPSK

M



Site : 03CH11-HY  
Condition: -13 3m 9120D\_01620\_230817 Horizontal  
: NR n66 40M Ch349000 1RB1 QPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit dBm	Margin dB	Pol	
				Factor	1						
1	3450.00	-57.82	RMS	29.50	-24.88	0.90	-95.23	31.89	-13.00	-44.82	Horizontal
2	5181.81	-53.39	RMS	33.14	-22.47	0.51	-95.23	30.66	-13.00	-40.39	Horizontal
3	6909.08	-50.14	RMS	35.80	-20.62	0.46	-95.23	29.45	-13.00	-37.14	Horizontal



Site : 03CH11-HY  
Condition: -13 3m 9120D\_01620\_230817 Vertical  
: NR n66 40M Ch349000 1RB1 QPSK


	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit dBm	Margin dB	Pol	
				Factor	1						
1	3454.54	-58.05	RMS	29.51	-24.88	0.90	-95.23	31.65	-13.00	-45.05	Vertical
2	5181.81	-53.41	RMS	33.14	-22.47	0.51	-95.23	30.64	-13.00	-40.41	Vertical
3	6915.00	-49.88	RMS	35.80	-20.62	0.46	-95.23	29.71	-13.00	-36.88	Vertical






Antenna 0

Part 27L Mode 43  
NR SA n66 40M Ch352000 1RB1 BPSK  
H



Site : 03CH11-HY  
Condition: -13 3m 9120D\_01620\_230817 Horizontal  
: NR n66 40M Ch352000 1RB1 QPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit dBm	Margin dB	Pol	
				Factor	1						
				dB/m	dB	dB	dBuV				
1	3484.54	-57.65	RMS	29.57	-24.85	0.89	-95.23	31.97	-13.00	-44.65	Horizontal
2	5226.81	-53.73	RMS	33.05	-22.43	0.52	-95.23	30.36	-13.00	-40.73	Horizontal
3	6975.00	-49.69	RMS	35.85	-20.62	0.47	-95.23	29.84	-13.00	-36.69	Horizontal



Site : 03CH11-HY  
Condition: -13 3m 9120D\_01620\_230817 Vertical  
: NR n66 40M Ch352000 1RB1 QPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit dBm	Margin dB	Pol	
				Factor	1						
				dB/m	dB	dB	dBuV				
1	3480.00	-57.75	RMS	29.56	-24.85	0.89	-95.23	31.88	-13.00	-44.75	Vertical
2	5226.81	-53.51	RMS	33.05	-22.43	0.52	-95.23	30.58	-13.00	-40.51	Vertical
3	6969.08	-49.30	RMS	35.84	-20.62	0.47	-95.23	30.24	-13.00	-36.30	Vertical




Antenna 0

Part 27L Mode 47


NR SA n70 10M Ch340000 1RB1 BPSK

L



Site : 03CH11-HY  
 Condition: -13 3m 9120D\_01620\_230817 Horizontal  
 : NR n70 10M Ch340000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol	
				Factor	1						dB
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	3391.54	-57.60	RMS	29.52	-24.95	0.93	-95.23	32.13	-13.00	-44.60	Horizontal
2	5087.31	-53.25	RMS	33.20	-22.56	0.50	-95.23	30.84	-13.00	-40.25	Horizontal
3	6783.08	-50.26	RMS	35.87	-20.71	0.45	-95.23	29.36	-13.00	-37.26	Horizontal



Site : 03CH11-HY  
 Condition: -13 3m 9120D\_01620\_230817 Vertical  
 : NR n70 10M Ch340000 1RB1 BPSK


	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol	
				Factor	1						dB
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	3391.54	-57.50	RMS	29.52	-24.95	0.93	-95.23	32.23	-13.00	-44.50	Vertical
2	5087.31	-52.98	RMS	33.20	-22.56	0.50	-95.23	31.11	-13.00	-39.98	Vertical
3	6783.08	-49.96	RMS	35.87	-20.71	0.45	-95.23	29.66	-13.00	-36.96	Vertical



Antenna 0


Part 27L Mode 47  
NR SA n70 10M Ch340500 1RB1 BPSK

M



Site : 03CH11-HY  
Condition: -13 3m 9120D\_01620\_230817 Horizontal  
: NR n70 10M Ch340500 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit dBm	Margin dB	Pol	
				Factor	1						
1	3396.54	-57.21	RMS	29.51	-24.94	0.92	-95.23	32.53	-13.00	-44.21	Horizontal
2	5094.81	-53.24	RMS	33.20	-22.55	0.50	-95.23	30.84	-13.00	-40.24	Horizontal
3	6793.08	-49.77	RMS	35.89	-20.66	0.45	-95.23	29.78	-13.00	-36.77	Horizontal



Site : 03CH11-HY  
Condition: -13 3m 9120D\_01620\_230817 Vertical  
: NR n70 10M Ch340500 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit dBm	Margin dB	Pol	
				Factor	1						
1	3396.54	-57.59	RMS	29.51	-24.94	0.92	-95.23	32.15	-13.00	-44.59	Vertical
2	5094.81	-53.25	RMS	33.20	-22.55	0.50	-95.23	30.83	-13.00	-40.25	Vertical
3	6793.08	-50.06	RMS	35.89	-20.66	0.45	-95.23	29.49	-13.00	-37.06	Vertical




Antenna 0

Part 27L Mode 47


NR SA n70 10M Ch341000 1RB1 BPSK

H



Site : 03CH11-HY  
 Condition: -13 3m 9120D\_01620\_230817 Horizontal  
 : NR n70 10M Ch341000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol	
				Factor	1						dB
	MHz	dBm		dB/m	dB	dB	dB	dBm	dB		
1	3401.54	-57.05	RMS	29.50	-24.93	0.91	-95.23	32.70	-13.00	-44.05	Horizontal
2	5102.31	-53.31	RMS	33.20	-22.54	0.51	-95.23	30.75	-13.00	-40.31	Horizontal
3	6803.08	-49.67	RMS	35.89	-20.63	0.45	-95.23	29.85	-13.00	-36.67	Horizontal



Site : 03CH11-HY  
 Condition: -13 3m 9120D\_01620\_230817 Vertical  
 : NR n70 10M Ch341000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol	
				Factor	1						dB
	MHz	dBm		dB/m	dB	dB	dB	dBm	dB		
1	3401.54	-57.88	RMS	29.50	-24.93	0.91	-95.23	31.87	-13.00	-44.88	Vertical
2	5102.31	-53.18	RMS	33.20	-22.54	0.51	-95.23	30.88	-13.00	-40.18	Vertical
3	6803.08	-49.95	RMS	35.89	-20.63	0.45	-95.23	29.57	-13.00	-36.95	Vertical




Antenna 3

Part 27L Mode 44


NR SA n66 40M Ch349000 1RB1 BPSK

M



Site : 03CH11-HY  
 Condition: -13 3m 9120D\_01620\_230817 Horizontal  
 : NR n66 40M Ch349000 1RB1 QPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit dBm	Margin dB	Pol	
				Factor	1						
				dB/m	dB	dB	dBuV				
1	3454.54	-57.58	RMS	29.51	-24.88	0.90	-95.23	32.12	-13.00	-44.58	Horizontal
2	5181.81	-53.61	RMS	33.14	-22.47	0.51	-95.23	30.44	-13.00	-40.61	Horizontal
3	6909.08	-50.38	RMS	35.80	-20.62	0.46	-95.23	29.21	-13.00	-37.38	Horizontal



Site : 03CH11-HY  
 Condition: -13 3m 9120D\_01620\_230817 Vertical  
 : NR n66 40M Ch349000 1RB1 QPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit dBm	Margin dB	Pol	
				Factor	1						
				dB/m	dB	dB	dBuV				
1	3454.54	-57.62	RMS	29.51	-24.88	0.90	-95.23	32.08	-13.00	-44.62	Vertical
2	5181.81	-53.74	RMS	33.14	-22.47	0.51	-95.23	30.31	-13.00	-40.74	Vertical
3	6909.08	-50.22	RMS	35.80	-20.62	0.46	-95.23	29.37	-13.00	-37.22	Vertical




Antenna 3

Part 27L Mode 48


NR SA n70 10M Ch340500 1RB1 BPSK

M



Site : 03CH11-HY  
 Condition: -13 3m 9120D\_01620\_230817 Horizontal  
 : NR n70 10M Ch340500 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit dBm	Margin dB	Pol	
				Factor	1						
				dB/m	dB	dB	dBuV				
1	3396.54	-57.49	RMS	29.51	-24.94	0.92	-95.23	32.25	-13.00	-44.49	Horizontal
2	5094.81	-53.15	RMS	33.20	-22.55	0.50	-95.23	30.93	-13.00	-40.15	Horizontal
3	6793.08	-50.63	RMS	35.89	-20.66	0.45	-95.23	28.92	-13.00	-37.63	Horizontal




Site : 03CH11-HY  
 Condition: -13 3m 9120D\_01620\_230817 Vertical  
 : NR n70 10M Ch340500 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit dBm	Margin dB	Pol	
				Factor	1						
				dB/m	dB	dB	dBuV				
1	3396.54	-57.22	RMS	29.51	-24.94	0.92	-95.23	32.52	-13.00	-44.22	Vertical
2	5094.81	-53.17	RMS	33.20	-22.55	0.50	-95.23	30.91	-13.00	-40.17	Vertical
3	6793.08	-50.47	RMS	35.89	-20.66	0.45	-95.23	29.08	-13.00	-37.47	Vertical




Antenna 1

Part 27L Mode 45  
NR SA n66 40M Ch349000 1RB1 BPSK  
M



Site : 03CH11-HY  
Condition: -13 3m 9120D\_01620\_230817 Horizontal  
: NR n66 40M Ch349000 1RB1 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol	
				Factor	1						dB
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	3454.54	-57.73	RMS	29.51	-24.88	0.90	-95.23	31.97	-13.00	-44.73	Horizontal
2	5181.81	-53.70	RMS	33.14	-22.47	0.51	-95.23	30.35	-13.00	-40.70	Horizontal
3	6909.08	-50.64	RMS	35.80	-20.62	0.46	-95.23	28.95	-13.00	-37.64	Horizontal




Site : 03CH11-HY  
Condition: -13 3m 9120D\_01620\_230817 Vertical  
: NR n66 40M Ch349000 1RB1 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol	
				Factor	1						dB
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	3454.54	-57.84	RMS	29.51	-24.88	0.90	-95.23	31.86	-13.00	-44.84	Vertical
2	5181.81	-53.59	RMS	33.14	-22.47	0.51	-95.23	30.46	-13.00	-40.59	Vertical
3	6909.08	-50.57	RMS	35.80	-20.62	0.46	-95.23	29.02	-13.00	-37.57	Vertical




Antenna 1

Part 27L Mode 49  
NR SA n70 10M Ch340500 1RB1 BPSK  
M



Site : 03CH11-HY  
Condition: -13 3m 9120D\_01620\_230817 Horizontal  
: NR n70 10M Ch340500 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol	
				Factor	1						dB
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	3396.54	-57.73	RMS	29.51	-24.94	0.92	-95.23	32.01	-13.00	-44.73	Horizontal
2	5094.81	-53.06	RMS	33.20	-22.55	0.50	-95.23	31.02	-13.00	-40.06	Horizontal
3	6793.08	-50.41	RMS	35.89	-20.66	0.45	-95.23	29.14	-13.00	-37.41	Horizontal



Site : 03CH11-HY  
Condition: -13 3m 9120D\_01620\_230817 Vertical  
: NR n70 10M Ch340500 1RB1 BPSK


	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol	
				Factor	1						dB
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	3396.54	-57.51	RMS	29.51	-24.94	0.92	-95.23	32.23	-13.00	-44.51	Vertical
2	5094.81	-52.77	RMS	33.20	-22.55	0.50	-95.23	31.31	-13.00	-39.77	Vertical
3	6793.08	-50.23	RMS	35.89	-20.66	0.45	-95.23	29.32	-13.00	-37.23	Vertical






Antenna 2

Part 27L Mode 46  
NR SA n66 40M Ch349000 1RB1 BPSK  
M



Site : 03CH11-HY  
Condition: -13 3m 9120D\_01620\_230817 Horizontal  
: NR n66 40M Ch349000 1RB1 QPSK

1	2	3	Freq		Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit	Margin	Pol
			MHz	dBm		Factor	1					
					RMS	dB/m	dB	dB	dBuV	dBm	dB	
1	3454.54	-57.76	29.51	-24.88	0.90	-95.23	31.94	-13.00	-44.76	Horizontal		
2	5181.81	-53.70	33.14	-22.47	0.51	-95.23	30.35	-13.00	-40.70	Horizontal		
3	6909.08	-50.16	35.80	-20.62	0.46	-95.23	29.43	-13.00	-37.16	Horizontal		



Site : 03CH11-HY  
Condition: -13 3m 9120D\_01620\_230817 Vertical  
: NR n66 40M Ch349000 1RB1 QPSK

1	2	3	Freq		Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit	Margin	Pol
			MHz	dBm		Factor	1					
					RMS	dB/m	dB	dB	dBuV	dBm	dB	
1	3454.54	-57.48	29.51	-24.88	0.90	-95.23	32.22	-13.00	-44.48	Vertical		
2	5181.81	-53.58	33.14	-22.47	0.51	-95.23	30.47	-13.00	-40.58	Vertical		
3	6909.08	-50.04	35.80	-20.62	0.46	-95.23	29.55	-13.00	-37.04	Vertical		




Antenna 2

Part 27L Mode 50


NR SA n70 10M Ch340500 1RB1 BPSK

M



Site : 03CH11-HY  
 Condition: -13 3m 9120D\_01620\_230817 Horizontal  
 : NR n70 10M Ch340500 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol	
				Factor	1						dB
	MHz	dBm		dB/m	dB	dB	dBuV	dBm	dB		
1	3396.54	-57.62	RMS	29.51	-24.94	0.92	-95.23	32.12	-13.00	-44.62	Horizontal
2	5094.81	-53.13	RMS	33.20	-22.55	0.50	-95.23	30.95	-13.00	-40.13	Horizontal
3	6793.08	-50.27	RMS	35.89	-20.66	0.45	-95.23	29.28	-13.00	-37.27	Horizontal



Site : 03CH11-HY  
 Condition: -13 3m 9120D\_01620\_230817 Vertical  
 : NR n70 10M Ch340500 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol	
				Factor	1						dB
	MHz	dBm		dB/m	dB	dB	dBuV	dBm	dB		
1	3396.54	-57.64	RMS	29.51	-24.94	0.92	-95.23	32.10	-13.00	-44.64	Vertical
2	5094.81	-53.19	RMS	33.20	-22.55	0.50	-95.23	30.89	-13.00	-40.19	Vertical
3	6793.08	-50.32	RMS	35.89	-20.66	0.45	-95.23	29.23	-13.00	-37.32	Vertical




Antenna 0

Part 27H Mode 52


NR SA n12 15M Ch141300 1RB1 BPSK

L



Site : 03CH11-HY  
 Condition: 700 AC BAND 3m 9120D\_01620\_230817 Horizontal  
 : NR SA n12 15M Ch141300 1RB1 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Reading	Limit	Margin		Pol
				Factor	1				g	dB	
	MHz	dBm		dB/m	dB	dB	dBuV	dBm	dB		
1	1400.00	-64.32	RMS	25.90	-29.60	0.68	-95.23	33.93	-13.00	-51.32	Horizontal
2	2100.06	-61.74	RMS	27.20	-26.86	0.14	-95.23	33.01	-13.00	-48.74	Horizontal
3	2800.08	-60.10	RMS	28.20	-25.93	0.25	-95.23	32.61	-13.00	-47.10	Horizontal



Site : 03CH11-HY  
 Condition: 700 AC BAND 3m 9120D\_01620\_230817 Vertical  
 : NR SA n12 15M Ch141300 1RB1 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Reading	Limit	Margin		Pol
				Factor	1				g	dB	
	MHz	dBm		dB/m	dB	dB	dBuV	dBm	dB		
1	1400.00	-63.95	RMS	25.90	-29.60	0.68	-95.23	34.30	-13.00	-50.95	Vertical
2	2104.00	-58.65	RMS	27.28	-26.86	0.14	-95.23	36.02	-13.00	-45.65	Vertical
3	2800.00	-59.33	RMS	28.20	-25.93	0.25	-95.23	33.38	-13.00	-46.33	Vertical




Antenna 0

Part 27H Mode 52


NR SA n12 15M Ch141500 1RB1 BPSK

M



Site : 03CH11-HY  
 Condition: 700 AC BAND 3m 9120D\_01620\_230817 Horizontal  
 : NR SA n12 15M Ch141500 1RB1 QPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit g	Margin Pol		
				Factor	1				dB	dB	dB
1	1400.00	-64.15	RMS	25.90	-29.60	0.68	-95.23	34.10	-13.00	-51.15	Horizontal
2	2103.06	-61.83	RMS	27.26	-26.86	0.14	-95.23	32.86	-13.00	-48.83	Horizontal
3	2804.08	-60.06	RMS	28.20	-25.92	0.25	-95.23	32.64	-13.00	-47.06	Horizontal



Site : 03CH11-HY  
 Condition: 700 AC BAND 3m 9120D\_01620\_230817 Vertical  
 : NR SA n12 15M Ch141500 1RB1 QPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit g	Margin Pol		
				Factor	1				dB	dB	dB
1	1402.04	-64.13	RMS	25.88	-29.59	0.68	-95.23	34.13	-13.00	-51.13	Vertical
2	2103.06	-61.72	RMS	27.26	-26.86	0.14	-95.23	32.97	-13.00	-48.72	Vertical
3	2808.00	-60.02	RMS	28.20	-25.91	0.25	-95.23	32.67	-13.00	-47.02	Vertical




Antenna 0

Part 27H Mode 52


NR SA n12 15M Ch141700 1RB1 BPSK

H



Site : 03CH11-HY  
 Condition: 700 AC BAND 3m 9120D\_01620\_230817 Horizontal  
 : NR SA n12 15M Ch141700 1RB1 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin		Pol
				Factor	1				g	dB	
	MHz	dBm		dB/m	dB	dB	dBuV	dBm	dB		
1	1408.00	-64.27	RMS	25.82	-29.55	0.67	-95.23	34.02	-13.00	-51.27	Horizontal
2	2104.00	-58.82	RMS	27.28	-26.86	0.14	-95.23	35.85	-13.00	-45.82	Horizontal
3	2808.08	-60.04	RMS	28.20	-25.91	0.25	-95.23	32.65	-13.00	-47.04	Horizontal



Site : 03CH11-HY  
 Condition: 700 AC BAND 3m 9120D\_01620\_230817 Vertical  
 : NR SA n12 15M Ch141700 1RB1 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin		Pol
				Factor	1				g	dB	
	MHz	dBm		dB/m	dB	dB	dBuV	dBm	dB		
1	1408.00	-64.29	RMS	25.82	-29.55	0.67	-95.23	34.00	-13.00	-51.29	Vertical
2	2104.00	-56.81	RMS	27.28	-26.86	0.14	-95.23	37.86	-13.00	-43.81	Vertical
3	2808.08	-60.35	RMS	28.20	-25.91	0.25	-95.23	32.34	-13.00	-47.35	Vertical




Antenna 0

Part 27F Mode 54


NR SA n13 5M Ch155900 1RB1 BPSK

L



Site : 03CH11-HY  
 Condition: 700 AC BAND 3m 9120D\_01620\_230817 Horizontal  
 : NR n13 5M Ch155900 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin		Pol
				Factor	1				g	dB	
	MHz	dBm		dB/m	dB	dB	dBuV	dBm	dB		
1	1555.04	-63.79	RMS	25.15	-28.73	0.46	-95.23	34.56	-13.00	-50.79	Horizontal
2	2332.56	-60.71	RMS	27.23	-26.63	0.23	-95.23	33.69	-13.00	-47.71	Horizontal
3	3110.08	-57.98	RMS	29.58	-25.43	0.26	-95.23	32.84	-13.00	-44.98	Horizontal



Site : 03CH11-HY  
 Condition: 700 AC BAND 3m 9120D\_01620\_230817 Vertical  
 : NR n13 5M Ch155900 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin		Pol
				Factor	1				g	dB	
	MHz	dBm		dB/m	dB	dB	dBuV	dBm	dB		
1	1555.04	-63.95	RMS	25.15	-28.73	0.46	-95.23	34.40	-13.00	-50.95	Vertical
2	2332.56	-60.42	RMS	27.23	-26.63	0.23	-95.23	33.98	-13.00	-47.42	Vertical
3	3110.08	-57.99	RMS	29.58	-25.43	0.26	-95.23	32.83	-13.00	-44.99	Vertical




Antenna 0

Part 27F Mode 54


NR SA n13 5M Ch156400 1RB1 BPSK

M



Site : 03CH11-HY  
 Condition: 700 AC BAND 3m 9120D\_01620\_230817 Horizontal  
 : NR n13 5M Ch156400 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit g	Margin Pol		
				Factor	1				dB	dB	dB
1	1560.04	-64.11	RMS	25.10	-28.71	0.46	-95.23	34.27	-42.15	-21.96	Horizontal
2	2340.06	-61.31	RMS	27.30	-26.62	0.23	-95.23	33.01	-13.00	-48.31	Horizontal
3	3120.08	-58.11	RMS	29.66	-25.41	0.26	-95.23	32.61	-13.00	-45.11	Horizontal



Site : 03CH11-HY  
 Condition: 700 AC BAND 3m 9120D\_01620\_230817 Vertical  
 : NR n13 5M Ch156400 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit g	Margin Pol		
				Factor	1				dB	dB	dB
1	1560.04	-63.85	RMS	25.10	-28.71	0.46	-95.23	34.53	-42.15	-21.70	Vertical
2	2340.06	-61.13	RMS	27.30	-26.62	0.23	-95.23	33.19	-13.00	-48.13	Vertical
3	3120.08	-58.62	RMS	29.66	-25.41	0.26	-95.23	32.10	-13.00	-45.62	Vertical




Antenna 0

Part 27F Mode 54


NR SA n13 5M Ch156900 1RB1 BPSK

H



Site : 03CH11-HY  
 Condition: 700 AC BAND 3m 9120D\_01620\_230817 Horizontal  
 : NR n13 5M Ch156900 1RB1 BPSK

1	2	3	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit	Margin	Pol	
						Factor	1						dB
			1565.04	-63.70	RMS	25.20	-28.70	0.45	-95.23	34.58	-42.15	-21.55	Horizontal
			2347.56	-61.34	RMS	27.30	-26.61	0.23	-95.23	32.97	-13.00	-48.34	Horizontal
			3130.08	-57.60	RMS	29.74	-25.39	0.27	-95.23	33.01	-13.00	-44.60	Horizontal



Site : 03CH11-HY  
 Condition: 700 AC BAND 3m 9120D\_01620\_230817 Vertical  
 : NR n13 5M Ch156900 1RB1 BPSK

1	2	3	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit	Margin	Pol	
						Factor	1						dB
			1565.04	-63.81	RMS	25.20	-28.70	0.45	-95.23	34.47	-42.15	-21.66	Vertical
			2347.56	-61.33	RMS	27.30	-26.61	0.23	-95.23	32.98	-13.00	-48.33	Vertical
			3130.08	-57.92	RMS	29.74	-25.39	0.27	-95.23	32.69	-13.00	-44.92	Vertical






Antenna 0

Part 27D Mode 61


NR SA n30 5M Ch461500 1RB1 BPSK

L



Site : 03CH11-HY  
 Condition: -40 1m SHF\_00993\_231124 Horizontal  
 : 5GNR n30 5M Ch461500 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit dBm	Margin Pol		
				Factor	1				dB	dB	dB
1	4611.04	-62.87	RMS	31.74	-46.51	0.59	-95.23	0.00	-40.00	-22.87	Horizontal
2	6916.56	-56.40	RMS	35.80	-44.32	0.46	-95.23	46.89	-40.00	-16.40	Horizontal
3	9222.08	-56.78	RMS	38.14	-42.70	0.61	-95.23	42.40	-40.00	-16.78	Horizontal



Site : 03CH11-HY  
 Condition: -40 1m SHF\_00993\_231124 Vertical  
 : 5GNR n30 5M Ch461500 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit dBm	Margin Pol		
				Factor	1				dB	dB	dB
1	4611.04	-63.42	RMS	31.74	-46.51	0.59	-95.23	45.99	-40.00	-23.42	Vertical
2	6916.56	-53.22	RMS	35.80	-44.32	0.46	-95.23	50.07	-40.00	-13.22	Vertical
3	9222.08	-56.86	RMS	38.14	-42.70	0.61	-95.23	42.32	-40.00	-16.86	Vertical




Antenna 0

Part 27D Mode 61


NR SA n30 5M Ch462000 1RB1 BPSK

M



Site : 03CH11-HY  
 Condition: -40 1m SHF\_00993\_231124 Horizontal  
 : 5GNR n30 5M Ch462000 1RB1 BPSK

1	2	3	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit dBm	Margin dB	Pol
						Factor	1					



Site : 03CH11-HY  
 Condition: -40 1m SHF\_00993\_231124 Vertical  
 : 5GNR n30 5M Ch462000 1RB1 BPSK

1	2	3	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit dBm	Margin dB	Pol
						Factor	1					




Antenna 0

Part 27D Mode 61


NR SA n30 5M Ch462500 1RB1 BPSK

H



Site : 03CH11-HY  
 Condition: -40 1m SHF\_00993\_231124 Horizontal  
 : 5GNR n30 5M Ch462500 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Reading	Limit	Margin Pol		
				Factor	1				dB	dB	dB
1	4621.04	-63.36	RMS	31.78	-46.53	0.60	-95.23	46.02	-40.00	-23.36	Horizontal
2	6931.56	-55.12	RMS	35.80	-44.33	0.46	-95.23	48.18	-40.00	-15.12	Horizontal
3	9242.08	-56.90	RMS	38.18	-42.67	0.61	-95.23	42.21	-40.00	-16.90	Horizontal



Site : 03CH11-HY  
 Condition: -40 1m SHF\_00993\_231124 Vertical  
 : 5GNR n30 5M Ch462500 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Reading	Limit	Margin Pol		
				Factor	1				dB	dB	dB
1	4621.04	-63.20	RMS	31.78	-46.53	0.60	-95.23	46.18	-40.00	-23.20	Vertical
2	6931.56	-52.02	RMS	35.80	-44.33	0.46	-95.23	51.28	-40.00	-12.02	Vertical
3	9242.08	-56.99	RMS	38.18	-42.67	0.61	-95.23	42.12	-40.00	-16.99	Vertical




Antenna 3

Part 27D Mode 62


NR SA n30 5M Ch462000 1RB1 BPSK

M



Site : 03CH11-HY  
 Condition: -40 1m SHF\_00993\_231124 Horizontal  
 : 5GNR n30 5M Ch462000 1RB1 BPSK

Freq	Level	Detector	Ant Factor	Amp	Cb	Filter	EIRPCF	Reading	Limit	Margin	Pol
MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	4620.00	-63.09 RMS	31.78	-46.27	0.60	-95.23	46.03	-40.00	-23.09	Horizontal	
2	6930.00	-55.29 RMS	35.80	-43.87	0.46	-95.23	47.55	-40.00	-15.29	Horizontal	
3	9240.00	-56.87 RMS	38.18	-42.14	0.61	-95.23	41.71	-40.00	-16.87	Horizontal	
4	11550.00	-55.94 RMS	38.90	-43.09	0.53	-95.23	42.95	-40.00	-15.94	Horizontal	



Site : 03CH11-HY  
 Condition: -40 1m SHF\_00993\_231124 Vertical  
 : 5GNR n30 5M Ch462000 1RB1 BPSK

Freq	Level	Detector	Ant Factor	Amp	Cb	Filter	EIRPCF	Reading	Limit	Margin	Pol
MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	4620.00	-60.38 RMS	31.78	-46.27	0.60	-95.23	48.74	-40.00	-20.38	Vertical	
2	6930.00	-52.79 RMS	35.80	-43.87	0.46	-95.23	50.05	-40.00	-12.79	Vertical	
3	9240.00	-54.48 RMS	38.18	-42.14	0.61	-95.23	44.10	-40.00	-14.48	Vertical	
4	11550.00	-52.85 RMS	38.90	-43.09	0.53	-95.23	46.04	-40.00	-12.85	Vertical	




Antenna 1

Part 27D Mode 63


NR SA n30 5M Ch462000 1RB1 BPSK

M



Site : 03CH11-HY  
 Condition: -40 1m SHF\_00993\_231124 Horizontal  
 : 5GNR n30 5M Ch462000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp	\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB	dBuV	dBm	dB	
1	4620.00	-63.29	RMS	31.78	-46.27	0.60	-95.23	45.83	-40.00	-23.29	Horizontal	
2	6930.00	-56.63	RMS	35.80	-43.87	0.46	-95.23	46.21	-40.00	-16.63	Horizontal	
3	9240.00	-56.58	RMS	38.18	-42.14	0.61	-95.23	42.00	-40.00	-16.58	Horizontal	
4	11550.00	-55.32	RMS	38.90	-43.09	0.53	-95.23	43.57	-40.00	-15.32	Horizontal	



Site : 03CH11-HY  
 Condition: -40 1m SHF\_00993\_231124 Vertical  
 : 5GNR n30 5M Ch462000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp	\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB	dBuV	dBm	dB	
1	4620.00	-61.76	RMS	31.78	-46.27	0.60	-95.23	47.36	-40.00	-21.76	Vertical	
2	6930.00	-54.95	RMS	35.80	-43.87	0.46	-95.23	47.89	-40.00	-14.95	Vertical	
3	9240.00	-53.09	RMS	38.18	-42.14	0.61	-95.23	45.49	-40.00	-13.09	Vertical	
4	11550.00	-52.44	RMS	38.90	-43.09	0.53	-95.23	46.45	-40.00	-12.44	Vertical	




Antenna 2

Part 27D Mode 64


NR SA n30 5M Ch462000 1RB1 BPSK

M



Site : 03CH11-HY  
 Condition: -40 1m SHF\_00993\_231124 Horizontal  
 : 5GNR n30 5M Ch462000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp	\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB	dBuV	dBm	dB	
1	4615.68	-63.55	RMS	31.76	-46.27	0.60	-95.23	45.59	-40.00	-23.55	Horizontal	
2	6923.52	-54.49	RMS	35.80	-43.87	0.46	-95.23	48.35	-40.00	-14.49	Horizontal	
3	9231.36	-55.44	RMS	38.16	-42.15	0.61	-95.23	43.17	-40.00	-15.44	Horizontal	
4	11539.20	-54.84	RMS	38.92	-43.07	0.53	-95.23	44.01	-40.00	-14.84	Horizontal	



Site : 03CH11-HY  
 Condition: -40 1m SHF\_00993\_231124 Vertical  
 : 5GNR n30 5M Ch462000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp	\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB	dBuV	dBm	dB	
1	4615.68	-61.94	RMS	31.76	-46.27	0.60	-95.23	47.20	-40.00	-21.94	Vertical	
2	6923.52	-53.14	RMS	35.80	-43.87	0.46	-95.23	49.70	-40.00	-13.14	Vertical	
3	9231.36	-54.62	RMS	38.16	-42.15	0.61	-95.23	43.99	-40.00	-14.62	Vertical	
4	11539.20	-52.92	RMS	38.92	-43.07	0.53	-95.23	45.93	-40.00	-12.92	Vertical	




Antenna 0

Part 27N Mode 66


NR SA n71 20M Ch134600 1RB1 BPSK

L



Site : 03CH11-HY  
 Condition: -13 3m 9120D\_01620\_230817 Horizontal  
 : 5GNR n71 20M Ch134600 1RB1 QPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Reading	Limit	Margin	Pol	
				Factor	1						dB
1	1328.54	-63.82	RMS	25.71	-29.95	0.68	-95.23	34.97	-13.00	-50.82	Horizontal
2	1992.81	-61.66	RMS	26.67	-26.95	0.06	-95.23	33.79	-13.00	-48.66	Horizontal
3	2657.08	-59.35	RMS	28.27	-26.12	0.21	-95.23	33.52	-13.00	-46.35	Horizontal



Site : 03CH11-HY  
 Condition: -13 3m 9120D\_01620\_230817 Vertical  
 : 5GNR n71 20M Ch134600 1RB1 QPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Reading	Limit	Margin	Pol	
				Factor	1						dB
1	1328.54	-63.61	RMS	25.71	-29.95	0.68	-95.23	35.18	-13.00	-50.61	Vertical
2	1992.81	-61.60	RMS	26.67	-26.95	0.06	-95.23	33.85	-13.00	-48.60	Vertical
3	2657.08	-59.36	RMS	28.27	-26.12	0.21	-95.23	33.51	-13.00	-46.36	Vertical




Antenna 0

Part 27N Mode 66


NR SA n71 20M Ch136100 1RB1 BPSK

M



Site : 03CH11-HY  
 Condition: -13 3m 9120D\_01620\_230817 Horizontal  
 : 5GNR n71 20M Ch136100 1RB1 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Reading	Limit	Margin		Pol
				Factor	1				g	dBm	
	MHz	dBm		dB/m	dB	dB	dBuV	dBm	dB		
1	1343.54	-63.64	RMS	25.60	-29.88	0.68	-95.23	35.19	-13.00	-50.64	Horizontal
2	2015.31	-61.65	RMS	26.81	-26.90	0.06	-95.23	33.61	-13.00	-48.65	Horizontal
3	2687.08	-59.44	RMS	28.33	-26.08	0.22	-95.23	33.32	-13.00	-46.44	Horizontal



Site : 03CH11-HY  
 Condition: -13 3m 9120D\_01620\_230817 Vertical  
 : 5GNR n71 20M Ch136100 1RB1 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Reading	Limit	Margin		Pol
				Factor	1				g	dBm	
	MHz	dBm		dB/m	dB	dB	dBuV	dBm	dB		
1	1343.54	-63.51	RMS	25.60	-29.88	0.68	-95.23	35.32	-13.00	-50.51	Vertical
2	2015.31	-61.76	RMS	26.81	-26.90	0.06	-95.23	33.50	-13.00	-48.76	Vertical
3	2687.08	-59.31	RMS	28.33	-26.08	0.22	-95.23	33.45	-13.00	-46.31	Vertical






Antenna 0

Part 27N Mode 66


NR SA n71 20M Ch137600 1RB1 BPSK

H



Site : 03CH11-HY  
 Condition: -13 3m 9120D\_01620\_230817 Horizontal  
 : 5GNR n71 20M Ch137600 1RB1 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Reading	Limit	Margin		Pol
				Factor	1				g	dBm	
	MHz	dBm		dB/m	dB	dB	dBuV	dBm	dB		
1	1358.54	-64.01	RMS	25.51	-29.81	0.68	-95.23	34.84	-13.00	-51.01	Horizontal
2	2037.81	-61.26	RMS	27.16	-26.89	0.08	-95.23	33.62	-13.00	-48.26	Horizontal
3	2717.08	-59.50	RMS	28.40	-26.04	0.23	-95.23	33.14	-13.00	-46.50	Horizontal



Site : 03CH11-HY  
 Condition: -13 3m 9120D\_01620\_230817 Vertical  
 : 5GNR n71 20M Ch137600 1RB1 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Reading	Limit	Margin		Pol
				Factor	1				g	dBm	
	MHz	dBm		dB/m	dB	dB	dBuV	dBm	dB		
1	1358.54	-64.25	RMS	25.51	-29.81	0.68	-95.23	34.60	-13.00	-51.25	Vertical
2	2037.81	-61.58	RMS	27.16	-26.89	0.08	-95.23	33.30	-13.00	-48.58	Vertical
3	2717.08	-59.54	RMS	28.40	-26.04	0.23	-95.23	33.10	-13.00	-46.54	Vertical




Antenna 0

Part 27M Mode 85


NR SA n7 40M Ch504000 1RB1 BPSK

L



Site : 03CH11-HY  
 Condition: -25 1m SHF\_00993\_231124 Horizontal  
 Mode : 5GNR n7 40M Ch504000 1RB1 BPSK

1	2	3	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit dBm	Margin dB	Pol	
						Factor	1						
			5004.00	-52.92	RMS	33.20	-22.64	0.50	-95.23	31.25	-25.00	-27.92	Horizontal
			7506.00	-48.57	RMS	36.18	-20.74	0.59	-95.23	30.63	-25.00	-23.57	Horizontal
			10009.00	-44.22	RMS	38.45	-18.09	0.58	-95.23	30.07	-25.00	-19.22	Horizontal



Site : 03CH11-HY  
 Condition: -25 1m SHF\_00993\_231124 Vertical  
 Mode : 5GNR n7 40M Ch504000 1RB1 BPSK

1	2	3	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit dBm	Margin dB	Pol	
						Factor	1						
			5004.00	-52.75	RMS	33.20	-22.64	0.50	-95.23	31.42	-25.00	-27.75	Vertical
			7506.00	-47.94	RMS	36.18	-20.74	0.59	-95.23	31.26	-25.00	-22.94	Vertical
			10009.00	-44.06	RMS	38.45	-18.09	0.58	-95.23	30.23	-25.00	-19.06	Vertical




Antenna 0

Part 27M Mode 85


NR SA n7 40M Ch507000 1RB1 BPSK

M



Site : 03CH11-HY  
 Condition: -25 1m SHF\_00993\_231124 Horizontal  
 Mode : 5GNR n7 40M Ch507000 1RB1 BPSK

1	2	3	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit dBm	Margin dB	Pol	
						Factor	1						
			5034.00	-52.65	RMS	33.20	-22.61	0.50	-95.23	31.49	-25.00	-27.65	Horizontal
			7551.00	-48.50	RMS	36.00	-20.66	0.57	-95.23	30.82	-25.00	-23.50	Horizontal
			10069.00	-43.82	RMS	38.66	-18.07	0.58	-95.23	30.24	-25.00	-18.82	Horizontal



Site : 03CH11-HY  
 Condition: -25 1m SHF\_00993\_231124 Vertical  
 Mode : 5GNR n7 40M Ch507000 1RB1 BPSK

1	2	3	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit dBm	Margin dB	Pol	
						Factor	1						
			5034.00	-52.80	RMS	33.20	-22.61	0.50	-95.23	31.34	-25.00	-27.80	Vertical
			7551.00	-48.68	RMS	36.00	-20.66	0.57	-95.23	30.64	-25.00	-23.68	Vertical
			10069.00	-43.99	RMS	38.66	-18.07	0.58	-95.23	30.07	-25.00	-18.99	Vertical




Antenna 0

Part 27M Mode 85


NR SA n7 40M Ch510000 1RB1 BPSK

H



Site : 03CH11-HY  
 Condition: -25 1m SHF\_00993\_231124 Horizontal  
 Mode : 5GNR n7 40M Ch510000 1RB1 BPSK

1	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit dBm	Margin dB	Pol	
				Factor	1						
				dB/m	dB	dB	dBuV				
1	5064.00	-52.59	RMS	33.20	-22.58	0.50	-95.23	31.52	-25.00	-27.59	Horizontal
2	7596.00	-48.21	RMS	36.09	-20.58	0.54	-95.23	30.97	-25.00	-23.21	Horizontal
3	10129.00	-43.96	RMS	38.60	-18.05	0.58	-95.23	30.14	-25.00	-18.96	Horizontal



Site : 03CH11-HY  
 Condition: -25 1m SHF\_00993\_231124 Vertical  
 Mode : 5GNR n7 40M Ch510000 1RB1 BPSK

1	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit dBm	Margin dB	Pol	
				Factor	1						
				dB/m	dB	dB	dBuV				
1	5064.00	-52.63	RMS	33.20	-22.58	0.50	-95.23	31.48	-25.00	-27.63	Vertical
2	7596.00	-48.61	RMS	36.09	-20.58	0.54	-95.23	30.57	-25.00	-23.61	Vertical
3	10129.00	-44.16	RMS	38.60	-18.05	0.58	-95.23	29.94	-25.00	-19.16	Vertical




Antenna 0

Part 27M Mode 89


NR SA n41 100M Ch510000 1RB1 BPSK

L



Site : 03CH11-HY  
 Condition: -25 1m SHF\_00993\_231124 Horizontal  
 : 5GNR n41 100M Ch510000 1RB1 QPSK

1	2	3	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit dBm	Margin dB	Pol	
						Factor	1						
			5003.00	-53.23	RMS	33.20	-22.64	0.50	-95.23	0.00	-25.00	-28.23	Horizontal
			7504.00	-49.16	RMS	36.18	-20.74	0.59	-95.23	30.04	-25.00	-24.16	Horizontal
			10005.00	-45.43	RMS	38.43	-18.09	0.58	-95.23	28.88	-25.00	-20.43	Horizontal



Site : 03CH11-HY  
 Condition: -25 1m SHF\_00993\_231124 Vertical  
 : 5GNR n41 100M Ch510000 1RB1 QPSK

1	2	3	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit dBm	Margin dB	Pol	
						Factor	1						
			5003.00	-52.89	RMS	33.20	-22.64	0.50	-95.23	31.28	-25.00	-27.89	Vertical
			7504.00	-49.17	RMS	36.18	-20.74	0.59	-95.23	30.03	-25.00	-24.17	Vertical
			10005.00	-45.16	RMS	38.43	-18.09	0.58	-95.23	29.15	-25.00	-20.16	Vertical




Antenna 0

Part 27M Mode 89


NR SA n41 100M Ch518598 1RB1 BPSK

M



Site : 03CH11-HY  
 Condition: -25 1m SHF\_00993\_231124 Horizontal  
 : 5GNR n41 100M Ch518598 1RB1 QPSK

1	2	3	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit dBm	Margin dB	Pol	
						Factor	1						
			5100.00	-53.25	RMS	33.20	-22.55	0.50	-95.23	30.83	-25.00	-28.25	Horizontal
			7638.00	-49.13	RMS	36.25	-20.57	0.55	-95.23	29.87	-25.00	-24.13	Horizontal
			10185.00	-44.92	RMS	38.67	-18.03	0.57	-95.23	29.10	-25.00	-19.92	Horizontal



Site : 03CH11-HY  
 Condition: -25 1m SHF\_00993\_231124 Vertical  
 : 5GNR n41 100M Ch518598 1RB1 QPSK

1	2	3	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit dBm	Margin dB	Pol	
						Factor	1						
			5100.00	-53.07	RMS	33.20	-22.55	0.50	-95.23	31.01	-25.00	-28.07	Vertical
			7638.00	-48.02	RMS	36.25	-20.57	0.55	-95.23	30.98	-25.00	-23.02	Vertical
			10185.00	-44.72	RMS	38.67	-18.03	0.57	-95.23	29.30	-25.00	-19.72	Vertical




Antenna 0

Part 27M Mode 89


NR SA n41 100M Ch528000 1RB1 BPSK

H



Site : 03CH11-HY  
 Condition: -25 1m SHF\_00993\_231124 Horizontal  
 : 5GNR n41 100M Ch528000 1RB1 QPSK

1	2	3	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit dBm	Margin dB	Pol
						Factor	1					
			5182.00	-53.09	RMS	33.14	-22.47	0.51 -95.23	30.96	-25.00	-28.09	Horizontal
			7773.00	-48.40	RMS	36.54	-20.58	0.57 -95.23	30.30	-25.00	-23.40	Horizontal
			10365.00	-44.16	RMS	38.80	-17.97	0.57 -95.23	29.67	-25.00	-19.16	Horizontal



Site : 03CH11-HY  
 Condition: -25 1m SHF\_00993\_231124 Vertical  
 : 5GNR n41 100M Ch528000 1RB1 QPSK

1	2	3	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit dBm	Margin dB	Pol
						Factor	1					
			5182.00	-53.00	RMS	33.14	-22.47	0.51 -95.23	31.05	-25.00	-28.00	Vertical
			7773.00	-47.88	RMS	36.54	-20.58	0.57 -95.23	30.82	-25.00	-22.88	Vertical
			10365.00	-44.23	RMS	38.80	-17.97	0.57 -95.23	29.60	-25.00	-19.23	Vertical