





FR1 n77 / 90MHz / DFT-S OFDM / 256QAM

Lowest Band Edge / Full RB



Highest Band Edge / Full RB



FR1 n77 / 90MHz / CP OFDM / QPSK / Full RB

Lowest Band Edge

Highest Band Edge







FR1 n77 / 100MHz / DFT-S OFDM / PI/2 BPSK

Lowest Band Edge / Full RB



Highest Band Edge / Full RB



FR1 n77 / 100MHz / DFT-S OFDM / QPSK

Lowest Band Edge / Full RB

Highest Band Edge / Full RB







FR1 n77 / 100MHz / DFT-S OFDM / 16QAM

Lowest Band Edge / Full RB



Highest Band Edge / Full RB



FR1 n77 / 100MHz / DFT-S OFDM / 64QAM

Lowest Band Edge / Full RB

Highest Band Edge / Full RB







FR1 n77 / 100MHz / DFT-S OFDM / 256QAM

Lowest Band Edge / Full RB



Highest Band Edge / Full RB



FR1 n77 / 100MHz / CP OFDM / QPSK / Full RB

Lowest Band Edge

Highest Band Edge







# Conducted Spurious Emission


FR1 n77 / 10MHz / DFT-S OFDM / QPSK / 1RB1

## Lowest Channel

## Middle Channel



## Highest Channel





### Frequency Stability

| Test Conditions     |                   | FR1 n77 (BPSK) / Middle Channel | Limit   |
|---------------------|-------------------|---------------------------------|---------|
| Temperature<br>(°C) | Voltage<br>(Volt) | BW 20MHz                        | Note 2. |
|                     |                   | Deviation (ppm)                 | Result  |
| 50                  | Normal Voltage    | 0.0024                          | PASS    |
| 40                  | Normal Voltage    | 0.0026                          |         |
| 30                  | Normal Voltage    | 0.0024                          |         |
| 20(Ref.)            | Normal Voltage    | 0.0000                          |         |
| 10                  | Normal Voltage    | 0.0037                          |         |
| 0                   | Normal Voltage    | 0.0032                          |         |
| -10                 | Normal Voltage    | 0.0035                          |         |
| -20                 | Normal Voltage    | 0.0034                          |         |
| -30                 | Normal Voltage    | 0.0015                          |         |
| 20                  | Maximum Voltage   | 0.0009                          |         |
| 20                  | Normal Voltage    | 0.0000                          |         |
| 20                  | Battery End Point | 0.0015                          |         |

**Note:**

- 1. Normal Voltage = 3.3 V. ; Battery End Point (BEP) = 3.135 V. ; Maximum Voltage = 3.465 V.
- 2. The frequency fundamental emissions stay within the authorized frequency block.



MIMO <Ant. 2>


**Peak-to-Average Ratio**

| Mode      | FR1 n77 / 20MHz / DFT-S OFDM |         |         |         |             |
|-----------|------------------------------|---------|---------|---------|-------------|
| Mod.      | PI/2 BPSK                    | QPSK    | 16QAM   | 64QAM   | Limit: 13dB |
| RB Size   | Full RB                      | Full RB | Full RB | Full RB | Result      |
| Middle CH | 3.80                         | 4.40    | 5.38    | 5.80    | PASS        |
| Mode      | FR1 n77 / 20MHz / DFT-S OFDM |         |         |         |             |
| Mod.      | 256QAM                       |         |         |         | Limit: 13dB |
| RB Size   | Full RB                      |         |         |         | Result      |
| Middle CH | 6.82                         |         |         |         | PASS        |




FR1 n77 / 20MHz / DFT-S OFDM / Middle Channel / Full RB


PI/2 BPSK




QPSK




16QAM



64QAM



256QAM







**26dB Bandwidth**


| Mode      | FR1 n77 : 26dB BW(MHz) / DFT-S OFDM |           |           |           |           |           |           |           |
|-----------|-------------------------------------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| BW        | 10MHz                               | 15MHz     | 20MHz     | 25MHz     | 30MHz     | 40MHz     | 50MHz     | 60MHz     |
| Mod.      | PI/2 BPSK                           | PI/2 BPSK | PI/2 BPSK | PI/2 BPSK | PI/2 BPSK | PI/2 BPSK | PI/2 BPSK | PI/2 BPSK |
| Middle CH | 10.04                               | 14.34     | 19.74     | 25.09     | 29.79     | 38.87     | 48.76     | 62.65     |
| BW        | 70MHz                               | 80MHz     | 90MHz     | 100MHz    |           |           |           |           |
| Mod.      | PI/2 BPSK                           | PI/2 BPSK | PI/2 BPSK | PI/2 BPSK |           |           |           |           |
| Middle CH | 69.03                               | 80.50     | 91.68     | 101.49    |           |           |           |           |

| Mode      | FR1 n77 : 26dB BW(MHz) / CP OFDM |        |       |        |       |        |        |        |
|-----------|----------------------------------|--------|-------|--------|-------|--------|--------|--------|
| BW        | 10MHz                            |        | 15MHz |        | 20MHz |        | 25MHz  |        |
| Mod.      | QPSK                             | 16QAM  | QPSK  | 16QAM  | QPSK  | 16QAM  | QPSK   | 16QAM  |
| Middle CH | 10.05                            | 10.13  | 15.47 | 15.26  | 20.34 | 20.36  | 25.28  | 25.39  |
| Mod.      | 64QAM                            | 256QAM | 64QAM | 256QAM | 64QAM | 256QAM | 64QAM  | 256QAM |
| Middle CH | 10.12                            | 10.15  | 15.36 | 15.30  | 20.34 | 20.34  | 25.28  | 25.39  |
| BW        | 30MHz                            |        | 40MHz |        | 50MHz |        | 60MHz  |        |
| Mod.      | QPSK                             | 16QAM  | QPSK  | 16QAM  | QPSK  | 16QAM  | QPSK   | 16QAM  |
| Middle CH | 30.88                            | 30.69  | 40.98 | 40.96  | 50.37 | 50.40  | 62.78  | 63.53  |
| Mod.      | 64QAM                            | 256QAM | 64QAM | 256QAM | 64QAM | 256QAM | 64QAM  | 256QAM |
| Middle CH | 30.72                            | 30.57  | 40.74 | 40.95  | 50.67 | 50.50  | 63.06  | 62.82  |
| BW        | 70MHz                            |        | 80MHz |        | 90MHz |        | 100MHz |        |
| Mod.      | QPSK                             | 16QAM  | QPSK  | 16QAM  | QPSK  | 16QAM  | QPSK   | 16QAM  |
| Middle CH | 72.57                            | 72.52  | 80.86 | 80.80  | 92.77 | 92.67  | 102.87 | 102.74 |
| Mod.      | 64QAM                            | 256QAM | 64QAM | 256QAM | 64QAM | 256QAM | 64QAM  | 256QAM |
| Middle CH | 72.89                            | 72.47  | 80.65 | 80.84  | 92.96 | 92.56  | 102.57 | 102.78 |




FR1 n77 / 10MHz / DFT-S OFDM / Middle Channel / Full RB

PI/2 BPSK




FR1 n77 / 10MHz / CP OFDM / Middle Channel / Full RB


QPSK




16QAM



64QAM




256QAM






FR1 n77 / 15MHz / DFT-S OFDM / Middle Channel / Full RB

PI/2 BPSK




FR1 n77 / 15MHz / CP OFDM / Middle Channel / Full RB


QPSK




16QAM



64QAM




256QAM






FR1 n77 / 20MHz / DFT-S OFDM / Middle Channel / Full RB

PI/2 BPSK




FR1 n77 / 20MHz / CP OFDM / Middle Channel / Full RB


QPSK




16QAM



64QAM




256QAM






FR1 n77 / 25MHz / DFT-S OFDM / Middle Channel / Full RB

PI/2 BPSK




FR1 n77 / 25MHz / CP OFDM / Middle Channel / Full RB


QPSK




16QAM



64QAM




256QAM






FR1 n77 / 30MHz / DFT-S OFDM / Middle Channel / Full RB

PI/2 BPSK




FR1 n77 / 30MHz / CP OFDM / Middle Channel / Full RB


QPSK




16QAM



64QAM




256QAM






FR1 n77 / 40MHz / DFT-S OFDM / Middle Channel / Full RB

PI/2 BPSK




FR1 n77 / 40MHz / CP OFDM / Middle Channel / Full RB


QPSK




16QAM



64QAM




256QAM






FR1 n77 / 50MHz / DFT-S OFDM / Middle Channel / Full RB

PI/2 BPSK




FR1 n77 / 50MHz / CP OFDM / Middle Channel / Full RB


QPSK




16QAM



64QAM



256QAM









FR1 n77 / 60MHz / DFT-S OFDM / Middle Channel / Full RB

PI/2 BPSK




FR1 n77 / 60MHz / CP OFDM / Middle Channel / Full RB


QPSK




16QAM



64QAM




256QAM






FR1 n77 / 70MHz / DFT-S OFDM / Middle Channel / Full RB

PI/2 BPSK




FR1 n77 / 70MHz / CP OFDM / Middle Channel / Full RB


QPSK




16QAM



64QAM




256QAM






FR1 n77 / 80MHz / DFT-S OFDM / Middle Channel / Full RB

PI/2 BPSK




FR1 n77 / 80MHz / CP OFDM / Middle Channel / Full RB


QPSK




16QAM



64QAM




256QAM






FR1 n77 / 90MHz / DFT-S OFDM / Middle Channel / Full RB

PI/2 BPSK




FR1 n77 / 90MHz / CP OFDM / Middle Channel / Full RB


QPSK




16QAM



64QAM




256QAM






FR1 n77 / 100MHz / DFT-S OFDM / Middle Channel / Full RB

PI/2 BPSK




FR1 n77 / 100MHz / CP OFDM / Middle Channel / Full RB


QPSK




16QAM



64QAM



256QAM





### Occupied Bandwidth


| Mode      | FR1 n77 : OB BW(MHz) / DFT-S OFDM |           |           |           |           |           |           |           |
|-----------|-----------------------------------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| BW        | 10MHz                             | 15MHz     | 20MHz     | 25MHz     | 30MHz     | 40MHz     | 50MHz     | 60MHz     |
| Mod.      | PI/2 BPSK                         | PI/2 BPSK | PI/2 BPSK | PI/2 BPSK | PI/2 BPSK | PI/2 BPSK | PI/2 BPSK | PI/2 BPSK |
| Middle CH | 8.61                              | 13.00     | 18.04     | 23.01     | 27.18     | 35.91     | 45.90     | 58.47     |
| BW        | 70MHz                             | 80MHz     | 90MHz     | 100MHz    |           |           |           |           |
| Mod.      | PI/2 BPSK                         | PI/2 BPSK | PI/2 BPSK | PI/2 BPSK |           |           |           |           |
| Middle CH | 64.88                             | 77.48     | 87.00     | 96.81     |           |           |           |           |

| Mode      | FR1 n77 : OB BW(MHz) / CP OFDM |        |       |        |       |        |        |        |
|-----------|--------------------------------|--------|-------|--------|-------|--------|--------|--------|
| BW        | 10MHz                          |        | 15MHz |        | 20MHz |        | 25MHz  |        |
| Mod.      | QPSK                           | 16QAM  | QPSK  | 16QAM  | QPSK  | 16QAM  | QPSK   | 16QAM  |
| Middle CH | 8.64                           | 8.64   | 13.65 | 13.66  | 18.34 | 18.42  | 23.30  | 23.29  |
| Mod.      | 64QAM                          | 256QAM | 64QAM | 256QAM | 64QAM | 256QAM | 64QAM  | 256QAM |
| Middle CH | 8.66                           | 8.66   | 13.65 | 13.62  | 18.38 | 18.36  | 23.33  | 23.29  |
| BW        | 30MHz                          |        | 40MHz |        | 50MHz |        | 60MHz  |        |
| Mod.      | QPSK                           | 16QAM  | QPSK  | 16QAM  | QPSK  | 16QAM  | QPSK   | 16QAM  |
| Middle CH | 28.22                          | 28.17  | 38.05 | 38.15  | 47.51 | 47.51  | 58.37  | 58.45  |
| Mod.      | 64QAM                          | 256QAM | 64QAM | 256QAM | 64QAM | 256QAM | 64QAM  | 256QAM |
| Middle CH | 28.18                          | 28.11  | 38.07 | 38.00  | 47.63 | 47.59  | 58.49  | 58.35  |
| BW        | 70MHz                          |        | 80MHz |        | 90MHz |        | 100MHz |        |
| Mod.      | QPSK                           | 16QAM  | QPSK  | 16QAM  | QPSK  | 16QAM  | QPSK   | 16QAM  |
| Middle CH | 67.99                          | 67.96  | 78.09 | 77.93  | 87.83 | 87.75  | 97.65  | 97.86  |
| Mod.      | 64QAM                          | 256QAM | 64QAM | 256QAM | 64QAM | 256QAM | 64QAM  | 256QAM |
| Middle CH | 68.28                          | 67.98  | 77.80 | 77.85  | 87.77 | 87.77  | 97.60  | 97.65  |




FR1 n77 / 10MHz / DFT-S OFDM / Middle Channel / Full RB

PI/2 BPSK




FR1 n77 / 10MHz / CP OFDM / Middle Channel / Full RB


QPSK




16QAM



64QAM




256QAM






FR1 n77 / 15MHz / DFT-S OFDM / Middle Channel / Full RB

PI/2 BPSK




FR1 n77 / 15MHz / CP OFDM / Middle Channel / Full RB


QPSK




16QAM



64QAM



256QAM









FR1 n77 / 20MHz / DFT-S OFDM / Middle Channel / Full RB

PI/2 BPSK




FR1 n77 / 20MHz / CP OFDM / Middle Channel / Full RB


QPSK



16QAM



64QAM



256QAM

