


**Bandedge table**

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5148.92	59.89 PK	74	-14.11	-44.03	-45.59	6.36	-35.37
2	5137.62	42.32 AV	54	-11.68	-62.92	-61.77	6.36	-52.94


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

**Chain 0**



**Chain 1**



### 802.11be (EHT20) 26-tone RU - Channel 40

#### Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#3475	58.5 PK	68.2	-9.7	-50.39	-46.38	8.17	-36.76
2	#6931.25	58.5 PK	68.2	-9.7	-47.33	-48.66	8.17	-36.76
3	#10417.18	59.02 PK	68.2	-9.18	-47.22	-47.64	8.17	-36.24
4	15608.81	49.4 PK	74	-24.6	-58.52	-55.94	8.17	-45.86
5	15600.18	39.34 AV	54	-14.66	-66.86	-67.35	8.17	-55.92
6	#6240.62	59.58 PK	68.2	-8.62	-49.18	-45.35	8.17	-35.68

#### Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




### Chain 0





### Chain 1




### Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5108.25	59.87 PK	74	-14.13	-45.48	-44.14	6.36	-35.39
2	5148.95	41.77 AV	54	-12.23	-63.24	-62.51	6.36	-53.49


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

### Chain 0



### Chain 1



### 802.11be (EHT20) 26-tone RU - Channel 48

#### Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#3496.87	58.42 PK	68.2	-9.78	-50.25	-46.56	8.17	-36.84
2	#6968.75	58.39 PK	68.2	-9.81	-49.09	-47.22	8.17	-36.87
3	#10490.62	59.32 PK	68.2	-8.88	-46.76	-47.52	8.17	-35.94
4	15732.43	48.93 PK	74	-25.07	-56.8	-58.36	8.17	-46.33
5	15719.5	39.09 AV	54	-14.91	-67.54	-67.17	8.17	-56.17
6	#6287.5	60.1 PK	68.2	-8.1	-47.96	-45.17	8.17	-35.16

#### Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




### Chain 0





### Chain 1






### Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5104.35	59.45 PK	74	-14.55	-46.39	-44.23	6.36	-35.81
2	5149.87	40.41 AV	54	-13.59	-64.62	-63.85	6.36	-54.85


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

### Chain 0



### Chain 1



## 802.11be (EHT20) 26-tone RU - Channel 52







### Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3500	57.86 PK	74	-16.14	-48.17	-49.04	8.17	-37.40
2	3496.87	46.87 AV	54	-7.13	-59.84	-59.31	8.17	-48.39
3	#7009.37	59.12 PK	68.2	-9.08	-47.07	-47.58	8.17	-36.14
4	#10507.81	59.93 PK	68.2	-8.27	-45.49	-47.84	8.17	-35.33
5	15800	49.34 PK	74	-24.66	-56.05	-58.49	8.17	-45.92
6	15788.5	38.93 AV	54	-15.07	-67.4	-67.63	8.17	-56.33
7	#6312.5	59.76 PK	68.2	-8.44	-46.12	-47.32	8.17	-35.50

Remarks:


1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

### Chain 0





### Chain 1




### Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5437.25	57.42 PK	74	-16.58	-46.09	-48.92	6.43	-37.84
2	5350.3	39.09 AV	54	-14.91	-65.23	-66.02	6.43	-56.17


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

### Chain 0



### Chain 1



### 802.11be (EHT20) 26-tone RU - Channel 60







#### Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3532.81	58.08 PK	74	-15.92	-48.61	-48.13	8.17	-37.18
2	3537.5	47.2 AV	54	-6.8	-59.23	-59.26	8.17	-48.06
3	#7078.12	58.68 PK	68.2	-9.52	-48.25	-47.32	8.17	-36.58
4	10607.81	59.11 PK	74	-14.89	-47.39	-47.28	8.17	-36.15
5	10605.31	48.76 AV	54	-5.24	-57.6	-57.77	8.17	-46.50
6	15904.93	48.96 PK	74	-25.04	-59.06	-56.33	8.17	-46.30
7	15906.37	38.87 AV	54	-15.13	-67.68	-67.46	8.17	-56.39
8	#6360.93	59.41 PK	68.2	-8.79	-48.41	-45.99	8.17	-35.85

Remarks:


1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

### Chain 0





### Chain 1






### Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5368.87	57.81 PK	74	-16.19	-46.83	-46.95	6.43	-37.45
2	5351.05	41.19 AV	54	-12.81	-63.58	-63.45	6.43	-54.07


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

### Chain 0



### Chain 1



### 802.11be (EHT20) 26-tone RU - Channel 64

#### Conducted spurious emission table







No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3543.75	58.68 PK	74	-15.32	-47.54	-48	8.17	-36.58
2	3550	47.24 AV	54	-6.76	-59.13	-59.28	8.17	-48.02
3	#7104.68	58.99 PK	68.2	-9.21	-47.72	-47.19	8.17	-36.27
4	10643.75	60.28 PK	74	-13.72	-46.09	-46.24	8.17	-34.98
5	10634.37	48.79 AV	54	-5.21	-57.73	-57.57	8.17	-46.47
6	15945.18	48.35 PK	74	-25.65	-57.84	-58.35	8.17	-46.91
7	15952.37	39.06 AV	54	-14.94	-67.36	-67.4	8.17	-56.20
8	#6384.37	60.9 PK	68.2	-7.3	-48.17	-43.91	8.17	-34.36

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




### Chain 0





### Chain 1




### Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5357	58.29 PK	74	-15.71	-46.81	-46.05	6.43	-36.97
2	5363.07	41.84 AV	54	-12.16	-62.98	-62.75	6.43	-53.42


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

### Chain 0



### Chain 1



### 802.11be (EHT20) 26-tone RU - Channel 100







#### Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3668.75	60.38 PK	74	-13.62	-44.92	-47.6	8.17	-34.88
2	3682.81	49.35 AV	54	-4.65	-57.14	-57.05	8.17	-45.91
3	7343.75	58.99 PK	74	-15.01	-48	-46.97	8.17	-36.27
4	7314.06	48.2 AV	54	-5.8	-58.19	-58.3	8.17	-47.06
5	10995.31	59.44 PK	74	-14.56	-47.83	-46.3	8.17	-35.82
6	11010.93	48.74 AV	54	-5.26	-57.67	-57.74	8.17	-46.52
7	#16488.56	49.07 PK	68.2	-19.13	-55.24	-61.73	8.17	-46.19
8	#6600	59.63 PK	68.2	-8.57	-48.35	-45.67	8.17	-35.63

Remarks:


1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

### Chain 0





### Chain 1






### Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5445.68	60.27 PK	74	-13.73	-45.02	-46.81	7.82	-34.99
2	5457.31	42.66 AV	54	-11.34	-62.74	-64.24	7.82	-52.60
3	#5468.18	60.06 PK	68.2	-8.14	-47.7	-44.82	7.82	-35.20


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

### Chain 0



### Chain 1



### 802.11be (EHT20) 26-tone RU - Channel 116







#### Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3728.12	61.2 PK	74	-12.8	-44.55	-46.06	8.17	-34.06
2	3735.93	49.96 AV	54	-4.04	-56.35	-56.62	8.17	-45.30
3	7435.93	58.2 PK	74	-15.8	-48.05	-48.43	8.17	-37.06
4	7434.37	47.53 AV	54	-6.47	-59	-58.82	8.17	-47.73
5	11151.56	59.11 PK	74	-14.89	-46.55	-48.29	8.17	-36.15
6	11143.75	48.46 AV	54	-5.54	-57.85	-58.11	8.17	-46.80
7	#16745.87	49.14 PK	68.2	-19.06	-56.28	-58.65	8.17	-46.12
8	#6696.87	59.31 PK	68.2	-8.89	-49.2	-45.74	8.17	-35.95

#### Remarks:


1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

### Chain 0





### Chain 1




### Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5459.09	59.44 PK	74	-14.56	-45.44	-48.32	7.82	-35.82
2	5459.4	39.35 AV	54	-14.65	-67.01	-66.48	7.82	-55.91
3	#5464.56	59.03 PK	68.2	-9.17	-46.89	-47.23	7.82	-36.23


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

### Chain 0



### Chain 1



### 802.11be (EHT20) 26-tone RU - Channel 140







#### Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3789.06	61.37 PK	74	-12.63	-44.58	-45.62	8.17	-33.89
2	3800	50.18 AV	54	-3.82	-56.17	-56.36	8.17	-45.08
3	7587.5	59.25 PK	74	-14.75	-47.25	-47.13	8.17	-36.01
4	7618.75	47.98 AV	54	-6.02	-58.31	-58.61	8.17	-47.28
5	11414.06	59.55 PK	74	-14.45	-47.86	-46.1	8.17	-35.71
6	11414.06	48.56 AV	54	-5.44	-58	-57.76	8.17	-46.70
7	#17109.56	49.7 PK	68.2	-18.5	-55.56	-58.37	8.17	-45.56
8	#6840.62	58.67 PK	68.2	-9.53	-49.62	-46.47	8.17	-36.59

Remarks:


1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

### Chain 0





### Chain 1






### Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#5750.15	60.25 PK	68.2	-7.95	-46.6	-45.19	7.82	-35.01


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

### Chain 0



### Chain 1



### 802.11be (EHT20) 26-tone RU - Channel 144







#### Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3795.31	60.6 PK	74	-13.4	-45.65	-46.03	8.17	-34.66
2	3821.87	50.28 AV	54	-3.72	-56.13	-56.2	8.17	-44.98
3	7609.37	59.24 PK	74	-14.76	-46.12	-48.65	8.17	-36.02
4	7626.56	48.07 AV	54	-5.93	-58.32	-58.42	8.17	-47.19
5	11457.81	59.27 PK	74	-14.73	-47.28	-47.07	8.17	-35.99
6	11454.68	48.73 AV	54	-5.27	-57.82	-57.61	8.17	-46.53
7	#17144.06	49.52 PK	68.2	-18.68	-57.25	-56.61	8.17	-45.74
8	#6864.06	59.43 PK	68.2	-8.77	-48.45	-45.93	8.17	-35.83

Remarks:


1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

### Chain 0





### Chain 1




**Bandedge table**

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#5893.03	60.3 PK	68.2	-7.9	-44.23	-48.26	7.82	-34.96


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

**Chain 0**



**Chain 1**



### 802.11be (EHT20) 26-tone RU - Channel 149







#### Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3832.81	61.1 PK	74	-12.9	-46.86	-44.22	8.17	-34.16
2	3821.87	50.38 AV	54	-3.62	-56.13	-55.99	8.17	-44.88
3	7670.31	59.12 PK	74	-14.88	-47.8	-46.88	8.17	-36.14
4	7675	48.18 AV	54	-5.82	-58.1	-58.43	8.17	-47.08
5	11484.37	59.46 PK	74	-14.54	-46.99	-46.97	8.17	-35.80
6	11493.75	48.93 AV	54	-5.07	-57.8	-57.24	8.17	-46.33
7	#17217.37	48.63 PK	68.2	-19.57	-57.3	-58.4	8.17	-46.63
8	#6876.56	63.87 PK	68.2	-4.33	-40.15	-48.53	8.17	-31.39

Remarks:


1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

### Chain 0





### Chain 1









### Bandedge table

#### Chain 0





Chain 1



### 802.11be (EHT20) 26-tone RU - Channel 157

#### Conducted spurious emission table







No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3845.31	61.37 PK	74	-12.63	-45.55	-44.64	8.17	-33.89
2	3842.18	50.04 AV	54	-3.96	-56.32	-56.48	8.17	-45.22
3	7710.93	59.22 PK	74	-14.78	-48.46	-46.26	8.17	-36.04
4	7709.37	48.35 AV	54	-5.65	-58.12	-58.06	8.17	-46.91
5	11575	59.42 PK	74	-14.58	-47.2	-46.84	8.17	-35.84
6	11554.68	48.57 AV	54	-5.43	-58.14	-57.61	8.17	-46.69
7	#17356.81	49.61 PK	68.2	-18.59	-54.92	-60.31	8.17	-45.65

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




### Chain 0






### Chain 1






### Bandedge table

#### Chain 0





Chain 1



### 802.11be (EHT20) 26-tone RU - Channel 165

#### Conducted spurious emission table







No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3868.75	61.2 PK	74	-12.8	-45.34	-45.14	8.17	-34.06
2	3871.87	50.25 AV	54	-3.75	-56.19	-56.19	8.17	-45.01
3	7750	59.78 PK	74	-14.22	-45.09	-49.14	8.17	-35.48
4	7768.75	48.44 AV	54	-5.56	-58.14	-57.86	8.17	-46.82
5	11654.68	59.03 PK	74	-14.97	-48.15	-46.77	8.17	-36.23
6	11667.18	48.43 AV	54	-5.57	-58.03	-57.99	8.17	-46.83
7	#17456	50.12 PK	68.2	-18.08	-56.7	-55.98	8.17	-45.14

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




### Chain 0






### Chain 1




### Bandedge table

#### Chain 0





Chain 1



## 802.11be (EHT20) 52-tone RU - Channel 36







### Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#3448.43	57.72 PK	68.2	-10.48	-47.65	-50.15	8.17	-37.54
2	#6900	58.98 PK	68.2	-9.22	-48.08	-46.92	8.17	-36.28
3	#10375	59.6 PK	68.2	-8.6	-45.53	-48.73	8.17	-35.66
4	15526.87	49.08 PK	74	-24.92	-56.37	-58.64	8.17	-46.18
5	15547	39.17 AV	54	-14.83	-67.12	-67.42	8.17	-56.09
6	#6215.62	60.96 PK	68.2	-7.24	-48.5	-43.72	8.17	-34.30







Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

### Chain 0



### Chain 1




### Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5090.65	60.59 PK	74	-13.41	-44.07	-44.02	6.36	-34.67
2	5143.72	43.73 AV	54	-10.27	-60.95	-60.85	6.36	-51.53


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

### Chain 0



### Chain 1





## 802.11be (EHT20) 52-tone RU - Channel 40

### Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#3462.5	57.61 PK	68.2	-10.59	-47.92	-49.99	8.17	-37.65
2	#6942.18	58.66 PK	68.2	-9.54	-47.03	-48.69	8.17	-36.60
3	#10389.06	59.46 PK	68.2	-8.74	-47.7	-46.37	8.17	-35.80
4	15605.93	49.11 PK	74	-24.89	-55.87	-59.56	8.17	-46.15
5	15580.06	39.44 AV	54	-14.56	-66.77	-67.24	8.17	-55.82
6	#6239.06	59.16 PK	68.2	-9.04	-48.84	-46.14	8.17	-36.10

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




### Chain 0





### Chain 1




### Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5127.07	60.39 PK	74	-13.61	-43.93	-44.58	6.36	-34.87
2	5149.87	43.34 AV	54	-10.66	-61.34	-61.25	6.36	-51.92


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

### Chain 0



### Chain 1



### 802.11be (EHT20) 52-tone RU - Channel 48







#### Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#3482.81	58.86 PK	68.2	-9.34	-46.92	-48.37	8.17	-36.40
2	#6973.43	58.82 PK	68.2	-9.38	-47.18	-48.11	8.17	-36.44
3	#10479.68	59.11 PK	68.2	-9.09	-47.9	-46.83	8.17	-36.15
4	15723.81	48.39 PK	74	-25.61	-57.63	-58.51	8.17	-46.87
5	15700.81	39.09 AV	54	-14.91	-67.37	-67.33	8.17	-56.17
6	#6287.5	61.28 PK	68.2	-6.92	-46.35	-44.22	8.17	-33.98

Remarks:


1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

### Chain 0





### Chain 1




### Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5068.25	60.31 PK	74	-13.69	-43.39	-45.5	6.36	-34.95
2	5149.92	41.25 AV	54	-12.75	-63.05	-63.74	6.36	-54.01


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

### Chain 0



### Chain 1





## 802.11be (EHT20) 52-tone RU - Channel 52







### Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3501.56	57.09 PK	74	-16.91	-48.95	-49.8	8.17	-38.17
2	3501.56	47.04 AV	54	-6.96	-59.62	-59.2	8.17	-48.22
3	#7023.43	58.67 PK	68.2	-9.53	-49.1	-46.75	8.17	-36.59
4	#10520.31	59.58 PK	68.2	-8.62	-46.81	-46.92	8.17	-35.68
5	15769.81	48.8 PK	74	-25.2	-56.67	-58.88	8.17	-46.46
6	15761.18	38.9 AV	54	-15.1	-67.45	-67.63	8.17	-56.36
7	#6312.5	59.11 PK	68.2	-9.09	-49.94	-45.71	8.17	-36.15

#### Remarks:







1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

### Chain 0





### Chain 1




### Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5374.67	58.34 PK	74	-15.66	-45.36	-47.65	6.43	-36.92
2	5350.12	42.09 AV	54	-11.91	-62.38	-62.86	6.43	-53.17


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

### Chain 0



### Chain 1



### 802.11be (EHT20) 52-tone RU - Channel 60







#### Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3539.06	57.31 PK	74	-16.69	-49.5	-48.79	8.17	-37.95
2	3546.87	47.29 AV	54	-6.71	-59.33	-58.98	8.17	-47.97
3	#7076.56	58.85 PK	68.2	-9.35	-48.67	-46.72	8.17	-36.41
4	#10582.81	59.42 PK	68.2	-8.78	-47.15	-46.9	8.17	-35.84
5	15916.43	48.9 PK	74	-25.1	-57.7	-57.38	8.17	-46.36
6	15903.5	38.9 AV	54	-15.1	-67.83	-67.26	8.17	-56.36
7	#6360.93	60.06 PK	68.2	-8.14	-46.71	-46.08	8.17	-35.20

Remarks:


1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

### Chain 0





### Chain 1




### Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5357.07	59.49 PK	74	-14.51	-44.05	-46.81	6.43	-35.77
2	5351.12	44.22 AV	54	-9.78	-60.15	-60.83	6.43	-51.04


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

### Chain 0



### Chain 1





## 802.11be (EHT20) 52-tone RU - Channel 64

### Conducted spurious emission table







No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3537.5	58.41 PK	74	-15.59	-50.75	-46.37	8.17	-36.85
2	3565.62	47.38 AV	54	-6.62	-59.2	-58.92	8.17	-47.88
3	#7085.93	59.44 PK	68.2	-8.76	-45.78	-48.69	8.17	-35.82
4	10656.25	60.43 PK	74	-13.57	-47.99	-44.65	8.17	-34.83
5	10631.25	48.81 AV	54	-5.19	-57.46	-57.81	8.17	-46.45
6	15949.5	48.33 PK	74	-25.67	-57.65	-58.62	8.17	-46.93
7	15975.37	38.98 AV	54	-15.02	-67.47	-67.45	8.17	-56.28
8	#6384.37	60.47 PK	68.2	-7.73	-47.38	-44.9	8.17	-34.79

#### Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




### Chain 0





### Chain 1




**Bandedge table**

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5359	60.54 PK	74	-13.46	-44.72	-43.67	6.43	-34.72
2	5358.32	45.6 AV	54	-8.4	-58.86	-59.36	6.43	-49.66


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

**Chain 0**



**Chain 1**



## 802.11be (EHT20) 52-tone RU - Channel 100

### Conducted spurious emission table







No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3681.25	59.88 PK	74	-14.12	-47.1	-46.08	8.17	-35.38
2	3685.93	49.55 AV	54	-4.45	-56.9	-56.88	8.17	-45.71
3	7351.56	59 PK	74	-15	-47.49	-47.39	8.17	-36.26
4	7318.75	48.31 AV	54	-5.69	-58.09	-58.18	8.17	-46.95
5	11012.5	59.2 PK	74	-14.8	-46.8	-47.74	8.17	-36.06
6	10987.5	48.98 AV	54	-5.02	-57.47	-57.46	8.17	-46.28
7	#16485.68	48.7 PK	68.2	-19.5	-57.88	-57.6	8.17	-46.56
8	#6600	59.43 PK	68.2	-8.77	-50.01	-45.25	8.17	-35.83

#### Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




### Chain 0





### Chain 1




### Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5450.75	60.29 PK	74	-13.71	-46.83	-44.97	7.82	-34.97
2	5459.87	43.62 AV	54	-10.38	-62.93	-62.06	7.82	-51.64
3	#5468.59	60.45 PK	68.2	-7.75	-45.92	-45.38	7.82	-34.81


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

### Chain 0



### Chain 1





## 802.11be (EHT20) 52-tone RU - Channel 116







### Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBUV/m)	Limit (dBUV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3723.43	60.63 PK	74	-13.37	-45.92	-45.71	8.17	-34.63
2	3726.56	50.04 AV	54	-3.96	-56.41	-56.4	8.17	-45.22
3	7421.87	58.9 PK	74	-15.1	-46.43	-49.03	8.17	-36.36
4	7435.93	47.51 AV	54	-6.49	-58.66	-59.22	8.17	-47.75
5	11164.06	59.56 PK	74	-14.44	-45.98	-48.01	8.17	-35.70
6	11145.31	48.38 AV	54	-5.62	-58.19	-57.93	8.17	-46.88
7	#16737.25	50.32 PK	68.2	-17.88	-58.1	-54.77	8.17	-44.94
8	#6696.87	58.84 PK	68.2	-9.36	-49.52	-46.27	8.17	-36.42

#### Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

### Chain 0





### Chain 1




### Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5433.9	59.53 PK	74	-14.47	-46.03	-47.17	7.82	-35.73
2	5459.84	40.42 AV	54	-13.58	-65.76	-65.59	7.82	-54.84
3	#5464.96	59.74 PK	68.2	-8.46	-48.2	-45.05	7.82	-35.52


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

### Chain 0



### Chain 1



## 802.11be (EHT20) 52-tone RU - Channel 140







### Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3790.62	61.1 PK	74	-12.9	-44.56	-46.28	8.17	-34.16
2	3790.62	50.38 AV	54	-3.62	-55.93	-56.19	8.17	-44.88
3	7582.81	59.03 PK	74	-14.97	-46.93	-47.96	8.17	-36.23
4	7601.56	48.17 AV	54	-5.83	-58.32	-58.23	8.17	-47.09
5	11381.25	59.14 PK	74	-14.86	-47.8	-46.86	8.17	-36.12
6	11393.75	48.72 AV	54	-5.28	-57.71	-57.73	8.17	-46.54
7	#17113.87	48.84 PK	68.2	-19.36	-57.79	-57.42	8.17	-46.42
8	#6840.62	59.6 PK	68.2	-8.6	-49.37	-45.25	8.17	-35.66

#### Remarks:


1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

### Chain 0





### Chain 1




### Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#5733.87	61.1 PK	68.2	-7.1	-47.08	-43.58	7.82	-34.16


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

### Chain 0



### Chain 1





## 802.11be (EHT20) 52-tone RU - Channel 144

### Conducted spurious emission table







No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3807.81	61.35 PK	74	-12.65	-45.15	-45.03	8.17	-33.91
2	3825	50.41 AV	54	-3.59	-55.76	-56.31	8.17	-44.85
3	7612.5	58.74 PK	74	-15.26	-47.66	-47.75	8.17	-36.52
4	7635.93	48.28 AV	54	-5.72	-58.31	-58.02	8.17	-46.98
5	11454.68	60 PK	74	-14	-46.49	-46.39	8.17	-35.26
6	11459.37	48.85 AV	54	-5.15	-57.52	-57.67	8.17	-46.41
7	#17148.37	49.31 PK	68.2	-18.89	-57.04	-57.23	8.17	-45.95
8	#6871.87	59.98 PK	68.2	-8.22	-45.51	-47.67	8.17	-35.28

#### Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




### Chain 0





### Chain 1




### Bandedge table

No.	Frequency (MHz)	Emission Level (dBUV/m)	Limit (dBUV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#5920.26	60.41 PK	68.2	-7.79	-44.88	-46.65	7.82	-34.85


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

### Chain 0



### Chain 1



## 802.11be (EHT20) 52-tone RU - Channel 149







### Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3832.81	60.61 PK	74	-13.39	-44.75	-47.28	8.17	-34.65
2	3815.62	50.39 AV	54	-3.61	-55.99	-56.12	8.17	-44.87
3	7660.93	59.59 PK	74	-14.41	-47.51	-46.28	8.17	-35.67
4	7662.5	48.31 AV	54	-5.69	-58.16	-58.1	8.17	-46.95
5	11470.31	59.86 PK	74	-14.14	-45.89	-47.4	8.17	-35.40
6	11476.56	48.83 AV	54	-5.17	-57.53	-57.7	8.17	-46.43
7	#17237.5	49.1 PK	68.2	-19.1	-56.92	-57.81	8.17	-46.16
8	#6893.75	60.22 PK	68.2	-7.98	-49.93	-44.25	8.17	-35.04

#### Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

### Chain 0





### Chain 1

