





Bandedge table

Chain 0





Chain 1



802.11be (EHT20) 52-tone RU - Channel 157







Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3839.06	61.09 PK	74	-12.91	-44.09	-47.14	8.17	-34.17
2	3843.75	50.19 AV	54	-3.81	-56.07	-56.44	8.17	-45.07
3	7731.25	59.05 PK	74	-14.95	-47.54	-47.24	8.17	-36.21
4	7701.56	48.45 AV	54	-5.55	-58.04	-57.94	8.17	-46.81
5	11585.93	58.93 PK	74	-15.07	-48.32	-46.82	8.17	-36.33
6	11554.68	48.63 AV	54	-5.37	-57.76	-57.86	8.17	-46.63
7	#17343.87	49.53 PK	68.2	-18.67	-59.37	-55.35	8.17	-45.73

Remarks:


1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0






Chain 1






Bandedge table





Chain 1



802.11be (EHT20) 52-tone RU - Channel 165







Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3864.06	61.27 PK	74	-12.73	-44.89	-45.46	8.17	-33.99
2	3868.75	49.99 AV	54	-4.01	-56.57	-56.33	8.17	-45.27
3	#7754.68	59.31 PK	68.2	-8.89	-46.57	-47.77	8.17	-35.95
4	11631.25	59.76 PK	74	-14.24	-46.25	-47.16	8.17	-35.50
5	11665.62	48.55 AV	54	-5.45	-57.77	-58.01	8.17	-46.71
6	#17468.93	48.81 PK	68.2	-19.39	-58.09	-57.22	8.17	-46.45

Remarks:


1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0





Chain 1






BUREAU
VERITAS


Bandedge table

Chain 0





Chain 1



802.11be (EHT20) 106-tone RU - Channel 36







Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#3440.62	58.21 PK	68.2	-9.99	-47.11	-49.73	8.17	-37.05
2	#6900	58.63 PK	68.2	-9.57	-47.95	-47.68	8.17	-36.63
3	#10362.5	59.81 PK	68.2	-8.39	-45.22	-48.73	8.17	-35.45
4	15559.93	49.68 PK	74	-24.32	-56.96	-56.57	8.17	-45.58
5	15526.87	40 AV	54	-14	-67	-65.94	8.17	-55.26
6	#6215.62	60.39 PK	68.2	-7.81	-47.33	-45.06	8.17	-34.87

Remarks:


1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5147.42	70.75 PK	74	-3.25	-31.04	-45.13	6.36	-24.51
2	5150	45.69 AV	54	-8.31	-58.42	-59.54	6.36	-49.57


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1



802.11be (EHT20) 106-tone RU - Channel 40







Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#3484.37	58.51 PK	68.2	-9.69	-46.97	-49.16	8.17	-36.75
2	#6940.62	58.93 PK	68.2	-9.27	-47.77	-47.27	8.17	-36.33
3	#10410.93	59.39 PK	68.2	-8.81	-47.32	-46.8	8.17	-35.87
4	15582.93	51.03 PK	74	-22.97	-54.83	-56.09	8.17	-44.23
5	15585.81	41.58 AV	54	-12.42	-65.54	-64.27	8.17	-53.68
6	#6239.06	59.91 PK	68.2	-8.29	-46.52	-46.54	8.17	-35.35

Remarks:


1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5147.67	66.78 PK	74	-7.22	-36.07	-40.93	6.36	-28.48
2	5149.85	45.56 AV	54	-8.44	-58.16	-60.23	6.36	-49.70


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1



802.11be (EHT20) 106-tone RU - Channel 48

Conducted spurious emission table







No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#3484.37	57.73 PK	68.2	-10.47	-49.51	-48.04	8.17	-37.53
2	#6979.68	59.18 PK	68.2	-9.02	-46.26	-48.56	8.17	-36.08
3	#10470.31	59.56 PK	68.2	-8.64	-46.27	-47.58	8.17	-35.70
4	15732.43	50.46 PK	74	-23.54	-57.09	-55.1	8.17	-44.80
5	15735.31	40.33 AV	54	-13.67	-65.52	-66.79	8.17	-54.93
6	#6287.5	60.34 PK	68.2	-7.86	-47.46	-45.06	8.17	-34.92

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




Chain 0





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5099.52	60.11 PK	74	-13.89	-43.53	-45.81	6.36	-35.15
2	5149.57	42.8 AV	54	-11.2	-61.49	-62.2	6.36	-52.46


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1



802.11be (EHT20) 106-tone RU - Channel 52







Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3507.81	57.84 PK	74	-16.16	-48.93	-48.3	8.17	-37.42
2	3512.5	47.04 AV	54	-6.96	-59.31	-59.49	8.17	-48.22
3	#7026.56	59.07 PK	68.2	-9.13	-46.51	-48.45	8.17	-36.19
4	#10531.25	60.06 PK	68.2	-8.14	-48.34	-45.04	8.17	-35.20
5	15791.37	48.99 PK	74	-25.01	-58.58	-56.56	8.17	-46.27
6	15764.06	39.53 AV	54	-14.47	-66.97	-66.85	8.17	-55.73
7	#6312.5	60.62 PK	68.2	-7.58	-46.95	-44.92	8.17	-34.64

Remarks:


1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5352.57	58.62 PK	74	-15.38	-47.49	-45.01	6.43	-36.64
2	5350.05	41.88 AV	54	-12.12	-62.54	-63.13	6.43	-53.38


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1



802.11be (EHT20) 106-tone RU - Channel 60

Conducted spurious emission table







No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3551.56	59.21 PK	74	-14.79	-48.02	-46.56	8.17	-36.05
2	3543.75	47.29 AV	54	-6.71	-59.28	-59.03	8.17	-47.97
3	#7064.06	59.62 PK	68.2	-8.58	-47.59	-46.17	8.17	-35.64
4	10614.06	59.18 PK	74	-14.82	-47.94	-46.67	8.17	-36.08
5	10618.75	48.88 AV	54	-5.12	-57.82	-57.32	8.17	-46.38
6	15881.93	48.94 PK	74	-25.06	-57.82	-57.21	8.17	-46.32
7	15883.37	39.24 AV	54	-14.76	-67.19	-67.21	8.17	-56.02
8	#6376.56	59.76 PK	68.2	-8.44	-48.03	-45.66	8.17	-35.50

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




Chain 0





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5350.3	59.42 PK	74	-14.58	-44.26	-46.61	6.43	-35.84
2	5350.27	44 AV	54	-10	-60.42	-61	6.43	-51.26


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1



802.11be (EHT20) 106-tone RU - Channel 64







Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3559.37	58.33 PK	74	-15.67	-47.19	-49.27	8.17	-36.93
2	3559.37	47.37 AV	54	-6.63	-59.07	-59.08	8.17	-47.89
3	#7082.81	58.69 PK	68.2	-9.51	-47.2	-48.38	8.17	-36.57
4	10653.12	59.88 PK	74	-14.12	-45.12	-48.72	8.17	-35.38
5	10650	48.97 AV	54	-5.03	-57.45	-57.5	8.17	-46.29
6	15976.81	50.34 PK	74	-23.66	-54.81	-57.94	8.17	-44.92
7	15976.81	40.27 AV	54	-13.73	-65.77	-66.62	8.17	-54.99
8	#6384.37	60.46 PK	68.2	-7.74	-48.73	-44.31	8.17	-34.80

Remarks:


1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5351.25	64.76 PK	74	-9.24	-38.55	-41.99	6.43	-30.50
2	5350.07	46.24 AV	54	-7.76	-58.02	-58.96	6.43	-49.02


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1



802.11be (EHT20) 106-tone RU - Channel 100







Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3673.43	60.43 PK	74	-13.57	-45.71	-46.33	8.17	-34.83
2	3682.81	49.7 AV	54	-4.3	-57	-56.5	8.17	-45.56
3	7329.68	58.87 PK	74	-15.13	-46.84	-48.45	8.17	-36.39
4	7323.43	48.34 AV	54	-5.66	-58.23	-57.98	8.17	-46.92
5	10989.06	59.94 PK	74	-14.06	-46.68	-46.32	8.17	-35.32
6	11009.37	48.85 AV	54	-5.15	-57.57	-57.61	8.17	-46.41
7	#16504.37	48.37 PK	68.2	-19.83	-59.84	-56.81	8.17	-46.89
8	#6600	61.02 PK	68.2	-7.18	-48.85	-43.53	8.17	-34.24

Remarks:


1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5451.75	61.04 PK	74	-12.96	-45.61	-44.55	7.82	-34.22
2	5459.78	45.15 AV	54	-8.85	-60.86	-61.02	7.82	-50.11
3	#5465.28	61.61 PK	68.2	-6.59	-44.73	-44.25	7.82	-33.65


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



802.11be (EHT20) 106-tone RU - Channel 116







Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3739.06	61.44 PK	74	-12.56	-45.26	-44.75	8.17	-33.82
2	3728.12	49.97 AV	54	-4.03	-56.46	-56.49	8.17	-45.29
3	7446.87	58.22 PK	74	-15.78	-48.33	-48.12	8.17	-37.04
4	7448.43	47.52 AV	54	-6.48	-59.15	-58.7	8.17	-47.74
5	11156.25	59.46 PK	74	-14.54	-47.22	-46.75	8.17	-35.80
6	11146.87	48.58 AV	54	-5.42	-58.02	-57.71	8.17	-46.68
7	#16740.12	48.37 PK	68.2	-19.83	-57.35	-58.93	8.17	-46.89
8	#6695.31	59.45 PK	68.2	-8.75	-48.65	-45.79	8.17	-35.81

Remarks:


1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5442.25	59.44 PK	74	-14.56	-47.97	-45.64	7.82	-35.82
2	5459.65	41.78 AV	54	-12.22	-64.43	-64.19	7.82	-53.48
3	#5463.15	59.74 PK	68.2	-8.46	-46.74	-46	7.82	-35.52


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



802.11be (EHT20) 106-tone RU - Channel 140

Conducted spurious emission table







No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3804.68	61.53 PK	74	-12.47	-45.64	-44.29	8.17	-33.73
2	3789.06	50.44 AV	54	-3.56	-56.09	-55.92	8.17	-44.82
3	7617.18	58.71 PK	74	-15.29	-49.84	-46.31	8.17	-36.55
4	7615.62	48.31 AV	54	-5.69	-58.24	-58.02	8.17	-46.95
5	11406.25	59.17 PK	74	-14.83	-48.16	-46.54	8.17	-36.09
6	11404.68	48.7 AV	54	-5.3	-57.73	-57.76	8.17	-46.56
7	#17106.68	49.2 PK	68.2	-19	-57.12	-57.36	8.17	-46.06
8	#6840.62	59.62 PK	68.2	-8.58	-48.39	-45.67	8.17	-35.64

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




Chain 0





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#5735.17	61.53 PK	68.2	-6.67	-45.58	-43.73	7.82	-33.73


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



802.11be (EHT20) 106-tone RU - Channel 144

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3826.56	61.57 PK	74	-12.43	-46.56	-43.65	8.17	-33.69
2	3806.25	50.32 AV	54	-3.68	-56.15	-56.09	8.17	-44.94
3	7610.93	58.56 PK	74	-15.44	-48.27	-47.53	8.17	-36.70
4	7640.62	48.34 AV	54	-5.66	-58.18	-58.02	8.17	-46.92
5	11457.81	59.67 PK	74	-14.33	-47.23	-46.36	8.17	-35.59
6	11443.75	48.78 AV	54	-5.22	-57.71	-57.61	8.17	-46.48
7	#17162.75	49.18 PK	68.2	-19.02	-57.69	-56.87	8.17	-46.08
8	#6864.06	59.99 PK	68.2	-8.21	-47.79	-45.43	8.17	-35.27

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




Chain 0





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#5886.28	60.59 PK	68.2	-7.61	-48.52	-43.74	7.82	-34.67


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



802.11be (EHT20) 106-tone RU - Channel 149

Conducted spurious emission table







No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3826.56	60.47 PK	74	-13.53	-46.23	-45.72	8.17	-34.79
2	3818.75	50.41 AV	54	-3.59	-56	-56.06	8.17	-44.85
3	7670.31	59.45 PK	74	-14.55	-48.91	-45.67	8.17	-35.81
4	7679.68	48.45 AV	54	-5.55	-58.09	-57.9	8.17	-46.81
5	11507.81	59.85 PK	74	-14.15	-47.19	-46.07	8.17	-35.41
6	11501.56	48.89 AV	54	-5.11	-57.61	-57.49	8.17	-46.37
7	#17236.06	50.16 PK	68.2	-18.04	-59.5	-54.45	8.17	-45.10
8	#6889.06	60.21 PK	68.2	-7.99	-45	-47.96	8.17	-35.05

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




Chain 0






Chain 1






Bandedge table

Chain 0





Chain 1



802.11be (EHT20) 106-tone RU - Channel 157







Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3839.06	60.69 PK	74	-13.31	-45.82	-45.69	8.17	-34.57
2	3837.5	50.2 AV	54	-3.8	-56.41	-56.07	8.17	-45.06
3	7721.87	59.5 PK	74	-14.5	-45.94	-48.23	8.17	-35.76
4	7696.87	48.6 AV	54	-5.4	-57.91	-57.78	8.17	-46.66
5	11557.81	60.16 PK	74	-13.84	-45.59	-47.11	8.17	-35.10
6	11575	48.61 AV	54	-5.39	-57.8	-57.87	8.17	-46.65

Remarks:


1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0






Chain 1






Bandedge table

Chain 0





Chain 1



802.11be (EHT20) 106-tone RU - Channel 165







Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3893.75	60.68 PK	74	-13.32	-46.58	-45.07	8.17	-34.58
2	3865.62	50.09 AV	54	-3.91	-56.66	-56.06	8.17	-45.17
3	#7781.25	58.9 PK	68.2	-9.3	-47.47	-47.61	8.17	-36.36
4	11654.68	60.27 PK	74	-13.73	-47.99	-44.89	8.17	-34.99
5	11654.68	48.55 AV	54	-5.45	-57.89	-57.9	8.17	-46.71
6	#17481.87	49.61 PK	68.2	-18.59	-58.05	-55.88	8.17	-45.65

Remarks:


1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0






Chain 1






Bandedge table

Chain 0





Chain 1



802.11be (EHT40) 484-tone RU - Channel 159

Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3875	60.74 PK	74	-13.26	-44.62	-47.14	8.17	-34.52
2	3848.43	50.18 AV	54	-3.82	-56.29	-56.23	8.17	-45.08
3	7725	59.3 PK	74	-14.7	-48.14	-46.33	8.17	-35.96
4	7721.87	48.59 AV	54	-5.41	-57.85	-57.85	8.17	-46.67
5	11571.87	59.04 PK	74	-14.96	-47.39	-47.42	8.17	-36.22
6	11582.81	48.54 AV	54	-5.46	-57.82	-57.98	8.17	-46.72
7	#17374.06	50 PK	68.2	-18.2	-55.19	-58.19	8.17	-45.26

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.









Chain 0






Chain 1




Chain 0





Chain 1



802.11be (EHT20) 52+26-tone RU - Channel 165







Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBUV/m)	Limit (dBUV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3875	60.68 PK	74	-13.32	-45.38	-46.17	8.17	-34.58
2	3864.06	49.85 AV	54	-4.15	-56.52	-56.66	8.17	-45.41
3	7750	60.05 PK	74	-13.95	-45.37	-47.74	8.17	-35.21
4	7760.93	48.41 AV	54	-5.59	-57.83	-58.23	8.17	-46.85
5	11642.18	59.16 PK	74	-14.84	-47.19	-47.38	8.17	-36.10
6	11651.56	48.52 AV	54	-5.48	-58.03	-57.82	8.17	-46.74
7	#17479	48.96 PK	68.2	-19.24	-57.7	-57.27	8.17	-46.30

Remarks:







1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0





Chain 1



802.11be (EHT20) 106+26-tone RU - Channel 40







Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#3457.81	57.98 PK	68.2	-10.22	-47.07	-50.51	8.17	-37.28
2	#6937.5	58.52 PK	68.2	-9.68	-48.25	-47.62	8.17	-36.74
3	#10385.93	59.61 PK	68.2	-8.59	-47.73	-46.09	8.17	-35.65
4	15590.12	50.23 PK	74	-23.77	-57.86	-55.02	8.17	-45.03
5	15593	40.46 AV	54	-13.54	-66.07	-65.89	8.17	-54.80
6	#6240.62	59.39 PK	68.2	-8.81	-48.45	-45.99	8.17	-35.87







Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



802.11be (EHT20) 106+26-tone RU - Channel 60

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3551.56	59.24 PK	74	-14.76	-46.82	-47.61	8.17	-36.02
2	3532.81	47.18 AV	54	-6.82	-59.4	-59.13	8.17	-48.08
3	#7081.25	58.64 PK	68.2	-9.56	-47.26	-48.41	8.17	-36.62
4	10618.75	59.47 PK	74	-14.53	-47.31	-46.66	8.17	-35.79
5	10612.5	48.82 AV	54	-5.18	-57.47	-57.78	8.17	-46.44
6	15890.56	48.5 PK	74	-25.5	-57.07	-59.03	8.17	-46.76
7	15893.43	39.37 AV	54	-14.63	-67.01	-67.14	8.17	-55.89
8	#6359.37	60.15 PK	68.2	-8.05	-46.25	-46.33	8.17	-35.11

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




Chain 0





Chain 1



802.11be (EHT20) 106+26-tone RU - Channel 165

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3898.43	60.52 PK	74	-13.48	-45.21	-46.76	8.17	-34.74
2	3871.87	49.94 AV	54	-4.06	-56.82	-56.2	8.17	-45.32
3	7746.87	59.67 PK	74	-14.33	-46.04	-47.65	8.17	-35.59
4	7754.68	48.29 AV	54	-5.71	-58.12	-58.18	8.17	-46.97
5	11659.37	59.19 PK	74	-14.81	-49.62	-45.73	8.17	-36.07
6	11659.37	48.52 AV	54	-5.48	-58.01	-57.83	8.17	-46.74
7	#17466.06	49.59 PK	68.2	-18.61	-59.34	-55.28	8.17	-45.67

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




Chain 0





Chain 1



802.11be (EHT80) 484+242-tone RU - Channel 42







Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#3473.43	57.97 PK	68.2	-10.23	-49.85	-47.43	8.17	-37.29
2	#6932.81	59.75 PK	68.2	-8.45	-50.13	-44.8	8.17	-35.51
3	#10426.56	58.88 PK	68.2	-9.32	-46.54	-48.91	8.17	-36.38
4	15630.37	49.34 PK	74	-24.66	-56.95	-57.26	8.17	-45.92
5	15614.56	39.43 AV	54	-14.57	-67.05	-66.98	8.17	-55.83
6	#6251.56	61.82 PK	68.2	-6.38	-47.55	-42.89	8.17	-33.44







Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5146.72	71.27 PK	74	-2.73	-31.26	-37.57	6.36	-23.99
2	5148.25	52.19 AV	54	-1.81	-51.1	-54.39	6.36	-43.07


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1









802.11be (EHT80) 484+242-tone RU - Channel 138
Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3748.43	61.64 PK	74	-12.36	-44.45	-45.19	8.17	-33.62
2	3726.56	50.08 AV	54	-3.92	-56.14	-56.6	8.17	-45.18
3	7468.75	58.62 PK	74	-15.38	-48.28	-47.41	8.17	-36.64
4	7487.5	47.53 AV	54	-6.47	-59.06	-58.76	8.17	-47.73
5	11235.93	59.66 PK	74	-14.34	-45.74	-48.16	8.17	-35.60
6	11203.12	48.29 AV	54	-5.71	-58.3	-58.01	8.17	-46.97
7	#16849.37	49.21 PK	68.2	-18.99	-56.74	-57.78	8.17	-46.05
8	#6828.12	61.97 PK	68.2	-6.23	-49.13	-42.27	8.17	-33.29

Remarks:







1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#5853.47	66.2 PK	68.2	-2	-44.05	-37.81	7.82	-29.06


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



802.11be (EHT80) 484+242-tone RU - Channel 155







Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3850	60.99 PK	74	-13.01	-44.56	-46.56	8.17	-34.27
2	3842.18	50.14 AV	54	-3.86	-56.26	-56.35	8.17	-45.12
3	7682.81	58.8 PK	74	-15.2	-47.06	-48.32	8.17	-36.46
4	7704.68	48.3 AV	54	-5.7	-58.4	-57.89	8.17	-46.96
5	11539.06	59.24 PK	74	-14.76	-46.28	-48.36	8.17	-36.02
6	11535.93	48.68 AV	54	-5.32	-57.93	-57.6	8.17	-46.58
7	#17306.5	49.01 PK	68.2	-19.19	-58.45	-56.61	8.17	-46.25

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0





Chain 1

