




Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	2389.77	65.27 PK	74	-8.73	-38.6	-40.75	6.54	-29.99
2	2389.99	47.61 AV	54	-6.39	-57.2	-57.21	6.54	-47.65
3	2484.11	66.62 PK	74	-7.38	-37.65	-38.8	6.54	-28.64
4	2484.15	53.12 AV	54	-0.88	-50.58	-53.18	6.54	-42.14


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1



802.11b - Channel 13


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4948.43	58.72 PK	74	-15.28	-47.76	-47.68	8.17	-36.54
2	4959.37	44.32 AV	54	-9.68	-62.44	-61.82	8.17	-50.94
3	7435.93	57.97 PK	74	-16.03	-49.04	-47.97	8.17	-37.29
4	7423.43	43.17 AV	54	-10.83	-64.17	-62.53	8.17	-52.09

Remarks:


1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	2312.73	64.42 PK	74	-9.58	-41.82	-39.32	6.54	-30.84
2	2389.99	43.21 AV	54	-10.79	-61.91	-61.32	6.54	-52.05
3	2483.56	73.11 PK	74	-0.89	-31.29	-32.16	6.54	-22.15
4	2483.51	51.31 AV	54	-2.69	-52.87	-54.24	6.54	-43.95


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1




802.11g - Channel 1

Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4820.31	58.77 PK	74	-15.23	-48.32	-47.1	8.17	-36.49
2	4806.25	47.6 AV	54	-6.4	-58.73	-58.96	8.17	-47.66


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	2389.99	68 PK	74	-6	-38.54	-35.57	6.54	-27.26
2	2389.99	53.02 AV	54	-0.98	-52.53	-51.16	6.54	-42.24
3	2485.46	65.49 PK	74	-8.51	-38.92	-39.76	6.54	-29.77
4	2483.51	47.94 AV	54	-6.06	-56.36	-57.46	6.54	-47.32


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1



802.11g - Channel 2


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4815.62	58.45 PK	74	-15.55	-47.91	-48.07	8.17	-36.81
2	4818.75	47.61 AV	54	-6.39	-58.86	-58.81	8.17	-47.65
3	7253.12	57.83 PK	74	-16.17	-49.48	-47.88	8.17	-37.43
4	7250	46.77 AV	54	-7.23	-59.57	-59.77	8.17	-48.49


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1






Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	2389.18	67.89 PK	74	-6.11	-36.86	-36.98	6.54	-27.37
2	2389.99	52.95 AV	54	-1.05	-51.61	-52.12	6.54	-42.31
3	2486.29	65.36 PK	74	-8.64	-39.45	-39.45	6.54	-29.90
4	2483.51	48.31 AV	54	-5.69	-56.02	-57.04	6.54	-46.95


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1



802.11g - Channel 6


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4885.93	57.77 PK	74	-16.23	-48.74	-48.61	8.17	-37.49
2	4871.87	47.3 AV	54	-6.7	-59.26	-59.02	8.17	-47.96
3	7306.25	57.75 PK	74	-16.25	-47.55	-50.25	8.17	-37.51
4	7295.31	46.65 AV	54	-7.35	-59.87	-59.72	8.17	-48.61

Remarks:


1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	2388.77	64.94 PK	74	-9.06	-39.48	-40.31	6.54	-30.32
2	2389.96	48.88 AV	54	-5.12	-55.44	-56.48	6.54	-46.38
3	2483.51	66.07 PK	74	-7.93	-38.63	-38.86	6.54	-29.19
4	2483.51	49.31 AV	54	-4.69	-54.87	-56.24	6.54	-45.95


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1



802.11g - Channel 10


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4896.87	58.65 PK	74	-15.35	-46.75	-49.17	8.17	-36.61
2	4931.25	47.33 AV	54	-6.67	-59.24	-58.99	8.17	-47.93
3	7356.25	57.29 PK	74	-16.71	-48.64	-49.73	8.17	-37.97
4	7351.56	46.48 AV	54	-7.52	-59.87	-60.05	8.17	-48.78

Remarks:


1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	2357.54	64.87 PK	74	-9.13	-39.19	-40.84	6.54	-30.39
2	2389.99	48.26 AV	54	-5.74	-56.48	-56.63	6.54	-47.00
3	2483.8	68.35 PK	74	-5.65	-35.65	-37.46	6.54	-26.91
4	2483.56	52.33 AV	54	-1.67	-51.61	-53.58	6.54	-42.93


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1



802.11g - Channel 11


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4904.68	58.44 PK	74	-15.56	-47.93	-48.07	8.17	-36.82
2	4937.5	47.44 AV	54	-6.56	-58.83	-59.17	8.17	-47.82
3	7398.43	57.42 PK	74	-16.58	-48.06	-50.25	8.17	-37.84
4	7373.43	46.28 AV	54	-7.72	-60.13	-60.2	8.17	-48.98


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	2387.37	64.74 PK	74	-9.26	-39.11	-41.3	6.54	-30.52
2	2389.99	46.25 AV	54	-7.75	-58.6	-58.52	6.54	-49.01
3	2484.2	68.66 PK	74	-5.34	-35.28	-37.25	6.54	-26.60
4	2483.51	53.8 AV	54	-0.2	-50.45	-51.65	6.54	-41.46


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1



802.11g - Channel 12


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4939.06	58.41 PK	74	-15.59	-49.38	-47.01	8.17	-36.85
2	4943.75	47.62 AV	54	-6.38	-58.82	-58.82	8.17	-47.64
3	7409.37	57.33 PK	74	-16.67	-49.09	-49.14	8.17	-37.93
4	7406.25	46.3 AV	54	-7.7	-60.26	-60.02	8.17	-48.96

Remarks:


1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	2389.44	64.57 PK	74	-9.43	-40.1	-40.38	6.54	-30.69
2	2389.99	45.21 AV	54	-8.79	-59.73	-59.48	6.54	-50.05
3	2483.7	66.5 PK	74	-7.5	-37.77	-38.93	6.54	-28.76
4	2483.51	52.95 AV	54	-1.05	-50.91	-53.08	6.54	-42.31


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1



802.11g - Channel 13


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4951.56	58.58 PK	74	-15.42	-48.09	-47.65	8.17	-36.68
2	4959.37	44.07 AV	54	-9.93	-62.03	-62.75	8.17	-51.19
3	7418.75	58.65 PK	74	-15.35	-46.81	-49.07	8.17	-36.61
4	7426.56	43.07 AV	54	-10.93	-64.08	-62.76	8.17	-52.19

Remarks:


1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	2378.49	63.4 PK	74	-10.6	-40.54	-42.5	6.54	-31.86
2	2389.99	37.59 AV	54	-16.41	-69.97	-65.55	6.54	-57.67
3	2483.51	67.88 PK	74	-6.12	-36.08	-37.98	6.54	-27.38
4	2483.51	53.39 AV	54	-0.61	-50.18	-53.15	6.54	-41.87


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1



802.11be (EHT20) - Channel 1


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4814.06	58.12 PK	74	-15.88	-47.22	-49.8	8.17	-37.14
2	4831.25	47.2 AV	54	-6.8	-59.11	-59.38	8.17	-48.06

Remarks:


1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	2389.89	67.01 PK	74	-6.99	-38.12	-37.51	6.54	-28.25
2	2389.99	52.58 AV	54	-1.42	-53.1	-51.5	6.54	-42.68
3	2488.43	65.3 PK	74	-8.7	-39.28	-39.76	6.54	-29.96
4	2483.51	47.26 AV	54	-6.74	-57.54	-57.57	6.54	-48.00


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1



802.11be (EHT20) - Channel 2


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4826.56	58.19 PK	74	-15.81	-49.24	-47.45	8.17	-37.07
2	4828.12	47.25 AV	54	-6.75	-59.31	-59.07	8.17	-48.01
3	7265.62	56.32 PK	74	-17.68	-50.18	-50.06	8.17	-38.94
4	7264.06	45.99 AV	54	-8.01	-60.56	-60.35	8.17	-49.27

Remarks:


1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	2389.84	66.23 PK	74	-7.77	-38.48	-38.69	6.54	-29.03
2	2389.99	52.6 AV	54	-1.4	-51.89	-52.56	6.54	-42.66
3	2485.15	65.21 PK	74	-8.79	-39.31	-39.91	6.54	-30.05
4	2483.51	48.3 AV	54	-5.7	-56.11	-56.96	6.54	-46.96


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1



802.11be (EHT20) - Channel 6


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4885.93	57.64 PK	74	-16.36	-47.03	-51.85	8.17	-37.62
2	4871.87	47.29 AV	54	-6.71	-59.21	-59.09	8.17	-47.97
3	7301.56	56.29 PK	74	-17.71	-49.71	-50.65	8.17	-38.97
4	7309.37	45.87 AV	54	-8.13	-60.61	-60.53	8.17	-49.39


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	2389.87	66.59 PK	74	-7.41	-39.28	-37.37	6.54	-28.67
2	2389.94	49.93 AV	54	-4.07	-55.02	-54.74	6.54	-45.33
3	2483.89	66.55 PK	74	-7.45	-38.29	-38.24	6.54	-28.71
4	2483.51	50.6 AV	54	-3.4	-54.31	-54.11	6.54	-44.66


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1



802.11be (EHT20) - Channel 10


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4901.56	57.29 PK	74	-16.71	-48.88	-49.43	8.17	-37.97
2	4914.06	47.14 AV	54	-6.86	-59.33	-59.28	8.17	-48.12
3	7385.93	56.88 PK	74	-17.12	-48.6	-50.8	8.17	-38.38
4	7371.87	46.59 AV	54	-7.41	-59.91	-59.79	8.17	-48.67

Remarks:


1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	2388.92	64.68 PK	74	-9.32	-39.54	-40.81	6.54	-30.58
2	2389.99	47.76 AV	54	-6.24	-56.31	-57.94	6.54	-47.50
3	2483.63	68.33 PK	74	-5.67	-35.26	-38.19	6.54	-26.93
4	2483.51	52.55 AV	54	-1.45	-51.2	-53.66	6.54	-42.71


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1




802.11be (EHT20) - Channel 11
Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4926.56	57.11 PK	74	-16.89	-50.56	-48.38	8.17	-38.15
2	4920.31	46.91 AV	54	-7.09	-59.57	-59.49	8.17	-48.35
3	7404.68	57.23 PK	74	-16.77	-50.28	-48.36	8.17	-38.03
4	7379.68	46.64 AV	54	-7.36	-59.98	-59.63	8.17	-48.62

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.


Chain 0





BUREAU
VERITAS

Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	2373.34	64.16 PK	74	-9.84	-39.83	-41.65	6.54	-31.10
2	2389.99	45.28 AV	54	-8.72	-59.56	-59.5	6.54	-49.98
3	2484.42	68.44 PK	74	-5.56	-36.41	-36.33	6.54	-26.82
4	2483.58	52.97 AV	54	-1.03	-52.2	-51.51	6.54	-42.29


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1




802.11be (EHT20) - Channel 12
Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4921.87	58.12 PK	74	-15.88	-49.36	-47.49	8.17	-37.14
2	4920.31	46.77 AV	54	-7.23	-59.59	-59.75	8.17	-48.49
3	7389.06	57.55 PK	74	-16.45	-50.55	-47.69	8.17	-37.71
4	7401.56	46.72 AV	54	-7.28	-59.65	-59.8	8.17	-48.54

Remarks:


1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	2386.76	64.74 PK	74	-9.26	-39.36	-40.91	6.54	-30.52
2	2389.99	44.95 AV	54	-9.05	-59.83	-59.89	6.54	-50.31
3	2485.75	67.07 PK	74	-6.93	-36.4	-39.69	6.54	-28.19
4	2483.51	52.22 AV	54	-1.78	-51.26	-54.52	6.54	-43.04


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1




802.11be (EHT20) - Channel 13
Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4945.31	58.83 PK	74	-15.17	-47.32	-47.92	8.17	-36.43
2	4956.25	44.21 AV	54	-9.79	-62.87	-61.67	8.17	-51.05
3	7418.75	58.67 PK	74	-15.33	-46.26	-50.09	8.17	-36.59
4	7425	43.14 AV	54	-10.86	-63.28	-63.33	8.17	-52.12


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	2373.41	63.58 PK	74	-10.42	-41.33	-41.13	6.54	-31.68
2	2389.96	38.22 AV	54	-15.78	-69.73	-64.79	6.54	-57.04
3	2483.61	72.82 PK	74	-1.18	-31.51	-32.54	6.54	-22.44
4	2483.51	53.31 AV	54	-0.69	-51.21	-51.81	6.54	-41.95


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1



802.11be (EHT40) - Channel 3


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4834.37	57.21 PK	74	-16.79	-49.21	-49.25	8.17	-38.05
2	4828.12	46.91 AV	54	-7.09	-59.48	-59.59	8.17	-48.35
3	7270.31	56.5 PK	74	-17.5	-50.35	-49.57	8.17	-38.76
4	7271.87	46 AV	54	-8	-60.51	-60.38	8.17	-49.26

Remarks:


1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	2389.63	67.57 PK	74	-6.43	-37.7	-36.82	6.54	-27.69
2	2389.99	53.67 AV	54	-0.33	-51.53	-50.79	6.54	-41.59
3	2483.92	64.79 PK	74	-9.21	-38.95	-41.44	6.54	-30.47
4	2483.51	47.34 AV	54	-6.66	-56.92	-58.1	6.54	-47.92


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1



802.11be (EHT40) - Channel 4


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4870.31	57.97 PK	74	-16.03	-49.83	-47.43	8.17	-37.29
2	4871.87	46.96 AV	54	-7.04	-59.59	-59.38	8.17	-48.30
3	7262.5	56.89 PK	74	-17.11	-48.85	-50.39	8.17	-38.37
4	7278.12	45.91 AV	54	-8.09	-60.58	-60.48	8.17	-49.35

Remarks:


1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	2389.63	68.73 PK	74	-5.27	-36.09	-36.08	6.54	-26.53
2	2389.99	53.97 AV	54	-0.03	-50.02	-51.86	6.54	-41.29
3	2485.27	65.03 PK	74	-8.97	-40.8	-38.95	6.54	-30.23
4	2483.56	47.78 AV	54	-6.22	-56.48	-57.67	6.54	-47.48


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1



802.11be (EHT40) - Channel 6


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4889.06	57.28 PK	74	-16.72	-50.26	-48.29	8.17	-37.98
2	4871.87	47.12 AV	54	-6.88	-59.27	-59.38	8.17	-48.14
3	7310.93	56.57 PK	74	-17.43	-48.64	-51.59	8.17	-38.69
4	7329.68	45.87 AV	54	-8.13	-60.47	-60.68	8.17	-49.39

Remarks:


1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	2389.63	67.18 PK	74	-6.82	-38.06	-37.24	6.54	-28.08
2	2389.99	51.95 AV	54	-2.05	-53.21	-52.54	6.54	-43.31
3	2484.06	67.93 PK	74	-6.07	-36.99	-36.77	6.54	-27.33
4	2483.51	53.28 AV	54	-0.72	-51.76	-51.31	6.54	-41.98


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1




802.11be (EHT40) - Channel 8
Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4890.62	56.8 PK	74	-17.2	-50.15	-49.18	8.17	-38.46
2	4876.56	46.87 AV	54	-7.13	-59.44	-59.7	8.17	-48.39
3	7350	56.66 PK	74	-17.34	-50.26	-49.34	8.17	-38.60
4	7359.37	46.31 AV	54	-7.69	-60	-60.26	8.17	-48.95


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	2389.51	64.6 PK	74	-9.4	-41.39	-39.29	6.54	-30.66
2	2389.99	48.13 AV	54	-5.87	-56.36	-57.03	6.54	-47.13
3	2484.23	67.18 PK	74	-6.82	-37.39	-37.89	6.54	-28.08
4	2483.54	52.62 AV	54	-1.38	-51.14	-53.58	6.54	-42.64


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1



802.11be (EHT40) - Channel 9


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4909.37	57.45 PK	74	-16.55	-49.04	-48.95	8.17	-37.81
2	4915.62	46.81 AV	54	-7.19	-59.77	-59.5	8.17	-48.45
3	7375	56.66 PK	74	-17.34	-49.51	-50.07	8.17	-38.60
4	7370.31	46.33 AV	54	-7.67	-59.92	-60.3	8.17	-48.93

Remarks:


1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	2352.6	64.1 PK	74	-9.9	-40.95	-40.48	6.54	-31.16
2	2389.99	46.61 AV	54	-7.39	-57.84	-58.6	6.54	-48.65
3	2484.65	67.4 PK	74	-6.6	-37.66	-37.17	6.54	-27.86
4	2483.51	52.45 AV	54	-1.55	-52.1	-52.63	6.54	-42.81


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1




802.11be (EHT40) - Channel 10
Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4903.12	57.42 PK	74	-16.58	-49.58	-48.53	8.17	-37.84
2	4917.18	46.85 AV	54	-7.15	-59.68	-59.51	8.17	-48.41
3	7384.37	57.53 PK	74	-16.47	-49.58	-48.33	8.17	-37.73
4	7382.81	46.53 AV	54	-7.47	-59.89	-59.94	8.17	-48.73

Remarks:


1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	2379.23	64.08 PK	74	-9.92	-40.39	-41.09	6.54	-31.18
2	2389.99	44.11 AV	54	-9.89	-60.51	-60.89	6.54	-51.15
3	2483.7	70.96 PK	74	-3.04	-34.66	-33.17	6.54	-24.30
4	2483.51	52.75 AV	54	-1.25	-52.59	-51.58	6.54	-42.51


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1



802.11be (EHT40) - Channel 11


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4909.37	59.75 PK	74	-14.25	-48.5	-45.41	8.17	-35.51
2	4937.5	44.28 AV	54	-9.72	-62.85	-61.56	8.17	-50.98
3	7404.68	58.25 PK	74	-15.75	-47.32	-49.28	8.17	-37.01
4	7398.43	43.48 AV	54	-10.52	-62.36	-63.65	8.17	-51.78

Remarks:


1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	2352.82	63.14 PK	74	-10.86	-41.24	-42.15	6.54	-32.12
2	2389.8	36.42 AV	54	-17.58	-67	-70.44	6.54	-58.84
3	2483.54	73.45 PK	74	-0.55	-30.21	-32.93	6.54	-21.81
4	2483.51	51.2 AV	54	-2.8	-53.58	-53.64	6.54	-44.06


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1






802.11be (EHT20) 26-tone RU - Channel 1 Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4818.75	58.73 PK	74	-15.27	-48.62	-46.96	8.17	-36.53
2	4807.81	44.47 AV	54	-9.53	-61.36	-62.69	8.17	-50.79

Remarks:


1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	2389.8	69.43 PK	74	-4.57	-36.29	-34.63	6.54	-25.83
2	2387.28	49.76 AV	54	-4.24	-55.84	-54.38	6.54	-45.50
3	2484.37	66.25 PK	74	-7.75	-37.01	-41.01	6.54	-29.01
4	2483.51	51.63 AV	54	-2.37	-52.23	-54.41	6.54	-43.63


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1




802.11be (EHT20) 26-tone RU - Channel 2
Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4848.43	59.29 PK	74	-14.71	-49.55	-45.62	8.17	-35.97
2	4817.18	44.72 AV	54	-9.28	-61.42	-62.05	8.17	-50.54


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	2389.89	66.53 PK	74	-7.47	-42.2	-36.26	6.54	-28.73
2	2389.99	50.93 AV	54	-3.07	-54.5	-53.34	6.54	-44.33
3	2485.32	65.78 PK	74	-8.22	-39.66	-38.48	6.54	-29.48
4	2483.51	52.14 AV	54	-1.86	-51.66	-53.99	6.54	-43.12


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1



802.11be (EHT20) 26-tone RU - Channel 6


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4857.81	59.04 PK	74	-14.96	-47.04	-47.8	8.17	-36.22
2	4857.81	46.41 AV	54	-7.59	-59.56	-60.55	8.17	-48.85
3	7298.43	58.31 PK	74	-15.69	-49.01	-47.4	8.17	-36.95
4	7326.56	41.03 AV	54	-12.97	-66.66	-64.44	8.17	-54.23

Remarks:


1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	2387.61	64.69 PK	74	-9.31	-41.67	-38.98	6.54	-30.57
2	2389.99	48.84 AV	54	-5.16	-59.13	-54.16	6.54	-46.42
3	2484.27	66.73 PK	74	-7.27	-36.7	-40.13	6.54	-28.53
4	2483.58	52.79 AV	54	-1.21	-51.36	-52.8	6.54	-42.47


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1




802.11be (EHT20) 26-tone RU - Channel 10

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4931.25	62.46 PK	74	-11.54	-43.47	-44.57	8.17	-32.80
2	4931.25	48.47 AV	54	-5.53	-57.22	-58.88	8.17	-46.79
3	7379.68	58.2 PK	74	-15.8	-49.09	-47.53	8.17	-37.06
4	7381.25	42.67 AV	54	-11.33	-63.59	-63.96	8.17	-52.59

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.



Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	2389.61	64.33 PK	74	-9.67	-42.08	-39.32	6.54	-30.93
2	2389.99	47.7 AV	54	-6.3	-60.27	-55.3	6.54	-47.56
3	2486.53	73.98 PK	74	-0.02	-28.39	-36.95	6.54	-21.28
4	2483.51	51.03 AV	54	-2.97	-53.46	-54.13	6.54	-44.23


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1




802.11be (EHT20) 26-tone RU - Channel 11
Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4940.62	60.59 PK	74	-13.41	-45.46	-46.27	8.17	-34.67
2	4940.62	48.14 AV	54	-5.86	-57.96	-58.66	8.17	-47.12
3	7401.56	58.19 PK	74	-15.81	-48.07	-48.43	8.17	-37.07
4	7401.56	42.52 AV	54	-11.48	-63.73	-64.11	8.17	-52.74

Remarks:


1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	2388.37	64.36 PK	74	-9.64	-40.23	-40.69	6.54	-30.90
2	2389.99	48.29 AV	54	-5.71	-59.81	-54.67	6.54	-46.97
3	2483.77	72.84 PK	74	-1.16	-31.53	-32.47	6.54	-22.42
4	2483.66	52.62 AV	54	-1.38	-51.88	-52.53	6.54	-42.64


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1




802.11be (EHT20) 26-tone RU - Channel 12
Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4950	59.23 PK	74	-14.77	-47.29	-47.14	8.17	-36.03
2	4951.56	45.17 AV	54	-8.83	-60.94	-61.63	8.17	-50.09
3	7395.31	58.44 PK	74	-15.56	-48.16	-47.84	8.17	-36.82
4	7420.31	43.35 AV	54	-10.65	-63.17	-63.01	8.17	-51.91

Remarks:


1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	2389.75	63.95 PK	74	-10.05	-41	-40.73	6.54	-31.31
2	2389.96	45.73 AV	54	-8.27	-57.91	-60.7	6.54	-49.53
3	2483.85	71.22 PK	74	-2.78	-38.52	-31.34	6.54	-24.04
4	2483.89	52.16 AV	54	-1.84	-52.08	-53.3	6.54	-43.10


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1




802.11be (EHT20) 26-tone RU - Channel 13
Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4937.5	58.71 PK	74	-15.29	-46.75	-48.99	8.17	-36.55
2	4953.12	44.31 AV	54	-9.69	-61.52	-62.84	8.17	-50.95
3	7401.56	58.18 PK	74	-15.82	-48.38	-48.15	8.17	-37.08
4	7435.93	43.56 AV	54	-10.44	-63.34	-62.47	8.17	-51.70

Remarks:


1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	2347.33	63.97 PK	74	-10.03	-40.04	-41.83	6.54	-31.29
2	2310	45.75 AV	54	-8.25	-57.58	-61.34	6.54	-49.51
3	2483.51	73.77 PK	74	-0.23	-31.44	-30.68	6.54	-21.49
4	2483.51	50.39 AV	54	-3.61	-54.66	-54.19	6.54	-44.87


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1




802.11be (EHT20) 52-tone RU - Channel 1
Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4840.62	59.01 PK	74	-14.99	-47.09	-47.81	8.17	-36.25
2	4809.37	44.45 AV	54	-9.55	-61.79	-62.19	8.17	-50.81


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	2389.58	68.69 PK	74	-5.31	-40.64	-33.95	6.54	-26.57
2	2389.99	50.53 AV	54	-3.47	-56.26	-52.92	6.54	-44.73
3	2484.15	66.08 PK	74	-7.92	-38.63	-38.84	6.54	-29.18
4	2483.61	51.8 AV	54	-2.2	-52.03	-54.27	6.54	-43.46


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1




802.11be (EHT20) 52-tone RU - Channel 2
Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4840.62	58.68 PK	74	-15.32	-48.14	-47.42	8.17	-36.58
2	4850	44.55 AV	54	-9.45	-61.09	-62.86	8.17	-50.71
3	7250	58.87 PK	74	-15.13	-48.04	-47.14	8.17	-36.39
4	7251.56	42.39 AV	54	-11.61	-64.75	-63.45	8.17	-52.87

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.


Chain 0





BUREAU
VERITAS

Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	2388.06	64.18 PK	74	-9.82	-42.61	-39.28	6.54	-31.08
2	2389.96	49.12 AV	54	-4.88	-59.31	-53.75	6.54	-46.14
3	2485.6	65.44 PK	74	-8.56	-40.14	-38.72	6.54	-29.82
4	2483.7	50.85 AV	54	-3.15	-54.06	-53.87	6.54	-44.41


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1




802.11be (EHT20) 52-tone RU - Channel 6

Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4865.62	59.9 PK	74	-14.1	-45.45	-47.99	8.17	-35.36
2	4859.37	45.81 AV	54	-8.19	-60.2	-61.11	8.17	-49.45
3	7329.68	57.58 PK	74	-16.42	-48.46	-49.31	8.17	-37.68
4	7318.75	42.65 AV	54	-11.35	-63.48	-64.12	8.17	-52.61


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	2389.72	64.84 PK	74	-9.16	-41.72	-38.73	6.54	-30.42
2	2389.7	49.04 AV	54	-4.96	-58.9	-53.97	6.54	-46.22
3	2484.25	66.98 PK	74	-7.02	-36.63	-39.49	6.54	-28.28
4	2483.63	52.82 AV	54	-1.18	-51.28	-52.83	6.54	-42.44


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1



802.11be (EHT20) 52-tone RU - Channel 10


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4914.06	58.52 PK	74	-15.48	-48	-47.85	8.17	-36.74
2	4929.68	44.44 AV	54	-9.56	-61.19	-63	8.17	-50.82
3	7371.87	58 PK	74	-16	-47.7	-49.34	8.17	-37.26
4	7378.12	42.36 AV	54	-11.64	-64.82	-63.44	8.17	-52.90

Remarks:


1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	2378.13	63.98 PK	74	-10.02	-40.55	-41.12	6.54	-31.28
2	2389.51	46.23 AV	54	-7.77	-60.09	-57.46	6.54	-49.03
3	2483.96	73.37 PK	74	-0.63	-30.35	-32.9	6.54	-21.89
4	2483.94	49.07 AV	54	-4.93	-54.81	-56.92	6.54	-46.19


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1



802.11be (EHT20) 52-tone RU - Channel 11


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4929.68	59.85 PK	74	-14.15	-46.9	-46.31	8.17	-35.41
2	4939.06	45.25 AV	54	-8.75	-61.75	-60.69	8.17	-50.01
3	7403.12	58.78 PK	74	-15.22	-46.68	-48.94	8.17	-36.48
4	7395.31	42.84 AV	54	-11.16	-62.59	-64.92	8.17	-52.42

Remarks:


1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	2385.83	64.39 PK	74	-9.61	-41.01	-39.91	6.54	-30.87
2	2389.99	46.3 AV	54	-7.7	-60.26	-57.27	6.54	-48.96
3	2483.92	72.6 PK	74	-1.4	-30.37	-35.48	6.54	-22.66
4	2483.58	50.14 AV	54	-3.86	-54.53	-54.82	6.54	-45.12


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1




802.11be (EHT20) 52-tone RU - Channel 12
Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4934.37	58.65 PK	74	-15.35	-47.97	-47.62	8.17	-36.61
2	4948.43	45.18 AV	54	-8.82	-61.34	-61.18	8.17	-50.08
3	7414.06	58.18 PK	74	-15.82	-47.69	-48.91	8.17	-37.08
4	7414.06	43.09 AV	54	-10.91	-63.07	-63.64	8.17	-52.17

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.



Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	2312.11	64.4 PK	74	-9.6	-41.8	-39.36	6.54	-30.86
2	2389.96	45.87 AV	54	-8.13	-60.63	-57.73	6.54	-49.39
3	2484.51	73.72 PK	74	-0.28	-32.45	-30.06	6.54	-21.54
4	2483.51	53.06 AV	54	-0.94	-50.61	-53.3	6.54	-42.20


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1



802.11be (EHT20) 52-tone RU - Channel 13


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4951.56	58.7 PK	74	-15.3	-46.79	-48.97	8.17	-36.56
2	4954.68	44.31 AV	54	-9.69	-62.35	-61.92	8.17	-50.95
3	7410.93	58.28 PK	74	-15.72	-49.34	-47.24	8.17	-36.98
4	7404.68	43.43 AV	54	-10.57	-62.05	-64.25	8.17	-51.83

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.


Chain 0





BUREAU
VERITAS

Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	2375.24	64.33 PK	74	-9.67	-39.69	-41.44	6.54	-30.93
2	2310	45.89 AV	54	-8.11	-61.22	-57.42	6.54	-49.37
3	2483.51	72.98 PK	74	-1.02	-32.06	-31.62	6.54	-22.28
4	2483.51	51.1 AV	54	-2.9	-52.97	-54.61	6.54	-44.16


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1




802.11be (EHT20) 106-tone RU - Channel 1
Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4826.56	59 PK	74	-15	-48.33	-46.71	8.17	-36.26
2	4834.37	42.57 AV	54	-11.43	-63.46	-64.33	8.17	-52.69

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.



Chain 1






Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	2389.58	73.6 PK	74	-0.4	-35.99	-28.99	6.54	-21.66
2	2389.99	52.08 AV	54	-1.92	-55.48	-51.06	6.54	-43.18
3	2483.7	65.35 PK	74	-8.65	-38.78	-40.26	6.54	-29.91
4	2483.56	49.8 AV	54	-4.2	-54.42	-55.69	6.54	-45.46


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1




802.11be (EHT20) 106-tone RU - Channel 2
Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4826.56	59.46 PK	74	-14.54	-48.68	-45.76	8.17	-35.80
2	4821.87	43.58 AV	54	-10.42	-63.05	-62.67	8.17	-51.68


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	2389.99	67.92 PK	74	-6.08	-41.09	-34.79	6.54	-27.34
2	2389.99	50.81 AV	54	-3.19	-58.23	-51.9	6.54	-44.45
3	2486.03	65.84 PK	74	-8.16	-38.19	-39.91	6.54	-29.42
4	2483.54	51.05 AV	54	-2.95	-54	-53.54	6.54	-44.21


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1



802.11be (EHT20) 106-tone RU - Channel 6


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4881.25	58.36 PK	74	-15.64	-49.29	-47.13	8.17	-36.90
2	4864.06	44.76 AV	54	-9.24	-62.02	-61.37	8.17	-50.50
3	7298.43	57.9 PK	74	-16.1	-47.18	-50.52	8.17	-37.36
4	7296.87	43.55 AV	54	-10.45	-61.34	-65.31	8.17	-51.71


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	2388.58	64.62 PK	74	-9.38	-41.76	-39.04	6.54	-30.64
2	2389.77	49.06 AV	54	-4.94	-59.59	-53.74	6.54	-46.20
3	2486.27	67.04 PK	74	-6.96	-37.91	-37.64	6.54	-28.22
4	2483.58	52.03 AV	54	-1.97	-52.94	-52.62	6.54	-43.23


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1



802.11be (EHT20) 106-tone RU - Channel 10


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4906.25	58.69 PK	74	-15.31	-48.73	-46.95	8.17	-36.57
2	4925	45.45 AV	54	-8.55	-60.28	-61.85	8.17	-49.81
3	7382.81	58.04 PK	74	-15.96	-48.53	-48.27	8.17	-37.22
4	7390.62	43.28 AV	54	-10.72	-62.38	-64.12	8.17	-51.98


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	2387.09	64.39 PK	74	-9.61	-39.51	-41.58	6.54	-30.87
2	2389.91	47.1 AV	54	-6.9	-60.01	-56.21	6.54	-48.16
3	2486.6	73.32 PK	74	-0.68	-30.29	-33.16	6.54	-21.94
4	2483.51	52.68 AV	54	-1.32	-50.84	-53.98	6.54	-42.58


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1




802.11be (EHT20) 106-tone RU - Channel 11
Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4937.5	58.64 PK	74	-15.36	-46.83	-49.04	8.17	-36.62
2	4934.37	46.19 AV	54	-7.81	-59.67	-60.92	8.17	-49.07
3	7398.43	58.18 PK	74	-15.82	-49.33	-47.41	8.17	-37.08
4	7390.62	43.02 AV	54	-10.98	-63.14	-63.72	8.17	-52.24

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.



Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	2389.18	64.29 PK	74	-9.71	-40.29	-40.76	6.54	-30.97
2	2389.72	46.7 AV	54	-7.3	-60.53	-56.57	6.54	-48.56
3	2485.1	72.15 PK	74	-1.85	-30.36	-37.85	6.54	-23.11
4	2483.51	53.65 AV	54	-0.35	-51.01	-51.32	6.54	-41.61


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1




802.11be (EHT20) 106-tone RU - Channel 12
Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4950	59.79 PK	74	-14.21	-46.12	-47.26	8.17	-35.47
2	4942.18	44.22 AV	54	-9.78	-63.15	-61.45	8.17	-51.04
3	7407.81	58.74 PK	74	-15.26	-47.72	-47.69	8.17	-36.52
4	7412.5	43.03 AV	54	-10.97	-63.19	-63.64	8.17	-52.23

Remarks:


1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	2387.56	64.3 PK	74	-9.7	-42.06	-39.37	6.54	-30.96
2	2389.91	45.74 AV	54	-8.26	-60.54	-57.98	6.54	-49.52
3	2483.66	71 PK	74	-3	-32.35	-36.03	6.54	-24.26
4	2483.51	53.67 AV	54	-0.33	-50.59	-51.77	6.54	-41.59


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1




802.11be (EHT20) 106-tone RU - Channel 13
Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4942.18	59.25 PK	74	-14.75	-45.82	-49.2	8.17	-36.01
2	4954.68	44.55 AV	54	-9.45	-61.71	-62.08	8.17	-50.71
3	7417.18	58.77 PK	74	-15.23	-48.14	-47.24	8.17	-36.49
4	7435.93	43.39 AV	54	-10.61	-62.94	-63.16	8.17	-51.87

Remarks:


1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	2379.04	64.15 PK	74	-9.85	-40.24	-41.13	6.54	-31.11
2	2389.13	44.12 AV	54	-9.88	-60.63	-60.76	6.54	-51.14
3	2483.51	73.64 PK	74	-0.36	-30.84	-31.52	6.54	-21.62
4	2483.51	51.06 AV	54	-2.94	-53.15	-54.45	6.54	-44.20

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1

