

802.11be (EHT40) - Channel 8


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4895.31	60.32 PK	74	-13.68	-45.05	-47.54	8.17	-34.94
2	5000	48.72 AV	54	-5.28	-57.96	-57.5	8.17	-46.54
3	7256.25	58.82 PK	74	-15.18	-47.05	-48.28	8.17	-36.44
4	7268.75	48.2 AV	54	-5.8	-58.15	-58.33	8.17	-47.06


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	2389.68	59.58 PK	74	-14.42	-44.18	-46.62	6.54	-35.68
2	2389.99	46.62 AV	54	-7.38	-58.11	-58.27	6.54	-48.64
3	2483.82	66.76 PK	74	-7.24	-42.48	-35.9	6.54	-28.50
4	2483.51	52.69 AV	54	-1.31	-54.19	-50.73	6.54	-42.57


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1



802.11be (EHT40) - Channel 9


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4995.31	59.97 PK	74	-14.03	-47.75	-45.48	8.17	-35.29
2	4993.75	48.84 AV	54	-5.16	-57.48	-57.73	8.17	-46.42
3	7254.68	60.09 PK	74	-13.91	-47.19	-45.65	8.17	-35.17
4	7268.75	48.05 AV	54	-5.95	-58.26	-58.53	8.17	-47.21


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	2389.39	58.08 PK	74	-15.92	-46.35	-47.15	6.54	-37.18
2	2389.99	46.27 AV	54	-7.73	-58.66	-58.42	6.54	-48.99
3	2484.63	66.84 PK	74	-7.16	-40.07	-36.56	6.54	-28.42
4	2483.51	53.91 AV	54	-0.09	-52.25	-49.88	6.54	-41.35


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1



802.11be (EHT40) - Channel 10


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4931.25	59.93 PK	74	-14.07	-45.84	-47.3	8.17	-35.33
2	5000	48.83 AV	54	-5.17	-57.85	-57.38	8.17	-46.43
3	7271.87	59.12 PK	74	-14.88	-47.05	-47.6	8.17	-36.14
4	7259.37	48.18 AV	54	-5.82	-58.5	-58.04	8.17	-47.08

Remarks:


1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	2388.44	56.58 PK	74	-17.42	-48.74	-47.77	6.54	-38.68
2	2389.96	44.47 AV	54	-9.53	-60.36	-60.33	6.54	-50.79
3	2483.54	71.21 PK	74	-2.79	-32.41	-35.26	6.54	-24.05
4	2483.51	53.23 AV	54	-0.77	-51.18	-52.03	6.54	-42.03


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1



802.11be (EHT40) - Channel 11


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4979.68	59.49 PK	74	-14.51	-47.94	-46.14	8.17	-35.77
2	4995.31	48.73 AV	54	-5.27	-57.74	-57.69	8.17	-46.53
3	7275	59.45 PK	74	-14.55	-48.69	-45.77	8.17	-35.81
4	7300	48.07 AV	54	-5.93	-58.41	-58.33	8.17	-47.19

Remarks:


1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	2373.19	66.28 PK	74	-7.72	-39.38	-37.82	6.54	-28.98
2	2389.18	42.74 AV	54	-11.26	-62.08	-62.06	6.54	-52.52
3	2483.56	71.09 PK	74	-2.91	-32.69	-35.08	6.54	-24.17
4	2483.51	53.71 AV	54	-0.29	-50.74	-51.49	6.54	-41.55


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1




802.11be (EHT20) 26-tone RU - Channel 1
Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4975	60.19 PK	74	-13.81	-47.5	-45.28	8.17	-35.07
2	4984.37	48.34 AV	54	-5.66	-58.12	-58.08	8.17	-46.92
3	7268.75	58.72 PK	74	-15.28	-47.14	-48.38	8.17	-36.54
4	7292.18	47.83 AV	54	-6.17	-58.62	-58.6	8.17	-47.43

Remarks:


1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	2388.85	68.67 PK	74	-5.33	-34.29	-39.45	6.54	-26.59
2	2389.99	49.08 AV	54	-4.92	-55.39	-56.1	6.54	-46.18
3	2485.84	67 PK	74	-7	-37.61	-38.03	6.54	-28.26
4	2483.54	49.44 AV	54	-4.56	-55.26	-55.48	6.54	-45.82


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1




802.11be (EHT20) 26-tone RU - Channel 2
Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4979.68	59.4 PK	74	-14.6	-47.17	-46.92	8.17	-35.86
2	4998.43	48.58 AV	54	-5.42	-57.86	-57.87	8.17	-46.68
3	7268.75	59.05 PK	74	-14.95	-47.09	-47.71	8.17	-36.21
4	7259.37	47.98 AV	54	-6.02	-58.22	-58.71	8.17	-47.28

Remarks:


1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	2389.63	66.63 PK	74	-7.37	-36.61	-40.68	6.54	-28.63
2	2389.99	49.15 AV	54	-4.85	-54.39	-57.47	6.54	-46.11
3	2484.65	67 PK	74	-7	-37.61	-38.01	6.54	-28.26
4	2484.91	50.79 AV	54	-3.21	-54.49	-53.59	6.54	-44.47


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1




802.11be (EHT20) 26-tone RU - Channel 6
Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4907.81	60.21 PK	74	-13.79	-48.23	-44.86	8.17	-35.05
2	4987.5	48.52 AV	54	-5.48	-58.04	-57.8	8.17	-46.74
3	7251.56	58.88 PK	74	-15.12	-48.12	-47.06	8.17	-36.38
4	7290.62	47.93 AV	54	-6.07	-58.55	-58.48	8.17	-47.33

Remarks:


1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	2386.92	65.82 PK	74	-8.18	-37.8	-40.63	6.54	-29.44
2	2389.99	47.82 AV	54	-6.18	-56.44	-57.63	6.54	-47.44
3	2487.55	67.68 PK	74	-6.32	-36.41	-37.99	6.54	-27.58
4	2483.73	49.66 AV	54	-4.34	-54.57	-55.82	6.54	-45.60


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1




802.11be (EHT20) 26-tone RU - Channel 10
Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4982.81	59.71 PK	74	-14.29	-48.38	-45.54	8.17	-35.55
2	4993.75	48.6 AV	54	-5.4	-57.77	-57.91	8.17	-46.66
3	7351.56	58.47 PK	74	-15.53	-48.96	-47.16	8.17	-36.79
4	7251.56	48.05 AV	54	-5.95	-58.19	-58.6	8.17	-47.21

Remarks:


1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	2389.13	66.58 PK	74	-7.42	-39.46	-37.27	6.54	-28.68
2	2389.25	48.81 AV	54	-5.19	-56.72	-55.39	6.54	-46.45
3	2484.8	69.22 PK	74	-4.78	-34.05	-38.01	6.54	-26.04
4	2483.51	49.31 AV	54	-4.69	-54.81	-56.32	6.54	-45.95


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1




802.11be (EHT20) 26-tone RU - Channel 11
Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4968.75	59.63 PK	74	-14.37	-49.08	-45.33	8.17	-35.63
2	4995.31	48.48 AV	54	-5.52	-58.25	-57.69	8.17	-46.78
3	7264.06	59.99 PK	74	-14.01	-47.39	-45.68	8.17	-35.27
4	7260.93	47.89 AV	54	-6.11	-58.55	-58.55	8.17	-47.37

Remarks:


1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	2346.24	66.15 PK	74	-7.85	-40.44	-37.4	6.54	-29.11
2	2389.99	47.02 AV	54	-6.98	-57.25	-58.4	6.54	-48.24
3	2485.03	73.5 PK	74	-0.5	-28.9	-37.2	6.54	-21.76
4	2483.51	49.72 AV	54	-4.28	-54.15	-56.3	6.54	-45.54


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1




802.11be (EHT20) 26-tone RU - Channel 12
Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4887.5	60.64 PK	74	-13.36	-44.27	-48.17	8.17	-34.62
2	4993.75	48.56 AV	54	-5.44	-57.85	-57.92	8.17	-46.70
3	7345.31	59.46 PK	74	-14.54	-48.4	-45.91	8.17	-35.80
4	7250	47.95 AV	54	-6.05	-58.31	-58.68	8.17	-47.31

Remarks:





1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	2351.08	66.09 PK	74	-7.91	-40.88	-37.28	6.54	-29.17
2	2389.99	45.68 AV	54	-8.32	-59.2	-59.06	6.54	-49.58
3	2483.73	70.09 PK	74	-3.91	-32.94	-37.77	6.54	-25.17
4	2483.75	52.47 AV	54	-1.53	-51.61	-53.23	6.54	-42.79


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1




802.11be (EHT20) 26-tone RU - Channel 13
Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4953.12	59.66 PK	74	-14.34	-46.68	-46.89	8.17	-35.60
2	4995.31	48.56 AV	54	-5.44	-57.84	-57.93	8.17	-46.70
3	7325	58.99 PK	74	-15.01	-46.85	-48.15	8.17	-36.27
4	7296.87	47.88 AV	54	-6.12	-58.7	-58.42	8.17	-47.38

Remarks:


1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	2386.16	65.84 PK	74	-8.16	-39.92	-38.19	6.54	-29.42
2	2389.8	42.75 AV	54	-11.25	-62.07	-62.05	6.54	-52.51
3	2483.51	80.67 PK	74	! 6.67	-24.05	-24.23	6.54	-14.59
4	2483.51	45.9 AV	54	-8.1	-58.94	-58.88	6.54	-49.36


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " ! " : The unwanted emission was verified and the test result was passed by radiated measurement. (Please refer Appendix B)

Chain 0



Chain 1




802.11be (EHT20) 52-tone RU - Channel 1
Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4975	60.19 PK	74	-13.81	-47.5	-45.28	8.17	-35.07
2	4984.37	48.34 AV	54	-5.66	-58.12	-58.08	8.17	-46.92
3	7268.75	58.72 PK	74	-15.28	-47.14	-48.38	8.17	-36.54
4	7292.18	47.83 AV	54	-6.17	-58.62	-58.6	8.17	-47.43

Remarks:


1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	2389.89	71.03 PK	74	-2.97	-33.07	-34.63	6.54	-24.23
2	2389.99	50.34 AV	54	-3.66	-53.86	-55.18	6.54	-44.92
3	2488.12	67.24 PK	74	-6.76	-37.2	-37.98	6.54	-28.02
4	2483.51	49.96 AV	54	-4.04	-55.12	-54.59	6.54	-45.30


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1




802.11be (EHT20) 52-tone RU - Channel 2
Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4979.68	59.4 PK	74	-14.6	-47.17	-46.92	8.17	-35.86
2	4998.43	48.58 AV	54	-5.42	-57.86	-57.87	8.17	-46.68
3	7268.75	59.05 PK	74	-14.95	-47.09	-47.71	8.17	-36.21
4	7259.37	47.98 AV	54	-6.02	-58.22	-58.71	8.17	-47.28

Remarks:


1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	2386.42	66.93 PK	74	-7.07	-36.63	-39.65	6.54	-28.33
2	2389.99	48.8 AV	54	-5.2	-54.84	-57.61	6.54	-46.46
3	2484.96	68.88 PK	74	-5.12	-35.47	-36.44	6.54	-26.38
4	2484.94	49.84 AV	54	-4.16	-54.85	-55.09	6.54	-45.42


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1




802.11be (EHT20) 52-tone RU - Channel 6
Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4907.81	60.21 PK	74	-13.79	-48.23	-44.86	8.17	-35.05
2	4987.5	48.52 AV	54	-5.48	-58.04	-57.8	8.17	-46.74
3	7251.56	58.88 PK	74	-15.12	-48.12	-47.06	8.17	-36.38
4	7290.62	47.93 AV	54	-6.07	-58.55	-58.48	8.17	-47.33

Remarks:


1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	2373.08	66.2 PK	74	-7.8	-37.63	-39.88	6.54	-29.06
2	2389.96	47.79 AV	54	-6.21	-56.47	-57.64	6.54	-47.47
3	2490.4	66.97 PK	74	-7.03	-39.03	-36.91	6.54	-28.29
4	2483.51	49.71 AV	54	-4.29	-54.67	-55.58	6.54	-45.55


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1




802.11be (EHT20) 52-tone RU - Channel 10
Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4982.81	59.71 PK	74	-14.29	-48.38	-45.54	8.17	-35.55
2	4993.75	48.6 AV	54	-5.4	-57.77	-57.91	8.17	-46.66
3	7351.56	58.47 PK	74	-15.53	-48.96	-47.16	8.17	-36.79
4	7251.56	48.05 AV	54	-5.95	-58.19	-58.6	8.17	-47.21

Remarks:


1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	2387.28	66.25 PK	74	-7.75	-38.69	-38.43	6.54	-29.01
2	2389.32	47.87 AV	54	-6.13	-56.77	-57.12	6.54	-47.39
3	2486.6	68.79 PK	74	-5.21	-34.89	-37.56	6.54	-26.47
4	2483.56	49.64 AV	54	-4.36	-54.2	-56.43	6.54	-45.62


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1




802.11be (EHT20) 52-tone RU - Channel 11
Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4968.75	59.63 PK	74	-14.37	-49.08	-45.33	8.17	-35.63
2	4995.31	48.48 AV	54	-5.52	-58.25	-57.69	8.17	-46.78
3	7264.06	59.99 PK	74	-14.01	-47.39	-45.68	8.17	-35.27
4	7260.93	47.89 AV	54	-6.11	-58.55	-58.55	8.17	-47.37

Remarks:


1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	2353.74	66.27 PK	74	-7.73	-40.47	-37.21	6.54	-28.99
2	2389.99	46.98 AV	54	-7.02	-57.31	-58.42	6.54	-48.28
3	2485.72	72.36 PK	74	-1.64	-30.14	-37.69	6.54	-22.90
4	2483.51	50.87 AV	54	-3.13	-52.61	-55.88	6.54	-44.39


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1




802.11be (EHT20) 52-tone RU - Channel 12
Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4887.5	60.64 PK	74	-13.36	-44.27	-48.17	8.17	-34.62
2	4993.75	48.56 AV	54	-5.44	-57.85	-57.92	8.17	-46.70
3	7345.31	59.46 PK	74	-14.54	-48.4	-45.91	8.17	-35.80
4	7250	47.95 AV	54	-6.05	-58.31	-58.68	8.17	-47.31

Remarks:


1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	2367.92	66.3 PK	74	-7.7	-37.63	-39.61	6.54	-28.96
2	2389.99	45.87 AV	54	-8.13	-59.06	-58.83	6.54	-49.39
3	2484.53	69.05 PK	74	-4.95	-35.62	-35.91	6.54	-26.21
4	2483.51	52.24 AV	54	-1.76	-51.86	-53.42	6.54	-43.02


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1



802.11be (EHT20) 52-tone RU - Channel 13


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4953.12	59.66 PK	74	-14.34	-46.68	-46.89	8.17	-35.60
2	4995.31	48.56 AV	54	-5.44	-57.84	-57.93	8.17	-46.70
3	7325	58.99 PK	74	-15.01	-46.85	-48.15	8.17	-36.27
4	7296.87	47.88 AV	54	-6.12	-58.7	-58.42	8.17	-47.38

Remarks:


- Margin value = Emission Level – Limit value
- The other emission levels were very low against the limit.

Chain 0





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	2345.05	66.08 PK	74	-7.92	-39.12	-38.37	6.54	-29.18
2	2389.99	42.77 AV	54	-11.23	-62.04	-62.05	6.54	-52.49
3	2483.51	75.21 PK	74	! 1.21	-30.89	-28.61	6.54	-20.05
4	2483.51	45.29 AV	54	-8.71	-59.54	-59.5	6.54	-49.97


Remarks:

- Margin value = Emission Level – Limit value
- The other emission levels were very low against the limit.
- " ! " : The unwanted emission was verified and the test result was passed by radiated measurement. (Please refer Appendix B)

Chain 0



Chain 1




802.11be (EHT20) 106-tone RU - Channel 1
Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4815.62	59.63 PK	74	-14.37	-45.47	-48.77	8.17	-35.63
2	4996.87	48.58 AV	54	-5.42	-58.14	-57.6	8.17	-46.68
3	7359.37	58.81 PK	74	-15.19	-47.89	-47.39	8.17	-36.45
4	7253.12	47.92 AV	54	-6.08	-58.38	-58.66	8.17	-47.34

Remarks:


1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	2388.61	72.99 PK	74	-1.01	-29.56	-36.79	6.54	-22.27
2	2389.99	52.52 AV	54	-1.48	-51.96	-52.65	6.54	-42.74
3	2484.11	67.01 PK	74	-6.99	-38.13	-37.5	6.54	-28.25
4	2483.51	48.77 AV	54	-5.23	-56.48	-55.64	6.54	-46.49


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1




802.11be (EHT20) 106-tone RU - Channel 2
Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4975	59.31 PK	74	-14.69	-46.8	-47.48	8.17	-35.95
2	4987.5	48.41 AV	54	-5.59	-57.88	-58.18	8.17	-46.85
3	7290.62	59 PK	74	-15	-47.81	-47.1	8.17	-36.26
4	7257.81	47.94 AV	54	-6.06	-58.66	-58.35	8.17	-47.32

Remarks:


1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	2389.61	69.19 PK	74	-4.81	-33.86	-38.61	6.54	-26.07
2	2389.99	49.39 AV	54	-4.61	-54.62	-56.4	6.54	-45.87
3	2484.15	66.96 PK	74	-7.04	-36.93	-39.01	6.54	-28.30
4	2484.58	48.67 AV	54	-5.33	-56.38	-55.92	6.54	-46.59


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1




802.11be (EHT20) 106-tone RU - Channel 6
Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4985.93	59.36 PK	74	-14.64	-46.82	-47.35	8.17	-35.90
2	4998.43	48.51 AV	54	-5.49	-57.94	-57.93	8.17	-46.75
3	7267.18	59.32 PK	74	-14.68	-48.33	-46.18	8.17	-35.94
4	7259.37	47.87 AV	54	-6.13	-58.48	-58.67	8.17	-47.39


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	2384.59	66.31 PK	74	-7.69	-38.9	-38.14	6.54	-28.95
2	2389.99	47.51 AV	54	-6.49	-57.41	-57.19	6.54	-47.75
3	2486.48	67.04 PK	74	-6.96	-37.15	-38.5	6.54	-28.22
4	2483.61	49.05 AV	54	-4.95	-56.05	-55.49	6.54	-46.21


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1




802.11be (EHT20) 106-tone RU - Channel 10
Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4820.31	59.61 PK	74	-14.39	-45.67	-48.42	8.17	-35.65
2	5000	48.56 AV	54	-5.44	-58.01	-57.76	8.17	-46.70
3	7253.12	59.01 PK	74	-14.99	-49.2	-46.18	8.17	-36.25
4	7250	47.85 AV	54	-6.15	-58.42	-58.77	8.17	-47.41

Remarks:


1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	2370.2	66.33 PK	74	-7.67	-38.73	-38.24	6.54	-28.93
2	2389.58	47.12 AV	54	-6.88	-57.86	-57.53	6.54	-48.14
3	2483.58	73.39 PK	74	-0.61	-29	-37.4	6.54	-21.87
4	2483.51	52.04 AV	54	-1.96	-52.17	-53.46	6.54	-43.22


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1




802.11be (EHT20) 106-tone RU - Channel 11
Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4989.06	59.54 PK	74	-14.46	-47.44	-46.42	8.17	-35.72
2	4993.75	48.77 AV	54	-5.23	-57.52	-57.83	8.17	-46.49
3	7300	59.07 PK	74	-14.93	-47.46	-47.29	8.17	-36.19
4	7267.18	47.88 AV	54	-6.12	-58.59	-58.54	8.17	-47.38


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	2385.62	66.12 PK	74	-7.88	-38.46	-38.93	6.54	-29.14
2	2389.99	46.96 AV	54	-7.04	-58.27	-57.46	6.54	-48.30
3	2484.13	71.75 PK	74	-2.25	-31.46	-35.62	6.54	-23.51
4	2483.54	52.92 AV	54	-1.08	-51.6	-52.2	6.54	-42.34


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1




802.11be (EHT20) 106-tone RU - Channel 12

Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4978.12	60.05 PK	74	-13.95	-46.12	-46.67	8.17	-35.21
2	4985.93	48.46 AV	54	-5.54	-58.04	-57.92	8.17	-46.80
3	7279.68	59.33 PK	74	-14.67	-48.28	-46.19	8.17	-35.93
4	7253.12	47.98 AV	54	-6.02	-58.22	-58.71	8.17	-47.28


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	2354.34	65.84 PK	74	-8.16	-38.36	-39.68	6.54	-29.42
2	2389.99	45.18 AV	54	-8.82	-59.71	-59.55	6.54	-50.08
3	2483.85	69.55 PK	74	-4.45	-33.96	-37.11	6.54	-25.71
4	2483.51	52.22 AV	54	-1.78	-51.52	-54.02	6.54	-43.04


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1




802.11be (EHT20) 106-tone RU - Channel 13
Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4992.18	59.64 PK	74	-14.36	-46.08	-47.67	8.17	-35.62
2	4996.87	48.64 AV	54	-5.36	-57.75	-57.85	8.17	-46.62
3	7375	59.16 PK	74	-14.84	-45.88	-49.37	8.17	-36.10
4	7267.18	47.91 AV	54	-6.09	-58.33	-58.74	8.17	-47.35


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	2365.52	66.12 PK	74	-7.88	-38.77	-38.62	6.54	-29.14
2	2389.91	42.82 AV	54	-11.18	-62.02	-61.97	6.54	-52.44
3	2483.51	77.32 PK	74	! 3.32	-26.76	-28.36	6.54	-17.94
4	2483.51	46.59 AV	54	-7.41	-58.32	-58.13	6.54	-48.67


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " ! " : The unwanted emission was verified and the test result was passed by radiated measurement.
(Please refer Appendix B)

Chain 0



Chain 1



802.11be (EHT20) 484-tone RU - Channel 6


Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	2389.91	68.21 PK	74	-5.79	-34.92	-39.38	6.54	-27.05
2	2389.99	51.73 AV	54	-2.27	-51.36	-55.96	6.54	-43.53
3	2483.85	68.98 PK	74	-5.02	-34.79	-37.19	6.54	-26.28
4	2483.54	53 AV	54	-1	-50.42	-53.86	6.54	-42.26


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1




Mode B

RF Mode	802.11b	Channel	CH 1 : 2412 MHz
Frequency Range	1 GHz ~ 25 GHz	Detector Function & Bandwidth	(PK) RB = 1 MHz, VB = 3 MHz (AV) RB = 1 MHz, VB = 10 Hz
Input Power (System)	120 Vac, 60 Hz	Environmental Conditions	28°C, 75% RH
Tested By	Louis Yang		

Antenna Polarity & Test Distance : Horizontal at 3 m								
No	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Antenna Height (m)	Table Angle (Degree)	Raw Value (dBuV)	Correction Factor (dB/m)
1	4824.00	45.8 PK	74.0	-28.2	2.47 H	358	44.5	1.3
2	4824.00	36.4 AV	54.0	-17.6	2.47 H	358	35.1	1.3

Remarks:

1. Emission Level(dBuV/m) = Raw Value(dBuV) + Correction Factor(dB/m)
2. Correction Factor(dB/m) = Antenna Factor(dB/m) + Cable Factor(dB) – Pre-Amplifier Factor(dB)
3. Margin value = Emission Level – Limit value
4. The other emission levels were very low against the limit.




RF Mode	802.11b	Channel	CH 1 : 2412 MHz
Frequency Range	1 GHz ~ 25 GHz	Detector Function & Bandwidth	(PK) RB = 1 MHz, VB = 3 MHz (AV) RB = 1 MHz, VB = 10 Hz
Input Power (System)	120 Vac, 60 Hz	Environmental Conditions	28°C, 75% RH
Tested By	Louis Yang		

Antenna Polarity & Test Distance : Vertical at 3 m								
No	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Antenna Height (m)	Table Angle (Degree)	Raw Value (dBuV)	Correction Factor (dB/m)
1	4824.00	43.5 PK	74.0	-30.5	3.84 V	286	42.2	1.3
2	4824.00	34.7 AV	54.0	-19.3	3.84 V	286	33.4	1.3

Remarks:

1. Emission Level(dBuV/m) = Raw Value(dBuV) + Correction Factor(dB/m)
2. Correction Factor(dB/m) = Antenna Factor(dB/m) + Cable Factor(dB) – Pre-Amplifier Factor(dB)
3. Margin value = Emission Level – Limit value
4. The other emission levels were very low against the limit.




RF Mode	802.11b	Channel	CH 6 : 2437 MHz
Frequency Range	1 GHz ~ 25 GHz	Detector Function & Bandwidth	(PK) RB = 1 MHz, VB = 3 MHz (AV) RB = 1 MHz, VB = 10 Hz
Input Power (System)	120 Vac, 60 Hz	Environmental Conditions	28°C, 75% RH
Tested By	Louis Yang		

Antenna Polarity & Test Distance : Horizontal at 3 m								
No	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Antenna Height (m)	Table Angle (Degree)	Raw Value (dBuV)	Correction Factor (dB/m)
1	4874.00	45.5 PK	74.0	-28.5	2.51 H	360	44.2	1.3
2	4874.00	36.1 AV	54.0	-17.9	2.51 H	360	34.8	1.3
3	7311.00	49.7 PK	74.0	-24.3	3.06 H	284	42.7	7.0
4	7311.00	38.6 AV	54.0	-15.4	3.06 H	284	31.6	7.0

Remarks:

1. Emission Level(dBuV/m) = Raw Value(dBuV) + Correction Factor(dB/m)
2. Correction Factor(dB/m) = Antenna Factor(dB/m) + Cable Factor(dB) – Pre-Amplifier Factor(dB)
3. Margin value = Emission Level – Limit value
4. The other emission levels were very low against the limit.




RF Mode	802.11b	Channel	CH 6 : 2437 MHz
Frequency Range	1 GHz ~ 25 GHz	Detector Function & Bandwidth	(PK) RB = 1 MHz, VB = 3 MHz (AV) RB = 1 MHz, VB = 10 Hz
Input Power (System)	120 Vac, 60 Hz	Environmental Conditions	28°C, 75% RH
Tested By	Louis Yang		

Antenna Polarity & Test Distance : Vertical at 3 m								
No	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Antenna Height (m)	Table Angle (Degree)	Raw Value (dBuV)	Correction Factor (dB/m)
1	4874.00	43.8 PK	74.0	-30.2	3.83 V	294	42.5	1.3
2	4874.00	34.7 AV	54.0	-19.3	3.83 V	294	33.4	1.3
3	7311.00	47.2 PK	74.0	-26.8	2.88 V	276	40.2	7.0
4	7311.00	37.5 AV	54.0	-16.5	2.88 V	276	30.5	7.0

Remarks:

1. Emission Level(dBuV/m) = Raw Value(dBuV) + Correction Factor(dB/m)
2. Correction Factor(dB/m) = Antenna Factor(dB/m) + Cable Factor(dB) – Pre-Amplifier Factor(dB)
3. Margin value = Emission Level – Limit value
4. The other emission levels were very low against the limit.




RF Mode	802.11b	Channel	CH 11 : 2462 MHz
Frequency Range	1 GHz ~ 25 GHz	Detector Function & Bandwidth	(PK) RB = 1 MHz, VB = 3 MHz (AV) RB = 1 MHz, VB = 10 Hz
Input Power (System)	120 Vac, 60 Hz	Environmental Conditions	28°C, 75% RH
Tested By	Louis Yang		

Antenna Polarity & Test Distance : Horizontal at 3 m								
No	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Antenna Height (m)	Table Angle (Degree)	Raw Value (dBuV)	Correction Factor (dB/m)
1	4924.00	45.2 PK	74.0	-28.8	2.46 H	355	44.0	1.2
2	4924.00	35.6 AV	54.0	-18.4	2.46 H	355	34.4	1.2
3	7386.00	49.9 PK	74.0	-24.1	3.02 H	269	42.9	7.0
4	7386.00	38.6 AV	54.0	-15.4	3.02 H	269	31.6	7.0

Remarks:

1. Emission Level(dBuV/m) = Raw Value(dBuV) + Correction Factor(dB/m)
2. Correction Factor(dB/m) = Antenna Factor(dB/m) + Cable Factor(dB) – Pre-Amplifier Factor(dB)
3. Margin value = Emission Level – Limit value
4. The other emission levels were very low against the limit.




RF Mode	802.11b	Channel	CH 11 : 2462 MHz
Frequency Range	1 GHz ~ 25 GHz	Detector Function & Bandwidth	(PK) RB = 1 MHz, VB = 3 MHz (AV) RB = 1 MHz, VB = 10 Hz
Input Power (System)	120 Vac, 60 Hz	Environmental Conditions	28°C, 75% RH
Tested By	Louis Yang		

Antenna Polarity & Test Distance : Vertical at 3 m								
No	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Antenna Height (m)	Table Angle (Degree)	Raw Value (dBuV)	Correction Factor (dB/m)
1	4924.00	43.4 PK	74.0	-30.6	3.88 V	306	42.2	1.2
2	4924.00	34.3 AV	54.0	-19.7	3.88 V	306	33.1	1.2
3	7386.00	47.2 PK	74.0	-26.8	2.93 V	277	40.2	7.0
4	7386.00	37.7 AV	54.0	-16.3	2.93 V	277	30.7	7.0

Remarks:

1. Emission Level(dBuV/m) = Raw Value(dBuV) + Correction Factor(dB/m)
2. Correction Factor(dB/m) = Antenna Factor(dB/m) + Cable Factor(dB) – Pre-Amplifier Factor(dB)
3. Margin value = Emission Level – Limit value
4. The other emission levels were very low against the limit.




RF Mode	802.11b	Channel	CH 12 : 2467 MHz
Frequency Range	1 GHz ~ 25 GHz	Detector Function & Bandwidth	(PK) RB = 1 MHz, VB = 3 MHz (AV) RB = 1 MHz, VB = 10 Hz
Input Power (System)	120 Vac, 60 Hz	Environmental Conditions	28°C, 75% RH
Tested By	Louis Yang		

Antenna Polarity & Test Distance : Horizontal at 3 m								
No	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Antenna Height (m)	Table Angle (Degree)	Raw Value (dBuV)	Correction Factor (dB/m)
1	4934.00	45.3 PK	74.0	-28.7	2.57 H	360	44.1	1.2
2	4934.00	35.8 AV	54.0	-18.2	2.57 H	360	34.6	1.2
3	7401.00	49.5 PK	74.0	-24.5	3.02 H	300	42.5	7.0
4	7401.00	38.2 AV	54.0	-15.8	3.02 H	300	31.2	7.0

Remarks:

1. Emission Level(dBuV/m) = Raw Value(dBuV) + Correction Factor(dB/m)
2. Correction Factor(dB/m) = Antenna Factor(dB/m) + Cable Factor(dB) – Pre-Amplifier Factor(dB)
3. Margin value = Emission Level – Limit value
4. The other emission levels were very low against the limit.




RF Mode	802.11b	Channel	CH 12 : 2467 MHz
Frequency Range	1 GHz ~ 25 GHz	Detector Function & Bandwidth	(PK) RB = 1 MHz, VB = 3 MHz (AV) RB = 1 MHz, VB = 10 Hz
Input Power (System)	120 Vac, 60 Hz	Environmental Conditions	28°C, 75% RH
Tested By	Louis Yang		

Antenna Polarity & Test Distance : Vertical at 3 m								
No	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Antenna Height (m)	Table Angle (Degree)	Raw Value (dBuV)	Correction Factor (dB/m)
1	4934.00	43.5 PK	74.0	-30.5	3.79 V	300	42.3	1.2
2	4934.00	34.7 AV	54.0	-19.3	3.79 V	300	33.5	1.2
3	7401.00	46.8 PK	74.0	-27.2	2.88 V	274	39.8	7.0
4	7401.00	37.2 AV	54.0	-16.8	2.88 V	274	30.2	7.0

Remarks:

1. Emission Level(dBuV/m) = Raw Value(dBuV) + Correction Factor(dB/m)
2. Correction Factor(dB/m) = Antenna Factor(dB/m) + Cable Factor(dB) – Pre-Amplifier Factor(dB)
3. Margin value = Emission Level – Limit value
4. The other emission levels were very low against the limit.



RF Mode	802.11b	Channel	CH 13 : 2472 MHz
Frequency Range	1 GHz ~ 25 GHz	Detector Function & Bandwidth	(PK) RB = 1 MHz, VB = 3 MHz (AV) RB = 1 MHz, VB = 10 Hz
Input Power (System)	120 Vac, 60 Hz	Environmental Conditions	28°C, 75% RH
Tested By	Louis Yang		

Antenna Polarity & Test Distance : Horizontal at 3 m								
No	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Antenna Height (m)	Table Angle (Degree)	Raw Value (dBuV)	Correction Factor (dB/m)
1	4944.00	45.9 PK	74.0	-28.1	2.52 H	350	44.7	1.2
2	4944.00	36.3 AV	54.0	-17.7	2.52 H	350	35.1	1.2
3	7416.00	49.9 PK	74.0	-24.1	3.11 H	291	42.7	7.2
4	7416.00	38.8 AV	54.0	-15.2	3.11 H	291	31.6	7.2

Remarks:

1. Emission Level(dBuV/m) = Raw Value(dBuV) + Correction Factor(dB/m)
2. Correction Factor(dB/m) = Antenna Factor(dB/m) + Cable Factor(dB) – Pre-Amplifier Factor(dB)
3. Margin value = Emission Level – Limit value
4. The other emission levels were very low against the limit.

