








Chain 0





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#5742.1	61.05 PK	68.2	-7.15	-47.8	-43.36	7.82	-34.21


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



802.11be (EHT40) - Channel 142







Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3789.06	60.74 PK	74	-13.26	-46.51	-45.01	8.17	-34.52
2	3818.75	50.3 AV	54	-3.7	-56.2	-56.08	8.17	-44.96
3	7606.25	58.63 PK	74	-15.37	-47.65	-47.98	8.17	-36.63
4	7617.18	47.98 AV	54	-6.02	-58.64	-58.28	8.17	-47.28
5	11434.37	59.45 PK	74	-14.55	-46.47	-47.59	8.17	-35.81
6	11421.87	48.5 AV	54	-5.5	-58	-57.89	8.17	-46.76
7	#17111	50.1 PK	68.2	-18.1	-56.03	-56.67	8.17	-45.16

Remarks:


1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#5867.23	59.78 PK	68.2	-8.42	-47.55	-45.35	7.82	-35.48


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



802.11be (EHT40) – Channel 151

Conducted spurious emission table







No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3842.18	61.81 PK	74	-12.19	-44.16	-45.16	8.17	-33.45
2	3840.62	50.04 AV	54	-3.96	-56.45	-56.36	8.17	-45.22
3	7670.31	59.33 PK	74	-14.67	-47.09	-47.13	8.17	-35.93
4	7657.81	48.11 AV	54	-5.89	-58.49	-58.18	8.17	-47.15
5	11504.68	59.49 PK	74	-14.51	-47.11	-46.79	8.17	-35.77
6	11493.75	48.61 AV	54	-5.39	-57.77	-57.9	8.17	-46.65
7	#17277.75	48.89 PK	68.2	-19.31	-56.86	-58.37	8.17	-46.37

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




Chain 0






Chain 1






Bandedge table

Chain 0





Chain 1



802.11be (EHT40) – Channel 159

Conducted spurious emission table







No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3870.31	60.08 PK	74	-13.92	-46.08	-46.67	8.17	-35.18
2	3854.68	49.95 AV	54	-4.05	-56.41	-56.57	8.17	-45.31
3	7739.06	58.92 PK	74	-15.08	-49.92	-45.98	8.17	-36.34
4	7745.31	48.27 AV	54	-5.73	-58.06	-58.28	8.17	-46.99
5	11604.68	59.32 PK	74	-14.68	-48.03	-46.37	8.17	-35.94
6	11582.81	48.35 AV	54	-5.65	-58.11	-58.08	8.17	-46.91
7	#17395.62	49.07 PK	68.2	-19.13	-59.42	-55.99	8.17	-46.19

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




Chain 0






Chain 1






Bandedge table

Chain 0





Chain 1



802.11be (EHT80) - Channel 42







Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#3479.68	58.32 PK	68.2	-9.88	-48.11	-48.14	8.17	-36.94
2	#6956.25	58.29 PK	68.2	-9.91	-50.13	-46.8	8.17	-36.97
3	#10414.06	59.72 PK	68.2	-8.48	-46.68	-46.76	8.17	-35.54
4	15639	48.76 PK	74	-25.24	-58	-57.38	8.17	-46.50
5	15647.62	39.09 AV	54	-14.91	-67.36	-67.34	8.17	-56.17

Remarks:


1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5145.1	67.54 PK	74	-6.46	-45.19	-34.43	6.36	-27.72
2	5149.95	51.91 AV	54	-2.09	-53.97	-51.75	6.36	-43.35


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1



802.11be (EHT80) - Channel 58







Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3526.56	58.97 PK	74	-15.03	-48.45	-46.67	8.17	-36.29
2	3534.37	47.24 AV	54	-6.76	-59.29	-59.11	8.17	-48.02
3	#7065.62	58.46 PK	68.2	-9.74	-47.33	-48.75	8.17	-36.80
4	#10592.18	59.07 PK	68.2	-9.13	-48.86	-46.27	8.17	-36.19
5	15854.62	48.1 PK	74	-25.9	-60.55	-56.88	8.17	-47.16
6	15889.12	38.8 AV	54	-15.2	-67.69	-67.6	8.17	-56.46

Remarks:


1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5350.75	63.91 PK	74	-10.09	-40.37	-41.26	6.43	-31.35
2	5351.97	52.5 AV	54	-1.5	-52.4	-52.01	6.43	-42.76


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1



802.11be (EHT80) - Channel 106

Conducted spurious emission table







No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3682.81	61.06 PK	74	-12.94	-44.31	-46.8	8.17	-34.20
2	3706.25	49.49 AV	54	-4.51	-57	-56.91	8.17	-45.77
3	7362.5	58.88 PK	74	-15.12	-48.38	-46.87	8.17	-36.38
4	7354.68	47.81 AV	54	-6.19	-58.59	-58.67	8.17	-47.45
5	11078.12	59.26 PK	74	-14.74	-47	-47.37	8.17	-36.00
6	11043.75	48.65 AV	54	-5.35	-58.06	-57.53	8.17	-46.61
7	#16587.75	48.34 PK	68.2	-19.86	-58.89	-57.43	8.17	-46.92

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




Chain 0





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5458.37	62.54 PK	74	-11.46	-44.96	-42.48	7.82	-32.72
2	5460	51.79 AV	54	-2.21	-53.94	-54.7	7.82	-43.47
3	#5469.12	64.01 PK	68.2	-4.19	-44.03	-40.74	7.82	-31.25


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



802.11be (EHT80) - Channel 122

Conducted spurious emission table







No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3737.5	61.31 PK	74	-12.69	-44.62	-45.7	8.17	-33.95
2	3756.25	50.03 AV	54	-3.97	-56.48	-56.35	8.17	-45.23
3	7481.25	58.43 PK	74	-15.57	-48.14	-47.88	8.17	-36.83
4	7496.87	47.38 AV	54	-6.62	-59.31	-58.82	8.17	-47.88
5	11203.12	60.07 PK	74	-13.93	-47.05	-45.78	8.17	-35.19
6	11210.93	48.15 AV	54	-5.85	-58.25	-58.33	8.17	-47.11
7	#16836.43	47.51 PK	68.2	-20.69	-59.3	-58.59	8.17	-47.75

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




Chain 0





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#5730.12	59.52 PK	68.2	-8.68	-47.05	-46.13	7.82	-35.74


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



802.11be (EHT80) - Channel 138







Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3726.56	61.45 PK	74	-12.55	-44.3	-45.81	8.17	-33.81
2	3732.81	49.97 AV	54	-4.03	-56.48	-56.47	8.17	-45.29
3	7482.81	58.08 PK	74	-15.92	-50.15	-47.09	8.17	-37.18
4	7471.87	47.52 AV	54	-6.48	-59.1	-58.75	8.17	-47.74
5	11220.31	59.19 PK	74	-14.81	-47.6	-46.92	8.17	-36.07
6	11221.87	48.13 AV	54	-5.87	-58.4	-58.22	8.17	-47.13
7	#16835	47.97 PK	68.2	-20.23	-59.21	-57.83	8.17	-47.29

Remarks:


1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#5860.67	59.54 PK	68.2	-8.66	-45.63	-47.73	7.82	-35.72


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



802.11be (EHT80) – Channel 155







Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3868.75	60.8 PK	74	-13.2	-47.02	-44.59	8.17	-34.46
2	3859.37	49.99 AV	54	-4.01	-56.49	-56.41	8.17	-45.27
3	7709.37	58.66 PK	74	-15.34	-48.46	-47.2	8.17	-36.60
4	7700	48.28 AV	54	-5.72	-58.22	-58.11	8.17	-46.98
5	11562.5	59.43 PK	74	-14.57	-45.84	-48.62	8.17	-35.83
6	11550	48.48 AV	54	-5.52	-57.99	-57.94	8.17	-46.78
7	#17310.81	49.4 PK	68.2	-18.8	-57.41	-56.7	8.17	-45.86

Remarks:


1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0






Chain 1




Bandedge table

Chain 0





Chain 1



802.11be (EHT160) - Channel 50







Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3509.37	58.15 PK	74	-15.85	-47.26	-49.64	8.17	-37.11
2	3512.5	47.08 AV	54	-6.92	-59.38	-59.34	8.17	-48.18
3	#7009.37	57.99 PK	68.2	-10.21	-48.02	-48.93	8.17	-37.27
4	#10510.93	59.3 PK	68.2	-8.9	-47.66	-46.68	8.17	-35.96
5	15754	47.91 PK	74	-26.09	-57.97	-59.17	8.17	-47.35
6	15765.5	38.86 AV	54	-15.14	-67.46	-67.71	8.17	-56.40

Remarks:


1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5133.4	66.01 PK	74	-7.99	-47.51	-35.97	6.43	-29.25
2	5147.97	51.84 AV	54	-2.16	-55.46	-51.25	6.43	-43.42

Remarks:


1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0





Chain 1



802.11be (EHT160) – Channel 114

Conducted spurious emission table







No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3707.81	60.47 PK	74	-13.53	-47.11	-45.07	8.17	-34.79
2	3717.18	49.78 AV	54	-4.22	-56.68	-56.65	8.17	-45.48
3	7415.62	58.28 PK	74	-15.72	-48.28	-48.05	8.17	-36.98
4	7428.12	47.47 AV	54	-6.53	-58.85	-59.1	8.17	-47.79
5	11135.93	59.18 PK	74	-14.82	-47.51	-47.02	8.17	-36.08
6	11135.93	48.41 AV	54	-5.59	-58.14	-57.92	8.17	-46.85
7	#16720	47.84 PK	68.2	-20.36	-59.76	-57.69	8.17	-47.42

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




Chain 0





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#5467	66.09 PK	68.2	-2.11	-37.34	-48.1	7.82	-29.17

Remarks:





1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0





Chain 1



802.11be (EHT20) 26-tone RU - Channel 36

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#3446.87	58.11 PK	68.2	-10.09	-48.21	-48.45	8.17	-37.15
2	#6907.81	58.19 PK	68.2	-10.01	-48.32	-48.18	8.17	-37.07
3	#10357.81	58.83 PK	68.2	-9.37	-47.45	-47.77	8.17	-36.43
4	15557.06	47.9 PK	74	-26.1	-58.26	-58.83	8.17	-47.36
5	15549.87	38.84 AV	54	-15.16	-67.39	-67.82	8.17	-56.42

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




Chain 0





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5132.52	59.44 PK	74	-14.56	-43.92	-46.98	6.36	-35.82
2	5137.9	47.17 AV	54	-6.83	-57.34	-57.58	6.36	-48.09


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1



802.11be (EHT20) 26-tone RU - Channel 40

Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#3467.18	57.34 PK	68.2	-10.86	-49.06	-49.15	8.17	-37.92
2	#6948.43	62.02 PK	68.2	-6.18	-43.96	-44.94	8.17	-33.24
3	#10392.18	60.28 PK	68.2	-7.92	-46.31	-46.01	8.17	-34.98
4	15601.62	54.58 PK	74	-19.42	-51.94	-51.79	8.17	-40.68
5	15601.62	43.19 AV	54	-10.81	-63.37	-63.14	8.17	-52.07

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




Chain 0





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5085.52	59.96 PK	74	-14.04	-43.84	-45.71	6.36	-35.30
2	5147.1	47.02 AV	54	-6.98	-57.56	-57.66	6.36	-48.24


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1



802.11be (EHT20) 26-tone RU - Channel 48

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3510.93	56.9 PK	74	-17.1	-49.35	-49.73	8.17	-38.36
2	3506.25	46.09 AV	54	-7.91	-60.26	-60.44	8.17	-49.17
3	#6990.62	63.39 PK	68.2	-4.81	-42	-44.43	8.17	-31.87
4	#10489.06	60.95 PK	68.2	-7.25	-45.05	-45.99	8.17	-34.31
5	15719.5	54.08 PK	74	-19.92	-52.27	-52.45	8.17	-41.18
6	15720.93	43.45 AV	54	-10.55	-63.2	-62.79	8.17	-51.81

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




Chain 0





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5064.27	59.61 PK	74	-14.39	-45.17	-44.88	6.36	-35.65
2	5064.2	46.88 AV	54	-7.12	-57.79	-57.72	6.36	-48.38


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1



802.11be (EHT20) 26-tone RU - Channel 52

Conducted spurious emission table







No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3506.25	57.34 PK	74	-16.66	-48.59	-49.68	8.17	-37.92
2	3504.68	46.02 AV	54	-7.98	-60.38	-60.46	8.17	-49.24
3	#6998.43	62.34 PK	68.2	-5.86	-44.78	-43.52	8.17	-32.92
4	#10528.12	60.99 PK	68.2	-7.21	-45.68	-45.24	8.17	-34.27
5	15771.25	54.61 PK	74	-19.39	-53.42	-50.67	8.17	-40.65
6	15772.68	43.82 AV	54	-10.18	-62.9	-62.36	8.17	-51.44

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




Chain 0





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5448.72	57.77 PK	74	-16.23	-47.06	-46.81	6.43	-37.49
2	5350.25	45.21 AV	54	-8.79	-59.44	-59.55	6.43	-50.05


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1



802.11be (EHT20) 26-tone RU - Channel 60







Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3515.62	57.82 PK	74	-16.18	-47.79	-49.65	8.17	-37.44
2	3545.31	46.14 AV	54	-7.86	-60.36	-60.24	8.17	-49.12
3	#7056.25	59.54 PK	68.2	-8.66	-48.37	-45.81	8.17	-35.72
4	10609.37	60.85 PK	74	-13.15	-44.92	-46.38	8.17	-34.41
5	10603.12	49.55 AV	54	-4.45	-56.92	-56.86	8.17	-45.71
6	15903.5	54.86 PK	74	-19.14	-52.06	-51.15	8.17	-40.40
7	15894.87	42.96 AV	54	-11.04	-63.58	-63.38	8.17	-52.30

Remarks:


1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5353.45	57.77 PK	74	-16.23	-45.34	-49.46	6.43	-37.49
2	5351.57	45.75 AV	54	-8.25	-58.83	-59.07	6.43	-49.51


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1



802.11be (EHT20) 26-tone RU - Channel 64

Conducted spurious emission table







No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3531.25	57.33 PK	74	-16.67	-48.7	-49.57	8.17	-37.93
2	3565.62	46.27 AV	54	-7.73	-60.08	-60.27	8.17	-48.99
3	#7101.56	60.03 PK	68.2	-8.17	-48.43	-45.03	8.17	-35.23
4	10640.62	60.36 PK	74	-13.64	-45.78	-46.4	8.17	-34.90
5	10620.31	49.57 AV	54	-4.43	-56.96	-56.78	8.17	-45.69
6	15949.5	52.63 PK	74	-21.37	-52.96	-54.87	8.17	-42.63
7	15962.43	41.9 AV	54	-12.1	-64.6	-64.48	8.17	-53.36

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




Chain 0





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5401.5	58.57 PK	74	-15.43	-46.42	-45.85	6.43	-36.69
2	5353.67	46.01 AV	54	-7.99	-58.4	-59.01	6.43	-49.25


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1



802.11be (EHT20) 26-tone RU - Channel 100

Conducted spurious emission table







No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3664.06	57.27 PK	74	-16.73	-49.79	-48.63	8.17	-37.99
2	3646.87	46.19 AV	54	-7.81	-60.21	-60.29	8.17	-49.07
3	7329.68	59.52 PK	74	-14.48	-45.85	-48.35	8.17	-35.74
4	7326.56	48.27 AV	54	-5.73	-57.89	-58.48	8.17	-46.99
5	11010.93	60.4 PK	74	-13.6	-45.08	-47.28	8.17	-34.86
6	11000	49.06 AV	54	-4.94	-57.1	-57.68	8.17	-46.20
7	#16513	54.64 PK	68.2	-13.56	-54.85	-50.03	8.17	-40.62

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




Chain 0





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5458	59.2 PK	74	-14.8	-46.82	-46.97	7.82	-36.06
2	5457.87	47.11 AV	54	-6.89	-59.04	-58.93	7.82	-48.15
3	#5464.87	59.72 PK	68.2	-8.48	-46.68	-46.08	7.82	-35.54


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



802.11be (EHT20) 26-tone RU - Channel 116

Conducted spurious emission table







No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3731.25	57.61 PK	74	-16.39	-48.35	-49.38	8.17	-37.65
2	3739.06	46.46 AV	54	-7.54	-59.82	-60.14	8.17	-48.80
3	7432.81	59.5 PK	74	-14.5	-47.43	-46.5	8.17	-35.76
4	7439.06	47.92 AV	54	-6.08	-58.41	-58.64	8.17	-47.34
5	11164.06	61.73 PK	74	-12.27	-45.08	-44.37	8.17	-33.53
6	11154.68	49.69 AV	54	-4.31	-56.67	-56.84	8.17	-45.57
7	#16735.81	53.91 PK	68.2	-14.29	-52.15	-52.95	8.17	-41.35

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




Chain 0





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5448.4	58.73 PK	74	-15.27	-47.28	-47.45	7.82	-36.53
2	5459.93	46.68 AV	54	-7.32	-59.52	-59.31	7.82	-48.58
3	#5462.37	59.09 PK	68.2	-9.11	-46	-48.31	7.82	-36.17


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



802.11be (EHT20) 26-tone RU - Channel 140

Conducted spurious emission table







No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3790.62	58.17 PK	74	-15.83	-47.94	-48.62	8.17	-37.09
2	3804.68	46.64 AV	54	-7.36	-59.42	-60.22	8.17	-48.62
3	7614.06	59.39 PK	74	-14.61	-47.66	-46.51	8.17	-35.87
4	7614.06	48.23 AV	54	-5.77	-57.9	-58.55	8.17	-47.03
5	11409.37	60.99 PK	74	-13.01	-46.01	-44.95	8.17	-34.27
6	11385.93	49.6 AV	54	-4.4	-56.64	-57.04	8.17	-45.66
7	#17085.12	53.11 PK	68.2	-15.09	-53.16	-53.5	8.17	-42.15

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




Chain 0





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#5753.85	60.24 PK	68.2	-7.96	-46.07	-45.65	7.82	-35.02


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



802.11be (EHT20) 26-tone RU - Channel 144

Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3801.56	57.74 PK	74	-16.26	-47.83	-49.79	8.17	-37.52
2	3825	46.47 AV	54	-7.53	-59.91	-60.03	8.17	-48.79
3	7643.75	59.1 PK	74	-14.9	-47.03	-47.67	8.17	-36.16
4	7637.5	48.1 AV	54	-5.9	-58.36	-58.32	8.17	-47.16
5	11434.37	60.23 PK	74	-13.77	-46.37	-46.05	8.17	-35.03
6	11420.31	49.15 AV	54	-4.85	-57.12	-57.46	8.17	-46.11
7	#17171.37	53.93 PK	68.2	-14.27	-52.97	-52.1	8.17	-41.33







Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




BUREAU
VERITAS

Chain 0





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#5918.27	59.69 PK	68.2	-8.51	-46.86	-45.98	7.82	-35.57


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



802.11be (EHT20) 26-tone RU - Channel 149







Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3850	58 PK	74	-16	-48.11	-48.8	8.17	-37.26
2	3846.87	46.42 AV	54	-7.58	-59.94	-60.1	8.17	-48.84
3	7656.25	60.09 PK	74	-13.91	-45.32	-47.71	8.17	-35.17
4	7646.87	47.96 AV	54	-6.04	-58.3	-58.66	8.17	-47.30
5	11492.18	60.05 PK	74	-13.95	-46	-46.81	8.17	-35.21
6	11495.31	48.85 AV	54	-5.15	-57.48	-57.71	8.17	-46.41
7	#17241.81	53.41 PK	68.2	-14.79	-53.83	-52.35	8.17	-41.85

Remarks:


1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0






Chain 1






Bandedge table

Chain 0





Chain 1



802.11be (EHT20) 26-tone RU - Channel 157

Conducted spurious emission table







No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3865.62	58.17 PK	74	-15.83	-48.63	-47.93	8.17	-37.09
2	3859.37	46.57 AV	54	-7.43	-59.9	-59.84	8.17	-48.69
3	7696.87	58.66 PK	74	-15.34	-48	-47.57	8.17	-36.60
4	7718.75	47.51 AV	54	-6.49	-58.79	-59.08	8.17	-47.75
5	11573.43	61.34 PK	74	-12.66	-44.27	-46.12	8.17	-33.92
6	11582.81	49.41 AV	54	-4.59	-56.7	-57.39	8.17	-45.85
7	#17366.87	53.22 PK	68.2	-14.98	-52.35	-54.3	8.17	-42.04

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




Chain 0






Chain 1






Bandedge table

Chain 0





Chain 1



802.11be (EHT20) 26-tone RU - Channel 165

Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3878.12	57.04 PK	74	-16.96	-50.81	-48.33	8.17	-38.22
2	3893.75	46.67 AV	54	-7.33	-59.8	-59.74	8.17	-48.59
3	#7759.37	59.26 PK	68.2	-8.94	-47.25	-47.11	8.17	-36.00
4	11648.43	60.92 PK	74	-13.08	-45.35	-45.7	8.17	-34.34
5	11651.56	50.05 AV	54	-3.95	-56.5	-56.28	8.17	-45.21
6	#17477.56	54.06 PK	68.2	-14.14	-53.71	-51.37	8.17	-41.20

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.