







Chain 0






Chain 1






Bandedge table

Chain 0





Chain 1



802.11be (EHT20) 52-tone RU - Channel 36







Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#3446.87	58.56 PK	68.2	-9.64	-47.14	-48.78	8.17	-36.70
2	#6892.18	57.71 PK	68.2	-10.49	-48.33	-49.18	8.17	-37.55
3	#10354.68	59.31 PK	68.2	-8.89	-46.1	-48.48	8.17	-35.95
4	15554.18	48.93 PK	74	-25.07	-57.07	-58	8.17	-46.33
5	15551.31	39.04 AV	54	-14.96	-67.38	-67.43	8.17	-56.22

Remarks:


1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5122.9	70.23 PK	74	-3.77	-34.68	-34.13	6.36	-25.03
2	5147.12	48.06 AV	54	-5.94	-56.49	-56.66	6.36	-47.20


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1



802.11be (EHT20) 52-tone RU - Channel 40

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#3471.87	58.39 PK	68.2	-9.81	-49.28	-47.09	8.17	-36.87
2	#6925	58.26 PK	68.2	-9.94	-47.88	-48.51	8.17	-37.00
3	#10387.5	59.32 PK	68.2	-8.88	-48.04	-46.37	8.17	-35.94
4	15590.12	49.72 PK	74	-24.28	-56.08	-57.46	8.17	-45.54
5	15603.06	39.04 AV	54	-14.96	-67.43	-67.38	8.17	-56.22

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




Chain 0





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5067.62	69.63 PK	74	-4.37	-35.76	-34.35	6.36	-25.63
2	5148.45	47.89 AV	54	-6.11	-56.72	-56.77	6.36	-47.37


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1



802.11be (EHT20) 52-tone RU - Channel 48







Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#3473.43	57.49 PK	68.2	-10.71	-50.64	-47.74	8.17	-37.77
2	#7006.25	58.89 PK	68.2	-9.31	-49.11	-46.4	8.17	-36.37
3	#10487.5	59.18 PK	68.2	-9.02	-46.78	-47.79	8.17	-36.08
4	15736.75	49.03 PK	74	-24.97	-56.56	-58.48	8.17	-46.23
5	15706.56	39.09 AV	54	-14.91	-67.37	-67.34	8.17	-56.17

Remarks:


1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5057.25	69.33 PK	74	-4.67	-36.49	-34.36	6.36	-25.93
2	5058.37	47.1 AV	54	-6.9	-57.65	-57.42	6.36	-48.16


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1



802.11be (EHT20) 52-tone RU - Channel 52







Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#3498.43	57.35 PK	68.2	-10.85	-48.53	-49.73	8.17	-37.91
2	#7032.81	58.45 PK	68.2	-9.75	-48.77	-47.33	8.17	-36.81
3	#10506.25	59.09 PK	68.2	-9.11	-47.23	-47.47	8.17	-36.17
4	15797.12	48.44 PK	74	-25.56	-56.81	-59.64	8.17	-46.82
5	15785.62	38.85 AV	54	-15.15	-67.38	-67.82	8.17	-56.41

Remarks:


1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5382.77	67.33 PK	74	-6.67	-36.75	-38.1	6.43	-27.93
2	5351.97	45.68 AV	54	-8.32	-58.93	-59.11	6.43	-49.58


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1



802.11be (EHT20) 52-tone RU - Channel 60

Conducted spurious emission table







No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3550	58.18 PK	74	-15.82	-48.37	-48.15	8.17	-37.08
2	3548.43	47.26 AV	54	-6.74	-59.23	-59.14	8.17	-48.00
3	#7064.06	58.95 PK	68.2	-9.25	-47.28	-47.72	8.17	-36.31
4	#10596.87	59.51 PK	68.2	-8.69	-45.41	-49.29	8.17	-35.75
5	15890.56	47.97 PK	74	-26.03	-59.4	-57.71	8.17	-47.29
6	15894.87	38.65 AV	54	-15.35	-67.74	-67.84	8.17	-56.61

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




Chain 0





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5407.82	67.35 PK	74	-6.65	-37.81	-36.94	6.43	-27.91
2	5351.67	46.61 AV	54	-7.39	-57.94	-58.24	6.43	-48.65


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1



802.11be (EHT20) 52-tone RU - Channel 64







Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3556.25	58.16 PK	74	-15.84	-48.51	-48.07	8.17	-37.10
2	3565.62	47.23 AV	54	-6.77	-59.35	-59.08	8.17	-48.03
3	#7104.68	58.84 PK	68.2	-9.36	-47.36	-47.86	8.17	-36.42
4	10625	59.11 PK	74	-14.89	-46.92	-47.79	8.17	-36.15
5	10659.37	48.63 AV	54	-5.37	-57.83	-57.8	8.17	-46.63
6	15965.31	48.76 PK	74	-25.24	-59.3	-56.51	8.17	-46.50
7	15956.68	38.92 AV	54	-15.08	-67.47	-67.58	8.17	-56.34

Remarks:


1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5376.02	67.6 PK	74	-6.4	-36.76	-37.47	6.43	-27.66
2	5350.85	46.71 AV	54	-7.29	-58.32	-57.68	6.43	-48.55


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1



802.11be (EHT20) 52-tone RU - Channel 100







Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3685.93	59.77 PK	74	-14.23	-46.24	-47.14	8.17	-35.49
2	3685.93	49.12 AV	54	-4.88	-57.19	-57.45	8.17	-46.14
3	7339.06	59.29 PK	74	-14.71	-48.03	-46.42	8.17	-35.97
4	7340.62	48.08 AV	54	-5.92	-58.52	-58.2	8.17	-47.18
5	10998.43	59.62 PK	74	-14.38	-46.48	-47.19	8.17	-35.64
6	11014.06	48.66 AV	54	-5.34	-57.91	-57.65	8.17	-46.60
7	#16487.12	48.84 PK	68.2	-19.36	-58.79	-56.66	8.17	-46.42

Remarks:


1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5457.12	59.87 PK	74	-14.13	-45.58	-46.96	7.82	-35.39
2	5459.81	47.5 AV	54	-6.5	-58.46	-58.72	7.82	-47.76
3	#5464.78	58.82 PK	68.2	-9.38	-45.8	-49.52	7.82	-36.44


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



802.11be (EHT20) 52-tone RU - Channel 116

Conducted spurious emission table







No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3710.93	60.7 PK	74	-13.3	-44.09	-48.42	8.17	-34.56
2	3732.81	49.9 AV	54	-4.1	-56.63	-56.46	8.17	-45.36
3	7426.56	57.96 PK	74	-16.04	-47.42	-49.89	8.17	-37.30
4	7423.43	47.41 AV	54	-6.59	-59.11	-58.96	8.17	-47.85
5	11175	59.32 PK	74	-14.68	-47.01	-47.24	8.17	-35.94
6	11170.31	48.4 AV	54	-5.6	-58.16	-57.92	8.17	-46.86
7	#16722.87	48.25 PK	68.2	-19.95	-56.93	-59.98	8.17	-47.01

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




Chain 0





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5459	59.25 PK	74	-14.75	-48.02	-45.92	7.82	-36.01
2	5459.62	46.93 AV	54	-7.07	-59.29	-59.04	7.82	-48.33
3	#5461.28	59.16 PK	68.2	-9.04	-46.71	-47.17	7.82	-36.10


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



802.11be (EHT20) 52-tone RU - Channel 140







Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3812.5	60.81 PK	74	-13.19	-45.37	-45.91	8.17	-34.45
2	3798.43	50.29 AV	54	-3.71	-56.13	-56.18	8.17	-44.97
3	7601.56	58.38 PK	74	-15.62	-47.27	-49.02	8.17	-36.88
4	7596.87	47.96 AV	54	-6.04	-58.55	-58.42	8.17	-47.30
5	11401.56	59.59 PK	74	-14.41	-45.97	-47.96	8.17	-35.67
6	11418.75	48.51 AV	54	-5.49	-57.87	-57.99	8.17	-46.75
7	#17105.25	49.48 PK	68.2	-18.72	-55.94	-58.3	8.17	-45.78

Remarks:


1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#5727.72	60.82 PK	68.2	-7.38	-45.61	-44.95	7.82	-34.44


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



802.11be (EHT20) 52-tone RU - Channel 144







Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3823.43	61.58 PK	74	-12.42	-43.76	-46.33	8.17	-33.68
2	3814.06	50.16 AV	54	-3.84	-56.48	-56.08	8.17	-45.10
3	7607.81	58.58 PK	74	-15.42	-48.93	-47	8.17	-36.68
4	7640.62	47.98 AV	54	-6.02	-58.66	-58.27	8.17	-47.28
5	11432.81	59.98 PK	74	-14.02	-47.35	-45.72	8.17	-35.28
6	11457.81	48.67 AV	54	-5.33	-57.57	-57.99	8.17	-46.59
7	#17146.93	49.85 PK	68.2	-18.35	-55.08	-58.92	8.17	-45.41

Remarks:


1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#5889.55	59.22 PK	68.2	-8.98	-48.71	-45.58	7.82	-36.04


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



802.11be (EHT20) 52-tone RU - Channel 149







Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3812.5	61.85 PK	74	-12.15	-44.97	-44.24	8.17	-33.41
2	3823.43	50.13 AV	54	-3.87	-56.4	-56.23	8.17	-45.13
3	7650	59.75 PK	74	-14.25	-46.09	-47.39	8.17	-35.51
4	7678.12	48.42 AV	54	-5.58	-57.77	-58.28	8.17	-46.84
5	11501.56	59.25 PK	74	-14.75	-48	-46.5	8.17	-36.01
6	11470.31	48.67 AV	54	-5.33	-57.65	-57.9	8.17	-46.59
7	#17251.87	49.07 PK	68.2	-19.13	-57.45	-57.29	8.17	-46.19

Remarks:


1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0






Chain 1






Bandedge table

Chain 0





Chain 1



802.11be (EHT20) 52-tone RU - Channel 157

Conducted spurious emission table







No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3860.93	60.65 PK	74	-13.35	-46.8	-44.97	8.17	-34.61
2	3854.68	49.96 AV	54	-4.04	-56.46	-56.5	8.17	-45.30
3	7695.31	58.68 PK	74	-15.32	-47.61	-47.91	8.17	-36.58
4	7726.56	48.35 AV	54	-5.65	-58.18	-58	8.17	-46.91
5	11551.56	59.16 PK	74	-14.84	-47.62	-46.97	8.17	-36.10
6	11556.25	48.55 AV	54	-5.45	-57.94	-57.84	8.17	-46.71
7	#17361.12	49.41 PK	68.2	-18.79	-58.05	-56.2	8.17	-45.85

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




Chain 0






Chain 1






Bandedge table





Chain 1



802.11be (EHT20) 52-tone RU - Channel 165

Conducted spurious emission table







No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3878.12	60.41 PK	74	-13.59	-46.47	-45.64	8.17	-34.85
2	3865.62	49.77 AV	54	-4.23	-56.63	-56.71	8.17	-45.49
3	#7781.25	58.7 PK	68.2	-9.5	-47.38	-48.13	8.17	-36.56
4	11648.43	59.34 PK	74	-14.66	-46.6	-47.67	8.17	-35.92
5	11667.18	48.43 AV	54	-5.57	-57.98	-58.04	8.17	-46.83
6	#17460.31	49.32 PK	68.2	-18.88	-56.08	-58.5	8.17	-45.94

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




Chain 0






Chain 1






Bandedge table

Chain 0





Chain 1



802.11be (EHT20) 106-tone RU - Channel 36







Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#3446.87	58.56 PK	68.2	-9.64	-47.14	-48.78	8.17	-36.70
2	#6892.18	57.71 PK	68.2	-10.49	-48.33	-49.18	8.17	-37.55
3	#10354.68	59.31 PK	68.2	-8.89	-46.1	-48.48	8.17	-35.95
4	15554.18	48.93 PK	74	-25.07	-57.07	-58	8.17	-46.33
5	15551.31	39.04 AV	54	-14.96	-67.38	-67.43	8.17	-56.22

Remarks:


1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5146.72	71.23 PK	74	-2.77	-37.54	-31.32	6.36	-24.03
2	5150	49.19 AV	54	-4.81	-55.51	-55.37	6.36	-46.07


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1



802.11be (EHT20) 106-tone RU - Channel 40







Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#3471.87	58.39 PK	68.2	-9.81	-49.28	-47.09	8.17	-36.87
2	#6925	58.26 PK	68.2	-9.94	-47.88	-48.51	8.17	-37.00
3	#10387.5	59.32 PK	68.2	-8.88	-48.04	-46.37	8.17	-35.94
4	15590.12	49.72 PK	74	-24.28	-56.08	-57.46	8.17	-45.54
5	15603.06	39.04 AV	54	-14.96	-67.43	-67.38	8.17	-56.22

Remarks:


1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5149.07	65.19 PK	74	-8.81	-47	-36.83	6.36	-30.07
2	5149.85	48.35 AV	54	-5.65	-56.53	-56.04	6.36	-46.91


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1



802.11be (EHT20) 106-tone RU - Channel 48







Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#3473.43	57.49 PK	68.2	-10.71	-50.64	-47.74	8.17	-37.77
2	#7006.25	58.89 PK	68.2	-9.31	-49.11	-46.4	8.17	-36.37
3	#10487.5	59.18 PK	68.2	-9.02	-46.78	-47.79	8.17	-36.08
4	15736.75	49.03 PK	74	-24.97	-56.56	-58.48	8.17	-46.23
5	15706.56	39.09 AV	54	-14.91	-67.37	-67.34	8.17	-56.17

Remarks:


1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5093.27	59.71 PK	74	-14.29	-43.34	-47.42	6.36	-35.55
2	5122.1	46.94 AV	54	-7.06	-57.76	-57.63	6.36	-48.32


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1



802.11be (EHT20) 106-tone RU - Channel 52







Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#3498.43	57.35 PK	68.2	-10.85	-48.53	-49.73	8.17	-37.91
2	#7032.81	58.45 PK	68.2	-9.75	-48.77	-47.33	8.17	-36.81
3	#10506.25	59.09 PK	68.2	-9.11	-47.23	-47.47	8.17	-36.17
4	15797.12	48.44 PK	74	-25.56	-56.81	-59.64	8.17	-46.82
5	15785.62	38.85 AV	54	-15.15	-67.38	-67.82	8.17	-56.41

Remarks:


1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5372.75	58.35 PK	74	-15.65	-45.06	-48.18	6.43	-36.91
2	5350.05	45.83 AV	54	-8.17	-58.53	-59.25	6.43	-49.43


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1



802.11be (EHT20) 106-tone RU - Channel 60

Conducted spurious emission table







No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3550	58.18 PK	74	-15.82	-48.37	-48.15	8.17	-37.08
2	3548.43	47.26 AV	54	-6.74	-59.23	-59.14	8.17	-48.00
3	#7064.06	58.95 PK	68.2	-9.25	-47.28	-47.72	8.17	-36.31
4	#10596.87	59.51 PK	68.2	-8.69	-45.41	-49.29	8.17	-35.75
5	15890.56	47.97 PK	74	-26.03	-59.4	-57.71	8.17	-47.29
6	15894.87	38.65 AV	54	-15.35	-67.74	-67.84	8.17	-56.61

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




Chain 0





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5352.72	64.58 PK	74	-9.42	-44.72	-37.94	6.43	-30.68
2	5350.57	47.12 AV	54	-6.88	-57.78	-57.39	6.43	-48.14


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1



802.11be (EHT20) 106-tone RU - Channel 64







Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBUV/m)	Limit (dBUV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3556.25	58.16 PK	74	-15.84	-48.51	-48.07	8.17	-37.10
2	3565.62	47.23 AV	54	-6.77	-59.35	-59.08	8.17	-48.03
3	#7104.68	58.84 PK	68.2	-9.36	-47.36	-47.86	8.17	-36.42
4	10625	59.11 PK	74	-14.89	-46.92	-47.79	8.17	-36.15
5	10659.37	48.63 AV	54	-5.37	-57.83	-57.8	8.17	-46.63
6	15965.31	48.76 PK	74	-25.24	-59.3	-56.51	8.17	-46.50
7	15956.68	38.92 AV	54	-15.08	-67.47	-67.58	8.17	-56.34

Remarks:


1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5352.47	71.62 PK	74	-2.38	-43.09	-30.29	6.43	-23.64
2	5350.02	48.27 AV	54	-5.73	-56.78	-56.1	6.43	-46.99


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1



802.11be (EHT20) 106-tone RU - Channel 100

Conducted spurious emission table







No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3685.93	59.77 PK	74	-14.23	-46.24	-47.14	8.17	-35.49
2	3685.93	49.12 AV	54	-4.88	-57.19	-57.45	8.17	-46.14
3	7339.06	59.29 PK	74	-14.71	-48.03	-46.42	8.17	-35.97
4	7340.62	48.08 AV	54	-5.92	-58.52	-58.2	8.17	-47.18
5	10998.43	59.62 PK	74	-14.38	-46.48	-47.19	8.17	-35.64
6	11014.06	48.66 AV	54	-5.34	-57.91	-57.65	8.17	-46.60
7	#16487.12	48.84 PK	68.2	-19.36	-58.79	-56.66	8.17	-46.42

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




Chain 0





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5459.21	60.24 PK	74	-13.76	-48.47	-44.23	7.82	-35.02
2	5459.81	48.15 AV	54	-5.85	-58.5	-57.45	7.82	-47.11
3	#5465.12	60.84 PK	68.2	-7.36	-43.95	-47.11	7.82	-34.42


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



802.11be (EHT20) 106-tone RU - Channel 116







Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3710.93	60.7 PK	74	-13.3	-44.09	-48.42	8.17	-34.56
2	3732.81	49.9 AV	54	-4.1	-56.63	-56.46	8.17	-45.36
3	7426.56	57.96 PK	74	-16.04	-47.42	-49.89	8.17	-37.30
4	7423.43	47.41 AV	54	-6.59	-59.11	-58.96	8.17	-47.85
5	11175	59.32 PK	74	-14.68	-47.01	-47.24	8.17	-35.94
6	11170.31	48.4 AV	54	-5.6	-58.16	-57.92	8.17	-46.86
7	#16722.87	48.25 PK	68.2	-19.95	-56.93	-59.98	8.17	-47.01

Remarks:


1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5455.06	59.4 PK	74	-14.6	-45.29	-48.76	7.82	-35.86
2	5457.71	46.91 AV	54	-7.09	-59.26	-59.11	7.82	-48.35
3	#5463.18	59.57 PK	68.2	-8.63	-45.21	-48.4	7.82	-35.69


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



802.11be (EHT20) 106-tone RU - Channel 140







Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3812.5	60.81 PK	74	-13.19	-45.37	-45.91	8.17	-34.45
2	3798.43	50.29 AV	54	-3.71	-56.13	-56.18	8.17	-44.97
3	7601.56	58.38 PK	74	-15.62	-47.27	-49.02	8.17	-36.88
4	7596.87	47.96 AV	54	-6.04	-58.55	-58.42	8.17	-47.30
5	11401.56	59.59 PK	74	-14.41	-45.97	-47.96	8.17	-35.67
6	11418.75	48.51 AV	54	-5.49	-57.87	-57.99	8.17	-46.75
7	#17105.25	49.48 PK	68.2	-18.72	-55.94	-58.3	8.17	-45.78

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#5725.22	61.2 PK	68.2	-7	-45.8	-44.14	7.82	-34.06


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



802.11be (EHT20) 106-tone RU - Channel 144

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3823.43	61.58 PK	74	-12.42	-43.76	-46.33	8.17	-33.68
2	3814.06	50.16 AV	54	-3.84	-56.48	-56.08	8.17	-45.10
3	7607.81	58.58 PK	74	-15.42	-48.93	-47	8.17	-36.68
4	7640.62	47.98 AV	54	-6.02	-58.66	-58.27	8.17	-47.28
5	11432.81	59.98 PK	74	-14.02	-47.35	-45.72	8.17	-35.28
6	11457.81	48.67 AV	54	-5.33	-57.57	-57.99	8.17	-46.59
7	#17146.93	49.85 PK	68.2	-18.35	-55.08	-58.92	8.17	-45.41

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




Chain 0





Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#5911.07	60.33 PK	68.2	-7.87	-47.82	-44.37	7.82	-34.93


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



802.11be (EHT20) 106-tone RU - Channel 149

Conducted spurious emission table







No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3812.5	61.85 PK	74	-12.15	-44.97	-44.24	8.17	-33.41
2	3823.43	50.13 AV	54	-3.87	-56.4	-56.23	8.17	-45.13
3	7650	59.75 PK	74	-14.25	-46.09	-47.39	8.17	-35.51
4	7678.12	48.42 AV	54	-5.58	-57.77	-58.28	8.17	-46.84
5	11501.56	59.25 PK	74	-14.75	-48	-46.5	8.17	-36.01
6	11470.31	48.67 AV	54	-5.33	-57.65	-57.9	8.17	-46.59
7	#17251.87	49.07 PK	68.2	-19.13	-57.45	-57.29	8.17	-46.19

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.




Chain 0






Chain 1




Bandedge table

Chain 0





Chain 1



802.11be (EHT20) 106-tone RU - Channel 157

Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3860.93	60.65 PK	74	-13.35	-46.8	-44.97	8.17	-34.61
2	3854.68	49.96 AV	54	-4.04	-56.46	-56.5	8.17	-45.30
3	7695.31	58.68 PK	74	-15.32	-47.61	-47.91	8.17	-36.58
4	7726.56	48.35 AV	54	-5.65	-58.18	-58	8.17	-46.91
5	11551.56	59.16 PK	74	-14.84	-47.62	-46.97	8.17	-36.10
6	11556.25	48.55 AV	54	-5.45	-57.94	-57.84	8.17	-46.71
7	#17361.12	49.41 PK	68.2	-18.79	-58.05	-56.2	8.17	-45.85

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.