

SPURIOUS RADIATED EMISSIONS

DATA

FOR

QUALCOMM, INC. 10300 Campus Point Drive San Diego, CA 92121

Prepared by

TÜV PRODUCT SERVICE 10040 Mesa Rim Road San Diego, CA 92121-2912

> Page 1 of 10 Rev.No 1.0

Report No. S8620-03



Measurement Requirements (CFR 47 Part 2, Paragraph 2.993 & Part 24, Paragraph 24.238)

The measurements which follow were performed by TÜV Product Service. To the best of my knowledge these tests were conducted in accordance with the procedures outlined in Part 2 of the Commission's Rules and Regulations. The data presented below demonstrates compliance with the appropriate technical standards.

7R7leury

Floyd R. Fleury EMC Manager, EIC



Emissions Test Conditions: SPURIOUS RADIATED EMISSIONS

The Spurious Radiated Emissions measurements were performed using the following equipment:

Test Equipment Used : Model No.		Description	Manufacturer	Serial No.	Cal Date	
8566B	720/721	Spectrum Analyzer & Display	Hewlett Packard	2115A00842	2 02/18/99	
				2112A02185		
AA-190-10.00.0	655	Cable	United Microwave		N/A	
			Prod.			
AA-190-06.00.0	657	Cable	United Microwave		N/A	
			Prod.			
AA-190-30.00.0	733	Cable	United Microwave		N/A	
			Prod.			
AMF-5D-010180-35-10P	719	Pre-amplifier	Miteq	549460	04/07/99	
3115	453	Double Ridge Antenna	EMCO	9412-4364	03/10/99	
F4777		High Pass Filter	Qualcomm		N/A	
_						
Remarks:						

Page 3 of 10 Rev.No 1.0



REPORT No: S8620 TESTED BY: MW SPEC: FCC Part 2, Para. 2.993 & Part 24, Para. 24.238

E U T: PDQ-1900 PCS Phone TEST SITE: 3

EUT MODE: Transmit at full power, CDMA

DATE: 29-Dec-98 LOG PERIODIC: N/A

NOTES:

OTHER: 453 BW and VBW = 1 M

BICONICAL: N/A

Measurements were made with RBW and VBW = 1 MHz and 30 kHz and showed no difference in amplitude. Fundamental detectable only.

FREQ (MHz)	VERT (dB pk		HORIZ((dB pk		CORRECTION FACTOR (dB/m)	MAX LI (dBu\ pk	_	SPEC (dBu\ pk		MAR (di pk		EUT Rotatio	Antenna Helght	
1851.25	87.4		90.4		30.9	121.3		-				315	1.3	
3702.5	14.7		18.1		40.2	58.3		82.2		-23.9				
5553.75	18.6		18.9		44.7	63.6		82.2		-18.6				
7405	21.5		22		46.8	68.8		82.2		-13.4		316	1.3	
1880	80		90.3		31.0	121.3		<u> </u>				318	1.2	-
3760	9.6		5.8		40.4	50.0		82.2		-32.2				
5640	7.9		7.2		44.7	52.6		82.2		-29.6				
7520	14.6		10.7		47.9	62.5		82.2		-19.7				
		_									 			<u> </u>
1908.75	79.1	t	89.9		31.0	120.9		-	l l			318	1.4	
3817.25	10.8	1	10	_	40.4	51.2		82.2		-31				
5726.25	11		10.1		44.8	55.8	_	82.2		-26.4				
7635	13		14.3		48.0	62.3		82.2		-19.9				
<u></u>	-				· · · · · · · · · · · · · · · · · · ·	 								
				 										
	-													<u> </u>
		1-												+
		-		╉───				+	+	1	╉╍──	+	+	+



Testing Facilities

Certificates of Approval

Page 5 of 10 Rev.No 1.0



FEDERAL COMMUNICATIONS COMMISSION

7435 Oakland Mills Road Columbia, MD 21046 Telephone: 301-725-1585 (ext-218) Facsimile: 301-344-2050

July 15, 1998

IN REPLY REFER TO 31040/SIT 1300F2

TUV Product Service 10040 Mesa Rim Road San Diego, CA 92121-2912

Attention: Dave Marshall

Re: Measurement facility located at San Diego (3 meter site)

Gentlemen:

Your submission of the description of the subject measurement facility has been reviewed and found to be in compliance with the requirements of Section 2.948 of the FCC Rules. The description has, therefore, been placed on file and the name of your organization added to the Commission's list of facilities whose measurement data will be accepted in conjunction with applications for certification or notification under Parts 15 or 18 of the Commission's Rules. Our list will also indicate that the facility complies with the radiated and AC line conducted test site criteria in ANSI C63.4-1992. Please note that this filing must be updated for any changes made to the facility, and at least every three years the data on file must be certified as current.

Per your request, the above mentioned facility has also been added to our list of those who perform these measurement services for the public on a fee basis. An up-to-date list is available on the Internet at the FCC Website www.fcc.gov under Electronic Filing.


Sincerely,

Then UV hillig

Thomas W. Phillips Electronics Engineer Customer Service Branch

Page 6 of 10 Rev.No 1.0





Page 7 of 10 Rev.No 1.0




	Vational Institute NOV	National Voluntary Laboratory Accreditation Program
ISO/IEC GUID ISO 9002:198		
	AGNETIC COMPATIBILITY OMMUNICATIONS	Page: 1 of 1 NVLAP LAB CODE 100268-0
	TUV PRODUCT 10040 Mesa San Diego, CA Mr. John Phone: 619-546-3999	Rim Road 92121-1034 G. Smith
NVLAP Code	Designation / Description	
International	Special Committee on Radio Interfere	nce (CISPR) Methods
12/CIS22	IEC/CISPR 22:1993: Limits and met characteristics of information technol	thods of measurement of radio disturbance logy equipment
Federal Com	nunications Commission (FCC) Metho	ods
12/F01	FCC Method - 47 CFR Part 15 - Dig	ital Devices
12/F01a	Conducted Emissions, Power Lines,	450 KHz to 30 MHz
12/F01b	Radiated Emissions	
Australian St	andards referred to by clauses in AUS	TEL Technical Standards
12/T51 _.	AS/NZS 3548: Electromagnetic Inte Information Technology Equipment	rference - Limits and Methods of Measurement of
		0 I EA
	December 31, 1998	your and the second
	Effective through	For the National Institute of Standards and Technology

Page 8 of 10 Rev.No 1.0 Report No. S8620-03





Page 9 of 10 Rev.No 1.0





Photograph of Test Setup



Page 10 of 10 Rev.No 1.0