






LTE Band 71 / 15MHz

Lowest Channel / QPSK

Middle Channel / QPSK



Highest Channel / QPSK








LTE Band 71 / 20MHz

Lowest Channel / QPSK

Middle Channel / QPSK



Highest Channel / QPSK





Frequency Stability

Test Conditions		LTE Band 71 (QPSK) / Middle Channel	Limit
Temperature (°C)	Voltage (Volt)	BW 10MHz	Note 2.
		Deviation (ppm)	Result
50	Normal Voltage	0.0213	PASS
40	Normal Voltage	0.0125	
30	Normal Voltage	0.0048	
20(Ref.)	Normal Voltage	0.0000	
10	Normal Voltage	0.0213	
0	Normal Voltage	0.0144	
-10	Normal Voltage	0.0206	
-20	Normal Voltage	0.0190	
-30	Normal Voltage	0.0025	
20	Maximum Voltage	0.0134	
20	Normal Voltage	0.0000	
20	Battery End Point	0.0191	

Note:

- 1. Normal Voltage = 3.8 V. ; Battery End Point (BEP) = 3.4 V. ; Maximum Voltage = 4.2 V.
- 2. The frequency fundamental emissions stay within the authorized frequency block.



Appendix B. Test Results of Radiated Test

<Ant. 0>

LTE Band 26

LTE Band 26 / 15MHz / QPSK / 1RB0									
Channel	Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	1648	-64.04	-13	-51.04	-75.71	-65.8	0.98	4.89	H
	2472	-60.02	-13	-47.02	-76.93	-61.9	1.28	5.32	H
	3296	-58.89	-13	-45.89	-77.87	-62.3	1.54	7.10	H
									H
									H
									H
	1648	-63.64	-13	-50.64	-75.45	-65.4	0.98	4.89	V
	2472	-59.22	-13	-46.22	-76.66	-61.1	1.28	5.32	V
	3296	-58.79	-13	-45.79	-77.747	-62.2	1.54	7.10	V
									V
									V
									V
Middle	1658	-64.17	-13	-51.17	-76.08	-65.9	0.98	4.86	H
	2488	-59.97	-13	-46.97	-76.73	-61.9	1.29	5.36	H
	3316	-58.91	-13	-45.91	-77.81	-62.4	1.55	7.19	H
									H
									H
									H
	1658	-63.47	-13	-50.47	-75.6	-65.2	0.98	4.86	V
	2488	-59.57	-13	-46.57	-76.75	-61.5	1.29	5.36	V
	3316	-58.21	-13	-45.21	-77.64	-61.7	1.55	7.19	V
									V
									V
									V



LTE Band 26 / 15MHz / QPSK / 1RB0									
Channel	Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Highest	1668	-63.61	-13	-50.61	-75.49	-65.3	0.99	4.83	H
	2502	-60.64	-13	-47.64	-77.53	-62.6	1.29	5.40	H
	3336	-58.62	-13	-45.62	-77.87	-62.2	1.55	7.28	H
									H
									H
									H
									H
	1668	-63.91	-13	-50.91	-75.74	-65.6	0.99	4.83	V
	2502	-60.54	-13	-47.54	-77.5	-62.5	1.29	5.40	V
	3336	-58.12	-13	-45.12	-77.81	-61.7	1.55	7.28	V
									V
									V
									V
									V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE CA Band 5B

LTE CA Band 5B / 10M+10MHz / QPSK / 1RB49+1RB0									
Channel	Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	1668	-63.92	-13	-50.92	-75.97	-65.61	0.99	4.83	H
	2502	-59.99	-13	-46.99	-77.22	-61.95	1.29	5.40	H
	3336	-58.47	-13	-45.47	-77.96	-62.05	1.55	7.28	H
									H
									H
									H
									H
	1668	-62.85	-13	-49.85	-75.37	-64.54	0.99	4.83	V
	2502	-59.25	-13	-46.25	-76.93	-61.21	1.29	5.40	V
	3336	-58.08	-13	-45.08	-77.82	-61.66	1.55	7.28	V
									V
									V
									V
									V
Middle	1672	-63.99	-13	-50.99	-76.18	-65.67	0.99	4.82	H
	2509	-59.87	-13	-46.87	-77.12	-61.83	1.29	5.41	H
	3346	-58.60	-13	-45.60	-78.17	-62.22	1.56	7.32	H
									H
									H
									H
									H
	1672	-63.14	-13	-50.14	-75.79	-64.82	0.99	4.82	V
	2509	-58.49	-13	-45.49	-76.2	-60.45	1.29	5.41	V
	3346	-58.22	-13	-45.22	-78	-61.84	1.56	7.32	V
									V
									V
									V
									V
								V	



LTE CA Band 5B / 10M+10MHz / QPSK / 1RB49+1RB0									
Channel	Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Highest	1680	-63.33	-13	-50.33	-75.53	-64.98	0.99	4.80	H
	2517	-60.14	-13	-47.14	-77.38	-62.11	1.30	5.41	H
	3356	-58.59	-13	-45.59	-78.25	-62.25	1.56	7.37	H
									H
									H
									H
									H
	1680	-63.42	-13	-50.42	-76.08	-65.07	0.99	4.80	V
	2517	-58.93	-13	-45.93	-76.63	-60.9	1.30	5.41	V
	3356	-58.20	-13	-45.20	-78.02	-61.86	1.56	7.37	V
									V
									V
									V
									V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 12

LTE Band 12 / 10MHz / QPSK / 1RB0									
Channel	Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	1400	-65.34	-13	-52.34	-75.30	-67.00	0.87	4.68	H
	2097	-61.62	-13	-48.62	-77.09	-62.50	1.16	4.19	H
	2796	-59.70	-13	-46.70	-77.64	-61.80	1.38	5.64	H
									H
									H
									H
									H
	1400	-64.14	-13	-51.14	-74.67	-65.80	0.87	4.68	V
	2097	-61.32	-13	-48.32	-77.12	-62.20	1.16	4.19	V
	2796	-59.30	-13	-46.30	-77.18	-61.40	1.38	5.64	V
									V
									V
									V
									V
Middle	1405	-64.61	-13	-51.61	-74.43	-66.30	0.87	4.71	H
	2108	-61.99	-13	-48.99	-77.08	-62.90	1.17	4.22	H
	2810	-59.99	-13	-46.99	-77.47	-62.10	1.39	5.65	H
									H
									H
									H
									H
	1405	-63.91	-13	-50.91	-74.52	-65.60	0.87	4.71	V
	2108	-60.09	-13	-47.09	-75.68	-61.00	1.17	4.22	V
	2810	-59.29	-13	-46.29	-77.26	-61.40	1.39	5.65	V
									V
									V
									V
									V



LTE Band 12 / 10MHz / QPSK / 1RB0									
Channel	Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Highest	1416	-65.85	-13	-52.85	-75.51	-67.60	0.87	4.78	H
	2120	-61.36	-13	-48.36	-76.85	-62.30	1.17	4.26	H
	2824	-59.98	-13	-46.98	-77.60	-62.10	1.39	5.66	H
									H
									H
									H
									H
	1416	-65.35	-13	-52.35	-75.45	-67.10	0.87	4.78	V
	2120	-61.26	-13	-48.26	-76.91	-62.20	1.17	4.26	V
	2824	-59.28	-13	-46.28	-77.61	-61.40	1.39	5.66	V
									V
									V
									V
									V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 13

LTE Band 13 / 5MHz / QPSK / 1RB0										
Channel	Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)	
Lowest	1554	-64.84	-13	-51.84	-75.85	-66.90	0.94	5.15	H	
	2331	-60.59	-13	-47.59	-76.85	-62.10	1.24	4.89	H	
	3108	-59.16	-13	-46.16	-77.79	-61.80	1.48	6.28	H	
										H
										H
										H
										H
	1554	-64.14	-13	-51.14	-75.58	-66.20	0.94	5.15	V	
	2331	-60.69	-13	-47.69	-77.15	-62.20	1.24	4.89	V	
	3108	-58.76	-13	-45.76	-77.60	-61.40	1.48	6.28	V	
										V
										V
										V
										V
Middle	1559	-64.65	-42.15	-22.50	-75.65	-66.70	0.94	5.13	H	
	2339	-60.97	-13	-47.97	-77.07	-62.50	1.24	4.92	H	
	3118	-59.42	-13	-46.42	-77.29	-62.10	1.48	6.32	H	
										H
										H
										H
										H
	1559	-63.55	-42.15	-21.40	-75.25	-65.60	0.94	5.13	V	
	2339	-59.87	-13	-46.87	-76.73	-61.40	1.24	4.92	V	
	3118	-58.72	-13	-45.72	-77.53	-61.40	1.48	6.32	V	
										V
										V
										V
										V



LTE Band 13 / 5MHz / QPSK / 1RB0									
Channel	Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Highest	1564	-64.27	-42.15	-22.12	-75.23	-66.30	0.94	5.12	H
	2346	-60.95	-13	-47.95	-76.98	-62.50	1.24	4.94	H
	3128	-59.47	-13	-46.47	-77.72	-62.20	1.49	6.36	H
									H
									H
									H
									H
	1564	-64.27	-42.15	-22.12	-75.27	-66.30	0.94	5.12	V
	2346	-60.05	-13	-47.05	-77.05	-61.60	1.24	4.94	V
	3128	-59.07	-13	-46.07	-77.61	-61.80	1.49	6.36	V
									V
									V
									V
									V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 71

LTE Band 71 / 5MHz / QPSK / 1RB0									
Channel	Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	1326	-64.86	-13	-51.86	-74.49	-66.1	0.83	4.22	H
	1989	-59.75	-13	-46.75	-74.41	-60.4	1.13	3.93	H
	2652	-60.77	-13	-47.77	-77.78	-62.8	1.34	5.52	H
									H
									H
									H
									H
	1326	-64.66	-13	-51.66	-74.88	-65.9	0.83	4.22	V
	1989	-61.85	-13	-48.85	-76.28	-62.5	1.13	3.93	V
	2652	-59.47	-13	-46.47	-77.35	-61.5	1.34	5.52	V
									V
									V
									V
									V
Middle	1346	-65.25	-13	-52.25	-74.69	-66.6	0.84	4.35	H
	2019	-61.73	-13	-48.73	-76.78	-62.4	1.14	3.96	H
	2692	-60.25	-13	-47.25	-77.25	-62.3	1.35	5.55	H
									H
									H
									H
									H
	1346	-64.55	-13	-51.55	-74.69	-65.9	0.84	4.35	V
	2019	-61.73	-13	-48.73	-76.61	-62.4	1.14	3.96	V
	2692	-59.05	-13	-46.05	-76.83	-61.1	1.35	5.55	V
									V
									V
									V
									V
								V	



LTE Band 71 / 5MHz / QPSK / 1RB0									
Channel	Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Highest	1386	-65.12	-13	-52.12	-74.96	-66.7	0.86	4.59	H
	2079	-61.67	-13	-48.67	-76.62	-62.5	1.16	4.14	H
	2772	-60.01	-13	-47.01	-77.34	-62.1	1.38	5.62	H
									H
									H
									H
									H
	1386	-64.72	-13	-51.72	-75.1	-66.3	0.86	4.59	V
	2079	-60.27	-13	-47.27	-75.04	-61.1	1.16	4.14	V
	2772	-58.91	-13	-45.91	-76.85	-61	1.38	5.62	V
									V
									V
									V
									V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



<Ant. 2>

LTE Band 25

LTE Band 25 / 20MHz / QPSK / 1RB0									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	3702	-57.48	-13	-44.48	-78.25	-64.05	1.67	8.24	H
	5550	-56.21	-13	-43.21	-81.71	-63.28	2.65	9.72	H
	7404	-53.71	-13	-40.71	-80.7	-62.86	2.46	11.61	H
									H
									H
									H
									H
	3702	-55.86	-13	-42.86	-76.72	-62.43	1.67	8.24	V
	5550	-55.76	-13	-42.76	-81.23	-62.83	2.65	9.72	V
	7404	-50.21	-13	-37.21	-77.46	-59.36	2.46	11.61	V
									V
									V
									V
									V
Middle	3738	-58.11	-13	-45.11	-78.77	-64.72	1.68	8.29	H
	5610	-55.91	-13	-42.91	-81.51	-62.97	2.69	9.74	H
	7482	-53.53	-13	-40.53	-80.67	-62.86	2.44	11.76	H
									H
									H
									H
									H
	3738	-58.26	-13	-45.26	-78.83	-64.87	1.68	8.29	V
	5610	-56.09	-13	-43.09	-81.53	-63.15	2.69	9.74	V
	7482	-52.23	-13	-39.23	-79.4	-61.56	2.44	11.76	V
									V
									V
									V
									V
								V	



LTE Band 25 / 20MHz / QPSK / 1RB0									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Highest	3792	-57.47	-13	-44.47	-78.22	-64.12	1.70	8.35	H
	5688	-55.34	-13	-42.34	-81.01	-62.38	2.73	9.78	H
	7584	-53.42	-13	-40.42	-80.79	-62.87	2.40	11.85	H
									H
									H
									H
									H
	3792	-55.51	-13	-42.51	-76.29	-62.16	1.70	8.35	V
	5688	-54.73	-13	-41.73	-80.39	-61.77	2.73	9.78	V
	7584	-52.14	-13	-39.14	-79.75	-61.59	2.40	11.85	V
									V
									V
									V
									V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 66

LTE Band 66 / 20MHz / QPSK / 1RB0									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	3420	-57.63	-13	-44.63	-77.83	-63.7	1.58	7.65	H
	5130	-57.01	-13	-44.01	-80.89	-64.3	2.41	9.70	H
	6846	-54.62	-13	-41.62	-81.61	-62.6	2.64	10.62	H
									H
									H
									H
									H
	3420	-56.13	-13	-43.13	-76.59	-62.2	1.58	7.65	V
	5130	-56.81	-13	-43.81	-80.56	-64.1	2.41	9.70	V
	6846	-53.12	-13	-40.12	-79.86	-61.1	2.64	10.62	V
									V
									V
									V
									V
Middle	3474	-55.77	-13	-42.77	-76.64	-62.06	1.60	7.89	H
	5208	-56.78	-13	-43.78	-80.9	-64.02	2.46	9.70	H
	6942	-54.51	-13	-41.51	-81.38	-62.63	2.61	10.73	H
									H
									H
									H
									H
	3474	-55.59	-13	-42.59	-76.32	-61.88	1.60	7.89	V
	5208	-56.52	-13	-43.52	-80.56	-63.76	2.46	9.70	V
	6942	-52.52	-13	-39.52	-79.29	-60.64	2.61	10.73	V
									V
									V
									V
									V
								V	



LTE Band 66 / 20MHz / QPSK / 1RB0									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Highest	3522	-55.68	-13	-42.68	-75.97	-62.1	1.61	8.03	H
	5290	-57.00	-13	-44.00	-81.27	-64.2	2.50	9.70	H
	7044	-55.29	-13	-42.29	-81.87	-63.6	2.58	10.89	H
									H
									H
									H
									H
	3522	-53.68	-13	-40.68	-73.88	-60.1	1.61	8.03	V
	5290	-50.80	-13	-37.80	-74.96	-58	2.50	9.70	V
	7044	-50.99	-13	-37.99	-77.3	-59.3	2.58	10.89	V
									V
									V
									V
									V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE CA Band 66B

LTE CA Band 66B / 10M+10MHz / QPSK / 1RB49+1RB0									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	3438	-56.98	-13	-43.98	-77.55	-63.12	1.58	7.73	H
	5154	-57.12	-13	-44.12	-81.14	-64.39	2.43	9.70	H
	6882	-54.85	-13	-41.85	-81.75	-62.88	2.63	10.66	H
									H
									H
									H
									H
	3438	-56.15	-13	-43.15	-76.68	-62.29	1.58	7.73	V
	5154	-57.11	-13	-44.11	-81.15	-64.38	2.43	9.70	V
	6880	-54.56	-13	-41.56	-81.51	-62.59	2.63	10.66	V
									V
									V
									V
									V
Middle	3510	-56.84	-13	-43.84	-77.74	-63.24	1.61	8.01	H
	5262	-57.05	-13	-44.05	-81.41	-64.26	2.49	9.70	H
	7020	-55.12	-13	-42.12	-81.89	-63.38	2.58	10.84	H
									H
									H
									H
									H
	3510	-54.74	-13	-41.74	-75.5	-61.14	1.61	8.01	V
	5262	-56.02	-13	-43.02	-80.4	-63.23	2.49	9.70	V
	7020	-51.86	-13	-38.86	-78.6	-60.12	2.58	10.84	V
									V
									V
									V
									V
								V	



LTE CA Band 66B / 10M+10MHz / QPSK / 1RB49+1RB0									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Highest	3540	-56.87	-13	-43.87	-77.47	-63.3	1.62	8.05	H
	5310	-57.42	-13	-44.42	-81.5	-64.6	2.52	9.70	H
	7080	-55.50	-13	-42.50	-81.97	-63.9	2.56	10.96	H
									H
									H
									H
									H
	3540	-55.77	-13	-42.77	-76.27	-62.2	1.62	8.05	V
	5310	-57.42	-13	-44.42	-81.55	-64.6	2.52	9.70	V
	7080	-55.50	-13	-42.50	-81.91	-63.9	2.56	10.96	V
									V
									V
									V
									V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE CA Band 66C

LTE CA Band 66C / 20M+20MHz / QPSK / 1RB99+1RB0									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	3456	-57.96	-13	-44.96	-78.65	-64.18	1.59	7.81	H
	5184	-57.30	-13	-44.30	-81.44	-64.56	2.44	9.70	H
	6920	-54.92	-13	-41.92	-81.78	-63.01	2.62	10.70	H
									H
									H
									H
									H
	3456	-55.42	-13	-42.42	-76.08	-61.64	1.59	7.81	V
	5184	-55.55	-13	-42.55	-79.55	-62.81	2.44	9.70	V
	6920	-53.95	-13	-40.95	-80.81	-62.04	2.62	10.70	V
									V
									V
									V
									V
Middle	3510	-57.78	-13	-44.78	-78.68	-64.18	1.61	8.01	H
	5265	-56.96	-13	-43.96	-81.37	-64.17	2.49	9.70	H
	7014	-55.18	-13	-42.18	-81.9	-63.42	2.59	10.83	H
									H
									H
									H
									H
	3510	-55.66	-13	-42.66	-76.42	-62.06	1.61	8.01	V
	5265	-57.15	-13	-44.15	-81.46	-64.36	2.49	9.70	V
	7014	-52.99	-13	-39.99	-79.77	-61.23	2.59	10.83	V
									V
									V
									V
									V
								V	



LTE CA Band 66C / 20M+20MHz / QPSK / 1RB99+1RB0									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Highest	3516	-57.61	-13	-44.61	-78.45	-64.02	1.61	8.02	H
	5280	-57.16	-13	-44.16	-81.59	-64.36	2.50	9.70	H
	7038	-55.33	-13	-42.33	-82.09	-63.63	2.58	10.88	H
									H
									H
									H
									H
	3516	-55.18	-13	-42.18	-75.88	-61.59	1.61	8.02	V
	5280	-55.93	-13	-42.93	-80.31	-63.13	2.50	9.70	V
	7038	-53.59	-13	-40.59	-80.45	-61.89	2.58	10.88	V
									V
									V
									V
									V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 41 HPUE

LTE Band 41 HPUE / 20MHz / QPSK / 1RB0									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	4992	-57.40	-25	-32.40	-81.38	-64.75	2.33	9.68	H
	7494	-54.17	-25	-29.17	-81.33	-63.53	2.43	11.79	H
	9990	-49.96	-25	-24.96	-81.33	-59.47	2.69	12.21	H
									H
									H
									H
									H
	4992	-57.03	-25	-32.03	-80.81	-64.38	2.33	9.68	V
	7494	-52.77	-25	-27.77	-80.17	-62.13	2.43	11.79	V
	9990	-50.29	-25	-25.29	-81.6	-59.8	2.69	12.21	V
									V
									V
									V
									V
Middle	5166	-57.19	-25	-32.19	-81.32	-64.46	2.43	9.70	H
	7752	-53.94	-25	-28.94	-81.71	-63.54	2.35	11.95	H
	10332	-49.29	-25	-24.29	-81.65	-58.93	2.69	12.33	H
									H
									H
									H
									H
	5166	-57.15	-25	-32.15	-81.13	-64.42	2.43	9.70	V
	7752	-53.51	-25	-28.51	-81.57	-63.11	2.35	11.95	V
	10332	-49.19	-25	-24.19	-81.42	-58.83	2.69	12.33	V
									V
									V
									V
									V



LTE Band 41 HPUE / 20MHz / QPSK / 1RB0									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Highest	5340	-56.42	-25	-31.42	-81.1	-63.59	2.53	9.70	H
	8010	-52.30	-25	-27.30	-80.67	-62.14	2.27	12.11	H
	10680	-48.17	-25	-23.17	-81.5	-57.92	2.69	12.44	H
									H
									H
									H
									H
	5340	-56.52	-25	-31.52	-81.12	-63.69	2.53	9.70	V
	8010	-51.44	-25	-26.44	-80.15	-61.28	2.27	12.11	V
	10680	-48.29	-25	-23.29	-81.44	-58.04	2.69	12.44	V
									V
									V
									V
									V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE CA Band 41C HPUE

LTE CA Band 41C HPUE / 20M+20MHz / QPSK / 1RB99+1RB0									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	5028	-57.32	-25	-32.32	-81.26	-64.67	2.35	9.70	H
	7548	-54.41	-25	-29.41	-81.53	-63.83	2.41	11.83	H
	10062	-49.92	-25	-24.92	-81.52	-59.45	2.70	12.22	H
									H
									H
									H
									H
	5028	-57.34	-25	-32.34	-81.03	-64.69	2.35	9.70	V
	7548	-53.93	-25	-28.93	-81.42	-63.35	2.41	11.83	V
	10062	-50.34	-25	-25.34	-81.68	-59.87	2.70	12.22	V
									V
									V
									V
									V
Middle	5184	-56.69	-25	-31.69	-80.84	-63.95	2.44	9.70	H
	7776	-53.91	-25	-28.91	-81.67	-63.54	2.34	11.97	H
	10368	-49.51	-25	-24.51	-81.95	-59.16	2.69	12.35	H
									H
									H
									H
									H
	5184	-57.29	-25	-32.29	-81.29	-64.55	2.44	9.70	V
	7776	-53.59	-25	-28.59	-81.85	-63.22	2.34	11.97	V
	10368	-49.54	-25	-24.54	-81.99	-59.19	2.69	12.35	V
									V
									V
									V
									V



LTE CA Band 41C HPUE / 20M+20MHz / QPSK / 1RB99+1RB0									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Highest	5340	-56.94	-25	-31.94	-81.6	-64.11	2.53	9.70	H
	8010	-53.18	-25	-28.18	-81.48	-63.02	2.27	12.11	H
	10674	-48.08	-25	-23.08	-81.4	-57.82	2.69	12.43	H
									H
									H
									H
									H
	5340	-56.78	-25	-31.78	-81.35	-63.95	2.53	9.70	V
	8010	-52.57	-25	-27.57	-81.27	-62.41	2.27	12.11	V
	10674	-48.72	-25	-23.72	-81.81	-58.46	2.69	12.43	V
									V
									V
									V
									V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



<Ant. 0>

LTE Band 25

LTE Band 25 / 20MHz / QPSK / 1RB0									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	3702	-57.63	-13	-44.63	-78.16	-64.2	1.67	8.24	H
	5550	-56.23	-13	-43.23	-81.28	-63.3	2.65	9.72	H
	7404	-53.85	-13	-40.85	-80.85	-63	2.46	11.61	H
									H
									H
									H
	3702	-55.13	-13	-42.13	-75.61	-61.7	1.67	8.24	V
	5550	-56.23	-13	-43.23	-81.47	-63.3	2.65	9.72	V
	7404	-49.75	-13	-36.75	-76.86	-58.9	2.46	11.61	V
									V
									V
									V
Middle	3744	-57.78	-13	-44.78	-78.63	-64.39	1.68	8.29	H
	5610	-56.19	-13	-43.19	-81.72	-63.25	2.69	9.74	H
	7482	-54.05	-13	-41.05	-81.29	-63.38	2.44	11.76	H
									H
									H
									H
	3738	-54.74	-13	-41.74	-75.55	-61.35	1.68	8.29	V
	5610	-56.23	-13	-43.23	-81.72	-63.29	2.69	9.74	V
	7482	-51.93	-13	-38.93	-79.29	-61.26	2.44	11.76	V
									V
									V
									V



LTE Band 25 / 20MHz / QPSK / 1RB0									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Highest	3792	-58.45	-13	-45.45	-78.98	-65.1	1.70	8.35	H
	5688	-55.86	-13	-42.86	-81.16	-62.9	2.73	9.78	H
	7584	-53.85	-13	-40.85	-81.16	-63.3	2.40	11.85	H
									H
									H
									H
									H
	3792	-54.95	-13	-41.95	-75.63	-61.6	1.70	8.35	V
	5688	-56.56	-13	-43.56	-81.57	-63.6	2.73	9.78	V
	7584	-51.65	-13	-38.65	-79.12	-61.1	2.40	11.85	V
									V
									V
									V
									V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 66

LTE Band 66 / 20MHz / QPSK / 1RB0									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	3420	-57.36	-13	-44.36	-77.91	-63.43	1.58	7.65	H
	5130	-56.86	-13	-43.86	-80.97	-64.15	2.41	9.70	H
	6846	-54.54	-13	-41.54	-81.56	-62.52	2.64	10.62	H
									H
									H
									H
									H
	3420	-56.02	-13	-43.02	-76.62	-62.09	1.58	7.65	V
	5130	-56.09	-13	-43.09	-80.13	-63.38	2.41	9.70	V
	6846	-52.84	-13	-39.84	-79.81	-60.82	2.64	10.62	V
									V
									V
									V
									V
Middle	3474	-57.56	-13	-44.56	-76.36	-63.85	1.60	7.89	H
	5208	-56.73	-13	-43.73	-80.85	-63.97	2.46	9.70	H
	6942	-55.43	-13	-42.43	-82.14	-63.55	2.61	10.73	H
									H
									H
									H
									H
	3474	-55.82	-13	-42.82	-76.56	-62.11	1.60	7.89	V
	5208	-55.14	-13	-42.14	-79.12	-62.38	2.46	9.70	V
	6942	-53.93	-13	-40.93	-80.77	-62.05	2.61	10.73	V
									V
									V
									V
									V



LTE Band 66 / 20MHz / QPSK / 1RB0									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Highest	3522	-56.16	-13	-43.16	-76.97	-62.58	1.61	8.03	H
	5286	-56.47	-13	-43.47	-81.04	-63.67	2.50	9.70	H
	7044	-54.94	-13	-41.94	-81.71	-63.25	2.58	10.89	H
									H
									H
									H
									H
	3522	-53.72	-13	-40.72	-74.54	-60.14	1.61	8.03	V
	5286	-54.34	-13	-41.34	-78.77	-61.54	2.50	9.70	V
	7044	-51.71	-13	-38.71	-78.53	-60.02	2.58	10.89	V
									V
									V
									V
									V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE CA Band 66B

LTE CA Band 66B / 10M+10MHz / QPSK / 1RB49+1RB0									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	3438	-57.66	-13	-44.66	-77.79	-63.8	1.58	7.73	H
	5160	-55.83	-13	-42.83	-79.91	-63.1	2.43	9.70	H
	6876	-54.88	-13	-41.88	-81.5	-62.9	2.63	10.65	H
									H
									H
									H
									H
	3438	-53.96	-13	-40.96	-74.42	-60.1	1.58	7.73	V
	5160	-54.63	-13	-41.63	-78.3	-61.9	2.43	9.70	V
	6876	-49.58	-13	-36.58	-76.75	-57.6	2.63	10.65	V
									V
									V
									V
									V
Middle	3510	-56.70	-13	-43.70	-77.24	-63.1	1.61	8.01	H
	5262	-56.79	-13	-43.79	-80.8	-64	2.49	9.70	H
	7020	-55.24	-13	-42.24	-81.39	-63.5	2.58	10.84	H
									H
									H
									H
									H
	3510	-55.40	-13	-42.40	-75.73	-61.8	1.61	8.01	V
	5262	-55.29	-13	-42.29	-79.65	-62.5	2.49	9.70	V
	7020	-53.14	-13	-40.14	-79.47	-61.4	2.58	10.84	V
									V
									V
									V
									V
								V	



LTE CA Band 66B / 10M+10MHz / QPSK / 1RB49+1RB0									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Highest	3540	-56.87	-13	-43.87	-77.75	-63.3	1.62	8.05	H
	5310	-56.32	-13	-43.32	-80.64	-63.5	2.52	9.70	H
	7080	-54.40	-13	-41.40	-81.79	-62.8	2.56	10.96	H
									H
									H
									H
									H
	3540	-55.97	-13	-42.97	-76.17	-62.4	1.62	8.05	V
	5310	-55.32	-13	-42.32	-79.65	-62.5	2.52	9.70	V
	7080	-53.00	-13	-40.00	-79.85	-61.4	2.56	10.96	V
									V
									V
									V
									V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE CA Band 66C

LTE CA Band 66C / 20M+20MHz / QPSK / 1RB99+1RB0									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	3456	-57.08	-13	-44.08	-77.43	-63.3	1.59	7.81	H
	5184	-56.84	-13	-43.84	-80.46	-64.1	2.44	9.70	H
	6920	-55.21	-13	-42.21	-81.69	-63.3	2.62	10.70	H
									H
									H
									H
									H
	3456	-54.88	-13	-41.88	-74.94	-61.1	1.59	7.81	V
	5184	-55.64	-13	-42.64	-79.44	-62.9	2.44	9.70	V
	6920	-54.01	-13	-41.01	-80.89	-62.1	2.62	10.70	V
									V
									V
									V
									V
Middle	3510	-56.60	-13	-43.60	-77.38	-63	1.61	8.01	H
	5262	-56.29	-13	-43.29	-80	-63.5	2.49	9.70	H
	7014	-54.96	-13	-41.96	-81.48	-63.2	2.59	10.83	H
									H
									H
									H
									H
	3510	-54.20	-13	-41.20	-74.49	-60.6	1.61	8.01	V
	5262	-55.19	-13	-42.19	-78.896	-62.4	2.49	9.70	V
	7014	-51.96	-13	-38.96	-78.16	-60.2	2.59	10.83	V
									V
									V
									V
									V
								V	



LTE CA Band 66C / 20M+20MHz / QPSK / 1RB99+1RB0									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Highest	3516	-56.46	-13	-43.46	-77.37	-62.87	1.61	8.02	H
	5280	-55.83	-13	-42.83	-80.31	-63.03	2.50	9.70	H
	7038	-54.30	-13	-41.30	-81.07	-62.6	2.58	10.88	H
									H
									H
									H
									H
	3516	-53.96	-13	-40.96	-74.73	-60.37	1.61	8.02	V
	5280	-53.79	-13	-40.79	-78.17	-60.99	2.50	9.70	V
	7038	-51.09	-13	-38.09	-77.93	-59.39	2.58	10.88	V
									V
									V
									V
									V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 41 HPUE

LTE Band 41 HPUE / 20MHz / QPSK / 1RB0									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	4992	-57.27	-25	-32.27	-81.23	-64.62	2.33	9.68	H
	7494	-54.09	-25	-29.09	-81.32	-63.45	2.43	11.79	H
	9990	-50.07	-25	-25.07	-81.52	-59.58	2.69	12.21	H
									H
									H
									H
									H
	4992	-57.51	-25	-32.51	-81.25	-64.86	2.33	9.68	V
	7494	-53.65	-25	-28.65	-80.95	-63.01	2.43	11.79	V
	9990	-50.38	-25	-25.38	-81.7	-59.89	2.69	12.21	V
									V
									V
									V
									V
Middle	5166	-56.98	-25	-31.98	-81.05	-64.25	2.43	9.70	H
	7752	-53.86	-25	-28.86	-81.63	-63.46	2.35	11.95	H
	10332	-49.39	-25	-24.39	-81.69	-59.03	2.69	12.33	H
									H
									H
									H
									H
	5166	-56.76	-25	-31.76	-80.68	-64.03	2.43	9.70	V
	7752	-53.63	-25	-28.63	-81.69	-63.23	2.35	11.95	V
	10332	-49.41	-25	-24.41	-81.66	-59.05	2.69	12.33	V
									V
									V
									V
									V



LTE Band 41 HPUE / 20MHz / QPSK / 1RB0									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Highest	5340	-56.66	-25	-31.66	-81.32	-63.83	2.53	9.70	H
	8010	-52.78	-25	-27.78	-81.12	-62.62	2.27	12.11	H
	10674	-47.78	-25	-22.78	-81.16	-57.52	2.69	12.43	H
									H
									H
									H
									H
	5340	-56.46	-25	-31.46	-81.01	-63.63	2.53	9.70	V
	8010	-52.18	-25	-27.18	-80.82	-62.02	2.27	12.11	V
	10674	-48.04	-25	-23.04	-81.19	-57.78	2.69	12.43	V
									V
									V
									V
									V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE CA Band 41C HPUE

LTE CA Band 41C HPUE / 20M+20MHz / QPSK / 1RB99+1RB0									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	5028	-56.75	-25	-31.75	-80.78	-64.1	2.35	9.70	H
	7548	-54.08	-25	-29.08	-81.16	-63.5	2.41	11.83	H
	10062	-50.27	-25	-25.27	-81.52	-59.8	2.70	12.22	H
									H
									H
									H
									H
	5028	-57.15	-25	-32.15	-80.7	-64.5	2.35	9.70	V
	7548	-53.78	-25	-28.78	-81.1	-63.2	2.41	11.83	V
	10062	-50.47	-25	-25.47	-81.48	-60	2.70	12.22	V
									V
									V
									V
									V
Middle	5184	-56.74	-25	-31.74	-80.5	-64	2.44	9.70	H
	7776	-53.47	-25	-28.47	-81.04	-63.1	2.34	11.97	H
	10368	-49.55	-25	-24.55	-81.8	-59.2	2.69	12.35	H
									H
									H
									H
									H
	5184	-56.94	-25	-31.94	-80.77	-64.2	2.44	9.70	V
	7776	-53.67	-25	-28.67	-81.38	-63.3	2.34	11.97	V
	10368	-50.05	-25	-25.05	-81.77	-59.7	2.69	12.35	V
									V
									V
									V
									V
								V	



LTE CA Band 41C HPUE / 20M+20MHz / QPSK / 1RB99+1RB0									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Highest	5340	-56.73	-25	-31.73	-80.99	-63.9	2.53	9.70	H
	8010	-52.96	-25	-27.96	-81.07	-62.8	2.27	12.11	H
	10674	-48.36	-25	-23.36	-81.37	-58.1	2.69	12.43	H
									H
									H
									H
									H
	5340	-56.63	-25	-31.63	-80.75	-63.8	2.53	9.70	V
	8010	-52.66	-25	-27.66	-81.07	-62.5	2.27	12.11	V
	10674	-48.66	-25	-23.66	-81.55	-58.4	2.69	12.43	V
									V
									V
									V
									V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



<Ant. 1>

LTE Band 25

LTE Band 25 / 20MHz / QPSK / 1RB0									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	3702	-58.53	-13	-45.53	-79.02	-65.1	1.67	8.24	H
	5550	-56.23	-13	-43.23	-81.56	-63.3	2.65	9.72	H
	7404	-53.99	-13	-40.99	-80.96	-63.14	2.46	11.61	H
									H
									H
									H
									H
	3702	-55.03	-13	-42.03	-75.69	-61.6	1.67	8.24	V
	5550	-56.33	-13	-43.33	-81.5	-63.4	2.65	9.72	V
	7404	-49.45	-13	-36.45	-76.52	-58.6	2.46	11.61	V
									V
									V
									V
									V
Middle	3744	-57.99	-13	-44.99	-78.54	-64.6	1.68	8.29	H
	5610	-57.04	-13	-44.04	-81.9	-64.1	2.69	9.74	H
	7482	-54.57	-13	-41.57	-81.39	-63.9	2.44	11.76	H
									H
									H
									H
									H
	3744	-56.59	-13	-43.59	-76.74	-63.2	1.68	8.29	V
	5610	-56.74	-13	-43.74	-81.76	-63.8	2.69	9.74	V
	7482	-52.77	-13	-39.77	-79.96	-62.1	2.44	11.76	V
									V
									V
									V
									V



TE Band 25 / 20MHz / QPSK / 1RB0									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Highest	3792	-57.85	-13	-44.85	-78.15	-64.5	1.70	8.35	H
	5688	-56.06	-13	-43.06	-81.48	-63.1	2.73	9.78	H
	7584	-54.15	-13	-41.15	-81.23	-63.6	2.40	11.85	H
									H
									H
									H
									H
	3792	-53.85	-13	-40.85	-74.29	-60.5	1.70	8.35	V
	5688	-55.86	-13	-42.86	-81.57	-62.9	2.73	9.78	V
	7584	-52.75	-13	-39.75	-79.96	-62.2	2.40	11.85	V
									V
									V
									V
									V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 66

LTE Band 66 / 20MHz / QPSK / 1RB0									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	3420	-56.94	-13	-43.94	-77.49	-63.01	1.58	7.65	H
	5130	-56.75	-13	-43.75	-80.86	-64.04	2.41	9.70	H
	6846	-54.29	-13	-41.29	-81.33	-62.27	2.64	10.62	H
									H
									H
									H
									H
	3420	-55.79	-13	-42.79	-76.39	-61.86	1.58	7.65	V
	5130	-56.57	-13	-43.57	-80.52	-63.86	2.41	9.70	V
	6846	-50.28	-13	-37.28	-77.27	-58.26	2.64	10.62	V
									V
									V
									V
									V
Middle	3474	-56.69	-13	-43.69	-77.55	-62.98	1.60	7.89	H
	5208	-56.78	-13	-43.78	-81	-64.02	2.46	9.70	H
	6942	-54.64	-13	-41.64	-81.46	-62.76	2.61	10.73	H
									H
									H
									H
									H
	3474	-54.26	-13	-41.26	-75.01	-60.55	1.60	7.89	V
	5208	-54.29	-13	-41.29	-78.38	-61.53	2.46	9.70	V
	6942	-52.09	-13	-39.09	-78.93	-60.21	2.61	10.73	V
									V
									V
									V
									V
								V	



LTE Band 66 / 20MHz / QPSK / 1RB0									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Highest	3522	-55.97	-13	-42.97	-76.88	-62.39	1.61	8.03	H
	5286	-56.49	-13	-43.49	-80.98	-63.69	2.50	9.70	H
	7044	-54.98	-13	-41.98	-81.77	-63.29	2.58	10.89	H
									H
									H
									H
									H
	3522	-52.59	-13	-39.59	-73.36	-59.01	1.61	8.03	V
	5286	-54.41	-13	-41.41	-78.8	-61.61	2.50	9.70	V
	7044	-49.63	-13	-36.63	-76.49	-57.94	2.58	10.89	V
									V
									V
									V
									V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE CA Band 66B

LTE CA Band 66B / 10M+10MHz / QPSK / 1RB49+1RB0									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	3438	-57.39	-13	-44.39	-78.01	-63.53	1.58	7.73	H
	5160	-56.51	-13	-43.51	-80.65	-63.78	2.43	9.70	H
	6876	-54.74	-13	-41.74	-81.72	-62.76	2.63	10.65	H
									H
									H
									H
									H
	3438	-56.40	-13	-43.40	-77.03	-62.54	1.58	7.73	V
	5160	-56.33	-13	-43.33	-80.32	-63.6	2.43	9.70	V
	6876	-54.35	-13	-41.35	-81.3	-62.37	2.63	10.65	V
									V
									V
									V
									V
Middle	3510	-56.65	-13	-43.65	-77.55	-63.05	1.61	8.01	H
	5262	-56.14	-13	-43.14	-80.55	-63.35	2.49	9.70	H
	7020	-54.65	-13	-41.65	-81.38	-62.91	2.58	10.84	H
									H
									H
									H
									H
	3510	-53.94	-13	-40.94	-74.7	-60.34	1.61	8.01	V
	5262	-54.50	-13	-41.50	-78.81	-61.71	2.49	9.70	V
	7020	-51.65	-13	-38.65	-78.44	-59.91	2.58	10.84	V
									V
									V
									V
									V
								V	



LTE CA Band 66B / 10M+10MHz / QPSK / 1RB49+1RB0									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Highest	3540	-55.45	-13	-42.45	-76.34	-61.88	1.62	8.05	H
	5310	-56.13	-13	-43.13	-80.74	-63.31	2.52	9.70	H
	7080	-54.46	-13	-41.46	-81.36	-62.86	2.56	10.96	H
									H
									H
									H
									H
	3540	-53.92	-13	-40.92	-74.68	-60.35	1.62	8.05	V
	5310	-54.46	-13	-41.46	-78.98	-61.64	2.52	9.70	V
	7080	-51.10	-13	-38.10	-78.08	-59.5	2.56	10.96	V
									V
									V
									V
									V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE CA Band 66C

LTE CA Band 66C / 20M+20MHz / QPSK / 1RB99+1RB0									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	3456	-56.57	-13	-43.57	-77.26	-62.79	1.59	7.81	H
	5184	-56.15	-13	-43.15	-80.29	-63.41	2.44	9.70	H
	6920	-54.47	-13	-41.47	-81.33	-62.56	2.62	10.70	H
									H
									H
									H
									H
	3456	-54.31	-13	-41.31	-74.97	-60.53	1.59	7.81	V
	5184	-53.97	-13	-40.97	-77.97	-61.23	2.44	9.70	V
	6920	-51.92	-13	-38.92	-78.79	-60.01	2.62	10.70	V
									V
									V
									V
									V
Middle	3510	-56.70	-13	-43.70	-77.03	-63.1	1.61	8.01	H
	5262	-55.89	-13	-42.89	-80.28	-63.1	2.49	9.70	H
	7014	-54.86	-13	-41.86	-81.25	-63.1	2.59	10.83	H
									H
									H
									H
									H
	3510	-53.90	-13	-40.90	-74.56	-60.3	1.61	8.01	V
	5262	-55.59	-13	-42.59	-79.58	-62.8	2.49	9.70	V
	7014	-50.96	-13	-37.96	-77.33	-59.2	2.59	10.83	V
									V
									V
									V
									V
								V	



LTE CA Band 66C / 20M+20MHz / QPSK / 1RB99+1RB0									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Highest	3516	-57.09	-13	-44.09	-77.85	-63.5	1.61	8.02	H
	5280	-56.90	-13	-43.90	-81	-64.1	2.50	9.70	H
	7038	-55.10	-13	-42.10	-81.78	-63.4	2.58	10.88	H
									H
									H
									H
									H
	3516	-56.09	-13	-43.09	-76.75	-62.5	1.61	8.02	V
	5280	-57.10	-13	-44.10	-81.23	-64.3	2.50	9.70	V
	7038	-55.30	-13	-42.30	-81.88	-63.6	2.58	10.88	V
									V
									V
									V
									V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 41 HPUE

LTE Band 41 HPUE / 20MHz / QPSK / 1RB0									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	4992	-56.47	-25	-31.47	-80.45	-63.82	2.33	9.68	H
	7494	-52.89	-25	-27.89	-80.05	-62.25	2.43	11.79	H
	9990	-50.21	-25	-25.21	-81.58	-59.72	2.69	12.21	H
									H
									H
									H
									H
	4992	-56.37	-25	-31.37	-80.15	-63.72	2.33	9.68	V
	7494	-52.02	-25	-27.02	-79.42	-61.38	2.43	11.79	V
	9990	-50.08	-25	-25.08	-81.39	-59.59	2.69	12.21	V
									V
									V
									V
									V
Middle	5166	-56.46	-25	-31.46	-80.59	-63.73	2.43	9.70	H
	7752	-53.43	-25	-28.43	-81.2	-63.03	2.35	11.95	H
	10332	-49.11	-25	-24.11	-81.47	-58.75	2.69	12.33	H
									H
									H
									H
									H
	5166	-56.02	-25	-31.02	-80	-63.29	2.43	9.70	V
	7752	-53.45	-25	-28.45	-81.51	-63.05	2.35	11.95	V
	10332	-49.66	-25	-24.66	-81.89	-59.3	2.69	12.33	V
									V
									V
									V
									V



LTE Band 41 HPUE / 20MHz / QPSK / 1RB0									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Highest	5340	-56.33	-25	-31.33	-81.01	-63.5	2.53	9.70	H
	8010	-52.54	-25	-27.54	-80.91	-62.38	2.27	12.11	H
	10674	-47.91	-25	-22.91	-81.23	-57.65	2.69	12.43	H
									H
									H
									H
									H
	5340	-55.17	-25	-30.17	-79.77	-62.34	2.53	9.70	V
	8010	-51.79	-25	-26.79	-80.5	-61.63	2.27	12.11	V
	10674	-48.43	-25	-23.43	-81.57	-58.17	2.69	12.43	V
									V
									V
									V
									V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE CA Band 41C HPUE

LTE CA Band 41C HPUE / 20M+20MHz / QPSK / 1RB99+1RB0									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	5028	-56.88	-25	-31.88	-80.9	-64.23	2.35	9.70	H
	7548	-53.97	-25	-28.97	-81.25	-63.39	2.41	11.83	H
	10062	-49.64	-25	-24.64	-81.18	-59.17	2.70	12.22	H
									H
									H
									H
									H
	5028	-56.64	-25	-31.64	-80.47	-63.99	2.35	9.70	V
	7548	-53.34	-25	-28.34	-80.87	-62.76	2.41	11.83	V
	10062	-49.88	-25	-24.88	-81.35	-59.41	2.70	12.22	V
									V
									V
									V
									V
Middle	5184	-56.49	-25	-31.49	-80.63	-63.75	2.44	9.70	H
	7776	-53.53	-25	-28.53	-81.4	-63.16	2.34	11.97	H
	10368	-49.46	-25	-24.46	-81.91	-59.11	2.69	12.35	H
									H
									H
									H
									H
	5184	-56.17	-25	-31.17	-80.17	-63.43	2.44	9.70	V
	7776	-53.01	-25	-28.01	-81.17	-62.64	2.34	11.97	V
	10368	-49.32	-25	-24.32	-81.63	-58.97	2.69	12.35	V
									V
									V
									V
									V



LTE CA Band 41C HPUE / 20M+20MHz / QPSK / 1RB99+1RB0									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Highest	5340	-56.28	-25	-31.28	-80.96	-63.45	2.53	9.70	H
	8010	-52.57	-25	-27.57	-80.94	-62.41	2.27	12.11	H
	10674	-47.52	-25	-22.52	-80.84	-57.26	2.69	12.43	H
									H
									H
									H
									H
	5340	-55.28	-25	-30.28	-79.88	-62.45	2.53	9.70	V
	8010	-52.21	-25	-27.21	-80.92	-62.05	2.27	12.11	V
	10674	-48.12	-25	-23.12	-81.26	-57.86	2.69	12.43	V
									V
									V
									V
									V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



<Ant. 3>

LTE Band 25

LTE Band 25 / 20MHz / QPSK / 1RB0									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	3702	-57.86	-13	-44.86	-78.7	-64.43	1.67	8.24	H
	5550	-56.42	-13	-43.42	-81.9	-63.49	2.65	9.72	H
	7404	-53.46	-13	-40.46	-80.6	-62.61	2.46	11.61	H
									H
									H
									H
									H
	3702	-55.78	-13	-42.78	-76.52	-62.35	1.67	8.24	V
	5550	-56.35	-13	-43.35	-81.82	-63.42	2.65	9.72	V
	7404	-49.34	-13	-36.34	-76.78	-58.49	2.46	11.61	V
									V
									V
									V
									V
Middle	3744	-57.51	-13	-44.51	-78.26	-64.12	1.68	8.29	H
	5610	-56.23	-13	-43.23	-81.81	-63.29	2.69	9.74	H
	7482	-54.41	-13	-41.41	-81.59	-63.74	2.44	11.76	H
									H
									H
									H
									H
	3744	-55.44	-13	-42.44	-76.24	-62.05	1.68	8.29	V
	5610	-56.33	-13	-43.33	-81.75	-63.39	2.69	9.74	V
	7482	-52.15	-13	-39.15	-79.51	-61.48	2.44	11.76	V
									V
									V
									V
									V



LTE Band 25 / 20MHz / QPSK / 1RB0									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Highest	3792	-57.88	-13	-44.88	-78.58	-64.53	1.70	8.35	H
	5688	-55.94	-13	-42.94	-81.61	-62.98	2.73	9.78	H
	7584	-53.71	-13	-40.71	-81.12	-63.16	2.40	11.85	H
									H
									H
									H
									H
	3792	-55.08	-13	-42.08	-75.82	-61.73	1.70	8.35	V
	5688	-56.05	-13	-43.05	-81.63	-63.09	2.73	9.78	V
	7584	-52.26	-13	-39.26	-79.84	-61.71	2.40	11.85	V
									V
									V
									V
									V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 66

LTE Band 66 / 20MHz / QPSK / 1RB0									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	3420	-58.03	-13	-45.03	-78.24	-64.1	1.58	7.65	H
	5136	-56.92	-13	-43.92	-80.81	-64.2	2.42	9.70	H
	6846	-54.72	-13	-41.72	-81.66	-62.7	2.64	10.62	H
									H
									H
									H
									H
	3420	-55.53	-13	-42.53	-75.93	-61.6	1.58	7.65	V
	5136	-55.82	-13	-42.82	-79.28	-63.1	2.42	9.70	V
	6846	-53.12	-13	-40.12	-79.79	-61.1	2.64	10.62	V
									V
									V
									V
									V
Middle	3474	-57.17	-13	-44.17	-78.03	-63.46	1.60	7.89	H
	5208	-56.86	-13	-43.86	-81.08	-64.1	2.46	9.70	H
	6942	-55.06	-13	-42.06	-81.88	-63.18	2.61	10.73	H
									H
									H
									H
									H
	3474	-55.13	-13	-42.13	-75.88	-61.42	1.60	7.89	V
	5208	-55.39	-13	-42.39	-79.48	-62.63	2.46	9.70	V
	6942	-53.17	-13	-40.17	-80.01	-61.29	2.61	10.73	V
									V
									V
									V
									V



LTE Band 66 / 20MHz / QPSK / 1RB0									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Highest	3522	-56.16	-13	-43.16	-77.07	-62.58	1.61	8.03	H
	5286	-56.25	-13	-43.25	-80.74	-63.45	2.50	9.70	H
	7044	-54.94	-13	-41.94	-81.73	-63.25	2.58	10.89	H
									H
									H
									H
									H
	3522	-53.31	-13	-40.31	-74.08	-59.73	1.61	8.03	V
	5286	-53.95	-13	-40.95	-78.34	-61.15	2.50	9.70	V
	7044	-51.43	-13	-38.43	-78.29	-59.74	2.58	10.89	V
									V
									V
									V
									V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE CA Band 66B

LTE CA Band 66B / 10M+10MHz / QPSK / 1RB49+1RB0									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	3438	-56.61	-13	-43.61	-77.23	-62.75	1.58	7.73	H
	5160	-56.77	-13	-43.77	-80.91	-64.04	2.43	9.70	H
	6876	-54.90	-13	-41.90	-81.88	-62.92	2.63	10.65	H
									H
									H
									H
									H
	3438	-55.42	-13	-42.42	-76.05	-61.56	1.58	7.73	V
	5160	-55.01	-13	-42.01	-79	-62.28	2.43	9.70	V
	6876	-52.36	-13	-39.36	-79.31	-60.38	2.63	10.65	V
									V
									V
									V
									V
Middle	3510	-56.55	-13	-43.55	-77.45	-62.95	1.61	8.01	H
	5262	-56.32	-13	-43.32	-80.83	-63.53	2.49	9.70	H
	7020	-54.89	-13	-41.89	-81.68	-63.15	2.58	10.84	H
									H
									H
									H
									H
	3510	-56.45	-13	-43.45	-76.22	-62.85	1.61	8.01	V
	5262	-57.11	-13	-44.11	-80.35	-64.32	2.49	9.70	V
	7020	-52.49	-13	-39.49	-79.21	-60.75	2.58	10.84	V
									V
									V
									V
									V



LTE CA Band 66B / 10M+10MHz / QPSK / 1RB49+1RB0									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Highest	3540	-56.72	-13	-43.72	-77.74	-63.15	1.62	8.05	H
	5310	-56.45	-13	-43.45	-81.04	-63.63	2.52	9.70	H
	7080	-54.38	-13	-41.38	-81.37	-62.78	2.56	10.96	H
									H
									H
									H
									H
	3540	-56.44	-13	-43.44	-77.2	-62.87	1.62	8.05	V
	5310	-55.76	-13	-42.76	-80.23	-62.94	2.52	9.70	V
	7080	-52.34	-13	-39.34	-79.31	-60.74	2.56	10.96	V
									V
									V
									V
									V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE CA Band 66C

LTE CA Band 66C / 20M+20MHz / QPSK / 1RB99+1RB0									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	3456	-56.77	-13	-43.77	-77.46	-62.99	1.59	7.81	H
	5184	-56.56	-13	-43.56	-80.7	-63.82	2.44	9.70	H
	6920	-54.86	-13	-41.86	-81.72	-62.95	2.62	10.70	H
									H
									H
									H
									H
	3456	-54.96	-13	-41.96	-75.62	-61.18	1.59	7.81	V
	5184	-56.46	-13	-43.46	-80.46	-63.72	2.44	9.70	V
	6920	-54.19	-13	-41.19	-81.05	-62.28	2.62	10.70	V
									V
									V
									V
									V
Middle	3510	-57.35	-13	-44.35	-78.25	-63.75	1.61	8.01	H
	5262	-56.86	-13	-43.86	-81.27	-64.07	2.49	9.70	H
	7014	-55.36	-13	-42.36	-82.08	-63.6	2.59	10.83	H
									H
									H
									H
									H
	3510	-54.54	-13	-41.54	-75.3	-60.94	1.61	8.01	V
	5262	-55.88	-13	-42.88	-80.19	-63.09	2.49	9.70	V
	7014	-50.80	-13	-37.80	-77.58	-59.04	2.59	10.83	V
									V
									V
									V
									V
								V	



LTE CA Band 66C / 20M+20MHz / QPSK / 1RB99+1RB0									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Highest	3516	-57.20	-13	-44.20	-78.11	-63.61	1.61	8.02	H
	5280	-56.78	-13	-43.78	-81.26	-63.98	2.50	9.70	H
	7038	-55.17	-13	-42.17	-81.94	-63.47	2.58	10.88	H
									H
									H
									H
									H
	3516	-55.58	-13	-42.58	-76.35	-61.99	1.61	8.02	V
	5280	-55.99	-13	-42.99	-80.37	-63.19	2.50	9.70	V
	7038	-52.79	-13	-39.79	-79.63	-61.09	2.58	10.88	V
									V
									V
									V
									V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 41 HPUE

LTE Band 41 HPUE / 20MHz / QPSK / 1RB0									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	4998	-57.84	-25	-32.84	-81.55	-65.2	2.34	9.70	H
	7500	-54.73	-25	-29.73	-81.53	-64.1	2.43	11.80	H
	10008	-51.29	-25	-26.29	-82.37	-60.8	2.70	12.20	H
									H
									H
									H
									H
	4998	-57.74	-25	-32.74	-81.47	-65.1	2.34	9.70	V
	7500	-54.23	-25	-29.23	-81.33	-63.6	2.43	11.80	V
	10008	-50.99	-25	-25.99	-82.07	-60.5	2.70	12.20	V
									V
									V
									V
									V
Middle	5166	-56.83	-25	-31.83	-80.75	-64.1	2.43	9.70	H
	7752	-54.30	-25	-29.30	-81.76	-63.9	2.35	11.95	H
	10332	-50.96	-25	-25.96	-82.8	-60.6	2.69	12.33	H
									H
									H
									H
									H
	5166	-56.83	-25	-31.83	-80.5	-64.1	2.43	9.70	V
	7752	-54.30	-25	-29.30	-81.79	-63.9	2.35	11.95	V
	10332	-50.86	-25	-25.86	-82.87	-60.5	2.69	12.33	V
									V
									V
									V
									V
								V	



LTE Band 41 HPUE / 20MHz / QPSK / 1RB0									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Highest	5340	-57.13	-25	-32.13	-81.31	-64.3	2.53	9.70	H
	8010	-53.06	-25	-28.06	-81.3	-62.9	2.27	12.11	H
	10674	-49.86	-25	-24.86	-82.67	-59.6	2.69	12.43	H
									H
									H
									H
									H
	5340	-55.93	-25	-30.93	-80.02	-63.1	2.53	9.70	V
	8010	-52.96	-25	-27.96	-81.19	-62.8	2.27	12.11	V
	10674	-49.36	-25	-24.36	-82.29	-59.1	2.69	12.43	V
									V
									V
									V
									V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE CA Band 41C HPUE

LTE CA Band 41C HPUE / 20M+20MHz / QPSK / 1RB99+1RB0									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	5028	-57.36	-25	-32.36	-81.46	-64.71	2.35	9.70	H
	7548	-54.61	-25	-29.61	-81.89	-64.03	2.41	11.83	H
	10062	-51.08	-25	-26.08	-82.68	-60.61	2.70	12.22	H
									H
									H
									H
									H
	5028	-56.76	-25	-31.76	-80.58	-64.11	2.35	9.70	V
	7548	-54.11	-25	-29.11	-81.62	-63.53	2.41	11.83	V
	10062	-51.29	-25	-26.29	-82.85	-60.82	2.70	12.22	V
									V
									V
									V
									V
Middle	5184	-56.79	-25	-31.79	-81.03	-64.05	2.44	9.70	H
	7776	-53.74	-25	-28.74	-81.5	-63.37	2.34	11.97	H
	10368	-50.36	-25	-25.36	-82.72	-60.01	2.69	12.35	H
									H
									H
									H
									H
	5184	-56.99	-25	-31.99	-80.94	-64.25	2.44	9.70	V
	7776	-53.63	-25	-28.63	-81.82	-63.26	2.34	11.97	V
	10368	-50.36	-25	-25.36	-82.66	-60.01	2.69	12.35	V
									V
									V
									V
									V



LTE CA Band 41C HPUE / 20M+20MHz / QPSK / 1RB99+1RB0									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Highest	5340	-56.66	-25	-31.66	-81.18	-63.83	2.53	9.70	H
	8010	-53.17	-25	-28.17	-81.54	-63.01	2.27	12.11	H
	10674	-49.29	-25	-24.29	-82.44	-59.03	2.69	12.43	H
									H
									H
									H
									H
	5340	-55.59	-25	-30.59	-80.18	-62.76	2.53	9.70	V
	8010	-52.71	-25	-27.71	-81.57	-62.55	2.27	12.11	V
	10674	-49.41	-25	-24.41	-82.61	-59.15	2.69	12.43	V
									V
									V
									V
									V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.