

# **NCR DecisionNet™ System**

Release 2.0

# **Installation and Service Guide**



B005-0000-1088

Issue A

---

The product described in this book is a licensed product of NCR Corporation.

NCR is a registered trademark of NCR Corporation.

NCR DecisioNet, NCR SmarTalker, and NCR SmarTalker II are trademarks of NCR Corporation.

Microsoft Windows NT and Windows NT are registered trademarks of Microsoft Corporation.

UNIX is a registered trademark in the United States and other countries, exclusively licensed through X/OPEN Company Limited.

BarTender is a trademark of Seagull Scientific Systems, Inc..

It is the policy of NCR Corporation (NCR) to improve products as new technology, components, software, and firmware become available. NCR, therefore, reserves the right to change specifications without prior notice.

All features, functions, and operations described herein may not be marketed by NCR in all parts of the world. In some instances, photographs are of equipment prototypes. Therefore, before using this document, consult with your NCR representative or NCR office for information that is applicable and current.

To maintain the quality of our publications, we need your comments on the accuracy, clarity, organization, and value of this book.

Address correspondence to:

Retail Solutions Group—Atlanta  
NCR Corporation  
2651 Satellite Blvd.  
Duluth, GA 30096

Copyright © 1998  
By NCR Corporation  
Dayton, Ohio U.S.A.  
All Rights Reserved

# Preface

This book describes the hardware and software installation, configuration, customization, and service procedures for the NCR **DecisionNet™** System.



# Table of Contents

## **Introduction**

About This Manual.....	1-1
Chapter Summaries .....	1-2
Information Sources.....	1-4

## **Pre-Installation Procedures**

Overview of the Installation Process .....	2-1
Phase 1: Survey Site and Plan the Installation .....	2-2
Phase 2: Scan the Site and Develop SmarTalker Overlays.....	2-3
Phase 3: Contract the Purchase of SmarTalker Mounting Devices and Schedule Labor for Installation.....	2-4
Phase 4: Install the DecisioNet Software and Hardware Infrastructure .....	2-5
Phase 5: Install the SmarTalker Tags.....	2-6
Phase 6: Validate Quality of the Installation.....	2-6
Example List of Install Tasks .....	2-7

## **Preparing the Installation Site**

Preparing the Site.....	3-1
Customer Responsibilities.....	3-2
Power, Grounding and Distribution Requirements..	3-3
Power Requirements.....	3-3
Grounding Requirements .....	3-4
Power Distribution Requirements.....	3-4
Environmental Requirements.....	3-6
Temperature and Humidity .....	3-6

CBS.....	3-6
SmarTalker.....	3-7
SmarTalker II (Standard Size and Small Size) .	3-7
SmarTalker II (Signage) .....	3-8
Altitude and Temperature .....	3-9
Health and Safety.....	3-9
Component Characteristics .....	3-10
CBS .....	3-10
Power Supply.....	3-12
Transmit Antenna .....	3-13
Receive Antenna.....	3-13
Patch Antenna .....	3-14
SmarTalker .....	3-15
SmarTalker Displays and Symbols.....	3-15
SmarTalker II .....	3-17
SmarTalker II Displays and Symbols.....	3-18
Weight and Dimension Table.....	3-20

**Installing the Hardware Infrastructure**

Installing the DecisioNet RF System.....	4-1
Technician Supply Checklist .....	4-2
Key Points to Remember During Installation .....	4-3
Cables Required for Installation.....	4-4
General Layout Instructions .....	4-4
System Cable Connection .....	4-6
Connector Location .....	4-7
Cables .....	4-9
Installing Primary and Secondary CBSs.....	4-12
Installation Process .....	4-12
Things to Remember .....	4-12
Preparing the CBS .....	4-13

---

DIP Switch Settings .....	4-14
Rotary Switch Settings .....	4-14
Setting the CBS Address .....	4-15
Communication Speed .....	4-15
Installing CBSs .....	4-16
Cable Connections for a Type 1 (Lab)	
Configuration .....	4-18
Connecting an RS-232/RS-422 Converter to the Primary CBS .....	4-20
Converter Strapping Information .....	4-21
Connecting Power Supplies to AC Power .....	4-21
Connecting a Power Supply to a Primary CBS ..	4-22
Cable Connections for a Type 2 (Store)	
Configuration .....	4-23
Connecting an RS-232/RS-422 Converter to the Primary CBS .....	4-25
Connecting Power Supplies to AC Power .....	4-26
Connecting a Power Supply to a Primary CBS ..	4-26
Connecting a Power Supply to a Secondary CBS .....	4-27
Connecting RS-485 Cables between Secondary CBSs .....	4-27
Connecting RS-485 Cables between a non- powered (Secondary) CBS and a powered CBS	4-28
Installing CBS Antennas .....	4-29
Installing Transmit and Receive Antennas .....	4-30
Installing an Antenna on a Ceiling Tile .....	4-31
Installing an Antenna on a Roof Truss .....	4-32
Installing a Patch Antenna .....	4-33

**DecisioNet Software on a Windows NT System**

System Environment for Windows NT ..... 5-1  
DecisioNet Software for Windows NT ..... 5-2  
    Backup Copies ..... 5-3  
    Installing DecisioNet Software on a Windows  
    NT System ..... 5-3  
        EPL Base and Application Runtime ..... 5-3  
        EPL Standalone PLU Maintenance ..... 5-4  
        EPL Scan Process Package ..... 5-5  
        EPL Price Redundancy Package ..... 5-6  
        EPL System Information Package ..... 5-6  
        EPL Information Messaging System Package . 5-7  
        EPL ACS 4.0 POS Runtime Package ..... 5-7  
        EPL ScanMaster 1.1.5 POS Runtime Package.. 5-8  
    Configuring and Customizing the DecisioNet  
    System..... 5-8

**DecisioNet Software on an NCR UNIX System**

System Environment for NCR UNIX..... 6-1  
DecisioNet Software for NCR UNIX..... 6-2  
    Checking the System for Existing Packages..... 6-2  
    Installing DecisioNet Software on an NCR  
    UNIX System ..... 6-3  
        Disabling UNIX Port Monitoring ..... 6-3  
        Starting the Install Process ..... 6-4  
        Installing EPL Base and Application Runtime  
        Software (eplbaseap) ..... 6-4  
        Installing the Optional EPL Standalone PLU  
        Maintenance Software (saplumexe) ..... 6-6  
        Installing the Optional EPL Scan Process  
        Package (scanproc) ..... 6-7



Installing the EPL Price Redundancy  
 Package (PriceRed) ..... 6-8

Installing the EPL System Information  
 Package (SystemInfo) ..... 6-9

Installing the EPL Information Messaging  
 System Package (InfoMsg) ..... 6-10

Configuring and Customizing the DecisionNet  
 System..... 6-10

**DecisionNet Software on an SCO UNIX System**

System Environment for SCO UNIX ..... 7-1

DecisionNet Software for SCO UNIX ..... 7-2

    Installing DecisionNet Software on an SCO  
 UNIX System ..... 7-2

        Checking the System for Existing Packages .... 7-3

        Copying Files from the Install Tapes ..... 7-3

        Installing EPL Base and Application Runtime  
 Software (NCR:epibaseapp) ..... 7-4

        Installing the Optional EPL Standalone PLU  
 Maintenance Software (NCR:saplumexe) ..... 7-5

        Installing the Optional Scan Process Package  
 (NCR:ScanProcess) ..... 7-6

        Installing the EPL Price Redundancy  
 Package (NCR:PriceRed) ..... 7-7

        Installing the EPL System Information  
 Package (NCR:SystemInfo) ..... 7-7

        Installing the EPL Information Messaging  
 System Package (NCR:InfoMsg)..... 7-8

    Configuring and Customizing the DecisionNet  
 System..... 7-8

## **Configuring the DecisionNet System Environment**

Overview.....	8-1
How to Navigate in a DecisionNet UNIX Environment .....	8-2
Setting Performance Boost in Windows NT 4.0 .....	8-4
Configuring the CBS Communications Port.....	8-5
Starting the DecisionNet System .....	8-6
To Start the DecisionNet System in Windows NT.	8-6
To Start the DecisionNet System in NCR UNIX or SCO UNIX .....	8-6
Configuring the DecisionNet System Software.....	8-7
Field Descriptions .....	8-9
Field Descriptions .....	8-10
Field Descriptions .....	8-13
Field Descriptions .....	8-16
Base Hardware Configuration .....	8-17
Label Data Maintenance (LDM) .....	8-20
Configuring Windows NT Services .....	8-24
Automatic Start When Running DecisionNet as a Service .....	8-25
Manual Start When Running DecisionNet as a Service .....	8-26
Manually Starting DecisionNet as an Application	8-26
About Passwords.....	8-27
Assigning Security .....	8-27
Maintaining Username/ Password.....	8-27

**Loading the Pre-EPL File**

Initializing SmarTalker Tags ..... 9-1  
     Pre-EPL File Layout ..... 9-1  
     Pre-EPL File as a CSV File..... 9-6  
     Loading a Pre-EPL File ..... 9-7  
 Checking SmarTalker Initialization ..... 9-11  
     Viewing EPL Data Send Log ..... 9-11  
     Resending the EPL Data..... 9-14

**SmarTalker and Rail Installation**

SmarTalkers ..... 10-1  
     Attaching the Rail ..... 10-1  
         Key Points ..... 10-1  
     Attaching SmarTalkers to C-channels..... 10-4  
     Attaching SmarTalkers to Angled Rails ..... 10-5  
     Attaching SmarTalkers to Individual Clips ..... 10-5  
     Installing and Removing a SmarTalker ..... 10-6

**SmarTalker II and Rail Installation**

SmarTalker IIs ..... 11-1  
     Attaching the Bracket ..... 11-2  
     Installing SmarTalker II Shelf Rails ..... 11-4  
     Installing SmarTalker II C-channel Clips ..... 11-5  
     Installing a SmarTalker II in a C-channel Clip... 11-7

**Testing the System**

CBS Diagnostics and Troubleshooting ..... 12-1  
     Initiating CBS Diagnostics ..... 12-2  
         Opening the CBS..... 12-2  
         DIP Switch Settings ..... 12-2

- Self-Diagnostics ..... 12-3
  - With EPL Software Not Running ..... 12-4
  - With EPL Software Running ..... 12-4
  - Using the CBS LEDs to Diagnose Problems .. 12-5
- DIP Switch Diagnostics ..... 12-6
- EPL Administration Diagnostics ..... 12-7
  - CBS Level 1 Diagnostics - Read or CBS Level 1 Diagnostics - Read/Reset ..... 12-9
  - CBS Tally - Read or CBS Tally - Read/Reset 12-11
  - Using CBS Tally Read Information to Diagnose Problems ..... 12-14
  - CBS Initial Reset ..... 12-14
  - CBS Address Check ..... 12-14
  - CBS Manager Tally - Read or CBS Manager Tally - Read/Reset ..... 12-15
  - RS-232 Loop Test ..... 12-16
- Diagnostic Logs ..... 12-16
  - EPL System Error Log ..... 12-17
  - EPL Data Send Log ..... 12-18
  - EPL Audit Log ..... 12-20
- Using Failure and Detection Analysis Software 12-21
  - Running FDA from a System Prompt ..... 12-23
  - Running FDA from EPL Administration ..... 12-26
- Bedcheck ..... 12-27
- Analyzing SmarTalker Problems ..... 12-28

**Maintenance**

- Replacing DecisioNet Hardware ..... 13-1
  - Replacing a CBS ..... 13-2
  - Replacing a Receive Antenna ..... 13-3
  - Replacing a Patch Antenna ..... 13-3

Replacing a Transmit Antenna .....	13-4
Replacing a Power Supply.....	13-5
Replacing a SmarTalker .....	13-5
Replacing a SmarTalker II .....	13-5
Battery Replacement.....	13-6
SmarTalker Battery Replacement .....	13-6
SmarTalker II Battery Replacement .....	13-6

**Parts Order Information**

Communication Base Station Model Number.....	A-1
Major Model Code .....	A-1
Sub Model Code .....	A-1
Power Code.....	A-2
Language Code.....	A-2
Kit Numbers .....	A-3
Other Items .....	A-5

**DecisioNet System Cables**

Cable Diagrams.....	B-1
---------------------	-----

**Configuration Files**

Overview.....	C-1
DecisioNet Windows NT Configuration Files.....	C-2
Base Software Configuration File (basesw.cfg) ...	C-2
Application Configuration File (esappl.cfg) .....	C-9
Measurement Units Configuration Table (esmeasur.tbl).....	C-13
Serial Number Configuration Table (eplserial.cfg).....	C-14
Log Monitor Configuration File (logmon.cfg) ...	C-15
EPL Backup Information File (eplbackup.ini) ...	C-20

EPL Status Tag Manager Configuration File (status.cfg) .....	C-21
DecisioNet UNIX Configuration Files .....	C-23
Base Software Configuration File (basesw.cfg) ..	C-23
Application Configuration File (esappl.cfg) .....	C-30
CBS Parameter File (cbsparam.tbl) .....	C-34
Measurement Units Configuration Table (esmeasur.tbl).....	C-34
Log Monitor Configuration File (logmon.cfg) ...	C-35
EPL Backup Information File (eplbackup.ini) ...	C-40
EPL Status Tag Manager Configuration File (status.cfg) .....	C-41

### **Customizing the DecisioNet System**

Overview.....	D-1
Default Directories .....	D-2
DecisioNet System Start and Stop Scripts .....	D-2
Label Data Manager .....	D-4
Setting the Granularity and Records Number Options .....	D-4
LDM Parameters in the Application Configuration File .....	D-5
Prescript and Postscript Files .....	D-6
Label Data Manager - Print File layout.....	D-6
Promotional Message Verifier .....	D-8
Changing the Promotional Message Verifier Time Interval.....	D-8
External Data Interface (with AMS).....	D-10
Changing the External Data Interface Time Interval.....	D-10
Automated Messaging System .....	D-12
Running the Automated Messaging Program..	D-12

---

Price Verifier .....	D-14
Changing the Price Verifier Time Interval .....	D-14
Sale Price Verifier.....	D-16
Changing the Sale Price Verifier Time Interval .....	D-16
Log Monitor .....	D-18
Log Monitor Report .....	D-18
Log Monitor basesw.cfg File Options .....	D-21
Log Monitor Editor .....	D-21
User-defined Actions .....	D-21
Changing the Log Monitor Time Interval .....	D-22
Log Monitor Configuration File.....	D-24
Orphan Tag Report.....	D-25
Unattended EPL Backup.....	D-27
Starting EPL Backup at a DOS or UNIX Prompt.....	D-27
Backup File List .....	D-28
Backup File Location for Windows NT.....	D-28
Backup File Location for UNIX.....	D-29
Failure Detection and Analysis.....	D-30
Changing the Failure Detection and Analysis Time Interval.....	D-30
Status Tag Manager .....	D-32
Displaying Status Information.....	D-33
Status Tag Configuration File Parameters.....	D-34
Sample Status file:.....	D-36
Starting the Status Tag Manager.....	D-38
Creating a Status File .....	D-38
Windows NT Automatic Services .....	D-40
UNIX Automatic Restart.....	D-43





## Revision Record

Issue	Date	Remarks
A	April 99	First printing

# Radio Frequency Interference Statements

## Federal Communications Commission (FCC)

### *Information to User*

This equipment has been tested and found to comply with the limits for a Class A digital device, pursuant to Part 15 of FCC Rules. These limits are designed to provide reasonable protection against harmful interference when the equipment is operated in a commercial environment. This equipment generates, uses, and can radiate radio frequency energy and, if not installed and used in accordance with the instruction manual, may cause harmful interference to radio communications. Operation of this equipment in a residential area is likely to cause interference in which case the user will be required to correct the interference at his own expense.

NCR is not responsible for any radio or television interference caused by unauthorized modification of this equipment or the substitution or attachment of connecting cables and equipment other than those specified by NCR. The correction of interference caused by such unauthorized modification, substitution or attachment will be the responsibility of the user. The user is cautioned that changes or modifications not expressly approved by NCR may void the user's authority to operate the equipment.

## Canadian Department of Communications

This digital apparatus does not exceed the Class A limits for radio noise emissions from digital apparatus set out in the Radio Interference Regulations of the Canadian Department of Communications.

Le présent appareil numérique n'émet pas de bruits radioélectriques dépassant les limites applicables aux appareils numériques de la classe A prescrites dans le Règlement sur le brouillage radioélectriques édicté par le ministre des Communications du Canada.

## Voluntary Control Council For Interference (VCCI)

この装置は、情報処理装置等電波障害自主規制協議会（VCCI）の基準に基づくクラスA情報技術装置です。この装置を家庭環境で使用すると電波妨害を引き起こすことがあります。この場合には使用者が適切な対策を講ずるよう要求されることがあります。