



Audio-Technica Corporation  
 2-46-1, Nishi-Naruse, Machida,  
 Tokyo 194-8666, Japan  
 Tel. +81-42-739-9168 Fax. +81-42-739-9160  
 www.audio-technica.co.jp

### Declaration of the Modular Approval

<b>Applicant / Grantee</b>	<b>Audio-Technica Corporation</b>
<b>FCC ID:</b>	<b>JFZBM03R8645</b>
<b>IC ID:</b>	<b>1752B-BM03R8645</b>
<b>Model:</b>	<b>BM03R8645</b>

The single module transmitter has been evaluated then tested meeting the requirements under Part 15C Section 2.12 as below:

<b>Modular Approval Requirement</b>	<b>Yes</b>	<b>No</b>
(i) The radio elements of the modular transmitter must have their own shielding. The physical crystal and tuning capacitors may be located external to the shielded radio elements.	✓	
(ii) The modular transmitter must have buffered modulation/data inputs (if such inputs are provided) to ensure that the module will comply with part 15 requirements under conditions of excessive data rates or over-modulation.	✓	
(iii) The modular transmitter must have its own power supply regulation.	✓	
(iv) The modular transmitter must comply with the antenna and transmission system requirements of §§ 15.203, 15.204(b) and 15.204(c). The antenna must either be permanently attached or employ a "unique" antenna coupler (at all connections between the module and the antenna, including the cable). The "professional installation" provision of § 15.203 is not applicable to modules but can apply to limited modular approvals under paragraph (b) of this section.	✓	
(v) The modular transmitter must be tested in a stand-alone configuration	✓	
(vi) The modular transmitter must be equipped with either a permanently affixed label or must be capable of electronically displaying its FCC identification number.	✓	

**audio-technica**



Audio-Technica Corporation  
2-46-1, Nishi-Naruse, Machida,  
Tokyo 194-8666, Japan  
Tel. +81-42-739-9168 Fax. +81-42-739-9160  
[www.audio-technica.co.jp](http://www.audio-technica.co.jp)

(vii) The modular transmitter must comply with any specific rules or operating requirements that ordinarily apply to a complete transmitter and the manufacturer must provide adequate instructions along with the module to explain any such requirements. A copy of these instructions must be included in the application for equipment authorization.	✓	
(viii) The modular transmitter must comply with any applicable RF exposure requirements in its final configuration.	✓	

By: Fumio Kamimura  
Title: General Manager, Engineering Planning Division  
Company: Audio-Technica Corporation  
Telephone: 81-42-739-9128  
e-mail: [kamimura@audio-technica.co.jp](mailto:kamimura@audio-technica.co.jp)

**audio-technica**